

21.....

ng 2°45'

on.....
f Rain Gauge.....in.

ge above Ground.....ft.....in.

„ Sea Level.....ft.

sult entered to the previous day.

requested to add
or it at the end of
ing of rain gauges,
Rainfall Observers,”
zation, 62, Camden

Jan. 1, following.

is form.

Kept at.....

in the County of.....

by

IMPORTANT

If an Observer pref
the reading at 9 a.m.
this paragraph. Fu
and particulars as
sent post-free on
Square, London, N.

GLASTONBURY
WYRRAL

SOMERSET

1921—1922

Date	Jan.	Feb								Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1	'35									08	04	10	1
2											20	2	2
3			'09								32		3
4	'08		13								20	1	4
5	2			'07				'09			17		5
6	22			09				16				6	6
7			'03	09									7
8	10		'15	'24				03			6		8
9			8	'17									9
10	16		'01	18					06				10
11	24			'10				240				3	11
12	9		16	07				1.50	09				12
13			07					23	03			'20	13
14			12	'11				01	13				14
15	3		03	'23					07			'12	15
16				'04									16
17	9			'59				'02			7		17
18	10		05	19	'03			'05			27	5	18
19	6		14	8									19
20			12										20
21													21
22	2												22
23													23
24													24
25	10		20										25
26	27		06										26
27													27
28													28
29	11												29
30	76												30
31	5												31
TOTAL	2.85	'20	1.63	'76	1.60	'71	'30	1.43	1.99	'78	1.65	1.63	YEAR'S TOTAL
Days with '01 in. or more	18	2	16	6	14	2	5	11	7	5	14	18	15.53
Days with '04 in. or more	15	2	13	6	12	2	3	9	6	5	10	12	118

REGISTER OF RAINFALL IN 1921

Kept at Blastonbury Wyealin the County of Somersetby ImorlandLat. 57° Long. 2°45'

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	'35							'16	'11	08	04	'10	1
2			'09					'18			20	2	2
3			13			'12					32		3
4	'08				'07			'09			20	1	4
5	2		'07		09			16			17		5
6	22		'03		09							6	6
7			'15		'24			03			6		7
8	10		*		'17								8
9			'01		18				06				9
10	16				'10			20				3	10
11	24		16		07				1.50	09			11
12	9		07					23	03			'20	12
13			12	'11				'01	13				13
14	3		03		'23		'08		07			'12	14
15				'04		'59	'02				7		15
16	9		05	19	'03			'05			27	5	16
17	10		14	8					'09				17
18	6			12						06			18
19			20							~~06~~ 11		4	19
20			06								2	3	20
21											3	8	21
22	2			22							2	23	22
23										44	~~2~~		23
24		'14	~~14~~							2		23	24
25	10	'06	~~16~~				'13					2	25
26	27				'05		'02					19	26
27					01						2	14	27
28			28								13	7	28
29	11		04		'18		05	'07					29
30	76	~~76~~						'05			10		30
31	5	~~5~~		~~5~~	'09	~~09~~			~~05~~		~~10~~	1	31
TOTAL	2.85	.20	1.63	'76	1.60	'71	'30	1.43	1.99	'78	1.65	1.63	YEAR'S TOTAL 15.53
Days with '01 in. or more	18	2	16	6	14	2	5	11	7	5	14	18	118
Days with '04 in. or more	15	2	13	6	12	2	3	9	6	5	10	12	95

REGISTER OF RAINFALL IN 1922

Kept at Wynal Glastonbury
in the County of Somerset
by John Morland

Lat. 51° N Long. 2° 45' W.
Time of Observation 9 am
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		17	13				48	3			16		1
2		12	24	28	12		8	4			11		2
3	03	3	29	6	13		5	14			3		3
4		4	8		9					37			4
5	4		8	8			81	13		27	46		5
6	7		12	3			2	109	3		31		6
7	7		28	20		4	26	25			10		7
8	14		16	2			18	48				7	8
9	14		3				4	1			5		9
10	1		1								5		10
11				1	3								11
12				30		12	3	55	47				12
13	23			25		1	19						13
14	2	5		3									14
15	37	18		17					12				15
16		25		10	16			11	1			20	16
17		3			5		5		5			15	17
18	12	7			6				27			4	18
19	7	15	5						15			85	19
20	12	28	8									8	20
21	7	4					19	2				21	21
22		3				5		16	3			8	22
23		6		11		4	10					8	23
24	7		9	2	2	12		17				5	24
25	16	2		20		13			23			5	25
26		11					17		3		3	3	26
27	12	8	12	6				26				17	27
28	26	32	3			44		11				17	28
29	15	41	2	2		3	8			31		34	29
30	90	X	3	X		8		49	31		3	52	30
31	2	X	48	X		X	3	5	X	19	X		31
TOTAL	3118	2166	2224	1994	166	106	225	409	170	114	133	309	2585
Days with 01 in. or more	21	18	17	17	8	10	16	17	11	4	10	16	165
Days with 04 in. or more	17	14	12	11	6	8	13	14	7	4	7	15	129

REG: GLASTONBURY

1921

BUTLEIGH

BUTLEIGH COURT

Kept at GLASTONBURY

in the County of Somerset

by R NEVILLE

IMPORTANT NOTE.
If an Observer prefers not to take the reading at 9 a.m. on 1st of this paragraph. Full instructions and particulars as to the British Standard post-free on application Square, London, N.W. 1.

1921 - 1930

Long. _____
Station 9 a.m.
y Station Glastonbury
annel of Rain Gauge _____ in.
of Gauge above Ground _____ ft. _____ in.
" " Sea Level _____ ft.

the result entered to the previous day.
ernestly requested to add
ided for it at the end of
nd placing of rain gauges,
for Rainfall Observers,"
Organization, 62, Camden

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	.01	.10					.13	.02			.12	1
2	.11									.09	.07	.08	2
3	.03		.02			.10		.04		.03	.34		3
4	.05				.03			.08			.24		4
5			.02		.03			.21			.30		5
6	.17				.02			.01			.10	.06	6
7	.24		.03		.33						.08		7
8	.05		.15		.14								8
9	.01		.02	.05	.18				.06				9
10	.13		.09		.02			.42				.04	10
11	.20		.09		.09				1.10			.22	11
12	.21		.10					.19	.01				12
13	.02		.16	.11				.11	.17	.15	.02		13
14			.05		.23		.14	.01	.08			.12	14
15			.03	.03	.05		.01	.10			.09	.04	15
16	.08		.07	.25				.01			.45	.05	16
17	.15		.17	.17					.12				17
18	.08		.02	.09					.05	.24			18
19			.17							.03		.07	19
20	.02		.09							.05	.01	.02	20
21											.06	.02	21
22	.01			.32						.21	.04	.43	22
23	.04						.04			.22			23
24	.08	.04					.13					.11	24
25		.15	.02			.61						.14	25
26	.29		.01		.04							.33	26
27					.06		.03			.01		.11	27
28			.30	.02			.04					.07	28
29	.11		.16		.17			.08				.04	29
30	.71	X										.07	30
31	.10	X		X	.12	X			X		X		31
TOTAL	3.20	.20	1.87	1.04	1.51	.71	.39	1.39	1.61	1.03	1.80	2.14	YEAR'S TOTAL
Days with .01 in. or more	23	3	21	8	14	2	6	12	8	9	12	19	137
Days with .04 in. or more	18	2	13	6	10	2	4	9	6	6	10	17	103

REGISTER OF RAINFALL IN 192.....

Kept at BUTLEIGH COURT,
GLASTONBURY.
in the County of Somerset
by R. NEVILLE GRENVILLE

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	.01	.10					.13	.02			.12	1
2	.11									.09	.07	.08	2
3	.03		.02			.10		.04		.03	.34		3
4	.05				.03			.08			.24		4
5			.02		.03			.21			.30		5
6	.17				.02			.01			.10	.06	6
7	.24		.03		.33						.08		7
8	.05		.15		.14								8
9	.01		.02	.05	.18				.06				9
10	.13		.09		.02			.42				.04	10
11	.20		.09		.09				1.10			.22	11
12	.21		.10					.19	.01				12
13	.02		.16	.11				.11	.17	.15	.02		13
14			.05		.23		.14	.01	.08			.12	14
15			.03	.03	.05		.01	.10			.09	.04	15
16	.08		.07	.25				.01			.45	.05	16
17	.15		.17	.17					.12				17
18	.08		.02	.09					.05	.24			18
19			.17							.03		.07	19
20	.02		.09							.05	.01	.02	20
21											.06	.02	21
22	.01			.32						.21	.04	.43	22
23	.04						.04			.22			23
24	.08	.04					.13					.11	24
25		.15	.02			.61						.14	25
26	.29		.01		.04							.33	26
27					.06		.03			.01		.11	27
28			.30	.02			.04					.07	28
29	.11		.16		.17			.08				.04	29
30	.71	X										.07	30
31	.10	X		X	.12	X			X		X		31
TOTAL	3.20	.20	1.87	1.04	1.51	.71	.39	1.39	1.61	1.03	1.80	2.14	YEAR'S TOTAL
Days with .01 in. or more	23	3	21	8	14	2	6	12	8	9	12	19	137
Days with .04 in. or more	18	2	13	6	10	2	4	9	6	6	10	17	103

REGISTER OF RAINFALL IN 192...

BUTLEIGH COURT,

Kept at.....GLASTONBURY.....

in the County of.....Somerset.....

by.....R NEVILLE GRENVILLE.....

Lat..... Long.....

Time of Observation.....9 a.m.....

Nearest Railway Station.....Glastonbury & Charlton Mark.....

Diameter of Funnel of Rain Gauge.....in.....

Height of top of Gauge above Ground.....ft.....in.....

Sea Level.....ft.....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.21	.26				.51	.05	.01	.02	.27		1
2		.37	.27	.09	.06		.09	.03			.16	.03	2
3		.04	.25	.43	.18		.05	.13		.03	.06		3
4	.03	.06	.09		.08		.03			.46			4
5	.01		.13	.08			1.16	.08		.11	.54	.01	5
6	.15		.18	.03			.01	1.40			.27		6
7	.07		.38	.18		.06	.65	.06			.13	.02	7
8	.15		.23				.24	.66			.07	1.12	8
9	.20		.01				.03	.01			.03		9
10	.02							.01			.14		10
11				.02	.06								11
12				.29			.03	.54	.50			.02	12
13	.20			.35		.13	.20		.04				13
14		.03	.03	.05					.14		.04		14
15	.39	.21		.13	.17				.03				15
16		.25		.14	.26			.21			.01	.22	16
17		.08					.07		.04			.18	17
18	.13	.10			.03			.03	.11			.12	18
19	.01	.13	.02						.36			.08	19
20	.25	.29				.02	.12					.17	20
21	.32	.06					.14	.02				.63	21
22	.02	.05				.04	.14	.25				.16	22
23	.04	.04		.10			.11		.03		.01	.08	23
24			.15	.01	.02	.10		.12				.07	24
25	.27			.20		.17	.18	.05	.31			.15	25
26	.09	.19		.01		.01		.02	.03		.03		26
27	.26	.45	.12	.07				.21	.02		.03	.42	27
28	.32	.42	.04	.05		.27	.08	.11				.13	28
29	.15		.03							.47		.32	29
30	.90					.08		.54	.33		.07	.53	30
31	.12							.01		.17			31
TOTAL	4.10	2.98	2.94	2.23	.86	.88	3.70	4.54	1.95	1.26	1.86	4.26	31.56
Days with ".01 in. or more	22	17	16	17	8	9	17	21	13	6	15	19	180
Days with ".04 in. or more	17	16	12	13	6	8	12	14	8	4	10	15	135
YEAR'S TOTAL													179

REGISTER OF RAINFALL IN 1923.

Kept at

BUTLEIGH COURT,

GLASTONBURY.

In the County of

Somerset

by

R. NEVILLE GRENVILLE

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.14	.29	.01					.01	.20	.03	.55	1
2	.13	.08	.07							.37			2
3	.02				.07	.01		.02	.36	.41	.11		3
4	.02			.04							.14	.17	4
5	.50		.03	.09	.24					.14	.23		5
6	.42	.53	.09	.10			.02						6
7	.06	.63	.03	.09						.31		.46	7
8	.09	.15								.05	.27		8
9	.10	.77								.04			9
10	.02	.20		.22	.06		.09			.22		.06	10
11		.09		.20	.11					.76			11
12		.28	.40	.06	.15					.74		.04	12
13	.04	.24		.12	.12				.07	.39	.46	.03	13
14		.02		.04	.03			.11	.85	.02	.08		14
15	.01	.15		.12	.23	.34	.17		.08	.01	.17		15
16	.03	.10	.02	.23	.07			.01			.44		16
17	.01	.43		.17	.17		.12	.19	.42	.09	.09	.03	17
18	.04	.32			.05	.02			.34	.18	.04		18
19	.04	.13					.11	.12	.19	.19	.07		19
20	.01	.12							.10	.20			20
21	.02	.16			.01	.01			.08	.17		.06	21
22		.36						.05	.09	.13		.03	22
23	.03	.35	.27		.14		.28	.86	.19	.16		.12	23
24		.20		.07	.05		.01	.06	.21			.14	24
25		.51	.02	.13	.13	.05	.09	.11	.04	.25		.37	25
26		.09	.01	.04	.04			.01		.35		.33	26
27		.24	.13		.04			.16		.06		.44	27
28	.02	.11	.29	.25	.04		.16	.13	.01	.03			28
29	.03		.51	.12	.03		.01	.50		.01		.09	29
30		X			.02		.05		.01	.27		.14	30
31	.04	X		X		X	.30	.17	X		X	.13	31
TOTAL	1.76	6.40	2.20	2.18	1.38	.43	1.41	2.50	3.05	5.75	2.30	3.19	YEAR'S TOTAL
Days with ".01 in. or more	22	25	18	18	17	5	12	14	16	26	13	17	32.56
Days with ".04 in. or more	13	24	8	17	13	2	9	11	13	22	12	14	199
													157

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Kept at BUTLEIGH COURT,
GLASTONBURY,
in the County of Somerset,
by NEVILLE GRENVILLE.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

1786
8 JAN 1925

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03				.01	.09	.06	.18		.04	.63	.17	WVV
2	.16		(S) .25		.17		.14						2
3	.16		.13			.20	.10	.26		.03			3
4			.03			.56		.08				.31	4
5			.07				.07			.36		.05	5
6					.09			.13	.12	.34			6
7	.02			.02	.18	.16			.66	1.06			7
8	.08	.11			.10	.04			.19	.02			8
9	.14	.02		.02	.03	.18			.14	.07	.09		9
10	.17	.09		.04	.75	.74			.08	.08	.03	.02	10
11	.14			.38	.67	.30		.72	.083	.06	.58		11
12	.24			.09	.09	.18			.08				12
13	.08			.55					.57			.33	13
14				.02				.11				.35	14
15		.22						.07	.02			.48	15
16	.19					.10		.46	.03				16
17	.20				.09		.54	.35				.03	17
18	.53	.04			.35			1.14	.06	.14	.03	.02	18
19	.13				.10		.07	.19	.14	.03			19
20	.10		.05		.79	.06	.37	.10	.38	.33			20
21	.76				.19	.19	.09	.13	.05	.71			21
22	.53		.47		.01		.46	.86	.45			.06	22
23			.11		.30		.02	.04	.10			.38	23
24	.46	.01	.30	.16	.26		.01		.22		.02	.30	24
25	.02		.02	.20	.02		.19	.05	.42	.16	.37	.03	25
26				.09				.20	.08	.16	.54	.26	26
27				.73			.65	.12		1.17		.12	27
28		.01					.64	.29		.04	.31	(14)	28
29		.06		.15			.09	.25	.04	.07	.17	.26	29
30		X		.06	.29			.15	.12	.57	.29	.17	30
31		X		X	.42	X	.01		X	.19	X	.40	31
TOTAL	4.14	.56	1.43	2.51	4.87	2.80	3.51	5.88	3.98	5.63	3.06	3.84	42.21
Days with "01 in. or more	19	8	9	13	20	12	16	21	21	20	11	19	189
Days with "04 in. or more	16	5	7	10	16	12	13	21	18	17	8	15	158

--W 505

FOR OFFICIAL USE.

1827

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1925.

BUTLEIGH COURT,

Kept at GLASTONBURY.

in the County of Somerset

by R. NEVILLE GRENVILLE

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.54	.	.07	.	.06	.03	.	.02	.07	.	.05	.	1
2	.17	.04	.	.01	.	.	.	.	.	.01	.46	.	2
3	.13	.09	.	.	.43	.	.05	.	.02	.	.37	.	3
4	.02	.	.	.14	.07	.	.	.06	.	.	.02	.	4
5	.08	.25	.	.56	.17	.	.	.21	.25	.	.60	.	5
6	.	.13	.	.	.45	.	.36	.34	.	.01	.43	.04	6
7	.	.33	.01	.	.57	.	.	.	.	.10	.	.17	7
8	.20	.01	.02	.	.12	.	.08	.27	.	.	.04	.14	8
9	.	.08	.	.	.17	.	.05	.03	.07	.	.	.07	9
10	.	.04	.03	.	.02	.	.	.	.03	.	.03	.02	10
11	.	.44	.	.	.02	.	.	.01	.	.	.	.	11
12	.02	.44	.	.06	.	.	.	.44	.	.	.	.	12
13	.02	.12	.26	.25	.	.	.	.02	.17	.	.	.04	13
14	.32	.28	.	.44	.	.	.	.	.	.	.	.	14
15	.03	.03	.	.07	.	.	.	.	.	.	.14	.09	15
16	.02	.19	.	.	.	.	.	.	.	.10	.	.	16
17	.	.02	.	.	.01	.	.05	.	.04	.	.	.	17
18	.	.	.	.22	.38	.	.	.	.13	.02	.	.	18
19	.	.03	.	.08	.	.	.	.06	1.16	.74	.	.72	19
20	.	.	.02	.	.	.	.02	.	.65	.36	.	.04	20
21	.	.04	.	.	.	.	.40	.44	.35	.36	.	.15	21
22	.03	.23	.	.13	.05	.	.05	.62	.50	.46	.	.32	22
23	.06	.01	.03	.15	.03	.	.	.	.04	.03	.	.05	23
24	.15	.30	.03	.11	.09	.	~~14~~	.46	.	.	.06	.14	24
25	.35	.52	.04	.	.11	.	~~14~~	.34	.21	.02	.	.06	25
26	.16	.32	.	.04	.38	.	~~33~~	.23	.53	.23	.15	.07	26
27	.03	.05	.	.09	.05	.	~~23~~	.23	.01	.17	.	.23	27
28	.19	.04	.	.02	.07	.	~~09~~	.07	.02	.05	.	.25	28
29	.06	.	.	.02	.10	.	~~09~~	.09	.	.02	.20	.23	29
30	.	X	.	.06	.04	.	.	.33	.	.	.05	.20	30
31	.24	X	.09	X	.03	X	.11	.	X	.19	X	.10	31
TOTAL	2.82	4.03	.60	2.45	3.42	.03	2.36	3.53	4.00	2.72	2.45	3.13	801 YEAR'S TOTAL 31.54
Days with 01 in. or more.	20	24	10	17	22	1	15	15	18	14	12	20	188
Days with 04 in. or more.	13	19	4	14	17	-	14	10	14	9	10	19	143

✓

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at **BUTLEIGH COURT,**
in the County of **GLASTONBURY, Somerset.**

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. in.
„ Ground „ Sea Level.....ft. ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.71	.18			.03	.71		.4	.11		.95		1
2	.16	.01				.15		.07	.07				2
3	.17	.29	.22									.02	3
4	.09	.16	.36								.23	.11	4
5	.09	.07	.16		.25		.22		.24	.13	.07	.20	5
6	.07	.06	.03	.03	.10		.68	.05	.07	.12	.34		6
7	.15	.12		.60	.16	.18			.08		.28	.04	7
8		.01	.02	.18		.06		.14		.12	1.38		8
9			.08		.01	.27	.09	.24		.10	.05		9
10					.30	.11		.45		.08	.46		10
11		.01			.32	.56	.01	.35	.12	.04	.03		11
12					.31	.31		.01	.02	.28	.09		12
13		.01				.31		.13	.13	.28	.25	.03	13
14	snow .03	.17		.21	.13	.06			.01	.68	.03		14
15	.10	.03		.09				.02	.10	.37	.09		15
16	.22	.18		.44		.03		.03		.02	.11		16
17	.16	.47		.06		.34	2.25	.10			.61	.09	17
18	.30	.17		.12			.70	.07			.33		18
19	.02						.25	.01			.58	.02	19
20				.29				.10	.03		.29		20
21	.09			.03				.03		.32	.03		21
22	.29	.05		.03						.33			22
23	.02	.01	.02										23
24			.10			.07	.22		.05	.31			24
25	.16		.02	.09				.03	.03	.51	.22	.02	25
26		.03			.21		.03		.40		.16	.04	26
27	.10	.08		.07	.03		.01			.19			27
28	.27			.03			.08			.51	.14		28
29	.08	X		.10	.16						.01		29
30	.10	X		.11	.26			.07			.07		30
31	.21	X		X		X			X		X		31
TOTAL	3.59	2.11	1.01	2.48	2.27	3.16	4.54	1.83	1.46	4.39	6.80	.57	YEARS TOTAL 183
Days with .01 in. or more.	22	19	9	16	13	13	11	16	14	17	24	9	183
Days with .04 in. or more.	19	12	8	12	10	12	8	10	10	16	20	5	183

(Signed) A NEVILLE GRENVILLE



REGISTER OF RAINFALL IN 1927.

BUTLEIGH COURT

 Kept at GLASTONBURY
 in the County of Somerset

 Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 „ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	1.34	.17	.03			.69	.06		.05	.60		1
2		.01	.03	.08	.05					.07			2
3	.17		.07		.10	.04	.04					.01	3
4			.07	.02	.16		.11				.10		4
5	.07	.07	.40	.36		.05	.04				.12		5
6	.03		.44	.35				.16	.75		.02		6
7		.08	.04	.03		.46	.20	.12					7
8	.04		.02	.22	.20		.03	.14	.08				8
9			.07		.61			.14	.48			.15	9
10				.01			.07	1.03	.05				10
11			.03	.01			.48	.07			.14		11
12	.08						.21	.27					12
13	.17			.03				.33	.22	.03	.07	.23	13
14	.12	Fog. .05		.13	.06		.18	.22	1.50			.04	14
15					.19			.44	.22		.04		15
16	.02				.25	.70		.01	.17	.02			16
17	.13		.03			.14		.34	.04		.05		17
18						.17			.02		.44		18
19		.22					.03	.53		.06	.64		19
20	.22	.05			.06	.03	.22	.15			.20	.26	20
21	.21	.15	.01			.14	.10	.20	.28	.63	.01	.62	21
22	.05	.20	.51			.16	.02	.08	.34	.89		.90	22
23	.01	.36	.18			.29	.05	.02	.74		.24	.20	23
24	.05	.07	.47			.12	.43	.30	.03	.04		.48	24
25	.09	.31	.23			.22			.34	.22		.10	25
26	.17	.48	.06			.03	.21		.25			.03	26
27	.03	.09	.01		.11	.17	.28			.45			27
28	1.46	.20	.17	.02		.08	.02		.06	.01	.25		28
29	.08		.05			.08			.53		.02		29
30	.01	X	.03			.31	.01		.14	.23		.05	30
31	.20	X	.43	X		X	.20	.04	X		X	.15	31
TOTAL	3.46	3.68	3.52	1.29	1.79	3.19	3.62	4.65	6.34	2.70	2.94	3.22	YEARS TOTAL 4046
Days with 01 in. or more.	22	15	22	12	10	17	21	20	19	12	15	13	198
Days with 04 in. or more.	17	14	15	5	10	15	16	18	17	9	12	11	159

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

1874
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

BUTLEIGH COURT,

Kept at GLASTONBURY
in the County of Somerset.

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.02											1
2	.17	.13	.18	.20			.05	.02			.04	.02	2
3	.01	.05		.25			.21	.30			.11		3
4		.13		.01		.36				.28	.08	.01	4
5	.10	.16	.07	.04	.02	.03	.02		.06	.62			5
6			.05			.50			.03			.17	6
7			.04	.02		.01		.11		.08		.06	7
8		.09		.07		.32			.03	.37			8
9	.10	.01		.09		.03		.02	.22	.33		.05	9
10	.18	.26		.11		.12		.04		.40	.26	.10	10
11		.01		.08		.01		.02		.47	.09	.16	11
12	.22	.67	snow .05					.05		.02	.02	.03	12
13						.20					.01		13
14	.04	.34				.42		.16		.49	.26		14
15	.08			.21		.14				.04	.26		15
16		.11	.08		.04					.16	.39	.29	16
17	.04			.01	.41	.04		.01			.14		17
18	.34			.06		.14				.08	.01	.02	18
19			.08		.07	.11				.45	.09	.05	19
20	.20		.25		.03			.24			.11		20
21	.69		.16		.22	.04		.01			.45		21
22	.01		.10					.04		.46	.36	.12	22
23	.46		.13		.05		.02			.07	.21		23
24	.03							.07	.15		.06	.21	24
25	.06		.04			.02				.13	.01	.23	25
26	.09		.02			.01	.08	.29		.88	.08	.19	26
27	.02	.04	.17	.13			1.12	.24	.17	.19	.03	.91	27
28	.52	.29	.27		.04		.35	.06	.54			.09	28
29	.09		.30			.25	.06	.08		.05	.01		29
30	.04	X	.05			.02	.28					.10	30
31	.17	X	.13	X		X	.28		X		X		31
TOTAL	4.16	2.31	2.17	1.28	.88	2.77	2.47	1.76	1.20	5.57	3.08	2.81	YEARS TOTAL 30.46
Days with ".01 in. or more.	23	14	18	13	8	19	10	17	7	19	22	18	188
Days with ".04 in. or more.	19	11	17	10	6	12	8	12	5	18	16	14	148

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at BUTLEIGH COURT,
GLASTONBURY,
in the County of Somerset

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ Ground „ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.30			.22	.08		.08		.36		.04	1
2		.19				.01	.10			.01	.03	.25	2
3					.01	.02	.07	.95				.20	3
4				.18	.34		.02	.73		.09		.69	4
5	snow.				.55	.32	.28	.32		1.65	.86	.10	5
6	.01	.09			.18			.04		.03		.51	6
7						.11				.45	.49	.41	7
8		.06			.06	.05		.06		.12		.43	8
9	.12	.29						.02		.04	.13	.51	9
10	.02			.02	.04						.03	.13	10
11		snow. .02			.22			.10		.03	.53	.05	11
12						.49					.16	.07	12
13				.06	.02	.06						.02	13
14		snow.			.08	.27						.22	14
15		.14				.15					.59	.01	15
16								.02			.03		16
17	.10												17
18	.04							.05		.05	.61	.03	18
19											.24	.04	19
20	.05						.02	.04		.31		.50	20
21			.13					.03					21
22		.03	.04					.13			.34	.04	22
23				.13	.10					.01	.33	.57	23
24		.04	.06							.76	.84	.45	24
25			.03	.03				.03			.08	.03	25
26	snow.			.06	.06						.01	.18	26
27	.05			.09	.10					.13	1.03	.15	27
28	.12			.04			.45			.20	.36	.33	28
29	.30			.14		.12			.13	.36	.43	.12	29
30	.02	×		.03		.23	.04		.22		.04	.41	30
31	.49	×		×		×	.45	.17	×		×	.04	31
TOTAL	1.32	1.16	26	78	1.98	1.71	1.43	2.77	35	4.60	7.16	6.53	YEAR'S TOTAL
Days with "01 in. or more.	11	9	4	10	13	12	8	15	2	16	20	28	30.65
Days with "04 in. or more.	8	7	3	7	11	10	6	11	2	12	16	24	148
													117

Section

A

for the entry of Daily Observations.

1988
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at BUTLEIGH COURT,
in the County of GLASTONBURY. Somers

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.29		.37				.13			.24		1
2		.02		.08			.03	.15			.25		2
3	.07	.17		.53	.12			.43		.15	.02		3
4	.21	.07	.11	.03				.02		.17			4
5					.10			.18		.27	.01		5
6			.13					.46	.14	.16		.03	6
7	.16							.25		.20	.21	.05	7
8				.09	.03			.02	.12	.12		.14	8
9	.22		.37	.25	.13	.02			.04	.02	.03		9
10	.37		.13		.31			.01	.01	.02		.87	10
11	.23		.05	.09	.07		.01	.18				.16	11
12	.12			.10	.20			.02	.01	.02		.11	12
13	.04		.11	.30	.06		.02	.12	.32			.05	13
14	.42	.05	.25	.15	.05		.05		.01			.10	14
15	.02		.34		.01					.32	.14	.43	15
16							.39		.18	.02		.25	16
17			.10	.06			.36	.08	.30	.05	.08	.01	17
18					.08		.03	.03	.36	.20		.16	18
19				.10	.03	.14	.05	.03	.53	.22	.53	.02	19
20				.01			.26	.76	.72	.01	.22	.01	20
21			.02					.02	.03	.14	.67		21
22	.26			.05		.17		.33	.02	.32	.05		22
23	.07		.17	.01		.11	.10		.02		.22	.02	23
24	.37			.23	.05	.05			.03	.34	.16	.10	24
25	.07	.05	.01	.08	.48		.03		.31	.10	.05	.17	25
26	.52	.01					.01		.06		.36	.25	26
27	.07		.04						.02	.07		.04	27
28	.06						.11			.03	.41	.30	28
29	.02				.05		.21		.20	.02		.06	29
30	.02	X	.18		.04	.15	.03				.07	.26	30
31	.40	X	.03	X	.24	X			X	.18	X	.48	31
TOTAL	3.82	.66	2.04	2.53	2.05	.64	1.69	3.22	3.43	3.15	3.72	3.87	YEAR'S TOTAL 30.82
Days with or in. or more.	21	7	15	17	17	6	15	18	20	23	18	23	200
Days with or more.	17	5	12	14	14	5	8	11	12	16	15	18	1.47

Section **A** for the en
AIR MIN
FORM 1090.

2010

FOR OFFICIAL USE.
ALL ORGANIZATION.

Kept at **MEAR GLASTONBURY, MEARE**
in the County of **St.**

Diameter of Funnel of Gaug
Height of top of Gauge above
Ground

1930

THE MORNING M

AY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.25	—	.46	—	—	—	.14	—	—	.19	—	1
2	—	.03	—	.07	.16	—	.02	.25	—	—	.19	TRACE	2
3	.05	.17	—	.05	—	—	—	.45	.06	.13	—	—	3
4	.27	.03	.08	—	—	—	—	.03	—	.21	TRACE	—	4
5	—	—	—	—	.13	—	—	.14	.25	.18	—	—	5
6	—	—	.10	—	.01	—	—	.20	.03	.10	—	.07	6
7	.21	—	—	.07	—	—	—	.27	.10	.21	.14	.03	7
8	—	—	—	.31	.08	—	—	—	—	.01	—	.10	8
9	.25	—	.43	—	.10	.02	—	—	.03	.01	.09	—	9
10	.30	—	.08	.07	.25	—	—	—	.05	—	—	.82	10
11	.20	—	.01	.06	.01	.02	—	.18	—	.03	—	.09	11
12	.07	—	—	.16	.15	—	—	—	.08	—	—	.08	12
13	.04	—	.14	.23	.07	—	.10	—	.18	—	—	.03	13
14	.33	—	.18	—	.05	—	—	—	—	—	TRACE	.03	14
15	.01	.03	.37	—	.02	—	.38	—	.01	.38	.18	.34	15
16	—	—	—	.47	—	—	.02	—	.23	.04	—	.24	16
17	—	—	.02	.18	.09	—	.51	—	.32	.02	—	TRACE	17
18	—	—	.01	.01	—	—	.03	—	.26	.05	.09	.11	18
19	—	—	—	.08	.02	.08	.19	—	.54	.22	.47	.01	19
20	—	—	—	.02	—	—	.18	—	.62	—	.16	—	20
21	.01	—	.03	—	.01	.03	—	.14	.01	.31	.86	—	21
22	.25	—	—	—	.03	—	—	—	.01	.27	.07	—	22
23	.05	—	.17	.04	—	.12	.08	—	.04	—	.19	.02	23
24	.39	—	—	.23	—	.08	—	—	.09	.10	.13	.11	24
25	.02	—	.02	.03	.34	.02	.02	—	.09	.08	.15	.21	25
26	.39	.04	—	—	.24	—	.02	—	.03	—	.21	.04	26
27	.06	.01	—	—	—	—	.02	—	.01	.10	TRACE	.02	27
28	.07	—	—	—	—	—	.14	—	.01	.01	.34	.27	28
29	.01	×	—	—	.02	—	.12	—	.22	.04	.01	.05	29
30	.01	×	—	—	.03	.13	—	—	—	—	—	.21	30
31	.33	×	.14	×	.24	×	—	—	×	.21	×	.45	31
TOTAL	3.43	.56	1.78	2.54	2.05	.50	1.83	2.80	3.27	2.71	3.47	3.33	28.27
*Days with or in. or more.	22	7	14	17	20	8	14	27	23	21	16	21	153
*Days with .04 in. or more.	17	3	9	14	12	4	8	13	15	16	15	15	128

40-9999

*See Instruction 2 (f) on other side.

(Signed)

E. J. H. Stott.

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1930.

Kept at Meare
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0.2 in.
,, Ground ,, Sea Level 35 ft.

*Estimated rain gauge for August
see file
a file 569043/22*

1928-9
Calc/2

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.11	.25	—	.46	—	—	—	.14	—	—	.19	—	I
2	—	.03	—	.07	.16	—	.02	.25	—	—	.19	TRACE	2
3	.05	.17	—	.05	—	—	—	.45	.06	.13	—	—	3
4	.27	.03	.08	—	—	—	—	.03	—	.21	TRACE	—	4
5	—	—	—	—	.13	—	—	.14	.25	.18	—	—	5
6	—	—	.10	—	.01	—	—	.20	.03	.10	—	.07	6
7	.21	—	—	.07	—	—	—	.27	.10	.21	.14	.03	7
8	—	—	—	.31	.08	—	—	—	—	.01	—	.10	8
9	.25	—	.43	—	.10	.02	—	—	.03	.01	.09	—	9
10	.30	—	.08	.07	.25	—	—	—	.05	—	—	.82	10
11	.20	—	.01	.06	.01	.02	—	.18	—	.03	—	.09	11
12	.07	—	—	.16	.15	—	—	—	.08	—	—	.08	12
13	.04	—	.14	.23	.07	—	.10	—	.18	—	—	.03	13
14	.33	—	.18	—	.05	—	—	—	—	—	TRACE	.03	14
15	.01	.03	.37	—	.02	—	.38	—	.01	.38	.18	.34	15
16	—	—	—	.47	—	—	.02	—	.23	.04	—	.24	16
17	—	—	.02	.18	.09	—	.51	—	.32	.02	—	TRACE	17
18	—	—	.01	.01	—	—	.03	—	.26	.05	.09	.11	18
19	—	—	—	.08	.02	.08	.19	—	.54	.22	.47	.01	19
20	—	—	—	.02	—	—	.18	—	.62	—	.16	—	20
21	.01	—	.03	—	.01	.03	—	.14	.01	.31	.86	—	21
22	.25	—	—	—	.03	—	—	—	.01	.27	.07	—	22
23	.05	—	.17	.04	—	.12	.08	—	.04	—	.19	.02	23
24	.39	—	—	.23	—	.08	—	—	.09	.10	.13	.11	24
25	.02	—	.02	.03	.34	.02	.02	—	.09	.08	.15	.21	25
26	.39	.04	—	—	.24	—	.02	—	.03	—	.21	.04	26
27	.06	.01	—	—	—	—	.02	—	.01	.10	TRACE	.02	27
28	.07	—	—	—	—	—	.14	—	.01	.01	.34	.27	28
29	.01	X	—	—	.02	—	.12	—	.22	.04	.01	.05	29
30	.01	X	—	—	.03	.13	—	—	—	—	—	.21	30
31	.33	X	.14	X	.24	X	—	—	X	.21	X	.45	31
TOTAL	3.43	.56	1.78	2.54	2.05	.50	1.83	2.80	3.27	2.71	3.47	3.33	YEAR'S TOTAL
*Days with or in. or more.	22	7	14	17	20	8	14	27	23	21	16	21	183 (200)
*Days with .04 in. or more.	17	3	9	14	12	4	8	13	15	16	15	15	128 (141)

40-9999

*See Instruction 2 (f) on other side.

(Signed)

E. J. A. Stott.

[P.T.O.]

GRASSTON BURY

1921

Kept at

ST. MICHAEL'S WELLS VICARAGE

Long 2.42.0. W

Lat 51.22.0. N

in the County of

by

of Rain Gauge 5 in.

Height above Ground 1 ft.

Sea Level 225 ft.

Result entered to the previous day.

By requested to add for it at the end of closing of rain gauges, Rainfall Observers,

Jan. 1, following.

IMPORTANT.
If an Observer print the reading at 9 a.m. in this paragraph. For particulars as to the form sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

1921-1930

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.02	.10	-	-	-	-	.19	.11	-	.06	.10	1
2	.03	-	-	-	.01	-	-	.08	-	.09	.30	.05	2
3	.02	-	.04	-	-	.14	-	-	-	-	.35	-	3
4	.09	-	-	-	.01	-	-	.08	-	-	.24	-	4
5	-	-	-	-	.13	-	-	.17	-	-	.21	-	5
6	.22	-	-	-	.04	-	-	-	-	-	-	.04	6
7	.15	-	-	-	.33	-	-	.03	-	-	.07	-	7
8	.05	-	.15	-	.13	-	-	.03	-	-	-	-	8
9	-	-	-	.02	.16	-	-	-	.05	-	-	-	9
10	.15	-	.09	-	.02	-	-	.39	-	-	-	.04	10
11	.15	-	.13	-	.19	-	-	-	1.45	.03	-	-	11
12	.19	-	.08	-	-	-	-	-	.04	-	-	.19	12
13	.02	-	.10	.13	-	-	-	.25	.14	.09	-	-	13
14	.02	-	.05	-	.24	-	.10	-	.08	-	-	.11	14
15	-	-	-	.02	.04	-	.01	-	-	-	.09	.03	15
16	.06	-	.04	.20	-	-	-	.06	-	-	.25	.05	16
17	.14	-	.15	.05	-	-	-	-	.20	-	-	.01	17
18	.10	-	.02	.09	-	-	-	-	.03	.08	-	-	18
19	-	-	.19	-	-	-	-	-	-	.07	-	.09	19
20	-	-	.07	-	-	-	-	-	-	.04	.02	.05	20
21	-	-	-	-	-	-	-	-	-	-	.04	-	21
22	.03	-	-	.20	-	-	-	-	-	.29	-	.37	22
23	.02	-	-	-	-	-	-	-	-	.33	-	-	23
24	.08	.10	-	-	-	-	-	-	-	-	-	.11	24
25	-	.09	.04	-	-	.61	.12	-	-	-	-	.15	25
26	.28	-	.02	-	.06	-	.01	-	-	-	-	.25	26
27	-	-	.02	-	.01	.03	-	-	-	.01	-	.19	27
28	-	-	.27	-	-	-	.05	-	-	-	.16	.07	28
29	.13	X	.12	-	.20	-	-	.11	-	-	-	.02	29
30	.70	X	-	-	-	-	-	-	-	-	.11	.02	30
31	.05	X	-	X	.09	X	-	.02	X	-	X	-	31
TOTAL	2.98	.21	1.68	.71	1.66	.78	.29	1.41	2.10	1.03	1.90	1.94	YEAR'S TOTAL 16.69
Days with .01 in. or more	22	3	18	7	15	3	5	11	8	9	12	19	132
Days with .04 in. or more	16	2	15	5	11	2	3	8	7	7	11	15	102

REGISTER OF RAINFALL IN 1921.....

Kept at St. Michael, Glastonbury
in the County of Somerset
by Archdeacon Tanner

Lat. 51. 8. 34. N Long. 2. 42. 0. W
Time of Observation 9. a. m.
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.02	.10	-	-	-	-	.19	.11	-	.06	.10	1
2	.03	-	-	-	.01	-	-	.08	-	.09	.30	.05	2
3	.02	-	.04	-	-	.14	-	-	-	-	.35	-	3
4	.09	-	-	-	.01	-	-	.08	-	-	.24	-	4
5	-	-	-	-	.13	-	-	.17	-	-	.21	-	5
6	.22	-	-	-	.04	-	-	-	-	-	-	.04	6
7	.15	-	-	-	.33	-	-	.03	-	-	.07	-	7
8	.05	-	.15	-	.13	-	-	.03	-	-	-	-	8
9	-	-	-	.02	.16	-	-	-	.05	-	-	-	9
10	.15	-	.09	-	.02	-	-	.39	-	-	-	.04	10
11	.15	-	.13	-	.19	-	-	-	1.45	.03	-	-	11
12	.19	-	.08	-	-	-	-	-	.04	-	-	.19	12
13	.02	-	.10	.13	-	-	-	.25	.14	.09	-	-	13
14	.02	-	.05	-	.24	-	.10	-	.08	-	-	.11	14
15	-	-	-	.02	.04	-	.01	-	-	-	.09	.03	15
16	.06	-	.04	.20	-	-	-	.06	-	-	.25	.05	16
17	.14	-	.15	.05	-	-	-	-	.20	-	-	.01	17
18	.10	-	.02	.09	-	-	-	-	.03	.08	-	-	18
19	-	-	.19	-	-	-	-	-	-	.07	-	.09	19
20	-	-	.07	-	-	-	-	-	-	.04	.02	.05	20
21	-	-	-	-	-	-	-	-	-	-	.04	-	21
22	.03	-	-	.20	-	-	-	-	-	.29	-	.37	22
23	.02	-	-	-	-	-	-	-	-	.33	-	-	23
24	.08	.10	-	-	-	-	-	-	-	-	-	.11	24
25	-	.09	.04	-	-	.61	.12	-	-	-	-	.15	25
26	.28	-	.02	-	.06	-	.01	-	-	-	-	.25	26
27	-	-	.02	-	.01	.03	-	-	-	.01	-	.19	27
28	-	-	.27	-	-	-	.05	-	-	-	.16	.07	28
29	.13	~~X~~	.12	-	.20	-	-	.11	-	-	-	.02	29
30	.70	~~X~~	-	-	-	-	-	-	-	-	.11	.02	30
31	.05	~~X~~	-	~~X~~	.09	~~X~~	-	.02	~~X~~	-	~~X~~	-	31
TOTAL	2.98	.21	1.68	.71	1.66	.78	.29	1.41	2.10	1.03	1.90	1.94	YEAR'S TOTAL
Days with ".01 in. or more	22	3	18	7	15	3	5	11	8	9	12	19	16.69
Days with ".04 in. or more	16	2	15	5	11	2	3	8	7	7	11	15	132
													102

REGISTER OF RAINFALL IN 1922.

Kept at St Michael's, Glastonburyin the County of Somersetby Andreasen, J. J. J.Lat. 51° 8' 30" N Long. 2° 42' 0" WTime of Observation 9 a.m.Nearest Railway Station GlastonburyDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 5 in." " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.20	.23	-	-	.02	.47	.03	.02	-	.20	-	1
2	-	.50	.32	.25	.08	-	.06	.02	-	-	.10	.02	2
3	-	.03	.35	.18	.16	-	.02	.13	-	-	.03	-	3
4	-	.05	.07	-	.10	-	.05	-	.02	.38	-	-	4
5	.04	-	.11	.10	-	-	.99	.08	-	.33	.46	.01	5
6	.13	-	.14	-	-	-	-	1.09	-	-	.34	-	6
7	.08	-	.30	.21	-	.03	.20	.15	-	-	.10	-	7
8	.17	-	.21	-	-	-	.25	.67	-	-	.04	.12	8
9	.28	-	.04	-	-	-	.07	.05	-	-	.02	-	9
10	.01	-	-	-	-	-	-	.04	-	-	.08	-	10
11	.02	-	-	.03	.03	-	-	-	-	-	-	-	11
12	-	-	-	.28	-	.08	.03	.57	.52	-	-	-	12
13	.22	-	-	.27	-	.07	.17	-	.02	-	-	-	13
14	~~.44~~	.03	.01	.04	-	-	-	-	.15	-	-	-	14
15	.44	.24	-	.14	-	-	-	-	-	-	-	-	15
16	-	.25	-	.18	.17	-	-	.11	.06	-	.01	.21	16
17	-	.07	-	-	.06	-	.07	-	.02	-	-	.15	17
18	.10	.07	-	-	.06	-	-	-	.15	-	-	.07	18
19	.02	.18	.03	-	-	-	-	-	.30	-	-	1.03	19
20	.17	.30	-	-	-	-	-	-	-	-	-	.07	20
21	.19	.04	-	-	-	-	.17	.02	-	-	-	.36	21
22	-	.03	-	-	-	.04	.09	.14	.03	-	-	.13	22
23	-	.05	-	.15	-	-	.10	-	-	-	-	.06	23
24	.02	-	.09	-	.01	.19	-	.17	-	-	-	.05	24
25	.20	.02	-	.20	-	.11	-	-	.31	-	-	.07	25
26	.12	.09	-	-	-	-	.18	.02	.03	-	.04	~~.07~~	26
27	.25	.29	.14	.04	-	-	-	.27	.01	-	.02	.26	27
28	.22	.43	.04	-	-	.54	-	.11	-	-	-	.13	28
29	.12	~~.02~~	.02	.02	-	.03	.10	-	-	.34	-	.34	29
30	.95	~~.04~~	-	-	-	.07	-	.54	.36	-	.05	.48	30
31	.03	~~.03~~	.53	~~.03~~	-	~~.03~~	.03	.07	~~.03~~	.18	~~.03~~	-	31
TOTAL	3.78	2.87	2.63	2.09	.67	1.18	3.05	4.28	2.00	1.23	1.49	3.56	YEAR'S TOTAL
Days with ".01 in. or more	21	18	16	14	8	19	17	19	14	4	13	17	28.83 ✓
Days with ".04 in. or more	16	14	13	12	6	7	14	15	7	4	9	15	132 ✓

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at St. Michael, Glastonbury
in the County of Somerset
by Archdeacon Fance

Lat. 51. 8. 30 N Long. 2. 42. 0 W
Time of Observation 9 a.m.
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 220 (above) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.10	.23	.	.01	-	-	-	.03	.13	.03	.45	1
2	.15	.09	.03	-	.08	-	.01	-	-	.32	-	.03	2
3	.03	-	-	-	-	-	-	-	.39	.47	.10	.13	3
4	-	-	-	.04	.01	-	-	-	-	.02	.19	.13	4
5	.53	-	-	.02	.13	-	-	-	-	.08	.11	.13	5
6	.35	.54	.12	.12	-	-	.02	-	-	-	-	.02	6
7	.05	.50	.01	.02	-	-	-	-	.01	.25	-	.24	7
8	.05	.15	-	-	-	-	-	-	-	.03	.20	.02	8
9	.12	.85	-	-	-	.01	-	-	-	.02	-	-	9
10	.03	.17	-	.20	.06	-	.08	-	-	.23	-	.06	10
11	.01	.16	-	.27	.04	-	-	-	-	.70	-	.01	11
12	-	.31	.40	.05	.11	-	-	-	-	.71	-	.02	12
13	.02	.23	-	.12	.12	-	-	-	.08	.31	.26	.02	13
14	.01	.02	-	.02	.03	-	-	.10	.67	.02	.07	-	14
15	-	.14	-	.12	.38	.36	.11	-	.02	.04	.25	-	15
16	-	.10	-	.12	.07	-	-	-	-	.02	.17	.01	16
17	.01	.40	-	-	.02	-	.25	.13	.38	.06	.30	.02	17
18	.03	.35	-	.12	.05	.05	-	-	.38	.01	.12	-	18
19	.02	.08	-	-	-	-	.12	-	.16	.22	.05	-	19
20	-	.12	-	-	.04	-	-	-	.10	.14	.08	-	20
21	-	.14	-	-	-	-	-	-	.03	.16	-	.05	21
22	-	.36	-	-	.03	-	-	.07	.06	.10	-	.04	22
23	.03	.29	.22	-	.05	-	.26	.81	.27	.19	-	.11	23
24	-	.17	-	.11	.03	-	.04	-	.17	~~.34~~	-	.13	24
25	-	.42	.01	.10	-	.04	.10	.18	.06	.39	-	.41	25
26	-	.13	.02	.02	.01	.04	-	.02	-	.27	-	.35	26
27	.02	.23	.11	-	-	-	.02	.48	-	.10	-	.27	27
28	.03	.03	.22	.18	.05	-	.10	.18	.01	.04	-	-	28
29	.02	X	.02	.14	.03	-	.03	.48	-	-	-	.10	29
30	-	X	-	-	.01	-	.08	.02	-	.29	-	.10	30
31	.04	X	.08	X	-	X	.54	.15	X	-	X	.15	31
TOTAL	1.61	6.08	1.47	1.77	1.36	.50	1.76	2.62	2.82	5.32	1.93	3.00	YEAR'S TOTAL
Days with 01 in. or more	20	25	12	17	21	45	14	11	16	27	13	24	30.24
Days with 1/16 in. or more	8	23	7	13	12	4	10	9	11	21	12	16	146

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at St. Michael's, Glastonbury
in the County of Wiltshire
by And decca Farrer.

Lat. 51.6.32 N Long. 2.42.08 W
Time of Observation 9.2.24
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft.
" " " " Sea Level 220 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	-	-	-	.02	.13	.04	.04	.	.	.74	.21	RRR
2	.14	-	.18	-	.40	.01	.12	.	.	.03	.	.	OUT
3	.07	-	.10	-	.	.22	.11	.20	.	.01	.	.	3
4	.14	-	-	-	.	.46	.04	.08	.	.	.	.33	4
5	.17	-	.06	-	.	.	.18	.	.	.45	.	.03	5
6	-	-	-	-	.07	.	-	.13	.10	.37	.	.	6
7	.02	-	-	-	.17	.10	-	.	.62	.88	.	.	7
8	.12	.10	-	.07	.02	.05	-	.	.14	.	.	.	8
9	.13	.01	-	.02	.	.17	-	.	.05	.06	.09	.	9
10	.15	.07	-	.06	.47	.58	-	.	.06	.06	.02	.02	10
11	.10	-	-	.33	.53	.47	-	.	.03	.04	.45	.	11
12	.20	-	-	.02	.07	.19	.05	.28	.02	.	.	.	12
13	.08	-	-	.48	.	.	.	.	.58	.	.	.29	13
14	-	-	-	-	.	.	.	.18	.	.	.	.15	14
15	-	.12	-	-	.	.	.	.09	.04	.	.	.47	15
16	.18	-	-	-	.	.	.	.48	.02	.	.	.01	16
17	.20	-	-	-	.12	.13	.55	.61	.03	.	.02	.	17
18	.40	.03	-	-	.34	-	.02	1.42	.	.11	.	.	18
19	.20	-	-	-	.07	-	.05	.17	.15	.04	.	.	19
20	.12	-	.02	-	.56	-	.40	.10	.32	.32	.01	.	20
21	.69	-	.01	-	.09	.23	.10	.12	.03	.50	.	.	21
22	.51	-	.40	-	.08	-	.05	.75	.30	.	.	.02	22
23	-	-	.11	.01	.39	-	.02	.07	.16	.	.	.26	23
24	.36	.02	.12	.13	.20	-	.04	.02	.23	.	.	.10	24
25	.02	-	.03	.20	.06	-	.23	.05	.36	.12	.37	.03	25
26	-	-	-	.06	.	-	.05	.25	.08	.14	.56	.18	26
27	-	.03	-	.60	.	-	.65	.07	.	.78	.02	.17	27
28	-	-	-	-	.	-	.57	.24	.	.03	.23	.22	28
29	-	.03	-	.24	.	-	.28	.28	.02	.57	.35	.15	29
30	-	X	-	.01	.23	-	-	.10	.06	.54	.21	.18	30
31	-	X	-	X	.69	X	.05	.02	X	.16	X	.42	31
TOTAL	3.80	.41	1.03	2.23	4.58	2.74	3.60	5.75	3.37	5.21	3.07	3.24	991m YEAR'S TOTAL 39.03
Days with '01 in. or more	14	8	9	13	19	12	20	23	21	19	12	18	193
Days with '04 in. or more	16	3	6	9	17	11	18	21	15	16	8	13	153

100100

FOR OFFICIAL USE.

1833

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1925.

County No. _____
River Dist. _____
Station No. _____

Kept at St. Michael, Glashbury
in the County of London
by Andreas James

Lat. 51° 53' N Long. 2° 42' 0" W
Time of Observation 9.2.25
Nearest Railway Station Glasbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.52	.	.05	.	.06	.02	.	.02	.05	.	.44	.	1
2	.09	.06	~~.06~~	.03	.	.	.01	.	.	.	.37	.	2
3	.08	.11	~~##~~	.	.38	.	.02	.	.02	.	.03	.	3
4	.02	.	.	.14	.05	.	.	.03	.	.	.61	.	4
5	.13	.22	~~##~~	.56	.25	.	.	.29	.16	.	.	.	5
6	.01	.03	~~.03~~	.	.37	.	.44	.10	.	.	.48	.	6
7	.	.34	~~.24~~	.	.47	.	.	.	.	.	.13	.14	7
8	.15	.02	.02	.	.05	.	.18	.24	.15	.02	.	.20	8
9	.02	.03	~~.03~~	.05	.34	.	.06	.	.14	.	.03	.06	9
10	.01	.05	.04	.	.	.	.	.04	.05	.	.	.	10
11	.	.37	~~.37~~	.	.02	.	.	.01	.	.	.	.	11
12	.	.40	~~.40~~	.04	.	.	.	.36	.	.	.	.	12
13	.03	.10	.26	.18	.	.	.	.	.	.	.	.07	13
14	~~.03~~	.20	~~.20~~	.37	.	.	.	.	.	.	.04	.	14
15	~~.03~~	.	.	.04	.	.	.	.	.11	.	.	.03	15
16	.01	.24	~~.24~~	.	.	.	.	.	.	.15	.	.	16
17	.	.02	~~.02~~	.02	.	.	.02	.	.01	.	.	.	17
18	.	.	.	.28	.44	.	.	.01	.17	.02	.	.	18
19	.	.03	~~.03~~	.12	.	.	.	.67	1.09	.85	.	.63	19
20	.	.	.02	.	.	.	.	.65	.56	.24	.	.04	20
21	.	.05	~~.05~~	.	.	.	.49	.61	.27	.32	.	.07	21
22	.02	.20	~~.20~~	.10	.05	.	.07	.	.45	.35	.	.26	22
23	.01	.	.04	.22	.04	.	.05	.13	.02	.18	.	.04	23
24	.17	.27	~~.27~~	.	.07	.	.	.28	.	.05	.05	.12	24
25	.35	.41	.03	.	.19	.	.10	.03	.33	.13	.	.09	25
26	.14	.22	.	.02	.34	.	.85	.48	.01	.15	.	.07	26
27	.03	.03	.	.	.04	.	.31	.	.	.	.	.12	27
28	.14	.08	.	.	.12	.	.14	.	.06	.02	.	.19	28
29	.07	~~X~~	.	.09	.06	.	.03	.	.02	.	.11	.17	29
30	.	~~X~~	.	.07	.01	.	.28	.	.	.23	.07	.26	30
31	.30	~~X~~	.10	~~X~~	.05	~~X~~	.	.	~~X~~	.16	~~X~~	.03	31
TOTAL	2.49	3.48	.57	2.33	3.40	.02	3.05	3.95	3.67	2.87	2.36	2.59	782 YEAR'S TOTAL 30.78
Days with 01 in. or more.	22	22	9	16	20	1	15	16	18	14	11	18	182
Days with 04 in. or more.	12	16	5	13	18	0	11	11	13	11	9	16	135

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1843

Register of Rainfall in 1926.

Kept at St Michael's, Glastonbury

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 220 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.60	.12	.	.	.03	.73	.	.	.04	.	1.04	-	1
2	.18	.01	.	.	.	.08	.	.	.03	.	.02	.02	2
3	.12	.21	.20	.	.	.	.02	.	.	.	.	-	3
4	.13	.12	.41	.	.	.	.	.	.	.	.15	.12	4
5	.10	.06	.11	.	.15	.	.24	~~.14~~	.31	.16	.05	.19	5
6	.14	.05	.03	.02	.09	.	.65	.04	.02	.19	.33	.02	6
7	.08	.04	.	.25	.06	.23	.	~~.14~~	.13	.	.24	.06	7
8	.	.	.05	.18	.	.03	.02	.25	.	.04	1.35	-	8
9	.	.	.07	.	.	.28	.05	.39	.	.11	.05	.	9
10	.	.	.	.	.46	.06	.07	.59	.	.09	.35	.	10
11	.	.	.	.	.46	.97	.	.31	.10	.08	.03	.	11
12	.	.	.	.	.17	.22	.	.14	.03	.28	.07	.02	12
13	.	.01	.	.	.	.06	.	~~.14~~	.11	.22	.21	.03	13
14	.05	.21	.	.16	.10	.08	.	.08	.01	.73	.03	-	14
15	.08	.03	.	.12	.02	.	.	.03	.03	.26	.14	-	15
16	.33	.13	.	.67	.	.04	.	.15	.	.02	.11	-	16
17	.15	.50	.	.20	.	.30	2.81	.13	.	.	.64	.03	17
18	.31	.19	.	.14	.	.	.42	.01	.	.	.30	.02	18
19	.01	.	.	.02	.	.	.25	.03	.02	.	.49	.03	19
20	.02	.	.	.22	.	.	.	.10	.	.	.33	-	20
21	.05	.	.	.08	.	.	.03	.03	.	.27	.05	-	21
22	.33	.04	.	.01	.	.	.	.	.	.28	.	-	22
23	.02	.01	.	.	.	.	.	.02	.	.	.	-	23
24	.	.	.07	.	.	.02	.08	.	.	.35	.	.01	24
25	.16	.	.01	.11	.	.	.33	.	.31	.45	.15	.04	25
26	.	.02	.01	.03	.18	.	.10	.	.32	.	.22	.	26
27	.08	.05	.	.12	.04	.	.03	.	.01	.19	.01	.	27
28	.25	.	.	.33	.	.	.13	.	.	.59	.12	.	28
29	.17	X	.	.09	.17	.	.	.	.	.	.02	.	29
30	.11	X	.	.12	.19	.	.	.08	.	.	.05	.	30
31	.14	X	.	X	.	X	.	.	X	.	X	-	31
TOTAL	3.61	1.80	.96	2.88	2.13	3.10	5.23	2.31	1.47	4.31	6.55	.59	YEAR'S TOTAL
Days with .01 in. or more.	23	17	9	18	13	13	15	16	14	17	26	12	193
Days with .04 in. or more.	20	12	6	14	10	11	11	10	7	16	21	4	143

(Signed) Walter Tanner
(and dealer)

P.T.O.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

1812

Kept at St. Michael's, Glastonbury
in the County of Somerset
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....in.
„ Ground „ Sea Level.....220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.08	.15	.01	.	.	.64	.02	.	.05	.65	-	1
2	.	.	.03	.11	.09	.	.	.	.	.04	-	.	2
3	.15	.	.08	.	.13	.03	.05	.	.	.	.02	.03	3
4	.02	.	.06	.06	.05	.	.07	.	.	.	.16	.	4
5	.08	.07	.32	.39	.	.05	.04	.	.	.	.18	.	5
6	.05	.	.44	.47	.	.32	.	.16	.74	.	.05	.	6
7	.	.10	.05	.05	.	.	.09	.12	.	.	.	.	7
8	.06	.	.	.18	.32	.	.03	.14	.12	.	.	.02	8
9	.	.	.04	.02	.71	.02	.06	.05	.54	.	.	.10	9
10	.	.	.	.	.	.	.	.13	.03	.	.	.	10
11	.	.	.	.02	.	.	.31	.05	.	.	.10	.	11
12	.12	.	.	.	.	.	.49	.20	.02	.	.	.	12
13	.23	.01	.	.05	.	.	.03	.21	.21	.03	.08	.26	13
14	.12	.02	.	.17	.03	.	.04	.10	1.11	.	.	.03	14
15	.02	.03	.	.	.22	.	.	.62	.41	.	.10	.	15
16	.04	.	.	.	.21	.64	.	.	.18	.	.04	.	16
17	.10	.	.06	.	.	.04	.	.39	.18	.	.03	.	17
18	.	.	.01	.	.	.16	.	.04	.	.	.45	.	18
19	.	.26	.	.	.	.	.02	.65	.	.10	.66	.	19
20	.22	.10	.	.	.06	.06	.31	.09	.03	.	.13	.18	20
21	.12	.13	.01	.	.02	.14	.03	.06	.39	.54	.02	.53	21
22	.18	.21	.46	.02	.	.07	.06	.17	.37	.79	.	.78	22
23	.03	.38	.19	.	.	.44	.	.10	.57	.	.22	.20	23
24	.03	.08	.73	.04	.	.03	.16	.16	.09	.14	.02	.48	24
25	.05	.28	.26	.	.	.19	.	.	.34	.16	.	.15	25
26	.13	.44	.04	.	.	.03	.44	.	.49	.02	.	.	26
27	.04	.09	.02	.	.16	.23	.27	.	.	.38	.01	.	27
28	1.32	.13	.18	.	.	.10	.08	.	.11	.02	.24	.	28
29	.07	~~X~~	.11	.	.	.20	.	.	.74	.01	.02	.	29
30	.03	~~X~~	.02	.	.	.13	.02	.	.12	.20	.	.02	30
31	.15	~~X~~	.32	~~X~~	.	~~X~~	.13	.01	~~X~~	.	~~X~~	.14	31
TOTAL	3.42	3.41	3.58	1.59	2.00	2.88	3.37	3.47	6.79	2.50	3.18	2.92	YEARS TOTAL 39. 11
Days with '01 in. or more.	24	16	21	13	11	18	21	20	20	13	19	13	209
Days with '04 in. or more.	19	13	16	9	9	14	16	18	17	9	13	9	162

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

1881
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at St. Michael's Glanvinsky

in the County of Lancaster

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....7.....ft.

„ Ground „ Sea Level 220.....ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56	.04	.02	.	.	.	.	.	.	.	.	.	1
2	.15	.15	.17	.25	.	.	.02	.	.	.	.	.03	2
3	.02	.06	.	.22	.	.	.19	.23	.	.	.09	.	3
4	.	.15	.	.	.	.14	.	.	.	.35	.09	.02	4
5	.09	.18	.08	.	.02	.04	.02	.	.07	.77	.02	.01	5
6	.	.01	.05	.	.	.58	.	.	.	.02	.	.24	6
7	.	.02	.07	.02	.	.03	.	.12	.	.07	.	.04	7
8	.	.07	.	.06	.	.47	.06	.	.04	.33	.	.	8
9	.06	.02	.	.08	.	.04	.	.02	.19	.38	.	.04	9
10	.23	.30	.02	.11	.	.05	.	.04	.	.30	.23	.10	10
11	.	.02	.03	.08	.	.05	.	.04	.	.61	.14	.28	11
12	.14	.71	.04	.	.	.	.	.31	.	.02	.	.04	12
13	.	.02	.	.	.	.22	.	.	.	.	.04	.	13
14	.05	.47	.	.14	.	.15	.	.17	.	.44	.30	.	14
15	.10	.01	.05	.	.	.	.	.05	.	.04	.23	.	15
16	.01	.10	.07	.	.03	.	.	.	.	.15	.56	.22	16
17	.05	.	.02	.	.27	.10	.	.	.	.	.14	.02	17
18	.28	.	.01	.03	.	.17	.	.	.	.06	.02	.02	18
19	.01	.	.07	.	.06	.35	.	.	.	.32	.08	.07	19
20	.16	.	.28	.	.04	.05	.	.32	.	.	.09	.	20
21	.73	.	.15	.05	.13	.02	.	.05	.	.	.42	.	21
22	~~.72~~	.	.10	.	.	.	.	.	.	.48	.32	.12	22
23	.42	.08	.14	.	.	.	.03	.04	.	.06	.33	.01	23
24	.08	.	.02	.	.	.	.	.03	.16	.	.07	.19	24
25	.06	.	.05	.	.	.02	.	.02	.	.06	.05	.42	25
26	.15	.	.04	.	.	.03	.10	.27	.	.49	.04	.10	26
27	.03	.	.16	.14	.	.	.94	.17	.22	.33	.05	.92	27
28	.63	.02	.25	.	.03	.	.10	.20	.41	.	.	.10	28
29	.10	.29	.32	.	.	.25	.02	.05	.	.04	.02	.	29
30	.06	X	.03	.	.	.04	.20	.	.	.02	.	.08	30
31	.19	X	.21	X	.	X	.65	.	X	.	X	.08	31
TOTAL	4.36	2.64	2.45	1.18	.58	2.80	2.33	2.13	1.09	5.34	3.33	3.07	YEAR'S TOTAL
Days with ".01 in. or more.	24	18	25	11	7	19	11	17	6	21	21	21	201
Days with ".04 in. or more.	20	11	18	9	4	15	7	14	6	18	18	15	155



Section

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at St Michael's, Glastonbury

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.31			.15	.08		.03		.25		.05	1
2		.24				.02	.10	.02		.03	.03	.17	2
3						.10	.12	1.15				.20	3
4				.19	.31		.02	.67		.10		.50	4
5					.57	.38	.16	.33		1.71	.79	.11	5
6	.02	.08			.20	.02		.14		.10	.05	.41	6
7	.01				.03	.03				.41	.42	.39	7
8		.07			.14	.02		.07		.07		.22	8
9	.12	.22						.02		.03	.10	.34	9
10	.02			.02	.03					.01	.02	.21	10
11		.05			.18	.01		.10		.06	.34	.03	11
12				.03		.50					.16	.02	12
13				.04	.04	.03					.01	.04	13
14					.13	.08						.20	14
15	.02	.14				.13					.68	.03	15
16								.10					16
17	.07							.12		.06			17
18	.04							.05		.07	.68		18
19									.02	.02	.14	.04	19
20	.05							.08		.36	.01	.40	20
21	.02		.13				.07					.01	21
22		.03						.06			.33	.03	22
23		.02		.08	.10		.06	.21			.32	.67	23
24			.03					.06		.69	.68	.31	24
25		.07	.03	.03							.08	.06	25
26				.02	.05						.08	.14	26
27	.08			.12	.24		.01	.02		.12	1.04	.17	27
28	.21			.03			.40			.24	.53	.23	28
29	.38	X		.01		.16			.08	.44	.78	.21	29 5.19
30	.03	X		.05		.17	.05		.19		.03	.20	30
31	.50	X		X		X	.35	.21	X		X	.04	31
TOTAL	1.57	1.23	.19	.62	2.17	1.73	1.34	3.44	.29	4.77	7.30	5.43	YEAR'S TOTAL
Days with ".01 in. or more.	14	10	3	11	13	14	10	18	3	18	22	28	30.08
Days with ".04 in. or more.	8	8	1	5	11	8	8	14	2	14	17	23	119

REGISTER OF RAINFALL IN 1930 .

Kept at St. Michael's, Glastonbury
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 220 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.12	.32	-	.38	.	.	.	.12	.	.	.15	.	I
2	.02	.05	-	.09	.14	.	.06	.22	.	.	.18	.	2
3	.12	.16	-	.49	.	.	.01	.45	.	.15	.	.	3
4	.19	.06	.09	.05	.	.	.	.	.	.17	.	.	4
5	-	-	.	.	.10	.	.	.13	.	.22	.	.	5
6	-	-	.11	.	.02	.	.	.45	.15	.12	.	.03	6
7	.15	.	.	.	.	.	.	.17	.02	.25	.12	.07	7
8	-	-	-	.10	.04	.	.	.03	.09	.05	.	.11	8
9	.23	.	.34	.22	.13	.02	.	.	.04	.03	.05	~~.78~~	9
10	.25	.	.12	.	.33	~~.12~~	.	.03	.03	.	.	.78	10
11	.19	.	.04	.11	.03	.	.01	.23	.	.03	.	.16	11
12	.11	.	-	.10	.17	.	.	.02	.07	.01	.	.11	12
13	.03	.	.17	.27	.07	.	.08	.12	.15	.	.01	.07	13
14	.43	.04	.20	.21	.06	.	.02	.	.02	.	.	.05	14
15	.02	.	.30	.	.02	.	.37	.	.11	.31	.16	.44	15
16	-	-	.	.	.	.	.01	.	.11	.03	.	.21	16
17	-	-	.02	.08	.05	.	.42	.07	.31	.04	.	.02	17
18	-	-	.04	.	.05	.	.05	.01	.48	.10	.09	.10	18
19	-	-	.01	.07	.05	.39	.14	.08	.43	.25	.51	.03	19
20	-	-	.	.03	.	.	.15	.74	.85	.02	.37	.	20
21	-	-	.02	.	.	.02	.	.04	.02	.27	.82	.	21
22	.20	.	.	.05	.	.07	.	.30	.03	.31	.10	.	22
23	.07	.	.20	.03	.	.49	.09	.	.	.01	.19	.03	23
24	.33	.	.	.24	.02	.18	.	.	.22	.23	.17	.09	24
25	.04	.05	.03	.10	.43	.08	.04	.	.02	.10	.09	.17	25
26	.42	.01	.	.	.17	.	.	.	.08	.	.32	.05	26
27	.08	.	.01	.	.	.	.08	.	.08	.11	.	.04	27
28	.10	.	.05	.	.	.	.15	.	.03	.01	.44	.33	28
29	.03	X	~~.05~~	.	.03	.	.19	.	.19	.03	.05	.08	29
30	.03	X	.18	.	.04	.27	.09	.	.	.	.	.20	30
31	.32	X	~~.05~~	X	.20	X	.	.	X	.19	X	.42	31
TOTAL	3.48	.69	1.98	2.62	2.15	1.52	1.96	3.21	3.53	3.04	3.82	3.61	YEAR'S TOTAL 31.61
Days with or in. or more.	22	7	18	17	20	8	17	17	22	24	17	22	211
Days with or in. or more.	17	6	13	15	15	6	13	13	15	16	16	18	163

Kept at Gurney
in the County of S
by Rev. L. B. H.

GURNEY SHADE
DOWNSIDE W.W.

1921 - 1930

ANIZATION.

1960

•32" W.
ine gar
Gauge 5 in.
e Ground 1 ft. in.
Sea Level 588 ft.
ntered to the previous day.
sted to add
t the end of
rain gauges,
Observers,"
62, Camden
Edinburgh.

Jan. 1, following.

IMPORTANT NOTE

If an Observer prefers not
the reading at 9 a.m. on 1
this paragraph. Full instr
and particulars as to the
sent post-free on applicat

Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Bedford

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	50		14					34	27		16	30	1
2	36				04			16		10	27	15	2
3	04		26			08		12		11	64		3
4	23		02		04			17			32		4
5			02		10			39			62		5
6	20		09		13							15	6
7	25		01		41			08			04		7
8	20		16		17							01	8
9	02		02	04	08				12				9
10	34		15		19			43	05			03	10
11	32		25		23				135				11
12	29		23		01			19	34			21	12
13	06		39	25			01	02	25	14	05		13
14			06		18		05		07		01	26	14
15			12	05	09		12				10	01	15
16	29		14	38				16			22	09	16
17	46		32	07				03	46			01	17
18	09		04						01	28		11	18
19	02		38		04					10		19	19
20	01									04	01	05	20
21	15									01	04	01	21
22			07	34			06			22		34	22
23	09			13			20			34		03	23
24	13	06					03					26	24
25		25	03			38	20					16	25
26	38		02					02				42	26
27	03		(03)	17		02	05	04				19	27
28			44	13			08	01			33	15	28
29	20		13		51			14				06	29
30	89	X		01	01		07				16	05	30
31	04	X		X	19	X		01	X		X	01	31
TOTAL	559	31	352	157	242	48	87	231	292	137	297	325	YEAR'S TOTAL 2758
Days with 01 in. or more	25	2	24	10	16	3	10	16	9	9	14	24	162
Days with 04 in. or more	21	2	17	9	14	2	8	11	8	8	12	17	129

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1921

1711
1960

Kept at Gurney Slade
in the County of Somerset
by Rev. L. B. Hicks

Lat. 51° 15' 20" N. Long. 2° 32' W.
Time of Observation 9 a.m.
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 588 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain; the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	50		14					34	27		16	30	1
2	36				04			16		10	27	15	2
3	04		26			08		12		11	64		3
4	23		02		04			17			32		4
5			02		10			39			62		5
6	20		09		13							15	6
7	25		01		41			08			04		7
8	20		16		17							01	8
9	02		02	04	08				12				9
10	34		45		19			43	05			03	10
11	32		25		23				1.35				11
12	29		23		01			19	34			21	12
13	06		39	25			01	02	25	14	05		13
14			06		18		05		09		01	26	14
15			12	05	09		12				10	01	15
16	29		14	38				16			22	09	16
17	46		32	09				03	46			01	17
18	09		04						01	28		11	18
19	02		38		04					10		19	19
20	01									04	01	05	20
21	15									01	04	01	21
22			09	34			06			22		34	22
23	09			13			20			34		03	23
24	13	06					03					26	24
25		25	03			38	20					16	25
26	38		02					02				42	26
27	03		(03)	17		02	05	04				19	27
28			44	13			08	01			33	15	28
29	20		13		51			14				06	29
30	89	~~X~~		01	01		09				16	05	30
31	04	~~X~~		~~X~~	19	~~X~~		01	~~X~~		~~X~~	01	31
TOTAL	5.59	31	3.52	1.57	2.42	.48	.84	2.31	2.92	1.37	2.97	3.25	YEAR'S TOTAL 27.58
Days with 0.1 in. or more	25	2	24	10	16	3	10	16	9	9	14	24	162
Days with 0.4 in. or more	21	2	17	9	14	2	8	11	8	8	12	17	129

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at *Digonside Water Works*
Gurney Slade

in the County of *Somerset*

by *Rev. G. B. Hicks*

Lat. *51° 15' 20" N* Long. *2° 32' W*

Time of Observation *9 a.m.*

Nearest Railway Station *Binegar n. & S. W.*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *in.*

" " " " Sea Level *588* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

18

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	14	41	15	18	01	01	88	03	05	01	39		1
2	03	80	44	30	26		31	01			04	02	2
3	03	12	59		13		04	13			08		3
4		10	23	09			13			50			4
5	08		28	03			143	01	01	55	40	01	5
6	12		14	25			24	105	01		41		6
7	29		53	01		23	16	15			04	02	7
8	24		08				45	21		01	05	03	8
9	20						18	03			04		9
10	02										24		10
11				04	01								11
12				68			05	68	91			02	12
13	30			44		12	28		13				13
14	01	08	01	03					16	01			14
15	46	64		06					05				15
16		34		31	49			42	08			44	16
17		21			45		10					23	17
18	21	20			13			11	09			12	18
19	02	31	10						105			99	19
20	28	31										03	20
21	38	04	03	04			12	02				62	21
22	01	34				24	11	31	01			35	22
23		32		13		06			06			04	23
24	16		28	10	03	96		20				01	24
25	30	08		49		14			25			24	25
26	09	20				04	16	06	10		04	01	26
27	(29)	40	08	18		02		35	05		05	48	27
28	38	52	03	06		33		15			01	29	28
29	02		01	09		04	19		03	56		53	29
30	109	X	04	02		02		68	39	02	14	62	30
31	05	X	59	X		X	11	05	X	28	X		31
TOTAL	5.53	5.84	3.64	3.59	1.51	2.24	5.03	4.41	4.00	1.93	2.63	5.19	45.90
Days with 01 in. or more	25	18	14	20	8	11	18	19	16	4	14	20	193
Days with 04 in. or more	18	18	13	16	5	8	18	14	13	4	12	12	151
YEAR'S TOTAL													

AIR MINISTRY.
REGISTER OF RAINFALL IN 1923.

Kept at Gurney Slade
in the County of Somerset
by Rev. G.B. Hicks

Lat. 51° 15' 20" N Long. 2° 32' W
Time of Observation 9 am
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level 588 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	.74	.29		.01				.03	.14		.43	1
2	.24	.48	.02	.10	.05			.02		.29	.04	.03	2
3	.01		.03			.03	.01		.24	.46	.10	.19	3
4				.06					.21		.74	.28	4
5	.40		.05	.05	.46					.15	.06	.10	5
6	.42	.69	.25	.16						.03		.02	6
7	.09	.93	.13	.04					.01	.41		.35	7
8	.16	.14	.03			.10				.38	.28	.04	8
9	.35	1.18				.05				.01		.03	9
10	.02	.71		.24	.24	.02				.23		.11	10
11		.05		.41	.09					.69		.01	11
12		.18	.42	.10	.20	.01				.88	.34	.02	12
13	.04	.14		.29	.11				.13	.15	1.35	.06	13
14	.01		.02	.05	.04			.05	.64		.14		14
15		.12	.04	.08	.40	.33	.11			.03	.45	.02	15
16		.25		.06	.01		.02	.02			.38	.01	16
17	.01	.65			.02	.01	.34	1.04	.61	.04	.45	.01	17
18	.01	.36		.13		.04		.12	.23	.18	.03		18
19	.19	.02					.13	.02	.54	.11	.03		19
20		.26			.10				.10	.20	.02		20
21		.22			.02	.02		.36	.05	.32		.03	21
22		.44			.06			.13	.15	.21		.10	22
23	.03	.34	.31		.13		.43	1.44	.13	.25		.08	23
24	.01	.15		.39	.11		.04	.03	.21	.08		.04	24
25		.52		.54		.05	.15	.30	.23	.63		1.10	25
26		.11		.01	.04	.03				.62		.24	26
27		.70	.21		.12		.11	.92		.05		.41	27
28	.03	.30	.23	.23	.06		.18	.14	.02	.08			28
29	.02			.21	.09		.08	.42		.03		.21	29
30	.08	X		.02	.04		.28	.04		.33		.15	30
31	.23	X		X		X	.42	.15	X		X	.21	31
TOTAL	2.83	9.44	2.03	3.23	2.43	.69	2.30	5.56	3.59	4.04	4.41	4.64	YEAR'S TOTAL
Days with .01 in. or more	20	24	13	19	21	11	13	16	16	24	14	26	220
Days with .04 in. or more	11	23	9	14	14	5	11	12	13	23	11	14	169

AIR MINISTRY.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. 1752
River D. 1960
Station No. 3

Kept at Gurney Slade
in the County of Somerset
by Rev. G. B. Hicks

Lat. 51° 15' 20" N Long. 2° 32' W
Time of Observation 9 AM.
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 588 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01				.03	.12	.08	.12			1.32	.48	RAW
2	.11		.09		.41		.22				.01	.05	2
3	.16		.09		.02	.38	.23	.31		.02			3
4	.02		.01		-	.57		.14				.54	4
5			.10		.02		.27	.05	.05	.27		.09	5
6					.05		.10	.13	.04	.68		.01	6
7	.03				.24	.14	.02		.39	1.62			7
8	.15	.06		.03	.05				.09	.05			8
9	.10	.01		.05	.06	.23			.05	.03	.05		9
10	.22	.11		.15	.98	.81			.29	.12	.01		10
11	.26			.56	.79	.41			.05		.39		11
12	.26	.02		.25	.15	.61		.12	.18				12
13	.22			.98				.03	.65		.02	.28	13
14				.02			.07	.62				.26	14
15		.24						.05	.13			.48	15
16	.21							.40	.08			.01	16
17	.30				.08	.11	.90	.65	.07				17
18	1.06				.72		.05	.98		.22	.01	.09	18
19	.18				.10		.04	.09	.14	.30		.01	19
20	.10		.01		.52		.42	.06	.45	.54			20
21	.61		.04		.25	.25		.14	.06	.54			21
22	.47		.76				.19	1.58	.37			.05	22
23			.36		.54		.13	.20	.19			.41	23
24	.69	.09	.22	.20	.24				.04		.01	.20	24
25	.01		.05	.20			.28	.04	.33	.18	.42	.06	25
26				.24			.02		.13	.16	.88	.42	26
27		.02		1.04			1.09			1.05	.02	.38	27
28							.75	.23		.24	.31	.26	28
29		.03		.67	.10	.01	.15	.63	.03	1.03	.41	.31	29
30		X		.61	.42			.16	.14	.47	.23	.35	30
31		X		X	1.50	X	.03	.08	X	.16	X	.80	31
TOTAL	5.17	.58	1.73	5.00	7.27	3.64	5.04	6.81	3.95	7.68	4.09	5.54	1435 m YEARS TOTAL 56.50
Days with ≥ 1 in. or more.	20	8	10	13	21	11	19	22	22	18	14	21	199
Days with ≥ 1 in. or more	16	4	8	11	18	10	16	21	21	16	8	18	167

Section



for the entry of Daily Observations.

AIR MINISTRY.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Gurney Slade
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 588 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. *See 22 addition for areas. 76 suggested 2/7/26*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	.83	.22	.09		.13	.02		.02	.05		.46		1
2	.30	.30		.01			.27				.53		2
3	.12				.56		.03				.09		3
4	.14			.24	.09						.52		4
5	.12	.56		1.15	.20			.29	.51		.13		5
6	.01	.02			.36		.46	.03	.03		.65		6
7		.60			.68						.12	.26	7
8	.36	.02	.05		.08		.06	.48	.06			.22	8
9		.06		.09	.31		.04		.16			.11	9
10		.22	.03		.03			.08	.05				10
11		.35			.06			.06					11
12	.01	.52						1.61					12
13	.03	.11	.13	.16									13
14	.35	.34		.45							.12		14
15	.03	.02		.11					.13	.02		.02	15
16	.02	.04								.19			16
17		.01		.03			.08		.05	.06			17
18		.02		.28	.94				.08	.02		.10	18
19		.01		.03			.05	.03	1.59	1.31		.60	19
20			.11				.06	.49	.80	.58		.22	20
21							.48	.31	.16	.37		.04	21
22	.04	.33		.13	.06		.13	.48	.94	.92		.76	22
23	.08			.11	.10		.10	.14	.01	.31		.11	23
24	.38	.38		.03	.06					.03	.05	.20	24
25	.36	1.01	.08		.12		.20		.55	.21		.22	25
26	.18	.40		.02	.56		1.22	.58		.38		.38	26
27	.06	.41			.13		1.34	.01		.03		.19	27
28	.29	.09			.04		.01	.02	.05	.22		.44	28
29	.60			.03	.32		.27		.01		.35	.30	29
30	.01	X	.01	.02	.04		.27			.12	.14	.15	30
31	.21	X	.10	X	.06	X	.10		X	.05	X	.14	31
TOTAL	4.53	6.04	.60	3.32	4.96	.02	5.20	4.63	5.23	4.82	3.49	4.85	YEARS TOTAL
Days with .01 in. or more.	22	23	8	16	21	1	18	15	14	16	11	18	186
Days with .04 in. or more.	16	14	6	9	20	0	16	10	14	12	11	14	148

(Signed) L. B. Hicks (P.T.O.)

cannot be given on the other side.

has been made in the position of the gauge or in its exposure, and also the space for notes as far as possible:—

RAINFALL IN 1925.

NOTE.—Records taken in millimetres should be entered on Form 1091.

At Gurney Slade

In the County of Somerset

Diameter of Funnel.....5.....in.

Height of Top above Ground.....1.....ft.

Height of Ground above Sea Level.....588.....ft.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
	Inches.	Inches.	Date.	.01 in. or more	.04 in. or more
JAN.	4.53	.83	1	22	16
FEB.	6.04	1.01	25	23	14
MAR.	.60	.13	13	8	6
APR.	3.32	1.15	5	16	9
MAY	4.96	.94	18	21	20
JUNE	.02	.02	1	1	
JULY	5.20	1.34	24	18	16
AUG.	4.63	1.61	12	15	10
SEPT.	5.23	1.59	19	14	14
OCT.	4.82	1.31	19	16	12
NOV.	3.49	.76	1	11	11
DEC.	4.15	.77	28	18	14
Total	47.02			186	148

Signature.....G.B. Hicks

Name and Address to which any correspondence relating to this register should be sent:—

Rev. G.B. Hicks

Downside Abbey, Straton-on-the-Fosse, cl. Bath

Latitude of Station 51° 15' 20" N. Longitude 2° 32' W. Hour of observation 9.0 AM

Nearest Railway Station Binegar Distance 1 mile Direction S.W.

Nearest Parish Church Binegar Distance 1 Direction 7

If gauge has been moved during the year state—

Date of move..... Distance..... Direction.....

Nature of objects nearest to gauge				
Heights of objects				
Distances...				
Directions...				

Indicate pattern of gauge in use by deleting those sketches of cross sections of gauges which do not represent it. If the pattern is different from any of these please make a sketch of it. (Good gauges to use are those marked A and B.)



A



B



C



D



E

If you know of any record of rainfall not quoted in *British Rainfall*, please give the observer's name and address:—

NOTES ON EXCEPTIONAL RAINFALL OF THE YEAR.

In giving particulars of falls of unusual intensity it is desirable that answers to the following questions be supplied:—

- Is it known that the gauge was empty at the beginning of the measured rainfall?
- What note was made of the times of beginning and end of this fall?
- When was the measurement made?

M.O. 7

11 JAN 1926

D

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is given in "Rules for Rainfall Observers," to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C. 2, or from The Superintendent, Meteorological Office, 6, Drumshuegh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type*:—

- Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

- The raingauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

- When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

- The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

- On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

- If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } 14 would show that the reading on

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

- The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

- The "total number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace."

- If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.


- The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; or 120, George Street, Edinburgh; or through any Bookseller. 1925. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Surrey Plade 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

The entry on your 1925 rainfall return for December 22 appears low when compared with neighbouring stations. We would suggest that this is due to a heavy fall of snow.

Chewton Mendip	1.04 inch
Downside Abbey	.73 "
Surrey Plade	.06 "
Oakhill	1.17 "

If you have no reason to the contrary we would recommend that a value of .76 inch be adopted making the total for December 4.85 and the year 47.72 ins. We shall be glad to hear if you concur in the proposed amendment.

H.K. Baxter
2.7.26.

REPLY.

I agree to this alteration, as I find that the snow was swept off the top of the rain gauge on this date, before the measurement was taken.

G.B. Hicks

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 7.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

REGISTER OF RAINFALL IN 1926.

1800
1960

Kept at Gurney Slade
in the County of Somerset
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft. in.
" Ground " Sea Level 588.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.18	.14	.01		.04	.49			.02		1.19		1
2	.19	.03				.20			.04		.02	.01	2
3	.32	.14	.30									.03	3
4	.24	.14	.14	.36			.05				.49	.05	4
5	.15	.16	.28		.40		.55	.09	.56	.02	.10	.24	5
6	.18	.03	.01	.02	.13		.40		.51	.05	.50		6
7	.09	.05		.16	.28	.18			.34		.34	.03	7
8		.04	.18	.14		.02	.02	.14	.01	.18	1.34		8
9			.04			.44		.53		.03	.04		9
10					.62	.23	.05	.34		.04	.48		10
11					.54	.94		.80	.22	.22	.06		11
12					.32	.12			.03	.90	.32		12
13						.08		.33	.13	.41	.31		13
14	.04	.44		.64	.04			.02	.04	.64	.02	.12	14
15	.08	.03		.14						.24	.31		15
16		.28		.52				.06	.28	.01	.14	.01	16
17	.29	1.03		.04		.44	2.05	.15			.53	.05	17
18	.35	.20		.11			.46	.18			.41	.01	18
19	.03	.09		.09		.01	.26	.05	.03		.53		19
20	.01	.01		.42							.20		20
21	.24	.04		.04	.01		.22	.45		.54	.14		21
22	.85	.03		.16						.25			22
23	.04	.01	.03				~~1.1~~	.04					23
24	.06		.01				.12	.01		.68		.03	24
25	.24			.33						.41	.28	.04	25
26					.16		.14		.41		.24		26
27	.09	.13	.04	.09	.20		.03		.10	.22			27
28	.32			.04	.01		.12			.45	.38		28
29	.20			.26	.24		.02				.20		29
30	.16	X		.10	.44			.16			.15		30
31	.35	X		X		X		.01	X		X		31
TOTAL	5.82	3.11	1.10	3.48	3.52	3.21	4.52	3.34	2.48	5.65	8.81	.59	YEARS TOTAL
Days with 0.1 in. or more.	23	19	10	18	14	11	14	14	14	14	25	11	193
Days with 0.4 in. or more.	21	13	6	14	12	9	11	14	10	14	23	5	155

Please read the Notes and Instructions Overleaf.

G. B. Hicks

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Downside Waterworks
Gurney Slade
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level 5.88 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.95	.23				1.08	.07		.39	1.46		1
2	.12	.09	.11	.14	.12					.19	.04		2
3	.12		.21		.05	.04	.16				.03	.01	3
4	.15		.19	.25	.03	.17	.13				.02	.02	4
5	.14	.29	.40	.42		.17	.05				.90		5
6	.19		.48	.37			.03	.11	.65		.07		6
7		.14	.04	.18		.35	.18	.19					7
8	.03		.03	.22		.01		.23	.29			.01	8
9					.22		.09	.41	.70			.24	9
10				.04				.12	.01				10
11	.05			.03			1.80	.17			.03		11
12	.19						.15	.38					12
13	.49			.13		.18	.02	.18	.41	.16	.05	.36	13
14	.09			.19	.11		.04	.55	1.31	.01	.01	.11	14
15	.02	.03			.32			.38	.93		.02		15
16	.01				.32	.78		.02	.36				16
17	.23		.16			.38		.48	.22		.04		17
18						.42			.10	.03	.70		18
19							.09	.47		.07	.71		19
20	.22	.40			.08	.06	.17	.34	.04		.35	.28	20
21	.18	.27	.01			.09	.23	.33	.54	.50	.07	.48	21
22		.41	.72	.15		.30	.05	.49	.23	.70	.57	.81	22
23	.22	.54	.19	.09		.58		.02	.87			.22	23
24	.13	.12	1.15			.05	.10	.32	.33	.29		.50	24
25	.09	.39	.36			.27	.03	.01		.21		.41	25
26	.21		.15			.08	.25		.18				26
27	.01	.96	.09		.11	.13	.27			.70			27
28	1.80	.29	.22			.08	.07		.14		.30		28
29	.10		.23			.09	.05		.60	.09	.06		29
30	.04	X	.06			.14	.02	.01	.24	.20	.02	.03	30
31	.09	X	.45	X		X	.06		X		X	.28	31
TOTAL	4.92	4.88	5.48	2.21	1.36	4.37	5.12	5.28	8.15	3.54	5.45	3.76	YEAR'S TOTAL 54.52
Days with ".01 in. or more.	24	13	20	12	9	20	23	21	19	13	19	14	207
Days with ".04 in. or more.	20	12	18	11	8	19	19	17	18	11	13	10	176

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Downside Water Works
Gurney Slade
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 588 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.83	.03	.01										1
2	.23	.29	.29	.30			.05	.01			.29		2
3	.01	.06		.51			.24	.39			.07		3
4	.17	.42		.01		.03				.52	.20	.03	4
5	.31	.17	.09		.12	.02	.10		.14	.43		.01	5
6	.07		.09		.01	.46			.01	.01		.12	6
7	.20	.12	.02	.03		.02		.20		.12			7
8	.05	.22		.04		.71	.04		.05	.46			8
9	.16	.02		.12		.09		.02	.15	.78		.09	9
10	.36	.31		.07		.05		.06	.05	.38	.45	.10	10
11	.02		.09	.04				.04		.53	.14	.34	11
12	1.07	.75						.15			.06	.04	12
13		.09		.06	.03	.50					.04		13
14	.32	.74		.40		.09		.09		.51	.42		14
15	.24	.10		.12		.01				.06	.40		15
16		.35	.15							.20	.55	.32	16
17	.04				.33	.01					.06		17
18	.60				.02	.04				.15	.13	.03	18
19	.02		.12		.10	.04		.58		.50	.09	.07	19
20	.63		.47		.43	.04		.49			.20		20
21	.80		.26		.15	.05		.34		.51	.81	.01	21
22			.20					.03		.23	.84	.14	22
23	.78		.22	.01	.15			.05			.46		23
24	.07		.09		.01			.01	.22		.10	.28	24
25	.18		.15			.08		.05		{1.15}	.02	1.08	25
26	.21		.16		.01	.11	.11	.35				.06	26
27	.03		.09	.12			.75	.09	.20	.43		1.03	27
28	1.23		.44		.03	.03	.08	.15	.92			.19	28
29	.14	.24	.88			.21	.01	.33		.28	.01	.22	29
30	.10	×	.09				{1.64}					.18	30
31	.60	×	.29	×		×			×	.01	×		31
TOTAL	9.47	3.91	4.20	1.83	1.38	2.59	3.02	3.43	1.74	7.26	5.34	4.34	YEAR'S TOTAL 48.51
Days with "01 in. or more.	28	15	20	13	11	19	10	19	8	20	20	19	202
Days with "04 in. or more.	24	13	18	10	6	13	9	15	7	18	18	15	166

Section **A** for the entry of Daily Observations.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Downside Water Works
Gurney Slade
in the County of Somerset

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
,, Ground ,, Sea Level 588.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.54			.13	.08			.03	.79		.10	1
2		.25				.07	.10			.26	.04	.39	2
3						.06	.34	1.96		.03		.23	3
4	.01			.12	.74			.32		.08		.60	4
5					.74	.67	.40	.50		2.21	.93	.32	5
6	.07	.02			.33	.06		.17		.40	.10	.56	6
7	.02				.04			.02		.52	.80	.73	7
8		.02						.05		.19		.46	8
9	.10	.17						.02		.01	.22	.59	9
10	.02			.06	.05			.03		.02	.11	.69	10
11		.06 ^s		.04	.28			.09		.07	.86	.07	11
12				.21	.02	.33					.12		12
13	.05			.04	.40	.06		.01				.20	13
14					.40	.21						.33	14
15	.05					.15					.69		15
16								.04			.01		16
17	.07							.18		.19			17
18	.06							.03		.05	1.03		18
19									.08		.42		19
20	.01	.02						.15		.65		.59	20
21	.03		.20				.06	.11	.05		.02		21
22	.01	.01						.21			.66	.02	22
23					.04		.03			.04	.43	.61	23
24		.03						.04		.91	1.12	.47	24
25		.10 ^s	.08	.02							.07	.09	25
26		.02		.01	.05						.10	.40	26
27	.01			.14	.02					.14	1.22	.25	27
28	.30			.12			.71	.09		.92	.51	.74	28
29	.25			.23		.07			.07	.52	.49	.30	29
30	.03	X				.15	.16		.42		.07	.09	30
31	.90	X		X		X	.74	.23	X		X	.03	31
TOTAL	1.99	1.24	.28	.99	2.94	1.91	2.54	4.25	.65	8.00	10.02	8.86	YEAR'S TOTAL
Days with ".01 in. or more.	17	11	2	10	13	11	8	19	5	19	22	24	161
Days with ".04 in. or more.	9	5	2	8	11	11	7	14	4	16	20	22	129

REGISTER OF RAINFALL IN 1930 .

Kept at Downside Waterworks, Gurney, Glade
in the County of Somerset

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....in.
,, Ground ,, Sea Level 5.88 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.60	.32		.22		.01		.14			.45		I
2	.02	.01	.01	.14	.02		.04	.31			.48		2
3	.13	.19		.45	.17			.56		.22			3
4	.25	.03	.06	.07				.07		.28			4
5					.10			.24		.26			5
6	.03		.06		.05			1.85	.24	.12			6
7	.30							.24		.31	.47	.15	7
8				.22	.09			.06	.07	.31		.30	8
9	.39		.54	.28	.17			.02	.09	.03	.07		9
10	.62		.12		.46	.03		.26		.04		.89	10
11				.23	.01		.20	.18		.07		.24	11
12	.46			.02	.13				.30			.28	12
13	.06		.18	.17	.12		.17	.21	.01			.10	13
14	.54	.08	.54	.15	.01		.04			.03		.05	14
15			.40		.01		.60		.20	.30	.42	.52	15
16	.01						.03	.07	.60	.06		.18	16
17				.13	.12		.35	.02	.42	.14		.05	17
18			.09	.05	.02		.17		2.08	.05	.22	.16	18
19			.01	.16	.04	.62	.02			.31	.45		19
20				.07			.53	1.03	.03	.04	.41		20
21			.07			.02	.03	.23	.07	.42	1.11		21
22	.74				.04	.05		.33	.07	.37	.15		22
23	.14		.17	.06	.01	.33	.18		.24		.33	.09	23
24	.57			.30	.03				.03	.03	.57	.15	24
25	.17	.10	.01	.04	.68		.06		.15		.11	.26	25
26	.79	.04			.19		.07		.10	.03	.30	.34	26
27	.10		.07				.16		.03	.09			27
28	.17		.11				.19		.39	.08	1.01	.46	28
29	.10				.06		.86			.39	.36	.08	29
30	.05	X			.09	.04	.02			.15		.67	30
31	.43	X	.18	X	.17	X			X	.18	X	.28	31
TOTAL	6.67	.77	2.62	3.06	3.09	1.10	3.72	5.82	5.12	4.31	6.91	5.25	YEAR'S TOTAL
*Days with or in. or more.	22	7	16	17	23	7	18	17	19	25	16	19	48.44
*Days with .04 in. or more.	19	5	13	16	16	4	14	15	15	21	16	19	206
													173

Section



for the entry of Daily

Form 1090.

METEOROLOGIC

Reg

Kept at Harpree Hill
in the County of 5

Diameter of Funnel of Gauge
Height of top of Gauge above Ground
" Ground " Sea Level

THE MORNING MEAS

An observer who does not conform
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

FOR OFFICIAL USE.

ON.

1969

ad the instructions
form.

in section C

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1						-03.							1
2		-24	-								1-35		2
3					-71.			-39.					3
4													4
5	1-78									-			5
6				1-08			-98						6
7									-64			-26	7
8													8
9		1-37.									1-36		9
10			-			-		-97					10
11					1-48								11
12	-24									-			12
13				-61.			-05.						13
14									-38			-44	14
15													15
16		1-72	-12			-					-05		16
17													17
18					1-11			1-66					18
19	-33									1-51			19
20	-8			-87.			-31	-62					20
21									2-17.			1-03	21
22													22
23			-11.			-					-		23
24		-74						-62					24
25					-23								25
26	-90									2-56			26
27							2-94						27
28		2-14		-47.					1-38			2-14	28
29													29
30		X	-05	-11		-			-06		-43		30
31	-80	X	-15.	X	1-61	X	-62	-62	X	-38	X	-49	31
TOTAL	4-05	6-21	-43	3-14	5-14	-03	4-90	4-88	4-63	4-45	3-19	4-36	45-11
Days with 01 in. or more.													
Days with 04 in. or more.													

Taken Weekly

(Signed) J. A. McPherson

P.T.O.

Section



for the entry of Daily

FOR OFFICIAL USE.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at *Harptree Hill, Compton Martin*
in the County of *Somerset*

Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *0* in.
" Ground " Sea Level *784* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in	in.	in.	in.	in.	
1						<i>·03</i>							1
2		<i>·24</i>	<i>—</i>								<i>1·35</i>		2
3					<i>·71</i>			<i>·39</i>					3
4													4
5	<i>1·78</i>									<i>—</i>			5
6				<i>1·08</i>			<i>·98</i>						6
7									<i>·64</i>			<i>·26</i>	7
8													8
9		<i>1·37</i>									<i>1·36</i>		9
10			<i>—</i>			<i>—</i>		<i>·97</i>					10
11					<i>1·48</i>								11
12	<i>·24</i>									<i>—</i>			12
13				<i>·61</i>			<i>·05</i>						13
14									<i>·38</i>			<i>·44</i>	14
15													15
16		<i>1·72</i>	<i>·12</i>			<i>—</i>					<i>·05</i>		16
17													17
18					<i>1·11</i>			<i>1·66</i>					18
19	<i>·33</i>									<i>1·51</i>			19
20	<i>·8</i>			<i>·87</i>			<i>·31</i>	<i>·62</i>					20
21									<i>2·17</i>			<i>1·03</i>	21
22													22
23			<i>·11</i>			<i>—</i>					<i>—</i>		23
24		<i>·74</i>						<i>·62</i>					24
25					<i>·23</i>								25
26	<i>·90</i>									<i>2·56</i>			26
27				<i>·47</i>			<i>2·94</i>						27
28		<i>2·14</i>							<i>1·38</i>			<i>2·14</i>	28
29													29
30		<i>X</i>	<i>·05</i>	<i>·11</i>		<i>—</i>			<i>·06</i>		<i>·43</i>		30
31	<i>·80</i>	<i>X</i>	<i>·15</i>	<i>X</i>	<i>1·61</i>	<i>X</i>	<i>·62</i>	<i>·62</i>	<i>X</i>	<i>·38</i>	<i>X</i>	<i>·49</i>	31
TOTAL	<i>4·05</i>	<i>6·21</i>	<i>·43</i>	<i>3·14</i>	<i>5·14</i>	<i>·03</i>	<i>4·90</i>	<i>4·88</i>	<i>4·63</i>	<i>4·45</i>	<i>3·19</i>	<i>4·36</i>	31
Days with "01 in. or more.													153
Days with "04 in. or more.													11
Taken Weekly.													YEAR'S TOTAL <i>45·11</i>

(Signed)

J. A. McPherson

[P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Harptree Hill, Compton Martin
in the County of Somerset.

Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft.....0 in.
,, Ground ,, Sea Level 7.84 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.15	—								1.56.		1
2								—					2
3					.07.								3
4	2.51.									—			4
5				—			.87.						5
6									1.23.			.31.	6
7						1.00							7
8		.61	.73								2.41.		8
9								1.36.					9
10					1.08.								10
11	.30.									.83			11
12				.47.			.59.						12
13									.63			.09.	13
14						1.39							14
15		.58	.05.								1.31.		15
16								1.13					16
17					.90.								17
18	.83									2.63			18
19				1.61.			1.27.						19
20									.18			.20.	20
21						.54.							21
22		1.44	—								2.07		22
23								.93					23
24					—								24
25	1.67.									1.58			25
26				.61			.55						26
27									.68			.08	27
28		.14				—							28
29		X	.44								1.09		29
30		X		.43.		—		.12	—		.10.		30
31	1.13.	X	—	X	1.01.	X	.31.	—	X	1.41.	X	—	31
TOTAL	6.44.	2.92.	1.22.	3.12.	3.06	2.93.	3.59.	3.54	2.72.	6.45.	8.54.	.68.	YEARS TOTAL 45.21.
Days with 01 in. or more.													
Days with 04 in. or more.													

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

1778
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Haptree Hill

in the County of Somerset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level 784 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								—					1
2					—								2
3	.23			.40						.40			3
4							1.07						4
5									—			—	5
6						.40							6
7		1.32	1.67								2.33		7
8								.54					8
9					.57								9
10	.44												10
11				1.37			1.26			—			11
12							.36		1.37			.38	12
13						.32							13
14		—									.10		14
15			.06					3.15					15
16					.82								16
17	1.02									.12			17
18				.29			.06						18
19									3.64			.42	19
20						2.10							20
21		.86	.16								1.89		21
22								3.25					22
23					.12								23
24	.76									2.32			24
25				.13			.66						25
26									1.92			2.61	26
27						1.33							27
28		2.26	2.36								.88		28
29								.52					29
30		X		.09	.12	.33			.65		.05		30
31	2.28	X	.94	X	—	X	2.14	.07	X	.99	X	.31	31
TOTAL	4.73	4.44	5.21	2.30	1.63	11.48	5.55	7.53	7.58	3.83	5.25	3.72	YEARS TOTAL 56.25.
Days with ".01 in. or more.													
Days with ".04 in. or more.													

Kept at Haytree Hill
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 784 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	1.20			17			—						2
3									—			—	3
4						—							4
5			29								31		5
6		97						10					6
7					09								7
8										1.70			8
9	91			1.07			48						9
10												25	10
11						1.67			27				11
12			13								50		12
13		1.51						1.15					13
14					—								14
15										2.28			15
16	1.70			50			—						16
17									—			90	17
18						51							18
19			43								1.32		19
20		1.46						1.29					20
21					37								21
22										1.88			22
23	2.76			—			—						23
24									17			37	24
25						09							25
26											2.00		26
27								1.44					27
28			1.38		25								28
29		29								2.00			29
30	2.00	X		18		53	2.50		1.30		—		30
31	63	X	2.12	X	—	X	1.20	72	X	—	X	2.69	31
TOTAL	9.40	4.23	4.35	1.92	71	2.80	4.18	4.70	1.74	7.86	4.13	4.21	YEAR'S TOTAL
Days with .01 in. or more.													
Days with .04 in. or more.													

REGISTER OF RAINFALL IN 1929 .

Kept at Harpree Hill
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 784 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				—			—						1
2									—				2
3			—			19						54	3
4		89	—								09		4
5								3.50					5
6					2.15								6
7	03									4.31			7
8				14			65						8
9									—				9
10			—			55						3.78	10
11		50	—								3.16		11
12								32					12
13					37								13
14	25									21			14
15				19			—						15
16									—			92	16
17			—			1.15							17
18		28	—								1.86		18
19								77					19
20					24								20
21	07									1.00			21
22				—			06						22
23									12			1.33	23
24							—						24
25		03	31								2.85		25
26		—						60					26
27		—				14							27
28	55									1.67			28
29		X		55			56						29
30		X		—		02			43		3.65	2.59	30
31	1.06	X	—	X	—	X	96	41	X	19	X	—	31
TOTAL	1.96	1.70	31	88	2.90	1.91	2.23	5.60	55	7.38	11.61	9.16	46.19
Days with or in. or more.													
Days with or in. or more.													

Section

A

for the entry of Daily Observations.

1960
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Harpree Hill.
in the County of Somerset.
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. - in.
,, Ground ,, Sea Level 784 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I							-			-		-	I
2						-							2
3		.67									.90		3
4			-					1.06					4
5					.16								5
6	1.35												6
7				1.33									7
8							.13		.31	.93		.40	8
9						-							9
10		.06	.85								.38		10
11								4.80					11
12					.88								12
13	1.84									.86			13
14				.88									14
15							.20		.50			2.27	15
16						.03							16
17		.04	1.06								.33		17
18								.56					18
19					.32								19
20	.47									.96			20
21				.19			1.82						21
22									3.18			.35	22
23						.40							23
24		-	.28								2.52		24
25								1.72					25
26					.77								26
27	2.25									.82			27
28				.38			.97						28
29		X							1.15			1.18	29
30		X				.35					1.30		30
31	.46	X	.49	X	.28	X	.40	-	X	.73	X	.77	31
TOTAL	6.37	.77	2.68	2.78	2.41	.78	3.52	8.14	5.14	4.30	5.43	4.97	YEAR'S TOTAL 47.29
* Days with or in. or more.													
* Days with or in. or more.													

40-9999

*See Instruction 2 (f) on other side.

(Signed)

[Signature] P.T.O.

R

1921.....

Long

on 7 22 9 9 am on
Station Swanton, N.H.
el of Rain Gauge 5 in.
auge above Ground 3 ft. 6 in.
" " Sea Level 980 ft.

result entered to the previous day.

tly requested to add
for it at the end of
placing of rain gauges,

Jan. 1, following.

Kept at Lisc

in the County of.....

by M. E. W.

HAWKRIDGE LISCOMBE

1921-1930

IMPORTANT NOT

If an Observer prefers n
the reading at 9 a.m. on
this paragraph. Full inst
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.67	.06	.13					.57	.19		.17	.26	1
2	.24	.01			.09			.30	.01	.91	.17	.07	2
3	.02		.77					.05		.30	.43		3
4	.46		.15		.10			.55			.46		4
5	.02		.13		.06			.89			.42	.03	5
6	.28		.06		.46			.05		.01	.09	.15	6
7	.26		.01		.30			.25			.12	.01	7
8	.50	.01	.17		.28								8
9	.06			.18	.31	.03			.18	.01			9
10	.38		.14	.01	.02			.17	.07			.15	10
11	.38			.01	.21			.02	1.64	.04			11
12	.38		.09		.01	.01		.17	.35	.01		.18	12
13	.04		.48	.16				.26	.63	.12	.23		13
14	.08		.38	.06	.12		.09	.01	.12		.13	.34	14
15	.15		.06	.01	.01					.01	.18	.02	15
16	.36		.18	.48			.12	.29	.01		.46	.04	16
17	.65		.25	.08				.02	.15		.01	.02	17
18	.20		.28	.10					.01	.19		.09	18
19	.02		.44		.06					.07	.01	.20	19
20	.05		.09							.04	.04	.08	20
21	.09		.04	.01						.01	.18	.15	21
22	.16		.22	.26			.22	.03		.54	.03	.71	22
23	.15			.02			.23			.56		.02	23
24	.25	.04					.18					.37	24
25	.06	.12	.04			.42	.41			.01		.11	25
26	.48		.02				.02	.10			.26	.72	26
27	.03		.03		.11	.01	.08	.18			.08	.36	27
28	.01		.83	.29	.11		.45	.04			.13	.37	28
29	.13		.37		.48		.14	.12			.01	.17	29
30	.28	~~X~~	.01		.16		.01				.21	.47	30
31	.16	~~X~~		~~X~~	.04	~~X~~	.01	.04	~~X~~		~~X~~	.04	31
TOTAL	7.10	.24	5.37	1.67	2.93	.47	1.96	4.11	3.36	2.83	3.82	5.13	YEAR'S TOTAL 38.99
Days with > .01 in. or more	31	5	25	13	18	4	12	20	11	15	21	25	200
Days with > .04 in. or more	26	3	21	8	15	1	9	16	8	9	17	20	153

REGISTER OF RAINFALL IN 1921

Kept at Liscombe
in the County of Somerset
by Mr E W Darby

Lat. _____ Long. _____
Time of Observation 7 22 9 a.m. on
Nearest Railway Station Bulwerston 1 1/2 m
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.67	.06	.13					.57	.19		.17	.26	1
2	.24	.01			.09			.30	.01	.91	.17	.07	2
3	.02		.77					.05		.30	.43		3
4	.46		.15		.10			.55			.46		4
5	.02		.13		.06			.89			.42	.03	5
6	.28		.06		.46			.05		.01	.09	.15	6
7	.26		.01		.30			.25			.12	.01	7
8	.50	.01	.17		.28								8
9	.06			.18	.31	.03			.18	.01			9
10	.38		.14	.01	.02			.17	.07			.15	10
11	.38			.01	.21			.02	1.64	.04			11
12	.38		.09		.01	.01		.17	.35	.01		.18	12
13	.04		.48	.16				.26	.63	.12	.23		13
14	.08		.38	.06	.12		.09	.01	.12		.13	.34	14
15	.15		.06	.01	.01					.01	.18	.02	15
16	.36		.18	.48			.12	.29	.01		.46	.04	16
17	.65		.25	.08				.02	.15		.01	.02	17
18	.23		.28	.10					.01	.19		.09	18
19	.02		.44		.06					.07	.01	.20	19
20	.05		.09							.04	.04	.08	20
21	.09		.04	.01						.01	.18	.15	21
22	.16		.22	.26			.22	.03		.54	.03	.71	22
23	.15			.02			.23			.56		.02	23
24	.35	.04					.18					.37	24
25	.06	.12	.04			.42	.41			.01		.11	25
26	.48		.02				.02	.10			.26	.72	26
27	.03		.03		.11	.01	.08	.18			.08	.36	27
28	.01		.83	.29	.11		.45	.04			.13	.37	28
29	.13		.37		.48		.14	.12			.01	.17	29
30	.28		.01		.16		.01				.21	.47	30
31	.16				.04		.01	.04				.04	31
TOTAL	7.10	.24	5.37	1.67	2.93	.47	1.96	4.11	3.36	2.83	3.82	5.13	YEAR'S TOTAL
Days with ".01 in. or more	31	5	25	13	18	4	12	20	11	15	21	25	200
Days with ".04 in. or more	26	3	21	8	15	1	9	16	8	9	17	20	153

with rain days

1941

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

Kept at Sliscombe
in the County of Somerset
by E W Darby

Lat. _____ Long. _____
Time of Observation 7 a.m.
Nearest Railway Station Bulwerton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft.
" " " " Sea Level 980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

measured at 9 a.m. on Jan 1st

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.46	.48	.20			.79	.04	.12	.02	.50		1
2	.12	1.30	.46	.15	.02		.41	.09	.01		.31		2
3	.12	.68	.83	.20	.41		.09	.26		.03	.16		3
4	.20	.23	.12		.33		.20	.01		.96			4
5	.08		.37	.25	.02		1.02			.53	.56	(.03)	5
6	.11		.20	.06			.21	.79			.89	.06	6
7	.26		.49	.58		.01	.35	.03			.12	.09	7
8	.43		.18	.01		.01	.87	.53		.01	.17	.01	8
9	.38		.02				.04	.02		.04	.03	.01	9
10	.08						.06				.43		10
11	.06			.06	.08		.01						11
12				.66			.08	.96	.90			.03	12
13	.51			.67		.06	.22	.01	.05			.02	13
14	.16	.06	.02	.08			.26		.21		.01	.03	14
15	.70	.45		.48			.09					.08	15
16	.10	.41		.75	.59		.01	.60	.27			.43	16
17		.21			.35		.17	.01	.03			.44	17
18	.50	.19			.10	.01	.01	.13	.05			.13	18
19	.20	.27	.13		.07	.02		.02	1.77			1.93	19
20	.11	.37	.20		.01	.01	.04		.04			.30	20
21	.26	.22		.03		.02	.15	.01	.01		.04	1.10	21
22	.02	.66		.14	.01	.23	.06	.21		.02	.02	.33	22
23	.02	.50			.09	.02	.03	.01	.08			.27	23
24	.02	.02	.42	.01	.01	.39	.10	.25	.01			.06	24
25	.10	.12	.05	.76		.43		.04	.38			.49	25
26	.03	.47	.07	.24		.13	.19	.04	.38		.02	.22	26
27	.43	.83	.12	.03		.03		.19	1.00	.08	.08	.63	27
28	.28	.71	.10	.02		.17		.15	.01			.41	28
29	.30	X	.03	.05		.06	.13	.01				.94	29
30	.39	X	.05	.01		.09	.01	.69	.63		(.22)	.33	30
31	.05	X	.65	X		X	.04	.25	X	.43	X		31
TOTAL	6.17	8.16	5.04	5.44	2.09	1.69	5.64	5.35	5.35	2.12	3.56	8.37	YEAR'S TOTAL
Days with .01 in. or more	29	19	20	22	13	16	27	25	18	9	15	24	237
Days with .04 in. or more	25	18	18	16	8	8	22	16	13	5	11	18	178

REGISTER OF RAINFALL IN 1923.

Kept at

in the County of

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.

An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.88	.36	.07	.03			.02	.30	.15	.14	.85	1
2	.38	.58	.17	.12	.08		.01	.07	.01	.30	.17	.22	2
3	.26	.02	.03	.01	.02		.06		.23	.56	.10	.28	3
4	.01	.01		.03					.30	.02	.45	.24	4
5	.84		.06	.01	.10					.14	.21	.12	5
6	.60	.85	.20	.09			.02		.01	.09	.10		6
7	.16	.80	.16	.01			.01			.61		.63	7
8	.13	.16	.01	.05		.08				.45	.39	.09	8
9	.63	.70		.02	.16	.11				.13	.34	.01	9
10	.21	.68	.02	.79	.30	.05				.70		.23	10
11	.05	.08		.18	.14	.05				.58		.02	11
12	.02	.27	.26	.02	.29	.02	.03		.02	.70	.01	.01	12
13	.03	.37	.02	.23	.10	.04	.19		.12	.37	1.67	.03	13
14	.03	.02		.18	.24	.02	.09	.05	.16	.08	.16	.07	14
15	.01	.19	.05	.41	.42	.58	.30		.10	.01	.45		15
16	.03	.23	.01	.07	.06		.05	.01	.02	.04	.62	.01	16
17	.02	.70		.01		.01	.20	.64	.80	.10	.80	.02	17
18		.49		.26	.05		.01	.07	.29	.37	.22		18
19	.20	.05		.06	.03			.05	.46	.21	.17		19
20	.13	.27			.29			.19	.58	.15	.18	.01	20
21	.05	.30			.06	.01		.21	.12	.72		.04	21
22		.70			.11			.27	.26	.33		.20	22
23	.02	.34	.05		.29		.34	.63	.30	.77		.08	23
24	.03	.42	.02	.26	.12		.05	.02	.55	.50		.53	24
25		.66	.01	.51	.05		.13	.47	.32	.43		1.31	25
26	.01	.40	.04	.14	.14			.17	.01	.98		.55	26
27		1.80	.24		.17		.23	.77		.12		.70	27
28	.10	.48	.25	.46	.17		.45	.12	.02	.11		.07	28
29	.33	~~X~~	.05	.30	.09		.10	.96	.03	.06		.17	29
30	.06	~~X~~		.13	.03		.33	.12	.01	.20		.20	30
31	.36	~~X~~	.08	~~X~~		~~X~~	.34	.50	~~X~~	.02	~~X~~	.07	31
TOTAL	5.06	12.45	2.09	4.42	3.54	.97	2.94	5.34	5.22	10.00	6.18	6.78	64.99
Days with 01 in. or more	27	27	20	25	25	10	19	19	23	31	17	27	270
Days with 04 in. or more	17	24	13	18	21	6	14	16	15	28	16	21	209
										10.00			64.05

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE, BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. 10River Dist. 10Station No. 10

Kept at

Liscombein the County of Derby

by

E. W. Darby

Lat.

Long.

Time of Observation 7. a.m. + 9. a.m. 17 JanNearest Railway Station DalvertonDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 3 ft. 6 in." " " " Sea Level 980 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.16		.05	.09	.23	.45	.03	.01	2.22	.17	W W W
2	.07		.15		.24	.01	.30	.03		.06	.05	.02	2.11
3	.21		.26	.02		.14	.38	.41		.04		.01	3
4	.02			.07	.05	.61	.25	.12		.01		.65	4
5			.24		.01	.01	.31	.19		.43		.17	5
6	.02		.02		.06	.02	.06	.11	.07	.49		.02	6
7	.03			.01	.07	.20	.02		1.25	1.12			7
8	.30	.06		.21	.17	.06	.06		.11	.23			8
9	.35	.23		.04	.08	.38	.02		.70	.12	.02	.01	9
10	.44	.09		.07	.96	.62			.10	.15	.12		10
11	.44	.04		.54	.67	1.80		.06	.30	.04	.22	.01	11
12	.31	.01		.32	.18	.26		.27	.12	.01	.01		12
13	.22			1.30	.04		.11	.02	.41		.03	.41	13
14	.02			.04	.03			.49	.72	.01		.24	14
15	.04			.02	.05		.04	.05	.44			.27	15
16	.20				.05			.50	.26			.02	16
17	.13				.01	.08	.80	.83	.55			.02	17
18	1.44	.03			.22		.02	.72	.01	.19	.03	.18	18
19	.19				.05		.12	.65	.34	.28	.01	.06	19
20	.08		.04		.12		1.07	.04	.55	.23		.01	20
21	.68		.33		.10	.10	2.01	.78	.18	.41			21
22	.63		.46		.05	.01		1.24	.27			.24	22
23			.85	.07	.75	.03	.23	.19	.44			.60	23
24	.61	.15	.26	.23	.94		.02	.06	.11		.02	.11	24
25	.01		.03	.28	.01		.19	.08	.45	.25	.65	.41	25
26	.06	.03	.02	.26			.02	.06	.11	.10	.79	.48	26
27	.01	.03		1.04			.70	.03		.57	.18	.62	27
28		.04		.08			1.07	.35		.24	.30	.47	28
29	.01	.10		.54	.05	.06	.01	.57	.25	1.30	1.08	.58	29
30	.02	X		.50	.10	.01	.10	.30	.32	.98	.44	.69	30
31	.02	X		X	.20	X	.05	.16	X	.34	X	.80	31 1822
TOTAL	6.57	.81	2.82	5.63	5.31	4.49	8.19	8.76	8.09	7.61	6.17	7.27	91.74
Days with .01 in. or more.	28	11	12	19	27	18	25	27	24	24	16	26	238
Days with .04 in. or more.	18	7	10	16	23	12	19	24	22	20	10	18	195

Section



for the entry of Daily Observations.

AIR MINISTRY.

1922
FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Liscombe
in the County of Leicestershire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" Ground " Sea Level 980 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.05	.25	.02		.02	.03		.13	.12		.79	.03	1
2	1.12	.38	.03	.10	.05		.12	.02	.02		.60		2
3	.17	.02		.02	.39		.05		.01		.27		3
4		.70		.32	.27			.15			.19		4
5		.22		.75	.14			.25	.59		.06	.01	5
6	.37	.80	.07	.04	1.08		.66	.02	.01		.67		6
7	.20	.12		.02	.26		.02	.05	.01		.37	.23	7
8	.21	.18	.07		.20		.01	.46	.14		.07	.54	8
9		.07	.02	.14	.13		.08	.02	.09		.13		9
10		1.02	.05	.01	.03			.46	.15			.02	10
11		.41	.04		.07			.20					11
12	.02	.04		.23	.02			1.88					12
13	.04	.11	.46	.98	.05			.01		.01		.06	13
14	.06	.03	.03	.20									14
15		.18		.02					.27	.01		.11	15
16	.08	.06		.03	.02					.97			16
17				.35	.08		.11		.09	.01			17
18				.01	.24		.03	.04	.03	.03		.11	18
19				.16	.02		.07	.39	1.55	1.60		.57	19
20			.05		.07		.03	.13	.53	.88		.05	20
21		.23	.17		.03		.30	.39	.38	.21		.14	21
22	.03	.33		.35	.32		.28	.08	1.20	1.35		.76	22
23	.10	.04	.20	.18	.13	.25		.08	.13	.68		.10	23
24	.16	.70	.10	.06	.29			.01		.30	.04	.15	24
25	.50	1.20	.09	.03	.17		.26		.42	.33		.15	25
26	.23	.60		.01	.57		.74	.80	.01	.19		.47	26
27	.13	.14		.14	.62		1.08	.09		.29	.16	.45	27
28	.27	.19		.03	.23		.02	.06	.07	.13	.05	1.91	28
29	.94	X		.16	.74		.44		.03	.03	.34	1.50	29
30	.07	X	.01	.11	.02		.35	.02	.01	.09	.11	.35	30
31	.47	X	.14	X		X	.18	.02	X	.02	X	.34	31
TOTAL	6.20	8.02	1.55	4.45	6.26	.28	4.81	5.78	5.86	7.13	3.85	8.05	YEARS TOTAL
Days with .01 in. or more.	20	24	16	25	28	2	19	24	22	18	14	21	233
Days with .04 in. or more.	18	22	11	16	21	1	14	17	14	12	14	18	178

(Signed) S. W. G. G. G. G. P.T.O.

1933

Kept at London
in the County of London
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....3 ft. 6 in.
,, Ground ,, Sea Level 90.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2.60	.12	.03		.08	.66			.60		.98		1
2	.38	.04	.01			.46			.02		.05		2
3	.44	.48	.42	.02			.01		.01		.02	.13	3
4	.60	.06	.18	.01					.03		.48	.10	4
5	.25	.41	.28	.01	.29		.13		.95		.16	.12	5
6	.18	.09	.08	.17	.04		.22	.12	.00	.28	.48		6
7	.20	.03	.04	.10	.24	.22		.03	.41	.30	.23	.02	7
8	.03	.09	.25	.02		.02	.05	.27	.02		1.35		8
9		.01	.20		.01	.47	.15	.28		.26	.27		9
10	.01		.01		1.05	.08	.10	.27		.19	.83		10
11			.01		.22	.94	.01	.33	.21	.09	.04	.01	11
12			.01		.33	.08		.08	.06	1.31	.10	.01	12
13		.05			.04	.41		.19	.23	.67	.80	.05	13
14	.20	.60		.22	.43			.02	.09	.41	.04		14
15	.25	.17		.44				.15	.39	.67	.50		15
16	.30	.35		.06				.05	.12	.07	.17		16
17	.15	1.55		.10		.56		.10	.01		.34	.07	17
18	.47	.35		.17		.08	.06	.19	.01		.49	.03	18
19	.06	.06		.45		.02	.45	.77	.45		.11		19
20	.03	.04		.02		.01	.01	.60			.42		20
21	.35	.03		.07	.25		.30	.25	.01	.13	.98		21
22	2.10	.02		.08			.09	.02		.09	.15		22
23	.44	.08		.01	.02		.03	.23	.01		.02		23
24	.18	.05	.02			.02	.92	.06	.03	.78			24
25	.56	.01					.02	.02	.13	.47	.17	.03	25
26	.04	.08			.03		.38		.43	.02	.14		26
27	.30	.16			.23				.01	.31	.02		27
28	.28	.01			.08		.02			.60	.42	.02	28
29	.59			.04	.40				.02	.06	.60		29
30	.20	X		.13	.34			.07			.26		30
31	.24	X		X	.01	X		.02	X		X		31
TOTAL	11.43	4.94	1.54	2.78	4.15	4.03	2.90	4.52	4.85	6.68	11.62	.57	YEARS TOTAL
Days with .01 in. or more.	27	25	13	18	18	14	17	22	24	18	29	11	236
Days with .04 in. or more.	24	19	7	13	14	10	12	18	13	17	26	5	188

Please read the Notes and Instructions Overleaf.

(Signed) C. W. Darby

Section



for the entry of Daily Observations.

1901
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Leacombe, Dulverton

in the County of Somerset

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....3 ft. 6 in.

„ Ground „ Sea Level.....980 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	1.25	.25	.	.06		.63	.07		.70	1.75		1
2	.04		.19	.27	.16		.01			.29	.06	.01	2
3	.22	.12	.13	.02	.03	.07	.19			.02	.10	.07	3
4	.08	.05	.23	.26			.30				.15	.01	4
5	.38	.23	.80	.65		.26	.67				.55		5
6	.33		.64	.34		.02	.54	.17	.72		.32	.15	6
7	.03		.06	.19		.06	.46	.16				.02	7
8	.02		.07	.20	.01		.05	.18	.28			.02	8
9	.01		.25	.05	.09			.10	.54		.06	.04	9
10	.01		.03					.02	.25	.01	.05	.06	10
11	.37						1.01	.32	.07		.34		11
12	.61							.92	.03				12
13	.33			.07		.03		.68	.36		.03	.25	13
14	.10			.25	.24		.01	.43	.92	.02	.09	.05	14
15	.23			.01	.13			1.09	1.04		.03		15
16	.04	.15			.82	.93	.01	.02	.63	.01	.10		16
17	.51	.02	.30	.01		.16		.63	.21	.01	.92		17
18			.03			.67		.08	.30	.06	.14		18
19		.25	.01			.01		.42	.02	.10	.52		19
20	.25	.06	.05		.08	.13	.50	.74	.21	.01	.68	.40	20
21	.26	.28	.41			.18	.50	.60	.50	.42	.07	.70	21
22	.35	.38		.29		.30	.03	.92	.67	.63	.01	.67	22
23	.04	.42	.50	.08		.63	.01	.06	.78	.01	.52	.40	23
24	.47	.10	.33	.14		.46	.29	.01	.17	.52	.01	.44	24
25	.30	.29	.70	.04		.39	.16		.37	.58	.01	.52	25
26	.38	.80	.16			.16	.78		.15	.73			26
27	.15	.08	.06			.02	1.00		.02	.78	.02		27
28	1.45	.55	.40	.02		.02	.08		.15	.06	.39		28
29	.30	X	.37		.04	.26	.08	.02	.75	.06	.17		29
30	.25	X	.02			.01	.27	.11	.18	.10	.07		30
31	.45	X	.93	X		X	.10		X	.02	X		31
TOTAL	8.11	5.03	6.91	2.89	1.66	4.77	7.68	7.75	9.32	5.14	7.16	3.81	70.23
Days with ".01 in. or more.	29	16	24	17	10	20	23	22	24	21	26	26	218
Days with ".04 in. or more.	25	15	20	13	8	14	18	18	21	13	20	12	197

E. W. Darby

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at *Eliscombe*

in the County of *Somerset*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *1* ft. in.

Ground Sea Level *980* ft.

Jan high
Apr. high & wrong plot.
April con for April
662 not given 22/5/28. agrees 820634/28.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.35</i>	<i>.07</i>	<i>.05</i>	<i>.01</i>			<i>.09</i>				<i>.04</i>		1
2	<i>.01</i>	<i>.67</i>	<i>.16</i>	<i>.13</i>			<i>.16</i>				<i>.05</i>	<i>.02</i>	2
3	<i>.05</i>	<i>.09</i>	<i>.07</i>	<i>.64</i>							<i>.11</i>		3
4	<i>.28</i>	<i>1.18</i>	<i>.04</i>	<i>.14</i>	<i>.05</i>	<i>.20</i>	<i>.01</i>			<i>.28</i>	<i>.02</i>	<i>.04</i>	4
5	<i>.57</i>	<i>.30</i>	<i>.03</i>	<i>.15</i>	<i>.02</i>	<i>.10</i>	<i>.25</i>		<i>.08</i>	<i>.49</i>	<i>.05</i>	<i>.10</i>	5
6	<i>.30</i>		<i>.06</i>			<i>.43</i>	<i>.02</i>		<i>.05</i>	<i>.03</i>	<i>.03</i>	<i>.16</i>	6
7	<i>.35</i>	<i>.75</i>	<i>.09</i>	<i>.04</i>		<i>.21</i>		<i>.18</i>		<i>.15</i>		<i>.14</i>	7
8	<i>.07</i>	<i>.42</i>		<i>.07</i>		<i>.38</i>	<i>.09</i>		<i>.14</i>	<i>.20</i>			8
9	<i>.15</i>			<i>.09</i>		<i>.05</i>		<i>.04</i>	<i>.09</i>	<i>.63</i>		<i>.01</i>	9
10	<i>.38</i>	<i>.53</i>	<i>.20</i>	<i>.14</i>		<i>.08</i>		<i>.13</i>	<i>.04</i>	<i>.36</i>	<i>.56</i>	<i>.41</i>	10
11	<i>.01</i>		<i>.50</i>	<i>.04</i>				<i>.10</i>		<i>.60</i>	<i>.33</i>	<i>.04</i>	11
12	<i>1.80</i>	<i>.91</i>	<i>1.02</i>	<i>.01</i>		<i>.04</i>		<i>.09</i>		<i>.08</i>	<i>.40</i>		12
13	<i>.01</i>	<i>.38</i>		<i>.03</i>		<i>.46</i>		<i>.11</i>		<i>.07</i>	<i>.05</i>		13
14	<i>.40</i>	<i>.75</i>		<i>.18</i>		<i>.09</i>		<i>.20</i>		<i>.70</i>	<i>.37</i>		14
15	<i>.33</i>	<i>.65</i>		<i>.17</i>		<i>.07</i>				<i>.18</i>	<i>.38</i>	<i>.10</i>	15
16	<i>.01</i>	<i>.63</i>	<i>.20</i>	<i>.01</i>	<i>.06</i>	<i>.21</i>				<i>.27</i>	<i>1.23</i>	<i>.48</i>	16
17	<i>.05</i>		<i>.07</i>	<i>.01</i>	<i>.37</i>	<i>.19</i>		<i>.02</i>		<i>.19</i>	<i>.18</i>		17
18	<i>.01</i>		<i>.07</i>	<i>.04</i>	<i>.22</i>	<i>.11</i>				<i>.59</i>	<i>.12</i>	<i>.03</i>	18
19			<i>.15</i>		<i>.04</i>	<i>.16</i>		<i>.04</i>		<i>.63</i>	<i>.26</i>	<i>.11</i>	19
20	<i>.76</i>		<i>.37</i>		<i>.30</i>	<i>.02</i>		<i>.32</i>		<i>.08</i>	<i>.15</i>		20
21	<i>.92</i>		<i>.53</i>	<i>.08</i>	<i>.04</i>	<i>.30</i>		<i>.05</i>	<i>.01</i>	<i>.18</i>	<i>.31</i>	<i>.04</i>	21
22	<i>.01</i>		<i>.18</i>					<i>.10</i>		<i>.73</i>	<i>.90</i>	<i>.14</i>	22
23	<i>1.42</i>		<i>.20</i>		<i>.04</i>			<i>.04</i>		<i>.24</i>	<i>.33</i>	<i>.04</i>	23
24	<i>.09</i>		<i>.11</i>					<i>.27</i>	<i>.34</i>	<i>.21</i>	<i>.45</i>	<i>.54</i>	24
25	<i>.30</i>		<i>.05</i>			<i>.18</i>	<i>.02</i>	<i>.14</i>		<i>.05</i>	<i>.10</i>	<i>1.01</i>	25
26	<i>.28</i>		<i>.19</i>		<i>.10</i>	<i>.32</i>	<i>.31</i>	<i>.55</i>		<i>.80</i>	<i>.13</i>	<i>.11</i>	26
27	<i>.01</i>		<i>.06</i>	<i>.40</i>		<i>.03</i>	<i>.34</i>	<i>.25</i>	<i>.15</i>	<i>.29</i>	<i>.06</i>	<i>1.53</i>	27
28	<i>1.28</i>	<i>.43</i>	<i>.30</i>				<i>.09</i>	<i>.47</i>	<i>.75</i>	<i>.01</i>	<i>.01</i>	<i>.38</i>	28
29	<i>.26</i>	<i>.88</i>	<i>1.02</i>			<i>.20</i>	<i>.09</i>	<i>.14</i>	<i>.04</i>	<i>.24</i>	<i>.08</i>	<i>.25</i>	29
30	<i>.26</i>	<i>X</i>	<i>.26</i>			<i>.04</i>	<i>.53</i>			<i>.89</i>	<i>.01</i>	<i>.50</i>	30
31	<i>.86</i>	<i>X</i>	<i>.45</i>	<i>X</i>		<i>X</i>	<i>.57</i>		<i>X</i>	<i>.08</i>	<i>X</i>		31
TOTAL	<i>12.98</i>	<i>8.64</i>	<i>6.44</i>	<i>3.38</i>	<i>1.24</i>	<i>3.87</i>	<i>2.57</i>	<i>3.24</i>	<i>1.69</i>	<i>8.55</i>	<i>6.71</i>	<i>6.19</i>	YEAR'S TOTAL
Days with .01 in. or more.	<i>30</i>	<i>15</i>	<i>26</i>	<i>19</i>	<i>10</i>	<i>22</i>	<i>13</i>	<i>19</i>	<i>10</i>	<i>28</i>	<i>27</i>	<i>22</i>	<i>241</i>
Days with .04 in. or more.	<i>24</i>	<i>15</i>	<i>25</i>	<i>15</i>	<i>9</i>	<i>20</i>	<i>10</i>	<i>18</i>	<i>9</i>	<i>26</i>	<i>23</i>	<i>19</i>	<i>213</i>

REGISTER OF RAINFALL IN 1929.

Kept at Liscombe
in the County of Gloucester

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
Ground Sea Level 980 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.40		.01	.20	.09		.03	.07	.53		.12	I
2		.44				.29				.50	.06	.65	2
3					.01	.13	.02	2.58		.16		.14	3
4				.11	1.16	.02	.03	.48		.11		1.00	4
5					.97	.61	.67	.47		3.23	.56	.48	5
6		.26			.05	.13		.22		.28	.05	.95	6
7					.23	.04		.05		.48	.62	.59	7
8		.11		.02	.08			.07		.17	.04	.53	8
9		.12								.08	.28	.76	9
10				.01	.07			.06		.02	.28	.53	10
11		.40		.14	.41			.06		.10	1.93	.07	11
12				.10		1.18		.48	.02	.05	.19		12
13				.04	.25	.16		.06			.28	.50	13
14		.10			.35	.36						.26	14
15		.25			.02	.25					.80	.03	15
16	.20			.05				.18			.06		16
17	.10			.05				.42		.09			17
18	.15			.02				.02	.01	.29	.98		18
19									.08	.05	.79	.06	19
20			.10					.18	.01	.57	.12	.68	20
21	.02	.02	.33				.15	.12		.01	.05	.02	21
22	.20	.02					.22	.18		.03	.93	.06	22
23							.12	.01		.05	.51	.80	23
24			.03	.01				.01		.92	1.40	.50	24
25		.10		.26						.10	.22	.20	25
26			.08	.05						.01	.55	.41	26
27	.05			.14	.15			.05		.09	.83	.25	27
28	.26			.08			.83	.07	.02	.65	.93	1.03	28
29	.31			.13		.11		.04		.46	.67	.34	29
30	.10	×		.04		.29	.07		.42		.23	.16	30
31	.90	×		×		×	.53	.12	×		×	.06	31
TOTAL	2.29	2.22	.54	1.26	3.95	3.66	2.65	5.48	1.09	9.00	13.22	11.37	56.73
Days with or in. or more.	10	11	4	17	13	13	9	22	7	25	25	28	184
Days with or in. or more.	9	9	3	12	11	12	7	18	4	20	25	26	158

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Elis Combe
in the County of Gloucester
Diameter of Funnel of Gauge: 5 in.
Height of top of Gauge above Ground 6 ft. 6 in.
,, Ground ,, Sea Level 980 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.44	.34		.55		.18		.25		.02	.33		I
2	.09		.01	.14			.21	.30		.04	.69		2
3	.35	.56		.96			.11	.32		.28	.01	.02	3
4	.62	.25	.11	.16	.05			.08	.02	.65	.01		4
5	.02			.02	.13			.60	.01	.56	.28		5
6	.05		.37		.12		.01	.85	.29	.56	.01	.05	6
7	.26						.02	.09	.03	.70	.06	.06	7
8	.02			.28	.01			.11	.20	.31	.02	.36	8
9	.44		.60	.86	.21	.02		.05	.19	.04	.03		9
10	.77		.10		.48	.06		.53	.77	.01		.66	10
11	.25		.09	.06	.02	.02	.02	.10		.04		.56	11
12	.17		.03	.05	.20			.22		.06		.14	12
13	.11		.17	.22	.29	.04	.21	.26	.45	.04		.28	13
14	.67	.08	.39	.04	.09		.05		.10	.07		.15	14
15		.02	.17	.11	.05		.75			.61	.46	.72	15
16					.10		.16		.33	.03		.59	16
17				.10			.05	.10	.62	.10		.05	17
18					.15		.01	.40	.08	.07	.26	.18	18
19			.05	.16	.01	.08	.07	.23	1.40	.18	.55	.01	19
20			.10	.07		.12	1.01	1.25	1.30	.21	.43		20
21			.10		.02	.07	.10	.17	.19	.29	.41		21
22	.68					.03		.65	.07	.43	.47		22
23	.05		.38	.26		.38	.02	.08	.13	.05	.41	.16	23
24	.68			.16	.04	.12			.04	.30	.89	.12	24
25	.05	.22		.01		.05	.03	.01	.18	.05	.26	.04	25
26	.77	.06				.01	.09		.04	.01	.03	.30	26
27	.02	.01	.04		.17		.21		.10	.16	.01	.15	27
28			.11		.06		.55		.03	.06	1.15	.51	28
29	.28		.03				.92		.33	.28	.11	.18	29
30	.05	×	.15		.18				.01	.02	.01	.95	30
31	.88	×	.14	×	.10	×			×	.29	×	.45	31
TOTAL	7.72	1.54	3.14	4.21	2.48	1.18	4.60	6.65	6.91	6.52	7.49	6.76	59.20
*Days with or in. or more.	23	8	19	18	20	13	20	21	24	31	23	23	243
*Days with .04 in. or more.	20	6	16	16	16	9	14	20	19	26	15	21	198

40-9999

*See Instruction 2 (f) on other side.

(Signed)

83 W Darby

P.T.O.

1972

ANIZATION.

27 JAN 1925 1764

Kept at High
in the County of High
by Rev. J.A. B.

HIGH LITTLETON

1924 - 30

2.31' ✓
Gauges 1 1/4 mile (road)
in Gauge 5 in.
ve Ground 11 ft. in.
Sea Level 446 ft.
he previous day.
ing at 9 a.m. on

Rain should be meas
An Observer who prefers n
January 1st of the followin

Full instructions for the measurement of rain, the selection and placing of rain gauges, and par-
ticulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free
on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry,
Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.14	.33	.45			.95	.46	1
2	.10	.34			.31		.03			.04		.05	2
3	.13	.34				.24	.28	.15	.03				3
4	.01					.32		.14				.18	4
5		.10					.23	.09		.09		.14	5
6					.07		.02	.11					6
7						.08			.42	1.82			7
8			.03						.23	.05			8
9				.05	.43	.11					.03		9
10			.10	.09	.42	.50			.14	.10			10
11					.65	.66		.02	.02	.05	.26		11
12				1.23	.72	.40		.17	.10				12
13							.01		.53		.29		13
14								.13	.01				14
15	1.28								.07				15
16			.15					.30		.16	.54		16
17	.18				.11	.13	.86	.40	.19	.22			17
18					.47					.14		.03	18
19	.82				.66		.02	.16	.12	.75	.01		19
20	.17	.03			.34		.38	.06	.35				20
21	.33	.05				.45		.27	.01				21
22	.43	.52						.60	.54			.33	22
23		.27			.49	.01		.08	.14			.25	23
24	.41	.10		.26	.26				.05			.09	24
25		.04		.24				.08	.21	.16	.42	.05	25
26				.18			.42	.08	.04	.09	.59	.66	26
27				.78			.82			.72	.02	.20	27
28							.33	.14			.20	.25	28
29			.09	.54	.08			.19	.03	1.09	.35	.54	29
30		X		.23	.38	.03		.10	.14	.26	.13	.20	30
31		X		X	.53	X	.05	.06	X	.06	X	.48	31
TOTAL	3.86	1.45	.37	3.54	4.63	3.07	3.65	3.81	3.37	5.80	2.96	4.74	41.25
Days with 01 in. or more	13	8	4	9	14	12	12	22	20	17	10	18	166
Days with 04 in or more	12	7	3	9	14	10	13	20	15	17	7	17	148

RAINFALL IN 1924.

Kept at High Littleton Vicarage
in the County of Somerset
by Rev. T. H. Fitzpatrick

Lat. 57° 19' Long. 2° 31'
Time of Observation 10 a.m.
Nearest Railway Station Hallatrow 1 1/2 mile (road)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 11 ft.
" " " " Sea Level 446 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.


Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.14	.33	.45			.95	.46	1
2	.10	.34			.31		.03			.04		.05	2
3	.13	~~.34~~			.24	.28	.15	.03					3
4	.01				.32		.14					.18	4
5		.10				.23	.09			.09		.14	5
6					.07	.02	.11						6
7					.08				.42	1.82			7
8			.03						.23	.05			8
9				.05	.43	.11					.03		9
10	~~1.28~~		~~1.0~~	.09	.42	.50			.14	.10			10
11					.65	.66		.02	.02	.05	.26		11
12				1.23	.72	.40		.17	.10				12
13							.01		.53			.29	13
14								.13	.01				14
15	1.28								.07				15
16			.15					.30		.16		.54	16
17	.18				.11	.13	.86	.40	.19	.22			17
18					.47					.14		.03	18
19	.82				.66		.02	.16	.12	.75	.01		19
20	.17	.03			.34		.38	.06	.35				20
21	.33	.05				.45		.27	.01				21
22	.43	.52			.49	.01		.60	.54			.33	22
23		.27						.08	.14			.25	23
24	.41	.10		.26	.26				.05			.09	24
25		.04		.24				.08	.21	.16	.42	.05	25
26				.18			.42	.08	.04	.09	.59	.66	26
27				.78			.82			.72	.02	.20	27
28							.33	.14			.20	.25	28
29			.09	.54	.08			.19	.03	1.09	.35	.54	29
30		X		.23	.38	.03		.10	.14	.26	.13	.20	30
31		X		X	.53	X	.05	.06	X	.06	X	.48	31
TOTAL	3.86	1.45	.37	3.54	4.63	3.07	3.65	3.81	3.37	5.80	2.96	4.74	41.25
Days with .01 in. or more	13	8	4	14	16	12	15	22	20	17	10	18	166
Days with .04 in. or more	12	7	3	14	16	10	13	20	15	17	7	17	148

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.97	—	—	.01	—	—	.66	.18	.48	—	.54	—	1
2	.28	.20	—	.03	—	—	—	—	.35	—	.50	—	2
3	.11	.10	—	—	.28	—	—	.08	—	—	.04	tr.	3
4	.16	—	—	.98	.14	—	—	.01	—	—	.21	tr.	4
5	.03	.32	—	—	.20	—	—	.23	—	—	.03	.01	5
6	—	.09	—	—	.21	—	.42	—	—	—	.48	—	6
7	—	.32	.01	—	.46	—	—	—	—	—	.23	.09	7
8	—	.07	.04	.25	.11	—	.09	.43	—	—	.37	—	8
9	—	—	—	.14	.11	—	tr.	—	.23	—	—	—	9
10	.19	—	—	—	.04	—	—	.32	—	—	—	—	10
11	—	.82	—	—	.03	—	—	.68	—	—	—	—	11
12	—	—	—	—	—	—	—	—	—	—	—	—	12
13	.32	.18	.14	.10	—	—	—	—	—	—	—	.04	13
14	—	.21	—	—	—	—	—	—	—	—	.02	—	14
15	—	.11	—	.19	—	—	—	—	—	—	—	—	15
16	.02	—	—	—	—	—	—	—	—	.15	—	—	16
17	—	.05	—	—	.01	—	.11	—	—	.02	—	—	17
18	—	—	—	.19	1.43	—	—	—	.20	.04	—	—	18
19	—	.02	—	—	.01	—	.03	—	1.35	.97	—	.69	19
20	—	—	—	—	—	—	.02	.83	.13	.48	—	.02	20
21	—	.02	—	—	—	—	.48	.15	.21	.51	—	—	21
22	.10	.20	—	—	.06	—	.13	.80	.74	.89	—	.88	22
23	—	—	—	—	.08	—	.05	—	.12	—	—	—	23
24	—	.33	—	.46	.02	—	—	—	—	.07	—	.36	24
25	.82	.85	—	—	.14	—	.08	—	.12	.05	—	—	25
26	—	.20	—	—	.48	—	1.19	.48	—	.28	—	.13	26
27	.08	.68	—	—	.10	—	.76	—	.01	.10	—	.18	27
28	.21	.08	—	—	.10	—	—	—	.03	.09	—	.70	28
29	.24	X	—	—	.60	—	.10	—	—	—	.15	.53	29
30	—	X	—	.06	.01	—	.33	—	—	.14	.24	.11	30
31	.19	X	.25	X	tr.	X	.01	—	X	.01	X	.09	31
TOTAL	3.72	4.85	4.44	2.41	4.62	nil	4.46	3.68	3.49	3.80	2.44	4.20	38.62
Days with .01 in. or more.	14	21	4	10	21	none	18	10	10	15	10	13	133
Days with .04 in. or more.	14	18	34	11	17	none	13	12	11	13	8	13	133



AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.

QUERY FORM.

On examination of the return of observations made at

High Littleton Vicarage 1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

The totals on your 1925 rainfall return for February and August are not in agreement with the sums of the daily values. The correct totals appear to be 4.85 and 3.71 ins respectively.

The entry on Nov 9th (.37) should apparently be for Dec 889, and the total for December will be 4.20 inches

The amended total for the year is 38.62 inches ✓

We should be glad to know if you concur in the above amendments.

H. R. Carter
2.7.26.

REPLY.

Thanks to you for pointing out these errors. I concur in the amendments I have corrected by duplicate.

H. R. Carter
5.7.26

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 7.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1926.

Kept at High Littleton Vicarage
in the County of Somerset

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....11 ft.
Ground Sea Level.....44.6 ft.

* Note. July 17-2.99 Storm began in
over 10 am summer time. Rain was
then measured. (See over).
* On Nov. 20 from 10 am to noon the barometer
stood 27.85 in here (c. 44.6 ft. a.m.)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.41	.07	tr	—	.03	.63	—	—	—	—	.87	—	1
2	.47	.03	—	—	—	.10	—	—	—	—	—	.02	2
3	.05	.10	—	.06	—	—	—	—	.67	—	.87	.05	3
4	.17	.14	.32	.43	—	—	.04	—	—	—	.47	.04	4
5	.10	.10	.07	—	.47	—	.46	—	.46	.01	.05	.25	5
6	.29	.05	—	—	.08	—	.50	.04	.14	—	.48	—	6
7	—	.04	—	.27	.13	.10	—	—	.27	.02	.27	.07	7
8	—	.02	.77	—	.01	.08	—	.17	—	.55	1.26	tr	8
9	—	—	.02	—	—	.28	—	.60	—	tr	.08	—	9
10	—	—	—	—	.23	.42	.05	.12	—	.05	.37	—	10
11	—	—	—	—	.28	.60	—	.11	.13	.61	.01	tr	11
12	—	—	—	—	.42	.15	—	—	.02	.61	.20	.01	12
13	—	—	—	—	—	.04	—	.30	.18	.59	.36	tr	13
14	.16	.32	—	.68	—	.03	—	.03	tr	.56	.09	.06	14
15	.02	—	—	.27	—	—	—	tr	.01	.30	.07	—	15
16	.17	.20	—	.39	—	—	—	.15	—	—	.62	—	16
17	.68	—	—	—	x	.37	2.99	.09	—	—	.62	.03	17
18	.23	.04	—	.15	x	.37	.21	x	—	—	.27	.01	18
19	—	.01	—	.25	.24	tr	.19	—	.01	—	.60	—	19
20	—	—	tr	x	x	tr	—	—	—	—	*.08	—	20
21	.25	—	—	.14	.05	tr	.13	—	—	.47	.05	—	21
22	.33	.01	tr	.11	—	—	—	—	—	.19	tr	—	22
23	.07	—	.02	—	—	—	—	—	—	—	—	—	23
24	.09	—	.02	—	—	—	.10	—	—	.36	—	—	24
25	.20	—	—	.40	—	—	—	—	tr	.23	.24	—	25
26	—	—	—	tr	—	—	.19	—	.30	.27	.36	.06	26
27	.16	.07	.65	—	.25	—	.04	—	.04	—	tr	—	27
28	.24	—	—	.27	—	—	.15	—	—	.74	.53	—	28
29	.19	x	—	.26	.10	—	.06	—	—	—	.10	—	29
30	.08	x	—	.14	.26	—	—	—	—	—	.13	—	30
31	.24	x	—	x	—	x	—	—	x	—	x	.01	31
TOTAL	4.90	1.90	1.27	3.82	2.55	2.80	5.11	1.61	2.23	4.95	7.37	.61	YEARS TOTAL
Days with 0.1 in. or more.	20	16	7	15	16	11	13	5	11	15	25	11	17 2
Days with 0.4 in. or more.	20	11	4	15	15	10	13	11	8	12	23	6	14 5

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Please read the Notes and Instructions Overleaf.

TOTAL	3-99	4-09	3-66	1-64	1-04	2-8	4-69	4-22	6-84	2-60	3-24	2-73	4x6x
Days with "01 in. or more.	20 ²³	16	20	12	10	16	22	(22)	22	14	20	10	18+205
Days with "04 in. or more.	16+18	13	17	11	8	12	20	(19)	18	11	13	8	148+169

X Range found lying horizontal on 14th accident site, hidden over: estimated loss c. 60
40-12-17 July, total 8 years' increased accordingly (Signed) W. H. St. Patrick [P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at *High Littleton Vicarage*
in the County of *Somerset*
Diameter of Funnel of Gauge. *5* in.
Height of top of Gauge above Ground. *11* ft. *11* in.
,, Ground ,, Sea Level *446* ft.

*June & July adjusted.
+ 1/2 inch
Aug. & Sept.
for arith.*

allowance June & July. 5/11

Days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.35			.08	.07		<i>tr</i>	.07	.72	<i>tr</i>	.19	I
2		.18				.03	.05	<i>tr</i>	<i>tr</i>	.19	<i>tr</i>	.21	2
3		<i>tr</i>			.08	<i>x</i>	.16	1.14		.03	<i>tr</i>	.17	3
4				.14	.52	<i>x</i>	.03	.17		<i>x</i>	<i>tr</i>	.57	4
5					.64	<i>x</i>	.35	.14		<i>x</i>	.91	.29	5
6	<i>1.06</i>	.02			.21	<i>x</i>	.11			<i>2.53</i>	.02	.38	6
7		.10			.03	<i>x</i>	.02			.44	.39	.50	7
8					.02	<i>x</i>	.04			.13	<i>tr</i>	.91	8
9	.15						.02			.02	.23	<i>tr</i>	9
10					.01		<i>tr</i>			.02	.14	.76	10
11		.04 <i>mm</i>		<i>x</i>	.19	<i>x</i>	.01			<i>tr</i>	1.21	.05	11
12	<i>tr</i>			.22	<i>tr</i>	<i>x</i>				<i>tr</i>	.05	<i>tr</i>	12
13	.03			.05	.12	<i>x</i>					<i>tr</i>	.06	13
14					.20	<i>x</i>					<i>tr</i>	.18	14
15		<i>mm</i>			.01	<i>x</i>	.01				.72	<i>tr</i>	15
16		.13									<i>tr</i>	.01	16
17	.07			.02		<i>1.40</i>	<i>1.45</i>			.16	<i>tr</i>	<i>tr</i>	17
18							.26	.02		.06	.89	<i>tr</i>	18
19							<i>tr</i>			.02	.38	.02	19
20	.01		<i>tr</i>				.05	.03		.32	<i>tr</i>	.43	20
21	<i>tr</i>	.04	.15				.04	.17			<i>tr</i>	.02	21
22	.03	.01		<i>tr</i>			.01	.19		.01	.50	.02	22
23	.01				.03					<i>x</i>	.20	.54	23
24			<i>tr</i>							<i>1.89</i>	1.09	.49	24
25			.01	.02						.02	.08	<i>x</i>	25
26		.10		.02	.09					<i>tr</i>	<i>x</i>	<i>1.27</i>	26
27				.10	.09		.01			.11	<i>1.48</i>	.23	27
28	.18			.12			.10	.17		.12	<i>x</i>	.59	28
29	.14			.27					.20	.04	.50	.13	29
30	.02	<i>x</i>		.03			.07		.30	<i>tr</i>	.05	.06	30
31	.69	<i>x</i>	<i>tr</i>	<i>x</i>		<i>x</i>	.81	.21	<i>x</i>	<i>tr</i>	<i>x</i>	<i>tr</i>	31
TOTAL	1.39	.95	.16	.99	2.32	<i>1.50</i>	<i>3.33</i>	3.14	.62	5.83	8.84	7.08	YEAR'S TOTAL
Days with .01 in. or more.	12	9	2	11	15	2+13	10	17	5	21	20	25	149+158
Days with .04 in. or more.	6	6	1	6	10	1+9	7	12	3	14	18	21	87+114

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at High Littleton Vicarage
in the County of Somerset

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft. 11 in.
,, Ground ,, Sea Level 446 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.18	.29	—	.19	—	.03	—	.11	—	—	.55	—	I
2	tr	tr	.02	.21	.06	—	.06	.30	—	—	—	—	2
3	—	.22	—	.47	.15	—	—	.48	—	.17	—	—	3
4	.37	—	—	.05	—	—	—	—	—	.34	—	tr	4
5	—	—	.06	—	.06	—	—	.50	—	.23	—	.01	5
6	—	—	.07	—	—	—	—	1.72	—	.07	—	.01	6
7	—	tr	—	—	tr	—	—	.03	—	.18	.21	—	7
8	—	—	—	.10	—	—	—	—	—	—	—	—	8
9	—	—	.39	.09	.19	—	—	tr	—	.37	.04	—	9
10	1.28	—	.07	—	.21	tr	—	.10	—	—	—	1.03	10
11	.10	tr	—	.09	tr	—	.39	.03	—	.04	tr	.08	11
12	.13	—	—	.02	.10	—	—	—	—	tr	—	.12	12
13	.04	—	.08	.06	.06	—	.13	.08	—	—	—	.12	13
14	.54	.05	.39	.07	—	—	.02	—	—	.01	tr	tr	14
15	tr	—	.33	—	.01	—	.50	tr	—	.25	.15	.40	15
16	—	—	—	—	—	—	.15	—	—	.03	tr	—	16
17	—	—	.02	.08	.03	—	.08	.07	—	.09	—	.17	17
18	—	—	—	.10	.09	—	.01	.32	—	.24	.10	.12	18
19	—	—	.01	—	tr	.25	.08	.05	2.55	.21	.44	tr	19
20	—	—	.02	.20	—	—	.37	.79	.59	.02	.20	—	20
21	—	—	—	—	—	tr	.01	.11	.03	.07	.55	—	21
22	.52	—	—	—	.05	.09	tr	.30	.04	.33	—	—	22
23	.07	—	.11	.04	.02	—	.26	.08	.08	—	.61	.09	23
24	.44	—	—	.19	.01	—	.01	—	.34	.09	.28	—	24
25	.01	.08	.02	.06	.44	.21	.02	tr	.02	.05	.28	.24	25
26	.76	tr	—	—	.36	—	.08	—	.12	.03	—	.09	26
27	—	—	.02	—	—	—	.30	—	—	.12	1.20	.01	27
28	.15	—	.14	—	—	—	.23	—	.05	tr	—	.41	28
29	.02	—	—	—	.04	tr	.20	—	.36	.27	.20	.08	29
30	tr	x	.07	—	—	.09	.10	—	—	.03	tr	.43	30
31	.32	x	—	x	.26	x	—	—	x	.21	x	.11	31
TOTAL	4.93	.64	1.82	2.02	2.14	.67	3.00	5.07	4.18	3.15	4.81	3.52	41.89
*Days with or in. or more.	16	4	16	18	17	7	20	16	10	24	15	19	189+
*Days with or in. or more.	14	4	10	16	13	7	15	14	8	19	14	16	150+

1971

ANIZATION.

(Kept at Hinton Blewett
in the County of Somerset
by Maurice Chilton

HINTON BLEWETT

1922 - 30

I.M.
Chilton, G.W.R.
in Gauge 5 in.
above Ground 8 ft. in.
Sea Level 500 ft.
entered to the previous day.

78 26 12

Jan. 1, following.

IMPORTANT NOTE
If an Observer prefers not to enter the reading at 9 a.m. on 1st of month, this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.34	.50	.02	—	—	.94	—	.01	.10	.50	—	1
2	.01	.72	.21	.40	.07	—	.14	.02	—	—	.04	.02	2
3	.02	.17	.58	.50	.13	—	.06	.26	—	.02	.07	—	3
4	—	.10	.33	—	.20	—	—	.01	—	.26	—	—	4
5	.05	—	.35	.13	—	—	1.45	—	—	.28	.77	—	5
6	.09	—	.22	—	—	—	.18	.75	—	—	.45	—	6
7	.17	—	.50	.26	—	—	.42	.18	—	.04	.07	.02	7
8	.12	—	.05	—	—	.12	.38	.33	—	—	.07	.03	8
9	.18	—	—	.14	—	—	.12	.04	—	.02	.06	—	9
10	.02	—	—	—	—	—	—	—	—	—	.21	—	10
11	—	—	—	—	—	—	—	—	—	—	—	.02	11
12	—	—	—	.11	—	—	.04	.59	.91	.01	—	.02	12
13	.42	—	—	.10	—	.14	.43	—	.09	.01	—	.01	13
14	—	.05	.02	.40	—	—	—	—	.15	.01	.02	—	14
15	.73	.50	—	.11	—	—	—	—	.02	—	.01	—	15
16	—	.28	—	.17	—	—	—	.35	.07	—	.01	.29	16
17	—	.20	—	—	.36	—	.11	—	—	—	—	.18	17
18	.89	.05	—	—	.15	—	.02	.01	.09	—	—	.13	18
19	.02	.23	.10	—	—	.02	—	—	.75	—	—	.98	19
20	.22	.31	.01	—	.09	—	—	—	.09	—	—	.03	20
21	.22	.11	.03	—	—	—	.20	—	—	—	—	.61	21
22	.01	.43	—	.06	—	—	.11	.25	—	—	.01	.25	22
23	—	.23	—	.07	—	—	.10	—	.15	.01	.01	.08	23
24	.17	—	.13	—	—	.24	.01	.10	.02	—	—	.02	24
25	.25	.10	—	.33	.02	.95	—	—	.19	—	—	.40	25
26	.07	.40	—	—	—	.14	.09	.02	.02	—	.09	.03	26
27	.28	1.35	.07	.19	—	.02	—	.29	.09	—	.03	.47	27
28	.20	.66	.05	.04	—	.28	—	.10	—	—	—	.32	28
29	.02	X	—	.03	—	.14	.21	—	—	.65	—	.87	29
30	.68	X	.12	.02	—	.10	—	.74	.25	.03	.16	.74	30
31	.02	X	.85	X	—	X	.02	.02	X	.38	X	.01	31
TOTAL	4.36	6.23	4.12	3.08	1.02	2.15	5.03	4.06	2.90	1.82	2.58	5.53	YEAR'S TOTAL
Days with ≥ .01 in. or more	23	18	17	18	7	10	19	17	15	13	17	22	42.88. ✓
Days with ≥ .01 in. or more	16	18	14	15	6	8	16	12	11	6	11	12	147.145

REGISTER OF RAINFALL IN 192

Kept at Hinton Blewett Manor
in the County of Somerset.
by Maurice Church.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Clutton, G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 500? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	·34	·50	·02	—	—	·94	—	·01	·10	·50	—	1
2	·01	·72	·21	·40	·07	—	·14	·02	—	—	·04	·02	2
3	·02	·17	·58	·50	·13	—	·06	·26	—	·02	·07	—	3
4	—	·10	·33	—	·20	—	—	·01	—	·26	—	—	4
5	·05	—	·35	·13	—	—	1·45	—	—	·28	·77	—	5
6	·09	—	·22	—	—	—	·18	·75	—	—	·45	—	6
7	·17	—	·50	·26	—	—	·42	·18	—	·04	·07	·02	7
8	·12	—	·05	—	—	·12	·38	·33	—	—	·07	·03	8
9	·18	—	—	·14	—	—	·12	·04	—	·02	·06	—	9
10	·02	—	—	—	—	—	—	—	—	—	·21	—	10
11	—	—	—	—	—	—	—	—	—	—	—	·02	11
12	—	—	—	·11	—	—	·04	·59	·91	·01	—	·02	12
13	·42	—	—	·10	—	·14	·43	—	·09	·01	—	·01	13
14	—	·05	·02	·40	—	—	—	—	·15	·01	·02	—	14
15	·73	·50	—	·11	—	—	—	—	·02	—	·01	—	15
16	—	·28	—	·17	—	—	—	·35	·07	—	·01	·29	16
17	—	·20	—	—	·36	—	·11	—	—	—	—	·18	17
18	·89	·05	—	—	·15	—	·02	·01	·09	—	—	·13	18
19	·02	·23	·10	—	—	·02	—	—	·75	—	—	·98	19
20	·22	·31	·01	—	·09	—	—	—	·09	—	—	·03	20
21	·22	·11	·03	—	—	—	·20	—	—	—	—	·61	21
22	·01	·43	—	·06	—	—	·11	·25	—	—	·01	·25	22
23	—	·23	—	·07	—	—	·10	—	·15	·01	·01	·08	23
24	·17	—	·13	—	—	·24	·01	·10	·02	—	—	·02	24
25	·25	·10	—	·33	·02	·95	—	—	·19	—	—	·40	25
26	·07	·40	—	—	—	·14	·09	·02	·02	—	·09	·03	26
27	·28	1·35	·07	·19	—	·02	—	·29	·09	—	·03	·47	27
28	·20	·66	·05	·04	—	·28	—	·10	—	—	—	·32	28
29	·02	~~X~~	—	·03	—	·14	·21	—	—	·65	—	·87	29
30	·68	~~X~~	·12	·02	—	·10	—	·74	·25	·03	·16	·74	30
31	·02	~~X~~	·85	~~X~~	—	~~X~~	·02	·02	~~X~~	·38	~~X~~	·01	31
TOTAL	4·36.	6·23.	4·12.	3·08.	1·02.	2·15.	5·03.	4·06.	2·90.	1·82	2·58.	5·53.	YEAR'S TOTAL
Days with ·01 in. or more	23	18	17	18	7	10	19	17	15	13	17	22	42·88. ✓
Days with ·01 in. or more	16	18	14	15	6	8	16	12	11	6	11	12	196. ✓
													147145

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Hinton Blewett Manor

in the County of Somerset.

by Maurice Church

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Clutton, G.W.R.
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level 500 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.55	.25	—	.02	—	—	—	.03	.11	—	.97	1
2	.24	.29	.08	.34	.06	—	—	.02	—	.23	.01	.08	2
3	.08	.01	.05	.02	—	—	.02	—	.18	.40	.08	.24	3
4	—	.01	—	.04	.02	—	—	—	—	.01	.47	.20	4
5	.87	—	.02	.03	.17	—	—	—	.03	.03	.11	.03	5
6	.28	.75	.21	.30	—	—	—	—	—	.02	—	—	6
7	.05	1.05	.06	.02	—	.01	—	—	—	.20	—	.65	7
8	.19	.14	.03	—	—	—	—	—	—	.20	.14	.02	8
9	.21	1.00	—	—	—	—	—	—	—	.01	—	.01	9
10	—	.70	—	.24	.15	.09	—	—	—	.23	—	.02	10
11	—	.07	—	.42	.01	—	—	—	—	.57	—	—	11
12	—	.15	.34	.08	.19	—	—	—	—	.90	.27	—	12
13	.02	.12	.01	.20	.08	—	—	.01	.06	.01	1.58	.03	13
14	.01	—	.02	.02	.06	—	—	.14	.74	—	.17	—	14
15	—	.15	.07	.15	.17	.39	—	—	.03	.05	.63	—	15
16	.02	.33	—	.04	.05	—	—	.08	—	—	.50	.04	16
17	.02	.66	—	—	.04	.01	.23	.75	.66	.05	.22	—	17
18	.02	.21	—	.13	—	.06	—	.12	.38	.10	.01	—	18
19	.03	.01	—	—	.02	—	.12	.02	.68	.27	.02	—	19
20	.02	.17	—	—	.06	—	—	—	.14	.42	—	—	20
21	—	.14	—	—	—	.03	—	.97	.03	.21	—	.03	21
22	.02	.45	.01	—	.03	—	—	.10	.14	.19	—	.15	22
23	—	.27	.29	—	.15	—	.19	.75	.19	.24	—	.10	23
24	—	.10	—	.43	.12	—	.04	—	.36	.12	—	.13	24
25	—	.47	—	.45	—	.05	.06	.16	.21	.62	—	.71	25
26	—	.23	—	.06	.17	.05	—	.01	—	.46	—	.30	26
27	—	.93	.20	—	.12	—	.17	.95	—	.14	—	.41	27
28	.02	.18	.10	.11	.05	—	.21	.26	.03	.09	.01	.01	28
29	.03	—	.02	.10	.11	—	.08	.78	—	.03	—	.09	29
30	.04	X	.01	.02	—	.02	.31	.04	—	.27	—	.10	30
31	.10	X	.06	X	.02	X	.40	.06	X	—	X	.18	31
TOTAL	2.42	9.14	1.83	3.20	1.87	.71	1.83	5.22	3.89	6.18	4.22	4.49	YEAR'S TOTAL
Days with .01 in. or more	20	26	18	20	22	9	11	17	16	28	14	22	223
Days with .04 in. or more	10	23	11	15	16	5	10	13	11	22	10	15	161

Kept at Hinton Blewett Manor,
in the County of Somerset.
by Maurice Church.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Clutton, G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 500 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.02	—	.02	—	—	.16	.03	.01	.92	.29	WRK 1
2	.10	—	.40	—	.29	.05	.17	.08	—	—	.04	.07	WRK 2
3	.14	—	.06	—	—	.30	.34	.10	—	—	—	—	3
4	.01	—	—	.01	.09	.16	.09	.11	.05	—	—	.35	4
5	—	—	.09	—	.01	—	.26	—	—	.12	—	.13	5
6	—	—	—	—	.06	—	—	.15	.03	.44	—	.01	6
7	.03	—	.04	—	.34	.11	—	—	.43	1.53	—	—	7
8	.13	.07	—	.02	—	—	—	—	.34	.09	—	—	8
9	.20	.03	—	.04	.08	.15	—	—	.04	.02	—	—	9
10	.15	.12	—	.19	.49	.41	—	—	.19	.14	.07	—	10
11	.57	—	—	.42	(.71)	1.21	—	.03	.04	—	.30	.02	11
12	.21	—	—	.23	—	.04	—	.18	.64	—	—	—	12
13	.16	—	—	1.05	.10	—	—	.04	.03	—	.02	.36	13
14	—	—	—	.02	—	—	—	.12	.10	.04	—	.22	14
15	.01	.25	—	—	—	—	—	—	—	—	—	.53	15
16	.21	—	—	—	.10	—	—	.15	.06	—	—	.01	16
17	.24	—	—	—	—	.21	.95	.60	—	—	—	—	17
18	1.09	.04	—	—	.44	—	—	—	.14	—	.02	.06	18
19	.11	—	—	—	.17	—	.03	.11	.16	.34	—	—	19
20	.07	—	.03	—	.31	.11	.48	.06	.41	.44	—	.02	20
21	.35	.01	.05	—	.44	.44	—	.19	.03	.89	—	—	21
22	.44	—	.79	—	.05	—	.04	.77	.44	—	—	.10	22
23	.02	—	.28	.02	.44	—	—	.15	.21	—	—	.55	23
24	.57	.04	.12	.33	.57	—	—	—	.04	—	—	.16	24
25	—	—	.02	.38	—	—	.28	.05	.19	(.29)	.51	.05	25
26	—	.01	—	.35	—	—	—	—	.29	.12	.64	.58	26
27	—	.03	—	.88	—	—	.98	.04	—	.78	.01	.42	27
28	—	.02	—	.01	—	—	.30	.24	.04	.14	.23	.32	28
29	—	.03	—	.58	.05	.03	.24	.05	—	1.26	.65	.40	29
30	—	X	—	.31	.30	—	.11	—	.16	.38	.22	.35	30
31	—	X	—	X	.85	X	—	.14	X	.13	X	.62	31
TOTAL	4.83	.65	1.90	4.84	5.61	3.22	4.19	3.52	4.09	7.09	3.63	5.62	YEAR'S TOTAL 49.19
Days with .01 in. or more	21	11	11	16	21	12	13	21	23	18	12	22	201
Days with .04 in. or more	16	5	8	11	19	11	12	20	19	16	9	18	164

W + J 603

FOR OFFICIAL USE.

1801

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1925.

Kept at Hinton Blewett Manor
in the County of Somerset
by Maurice Church.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Chilton, G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.10	—	.01	—	.09	.03	—	—	.03	.01	.55	tr.	1
2	.39	.14	—	.03	—	—	.45	—	—	.01	1.05	—	2
3	.13	.20	—	—	.38	—	.07	.12	—	.01	.05	tr.	3
4	.26	—	—	.22	.16	—	—	.07	.02	—	.26	—	4
5	.08	.34	—	.81	.21	—	—	.24	.26	—	.03	—	5
6	—	.05	tr	.01	.40	—	.42	—	—	—	.66	.02	6
7	—	.57	tr	.05	.48	—	—	—	—	—	—	.18	7
8	.23	.02	.04	—	.19	—	—	.55	.08	—	—	.32	8
9	—	.05	.03	.09	.13	—	.04	.03	.21	—	—	.07	9
10	—	.17	—	—	—	—	—	.26	.05	tr	—	tr.	10
11	.01	.49	—	—	.03	—	—	.10	—	—	—	—	11
12	.01	.53	—	.02	—	—	—	1.10	—	.01	—	—	12
13	—	.20	.08	.05	—	—	—	—	—	—	—	.02	13
14	.32	.20	tr	.37	—	—	—	—	—	—	.04	—	14
15	.03	.07	—	.09	—	—	—	—	.16	.04	—	—	15
16	.03	.04	—	.03	—	—	—	—	—	.29	—	tr	16
17	—	.01	—	—	.01	—	.11	—	.05	.07	—	—	17
18	—	.02	—	.11	1.30	—	.05	—	.17	.03	—	.04	18
19	—	tr	—	—	.01	—	.02	.47	1.15	1.10	—	.78	19
20	—	—	.09	.03	—	—	.04	.38	.41	.75	—	.04	20
21	—	.02	tr	—	—	—	.40	.41	.18	.52	—	.25	21
22	.03	.25	—	.19	.05	—	.12	.23	.72	.91	—	.78	22
23	.07	tr	.03	.14	.08	—	.06	.02	.03	.19	—	.04	23
24	.29	.41	—	.04	.03	—	—	tr	.02	.08	.04	.24	24
25	.37	1.19	.14	—	.07	—	.18	tr	.24	.11	—	.12	25
26	.17	.35	—	.05	.52	—	1.23	.43	.01	.47	—	.19	26
27	.07	.60	—	.03	.13	—	1.12	tr	.02	.07	.02	.22	27
28	.18	.09	—	—	.18	—	.02	.03	.03	.16	.02	.77	28
29	.48	X	—	.05	.65	—	.08	—	.03	.01	.13	.40	29
30	.02	X	.03	—	.05	—	—	.01	—	.14	.25	.15	30
31	.21	X	.10	X	.03	X	.07	—	X	.01	X	.04	31
TOTAL	4.48	6.01	.55	2.41	5.18	.03	4.48	4.45	3.87	4.99	3.10	4.67	1123 YEAR'S TOTAL 44.22.
Days with ≥ 1 in. or more.	21	23	9	19	22	1	17	16	20	21	12	19	200
Days with ≥ 1 in. or more.	15	19	5	13	17	—	15	12	12	14	9	17	148

INSTRUCTIONS.

If Gauge has been moved during year state—
Date. Distance. Direction.

State pattern and maker of Gauge, if known

Objects.	Height.	Distance.	Direction.
Apple tree	30 ft.	33 ft.	S.
White Birch.	50 ft.	65 ft.	E.

Latitude N.

Longitude

	Name.	Distance.	Direction.
Station	Chittoa	4½ m.	E.

Church *Hinton Blewett 1841-S*

M. O. 7
- 26

(47Rs) (369267) Wt. 15507/7988 Gp. 127 20,000 9-22
W & S Ltd.

the beginning of the measured rainfall?
 ending and end of this rainfall?

only 1.23. K 1.12 inches.

5 inch recorded. 48 inch. fell between
my heavy rain concluding with hail; &
was empty when full began and record
M. Church.

new form 1090, but had already
the old form, so may, perhaps,
out again. McC. May I have
a reprint of
General Table.

The year is spoken of as a disappointing one, but it had many fine spells, especially, in Nov. & Dec. and a curious place at the schedule is anticipated, so much of the same tell at night. N. L.

Following addresses :
London, S.W.1 ;
E ;

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE, BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

1811

Kept at Hinton Blewett Manor House,
in the County of SOMERSET

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 8 ft. in.
" Ground " Sea Level 500 ^{used} ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1. following.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.95	.18	.02	—	.07	.74	—	—	.07	—	1.01	—	1
2	.51	.06	—	—	—	.10	—	—	.05	—	.06	.03	2
3	.16	.11	.49	.20	—	—	—	—	tr	.01	tr	.03	3
4	.17	.16	.13	—	—	—	.04	—	—	—	.44	.06	4
5	.10	.18	.07	—	.35	—	.51	—	.52	.02	.09	.21	5
6	.30	.12	.02	.01	.08	—	.59	.04	.21	.12	.58	.01	6
7	.02	.04	.21	.14	.12	.07	.02	—	.27	.01	.18	.08	7
8	—	.03	—	.15	.05	.10	.02	.17	.01	.60	1.37	tr	8
9	—	—	.10	—	—	.31	.03	.79	—	.05	.07	—	9
10	—	—	—	—	.42	.29	.03	.20	—	.07	.65	—	10
11	—	—	—	—	.28	.76	.01	.06	.12	.12	tr	.01	11
12	—	—	—	—	.74	.12	—	.01	.03	.79	.17	.02	12
13	—	.01	—	—	.02	.06	—	.31	.17	.65	.50	.02	13
14	.10	.40	—	.65	.29	.09	—	.03	.03	.58	.15	.11	14
15	.14	.08	—	.16	.01	—	—	.04	.09	.36	.21	—	15
16	.17	.41	—	.68	—	—	—	.08	.01	—	.22	.01	16
17	.22	.75	—	.01	—	.47	1.92	.13	—	—	.44	.07	17
18	.25	.07	—	.13	—	—	.23	.10	—	—	.22	.02	18
19	.01	.04	—	.08	—	—	.13	.04	.03	—	.38	—	19
20	.02	.02	—	.24	—	.02	—	.40	—	—	.33	—	20
21	.22	.02	—	.02	.01	—	—	.08	—	.40	.07	—	21
22	.78	.03	—	.10	—	—	.23	—	—	.25	.01	—	22
23	.10	.02	.03	.02	—	—	—	.04	.01	—	—	—	23
24	.08	—	.03	—	—	—	.17	—	.03	.42	—	tr	24
25	.26	—	tr	.33	—	—	tr	—	.02	.32	.22	.07	25
26	.04	—	.01	.01	.14	—	.06	—	.32	—	.33	.01	26
27	.29	.07	.48	.08	.13	—	.06	—	.16	.28	.01	—	27
28	.31	—	.01	.18	.02	—	.20	—	—	.95	.47	.01	28
29	.19	—	—	.07	.15	—	.02	—	—	.02	.15	—	29
30	.13	X	—	.12	.29	—	.01	.18	—	—	.13	—	30
31	.29	X	—	X	.01	X	—	.01	X	—	X	.01	31
TOTAL	6.81	2.80	1.60	3.38	3.18	3.13	4.28	2.71	2.15	6.02	8.46	.78	YEARS TOTAL 45.30
Days with ".01 in. or more.	25	20	12	20	18	12	18	18	18	19	26	17	223
Days with ".04 in. or more.	22	14	6	15	13	11	11	15	10	15	24	6.5	164

(Signed) Maurice Church 162

[P.T.O.]

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1927.

Kept at *Hinton Blewett Manor House*

in the County of *Somerset*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *8* ft. in.

Ground „ Sea Level *500* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1. following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.05</i>	<i>.99s</i>	<i>.17</i>	<i>.01</i>	—	—	<i>.84</i>	—	—	<i>.34</i>	<i>.78</i>	—	1
2	<i>.02</i>	—	<i>.10</i>	<i>.12</i>	<i>.13</i>	—	<i>.01</i>	—	—	<i>.10</i>	<i>.03</i>	—	2
3	<i>.10</i>	<i>.04</i>	<i>.13</i>	<i>tr.</i>	<i>.09</i>	<i>.06</i>	<i>.17</i>	—	—	<i>tr.</i>	<i>.02</i>	<i>.03</i>	3
4	<i>.03</i>	—	<i>.11</i>	<i>.18</i>	<i>.04</i>	<i>.35</i>	<i>.11</i>	—	—	—	<i>.20</i>	<i>.01</i>	4
5	<i>.11</i>	<i>.10</i>	<i>.33</i>	<i>.41</i>	—	<i>.09</i>	<i>.07</i>	—	—	—	<i>.75</i>	<i>.01</i>	5
6	<i>.10</i>	—	<i>.32</i>	<i>.38</i>	—	<i>.02</i>	<i>.05</i>	<i>.04</i>	<i>.60</i>	—	<i>.10</i>	—	6
7	<i>.01</i>	<i>.10</i>	<i>.26</i>	<i>.12</i>	—	<i>.33</i>	<i>.35</i>	<i>.14</i>	—	<i>tr.</i>	<i>.01</i>	<i>.01</i>	7
8	<i>.02</i>	—	<i>.08</i>	<i>.12</i>	—	—	<i>.22</i>	<i>.32</i>	<i>.14</i>	—	—	—	8
9	<i>.01</i>	—	<i>.14</i>	<i>tr.</i>	<i>.17</i>	—	<i>.09</i>	<i>.38</i>	<i>.57</i>	<i>.01</i>	—	<i>.24</i>	9
10	<i>.02</i>	—	—	<i>tr.</i>	—	—	—	<i>.23</i>	<i>.11</i>	<i>.01</i>	—	—	10
11	<i>.02</i>	<i>.01 e.</i>	—	<i>.04</i>	—	—	<i>2.32</i>	<i>.26</i>	<i>.01</i>	—	<i>.03</i>	—	11
12	<i>.17</i>	—	<i>.01</i>	—	<i>.02</i>	—	<i>.09</i>	<i>.52</i>	<i>.03</i>	—	—	—	12
13	<i>.53s</i>	<i>.01 e.</i>	—	<i>.05</i>	—	—	<i>.11</i>	<i>.22</i>	<i>.22</i>	<i>.15</i>	<i>.04</i>	<i>.30</i>	13
14	<i>.07</i>	<i>.01 e.</i>	<i>tr.</i>	<i>.13</i>	<i>.02</i>	—	<i>.04</i>	<i>.24</i>	<i>1.12</i>	—	<i>.02</i>	<i>.08</i>	14
15	<i>tr.</i>	<i>.01 e.</i>	—	—	<i>.39</i>	—	—	<i>.53</i>	<i>1.20</i>	—	<i>.03</i>	<i>.02</i>	15
16	<i>.02</i>	—	—	—	<i>.24</i>	<i>.72</i>	—	<i>.13</i>	<i>.36</i>	—	<i>.03</i>	—	16
17	<i>.28</i>	—	<i>.12</i>	—	—	<i>.46</i>	—	<i>.60</i>	<i>.26</i>	—	—	—	17
18	—	—	<i>.01</i>	—	—	<i>.78</i>	—	<i>.21</i>	<i>.07</i>	<i>.03</i>	<i>.58</i>	<i>tr.</i>	18
19	—	<i>.32</i>	<i>.03</i>	—	—	<i>.04</i>	<i>.11</i>	<i>.35</i>	<i>.02</i>	<i>.08</i>	<i>.58</i>	—	19
20	<i>.18s</i>	<i>.15</i>	—	—	<i>.06</i>	<i>.03</i>	<i>.22</i>	<i>.23</i>	<i>.03</i>	—	<i>.28</i>	<i>.22</i>	20
21	<i>.09s</i>	<i>.28</i>	<i>.03</i>	—	—	<i>.11</i>	<i>.24</i>	<i>.76</i>	<i>.29</i>	<i>.74</i>	<i>.07</i>	<i>.66</i>	21
22	<i>.02</i>	<i>.30</i>	<i>.69</i>	<i>.06</i>	—	<i>.24</i>	<i>.09</i>	<i>.92</i>	<i>.13</i>	<i>.65</i>	<i>.01 e.</i>	<i>.74</i>	22
23	—	<i>.41</i>	<i>.29</i>	—	—	<i>.54</i>	—	<i>.12</i>	<i>.67</i>	—	<i>.35</i>	<i>.12</i>	23
24	<i>.09</i>	<i>.13</i>	<i>.67</i>	<i>.03</i>	—	<i>.01</i>	<i>.08</i>	<i>.36</i>	<i>.27</i>	<i>.15</i>	—	<i>.34</i>	24
25	<i>.16</i>	<i>.27</i>	<i>.23</i>	<i>tr.</i>	—	<i>.19</i>	<i>.01</i>	<i>.01</i>	<i>.01</i>	<i>.20</i>	<i>.01</i>	<i>.54</i>	25
26	<i>.23</i>	<i>1.07</i>	<i>.06</i>	—	—	<i>.03</i>	<i>.36</i>	<i>tr.</i>	<i>.29</i>	<i>.02</i>	—	<i>.04</i>	26
27	<i>.04</i>	<i>.15</i>	<i>.03</i>	—	<i>.14</i>	<i>.05</i>	<i>.45</i>	—	<i>.02</i>	<i>.55</i>	<i>tr.</i>	—	27
28	<i>1.74</i>	<i>.27</i>	<i>.11</i>	—	—	<i>.09</i>	<i>.07</i>	—	<i>.24</i>	<i>.02</i>	<i>.26</i>	—	28
29	<i>.04</i>	—	<i>.06</i>	—	—	<i>.14</i>	<i>.03</i>	—	<i>.43</i>	<i>.05</i>	<i>.03</i>	—	29
30	<i>.02</i>	<i>X</i>	<i>.09</i>	—	—	<i>.17</i>	<i>.18</i>	<i>.03</i>	<i>.09</i>	<i>.12</i>	<i>.05</i>	<i>.05</i>	30
31	<i>.25</i>	<i>X</i>	<i>.43</i>	<i>X</i>	<i>.05</i>	<i>X</i>	<i>.29</i>	<i>.01</i>	<i>X</i>	—	<i>X</i>	<i>.21 e.</i>	31
TOTAL	<i>4.42</i>	<i>4.62</i>	<i>4.50</i>	<i>1.65</i>	<i>1.35</i>	<i>4.45</i>	<i>6.60</i>	<i>6.61</i>	<i>7.18</i>	<i>3.22</i>	<i>4.26</i>	<i>3.62</i>	YEAR'S TOTAL <i>52.48.</i>
Days with ".01 in. or more.	<i>27</i>	<i>18</i>	<i>24</i>	<i>12</i>	<i>11</i>	<i>20</i>	<i>25</i>	<i>22</i>	<i>24</i>	<i>16</i>	<i>22</i>	<i>17</i>	<i>238.</i>
Days with ".04 in. or more.	<i>17</i>	<i>14</i>	<i>19</i>	<i>9</i>	<i>9</i>	<i>16</i>	<i>22</i>	<i>19</i>	<i>18</i>	<i>11</i>	<i>12</i>	<i>12</i>	<i>178.</i>

(Signed) *Maurice Church*



REGISTER OF RAINFALL IN 1928.

1848

Kept at HINTON BLEWETT.
in the County of SOMERSET.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 3 in.
" Ground " Sea Level 500 ft.

HF 1/8 P

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.33	4	.03	.01	—	—	—	.01	—	—	—	.01	1
2	.19	.48	.31	.13	—	—	.09	.02	—	4	.07	.02	2
3	.04	.05	.01	.48	—	—	.20	.14	—	—	.15	.04	3
4	.07	.45	—	.04	—	.05	.02	—	—	.46	.11	.02	4
5	.14	.12	.12	.30	.17	.04	.16	—	.05	.72	.02	.01	5
6	.02	.01	.07	—	.03	.56	—	—	.03	.01	4	.12	6
7	.13	.11	.05	.04	—	.34	.05	.13	—	.11	—	—	7
8	.02	.10	—	.06	—	.54	—	.02	.10	.21	—	—	8
9	.21	.03	—	.22	—	.14	—	.03	.11	.47	—	.05	9
10	.26	.45	—	.06	—	.09	—	.09	.01	.30	.15	.16	10
11	.01	.01	.12	.07	—	—	—	.05	—	.39	.07	.30	11
12	1.21	.51	.02	.01	.01	.02	—	.39	—	.04	.06	.17	12
13	.02	.04	—	.05	—	.39	—	.06	—	—	.02	—	13
14	.36	.52	—	.45	.01	.09	—	.10	—	.58	.25	—	14
15	.18	.17	—	.07	—	.04	—	—	.01	.03	.61	.03	15
16	—	.32	.14	4	.03	.03	—	—	—	.14	.35	.57	16
17	.03	.02	.03	4	.18	.05	—	—	—	.03	.11	—	17
18	.36	—	.05	—	.04	.02	—	—	.01	.44	.14	.02	18
19	.01	—	.11	4	.02	.03	—	.56	—	.65	.10	.02	19
20	.43	—	.48	.01	.17	.01	—	.66	—	—	.14	—	20
21	.94	—	.35	4	.06	.04	—	.26	—	.02	.86	4	21
22	.01	.01	.14	.01	—	—	—	.04	.01	.45	.61	.07	22
23	.58	—	.13	—	.18	—	.01	.05	—	.28	.39	.01	23
24	.17	—	.01	—	—	—	—	.03	.19	.11	.11	.20	24
25	.18	—	.09	—	—	.07	—	.01	.01	.11	.03	1.11	25
26	.23	—	.11	—	.10	.08	.75	.42	—	1.55	—	.04	26
27	.07	—	.08	.12	—	—	.61	.35	.22	.28	—	1.14	27
28	.94	—	.48	—	.04	.03	.14	.16	.98	—	—	.13	28
29	.14	.21	1.04	—	.01	.20	.01	.90	4	.15	.02	.19	29
30	.02	X	.16	—	—	.06	.76	—	4	.02	—	.20	30
31	.57	X	.31	X	—	X	.94	—	X	.01	X	4	31
TOTAL	8.85	3.61	4.44	2.13	1.05	2.92	3.74	4.48	1.73	7.56	4.37	4.63	YEAR'S TOTAL 49.51.
Days with ".01 in. or more.	30	18	24	17	14	22	12	22	12	25	21	23	240
Days with ".04 in. or more.	22	13	19	13	8	16	9	16	6	19	17	15	173

Please read the Notes and Instructions Overleaf.

(Signed) Maurice Church P.T.O.



FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Hinton Blewett.in the County of Somerset.Diameter of Funnel of Gauge 4.5 in.Height of top of Gauge above Ground 1 ft. 3 in." Ground " Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	4.8	tr	.01	.05	.06	tr	.02	.10	.93	—	.07	1
2	—	15.	—	—	—	.05	.07	—	.01	.19	.03	.44	2
3	—	—	—	—	.07	.08	.06	1.90	—	.08	—	.28	3
4	.01	—	—	.11	.68	tr	.02	.15	.02	.09	tr	—	4
5	.03	—	—	—	.78	.36	.43	.37	—	1.56	.97	.72	5
6	.05	.02	—	—	.23	.03	—	.16	—	.44	.08	.67	6
7	.02	—	tr	—	.04	tr	—	.02	—	.46	.55	.90	7
8	—	.01	—	—	.02	.10	—	.07	—	.12	—	.78	8
9	.08	.10	—	—	—	—	—	.02	—	.02	.39	.89	9
10	.05	—	—	.09	.02	—	—	.01	—	.02	.15	.40	10
11	—	.13	—	.06	.21	.01	—	.02	—	.02	1.17	.10	11
12	.01	—	—	.21	.01	.35	—	—	—	—	.07	.01	12
13	.02	—	—	.06	.12	.11	—	.01	—	—	—	.12	13
14	—	—	—	—	.23	.30	—	—	—	—	—	.23	14
15	.02	.13	—	—	.02	.16	—	.01	—	—	.62	.02	15
16	tr	—	—	—	—	tr	—	.03	—	.02	.02	—	16
17	.02	—	—	tr	—	—	—	.40	—	.17	—	.01	17
18	.02	—	—	tr	—	—	—	.05	.01	.09	1.42	—	18
19	.01	—	—	—	—	—	—	—	.05	.02	.46	.03	19
20	tr	—	.01	—	—	—	—	.09	tr	.50	.01	.61	20
21	.04	—	.16	—	—	—	.05	.22	tr	—	.01	tr	21
22	.02	.02	—	tr	—	tr	tr	.20	—	.02	.58	.03	22
23	.01	.02	—	tr	.02	—	.01	—	—	.11	.44	.48	23
24	—	—	.02	—	—	—	—	.04	—	.87	1.24	.76	24
25	—	.09	.06	.03	—	—	—	—	—	.09	.08	.11	25
26	—	.04	—	.02	.07	—	—	—	—	—	.33	.45	26
27	—	—	—	.16	.07	—	.02	.02	—	.07	.93	.25	27
28	.28	—	—	.12	—	—	.35	.16	—	.39	.90	.79	28
29	.11	—	—	.37	—	.01	—	.02	.16	.18	.75	.20	29
30	.01	X	—	.03	—	.07	.13	.01	.26	—	.10	.07	30
31	.76	X	—	X	—	X	.88	.26	X	—	X	.03	31
TOTAL	1.57	1.19	.25	1.27	2.64	1.69	2.02	4.26	.61	6.36	10.90	9.44	42.20
Days with .01 in. or more.	19	11	4	12	16	13	10	24	7	23	23	27	199
Days with .04 in. or more.	7	7	2	8	11	10	7	13	4	17	19	21	126

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Hinton Blewett
in the County of Somerset
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground...../ ft. 3 in.
,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.36	.43	.02	.36	—	.04	~~.95~~	.10	—	—	.43	.01	1
2	.02	.04	—	.10	.05	—	.05	.20	—	tr.	.57	—	2
3	.19	.12	—	.63	.03	—	tr.	.58	—	.15	—	—	3
4	.56	.02	.03	.13	—	—	tr.	—	.13	.43	—	.01	4
5	.01	.02	tr.	—	.05	—	—	.58	—	.26	tr.	.02	5
6	.02	—	.17	—	.09	—	—	2.40	.25	.08	tr.	.06	6
7	.22	.01	—	—	—	—	—	.02	.01	.22	.24	.12	7
8	—	—	—	.11	.04	—	—	.01	.09	.44	—	.24	8
9	.52	—	.47	.15	.07	.01	—	tr.	.06	.03	.05	—	9
10	.93	—	.07	—	.28	.01	tr.	.15	.02	.02	—	.92	10
11	.16	.01	.01	.07	.01	.01	.16	.04	—	.06	—	.19	11
12	.27	—	tr.	.03	.08	—	—	tr.	.02	.01	—	.12	12
13	.08	.01	.09	.09	.07	—	.21	.12	.36	tr.	—	.34	13
14	.61	.05	.50	.12	.02	—	.03	tr.	.02	.01	tr.	.05	14
15	.01	—	.36	.01	tr.	—	.69	.02	.06	.30	.23	.40	15
16	—	—	.02	—	—	—	.20	—	.08	.04	—	.19	16
17	tr.	—	.02	.16	.03	—	.11	.07	.76	.13	—	.04	17
18	tr.	—	.01	.02	.10	—	.03	.32	.42	.19	.16	.14	18
19	—	—	.03	.12	.02	.17	.07	.05	.82	.26	.49	.03	19
20	.01	—	.01	.06	.01	tr.	.40	.88	.84	.02	.33	—	20
21	tr.	—	.03	—	—	.01	.03	.12	.02	.12	.52	—	21
22	.70	—	—	.05	.02	.02	tr.	.32	.08	.32	.32	—	22
23	.10	—	.16	.02	.02	.15	.16	.07	.09	—	.36	.03	23
24	.58	tr.	—	.28	—	.07	.03	—	.53	.11	.56	.15	24
25	.03	.05	.02	.04	.54	—	.05	—	.02	.01	.32	.45	25
26	.73	.03	—	—	.25	—	.09	—	.13	.02	.15	.16	26
27	.09	—	.03	—	—	—	.23	—	.03	.08	.02	.07	27
28	.08	—	.17	—	.02	—	.40	—	.02	.02	1.06	.55	28
29	.03	X	.01	—	.06	—	.31	—	.33	.25	.27	.08	29
30	.02	X	.13	—	.07	.11	.02	—	—	.04	.02	.48	30
31	.33	X	.10	X	.22	X	—	—	X	.15	X	.19	31
TOTAL	6.66	.79	2.46	2.55	2.15	.60	3.27	6.05	5.19	3.77	6.10	5.04	44.63
Days with .01 in. or more.	25	11	22	19	23	10	19	18	24	27	18	25	241
Days with .04 in. or more.	17	4	10	14	14	5	14	15	16	19	16	20	164

Kept at Shortwood

in the County of Somerset

by L. CR. Thompson

IMPORTANT NOTE

If an Observer prefers not to read at 9 a.m. on 1st of this paragraph. Full instructions and particulars as to the form sent post-free on application to the Meteorological Office, Square, London, N.W. 1, or

HINTON BLEWETT ORGANIZATION.

SHORTWOOD HSE

SOMERSET

192 - 1926

g 2.35

7 a.m.

Clutton

Rain Gauge 5 in.

Above Ground 1 ft. 2 in.

Sea Level 490 ft.

entered to the previous day.

requested to add it at the end of of rain gauges, "fall Observers," n, 62, Camden place, Edinburgh.

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.37	1.02	.00	.00	.83	.00	.02	.03	.50	.00	1
2			.20	.46	.06	.00	.29	.00	.00	.00	.08	.00	2
3			.55	.42	.12	.00	.04	.26	.00	.00	.00	.00	3
4			.16	.00	.20	.00	.02	.00	.00	.31	.06	.00	4
5			.25	.10	.01	.00	1.36	.00	.00	.27	.75	.00	5
6			.23	.00	.00	.00	.20	.77	.00	.00	.48	.00	6
7			.45	.26	.00	.00	.45	.17	.00	.00	.09	.02	7
8			.04	.00	.00	.12	.36	.26	.00	.00	.00	.04	8
9			.00	.00	.00	.00	.23	.06	.00	.00	.05	.00	9
10			.00	.00	.00	.00	.00	.00	.00	.00	.13	.00	10
11			.00	.03	.00	.00	.00	.00	.00	.00	.01	.00	11
12			.00	.58	.00	.00	.00	.51	.82	.00	.00	.02	12
13			.00	.45	.00	.13	.49	.00	.05	.00	.00	.00	13
14			.00	.03	.00	.00	.03	.00	.05	.00	.00	.00	14
15			.005	.19	.00	.00	.00	.00	.07	.00	.00	.00	15
16		.23	.00	.00	.00	.00	.00	.35	.14	.00	.00	.31	16
17		.20	.00	.00	.39	.00	.11	.00	.00	.00	.00	.25	17
18		.06	.00	.00	.14	.00	.00	.01	.10	.00	.00	.15	18
19		.23	.08	.00	.00	.02	.00	.00	.92	.00	.00	.98	19
20		.34	.00	.00	.09	.01	.00	.00	.00	.00	.00	.04	20
21		.10	.05	.00	.00	.00	.16	.01	.00	.00	.00	.53	21
22		.38	.00	.06	.00	.00	.18	.39	.07	.00	.00	.30	22
23		.20	.06	.06	.00	.00	.09	.00	.05	.00	.00	.06	23
24		.00	.14	.00	.00	.82	.00	.11	.00	.00	.00	.04	24
25		.15	.00	.31	.00	.00	.00	.00	.18	.00	.00	.32	25
26		.20	.00	.00	.00	.01	.02	.02	.04	.00	.02	.06	26
27		1.00	.00	.79	.00	.04	.00	.27	.03	.00	.03	.58	27
28		.58	.00	.00	.00	.28	.00	.11	.00	.00	.00	.38	28
29		~~.00~~	.02	.03	.00	.10	.01	.00	.00	.00	.00	.70	29
30		~~.00~~	.09	.02	.00	.08	.00	.73	.29	.66	.27	.63	30
31		~~.00~~	.09	~~.00~~	.00	~~.00~~	.00	.03	~~.00~~	.24	~~.00~~	.04	31
TOTAL		imp	2.725	4.25	1.03	1.61	4.87	4.065	2.83	1.51	2.47	5.45	YEAR'S TOTAL
Days with .01 in. or more			14	16	7	10	17	16	14	5	11	19	
Days with .04 in. or more			13	13	6	7	13	12	12	4	9	16	

Kept at Shutwood (Hinton Blewett farm)
in the County of Somersetshire
by L. CR. Thring

Lat. 51.7 Long. 2.35
Time of Observation 9 a.m.
Nearest Railway Station Clutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rotheray Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.37	~~1.02~~ ^{snow}	.00	.00	.83	.00	.02	.03	.50	.00	1
2			.20	^{snow} .46	.06	.00	.29	.00	.00	.00	.08	.00	2
3			.55	^{snow} .42	.12	.00	.04	.26	.00	.00	.00	.00	3
4			.16	.00	.20	.00	.02	.00	.00	.31	.06	.00	4
5			.25	.10	.01	.00	1.36	.00	.00	.27	.75	.00	5
6			.23	.00	.00	.00	.20	.77	.00	.00	.48	.00	6
7			.45	.26	.00	.00	.45	.17	.00	.00	.09	.02	7
8			.04	.00	.00	.12	.36	.26	.00	.00	.00	.04	8
9			.00	.00	.00	.00	.23	.06	.00	.00	.05	.00	9
10			.00	.00	.00	.00	.00	.00	.00	.00	.13	.00	10
11			.00	.03	.00	.00	.00	.00	.00	.00	.01	.00	11
12			.00	.58	.00	.00	.00	.51	.82	.00	.00	.02	12
13			.00	.45	.00	.13	.49	.00	.05	.00	.00	.00	13
14			.00	.03	.00	.00	.03	.00	.05	.00	.00	.00	14
15			.005	.19	.00	.00	.00	.00	.07	.00	.00	.00	15
16		.23	.00	.00	.00	.00	.00	.35	.14	.00	.00	.31	16
17		.20	.00	.00	.39	.00	.11	.09	.00	.00	.00	.25	17
18		.06	.00	.00	.14	.00	.00	.01	.10	.00	.00	.15	18
19		.23	.08	.00	.00	.02	.00	.09	.92	.00	.00	.98	19
20		.34	.00	.00	.09	.01	.00	.00	.00	.00	.00	.04	20
21		.10	^{snow} .05	.00	.00	.00	.16	.01	.00	.00	.00	.53	21
22		.38	.00	.06	.00	.00	.18	.39	.07	.00	.00	.30	22
23		.20	.06	.06	.00	.00	.09	.00	.05	.00	.00	.06	23
24		.00	.14	.00	.00	.02	.00	.11	.00	.00	.00	.04	24
25		.15	.00	.31	.07	.00	.00	.00	.18	.00	.00	.32	25
26		.20	.00	.00	.00	.01	.02	.02	.04	.00	.02	.06	26
27		1.00	.00	.00	.00	.04	.00	.27	.03	.00	.03	.58	27
28		.58	.00	.00	.00	.28	.00	.11	.00	.00	.00	.38	28
29		~~X~~	.02	.03	.00	.10	.01	.00	.00	.00	.00	.70	29
30		~~X~~	.09	.02	.00	.08	.00	.73	.29	.66	.27	.63	30
31		~~X~~	.09	~~X~~	.00	~~X~~	.00	.03	~~X~~	.24	~~X~~	.04	31
TOTAL		imp	2.725	4.25	1.03	1.61	4.87	4.065	2.83	1.51	2.47	5.45	YEAR'S TOTAL
Days with .01 in. or more			14	16	7	10	17	16	14	5	11	19	
Days with .04 in. or more			13	13	6	7	13	12	12	4	9	16	

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Shortwood (Hilary Brewster parish)

in the County of Somerset

by L. C. R. Thring

Lat. 51.17 Long. 2.35

Time of Observation 9 a.m.

Nearest Railway Station Clutton (G.W.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 490 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.68	.22	.00	.00	.00	.00	.00	.00	.10	.90	.92	1
2	.31	.34	.12	.23	.07	.00	.00	.03	.00	.34	.99	.09	2
3	.11	.03	.07	.01	.00	.00	.00	.00	.17	.35	.09	.19	3
4	.00	.03	.00	.04	.00	.00	.00	.00	.05	.01	.48	.21	4
5	.70	.00	.01	.03	.20	.00	.00	.00	.00	.04	.11	.03	5
6	.28	.63	.22	.15	.00	.00	.00	.00	.00	.91	.00	.00	6
7	.07	.95	.07	.02	.00	.00	.00	.00	.00	.25	.00	.47	7
8	.23	.90	.03	.00	.00	.00	.00	.00	.00	.25	.19	.00	8
9	.27	.83	.00	.01	.00	.00	.00	.00	.00	.02	.00	.02	9
10	.03	.72	.00	.22	.13	.07	.00	.00	.00	.19	.09	.00	10
11	.03	.08	.00	.39	.01	.00	.00	.00	.00	.55	.00	.00	11
12	.00	.14	.32	.14	.11	.005	.00	.00	.00	.88	.46	.00	12
13	.01	.12	.00	.18	.00	.00	.00	.00	.06	.02	1.40	.05	13
14	.00	.00	.06	.02	.20	.20	.00	.18	.78	.00	.21	.00	14
15	.00	.14	.05	.12	.18	.35	.05	.00	.01	.95	.50	.02	15
16	.00	.31	.00	.00	.02	.00	.00	.02	.00	.00	.54	.00	16
17	.00	.65	.00	.00	.02	.00	.30	.68	.64	.06	.23	.00	17
18	.01	.23	.00	.13	.00	.05	.00	.12	.34	.06	.00	.00	18
19	.09	.00	.00	.00	.00	.00	.00	.02	.80	.26	.05	.00	19
20	.00	.19	.00	.00	.13	.00	.13	.00	.10	.30	.00	.02	20
21	.00	.16	.00	.00	.00	.03	.00	.65	.01	.23	.00	.03	21
22	.03	.45	.00	.00	.11	.00	.00	.11	.19	.16	.00	.08	22
23	.00	.31	.30	.00	.09	.00	.25	.68	.21	.24	.00	.10	23
24	.00	.08	.00	.38	.15	.00	.02	.00	.26	.18	.00	.00	24
25	.00	.44	.00	.60	.01	.05	.05	.20	.16	.45	.00	.85	25
26	.00	.22	.00	.03	.15	.00	.00	.01	.00	.32	.00	.27	26
27	.00	1.05	.21	.00	.17	.00	.16	1.14	.00	.20	.00	.44	27
28	.02	.15	.15	.12	.08	.00	.27	.21	.04	.46	.30	.00	28
29	.02	X	.01	.11	.10	.00	.08	.64	.00	.01	.00	.16	29
30	.06	X	.00	.00	.02	.01	.33	.05	.00	.25	.00	.08	30
31	.03	X	.06	X	.00	X	.36	.05	X	.00	X	.17	31
TOTAL	239	9.03	1.90	2.89	1.97	.675	2.00	4.79	3.82	5.92	4.26	4.20	43.84
Days with .01 in. or more	18	25	15	19	19	8	11	16	15	28	11	19	204
Days with .04 in. or more	10	23	12	13	14	5	10	12	13	23	11	14	160

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Shortwood (Hinton Blewett, parish)
in the County of Somerset
by H. CR. Thring.

Lat. 51-17 Long. 2-35
Time of Observation 9 a.m.
Nearest Railway Station Clutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 490 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.00	.03	.00	.01	.12	.11	.29	.04	.00	1-10	.30	RRW1
2	.08	.00	.02	.09	.37	.00	.37	.00	.00	.05	.00	.08	Wof 2
3	.14	.00	.33	.09	.00	.22	.05	.20	.00	.00	.00	.00	3
4	.00	.00	.09	.00	.03	.32	.18	.10	.09	.00	.00	.28	4
5	.00	.00	.00	.00	.00	.00	.03	.04	.00	.16	.00	.14	5
6	.00	.00	.11	.00	.06	.00	.03	.12	.04	.48	.00	.00	6
7	.04	.00	.00	.00	.27	.10	.00	.00	.36	1.33	.00	.00	7
8	.15	.00	.00	.02	.00	.00	.00	.00	.32	.01	.00	.00	8
9	.20	.00	.00	.00	.06	.13	.00	.00	.03	.07	.07	.00	9
10	.06	.00	.00	.03	.66	.73	.00	.00	.24	.07	.00	.00	10
11	.51	.02	.00	.46	.73	1.17	.00	.00	.04	.08	.29	.00	11
12	.19	.05	.00	.47	.13	.16	.00	.22	.14	.00	.00	.00	12
13	.15	.11	.00	.90	.00	.00	.01	.02	.60	.00	.03	.38	13
14	.00	.01	.00	.00	.00	.00	.00	.28	.00	.00	.00	.22	14
15	.00	.21	.00	.00	.00	.00	.00	.01	.13	.00	.00	.48	15
16	.21	.00	.00	.00	.00	.00	.00	.45	.07	.00	.00	.00	16
17	.25	.00	.00	.00	.13	.23	.91	.42	.13	.00	.00	.00	17
18	1.11	.07	.00	.00	.45	.00	.00	.21	.07	.08	.00	.04	18
19	.08	.00	.00	.00	.08	.00	.04	.13	.09	.16	.00	.00	19
20	.07	.00	.05	.00	.41	.00	.44	.06	.44	.46	.00	.00	20
21	.40	.00	.03	.00	.14	.59	.00	.28	.07	.85	.00	.00	21
22	.45	.00	.73	.00	.01	.00	.00	.95	.00	.00	.00	.10	22
23	.05	.00	.26	.01	.53	.00	.08	.26	.00	.00	.00	.46	23
24	.51	.05	.14	.31	.34	.00	.00	.00	.07	.00	.04	.14	24
25	.02	.00	.00	.30	.00	.00	.24	.03	.19	.22	.46	.06	25
26	.00	.00	.00	.37	.00	.00	.03	.00	.33	.26	.64	.49	26
27	.00	.04	.00	.98	.00	.00	.78	.00	.00	.57	.04	.41	27
28	.00	.04	.00	.00	.00	.00	.55	.28	.00	.26	.24	.30	28
29	.00	.00	.00	.56	.03	.00	.19	.23	.03	1.13	.52	.37	29
30	.00	X	.00	.44	.25	.00	.07	.09	.17	.65	.19	.40	30
31	.00	X	.00	X	.92	X	.00	.10	X	.08	X	.67	31
TOTAL	48.3	.60	1.79	4.86	5.61	3.77	4.11	4.77	3.60	6.99	3.62	5.32	12.67 m YEAR'S TOTAL 49.87
Days with 01 in. or more	20	9	10	13	20	10	17	22	21	19	11	18	190
Days with 04 in. or more	19	7	7	9	16	10	13	19	19	18	10	18	165

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

Kept at Shortwood House, Little, N.B.
in the County of Somerset
by H. R. Thring (M.A., J.P.)

Lat. 51° 17' Long. 2° 35'
Time of Observation 9 a.m.
Nearest Railway Station Clutton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 490 ft.

County No. _____
River Dist. _____
Station No. _____

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.96	.00	.00	.00	.03	.00	.00	.04	.06	.00	.51	.02	1
2	.35	.10	.00	.02	.00	.00	.36	.06	.00	.00	.73	.00	2
3	.17	.20	.00	.00	.42	.00	.04	.11	.00	.00	.08	.00	3
4	.19	.01	.00	.21	.19	.00	.00	.04	.00	.00	.29	.00	4
5	.09	.39	.00	.77	.16	.00	.00	.25	.30	.00	.04	.00	5
6	.09	.04	.00	.00	.39	.00	.40	.00	.00	.00	.70	.02	6
7	.00	.58	.00	.08	.46	.00	.00	.00	.00	.00	.25	.02	7
8	.26	.04	.05	.00	.21	.00	.04	.55	.00	.00	.00	.33	8
9	.00	.06	.00	.09	.17	.00	.01	.00	.25	.00	.00	.10	9
10	.00	.18	.02	.00	.00	.00	.00	.00	.04	.00	.00	.00	10
11	.00	.39	.00	.00	.06	.00	.00	.05	.00	.00	.00	.00	11
12	.00	.48	.00	.02	.00	.00	.00	1.20	.00	.00	.00	.00	12
13	.05	.19	.09	.06	.00	.00	.00	.00	.00	.00	.00	.00	13
14	.31	.24	.00	.47	.00	.00	.00	.00	.00	.00	.00	.00	14
15	.02	.01	.00	.00	.00	.00	.00	.00	.12	.18	.00	.00	15
16	.02	.05	.00	.00	.00	.00	.00	.00	.00	.15	.01	.00	16
17	.00	.00	.00	.01	.01	.00	.11	.00	.03	.03	.02	.00	17
18	.00	.00	.00	.16	1.31	.00	.06	.00	.00	.00	.00	.06	18
19	.00	.00	.00	.02	.00	.00	.02	.23	1.32	1.16	.00	.02	19
20	.00	.00	.13	.00	.00	.00	.05	.49	.52	.67	.02	.04	20
21	.00	.00	.00	.00	.00	.00	.38	.39	.17	.40	.00	.24	21
22	.03	.01	.00	.24	.05	.00	.12	.15	.76	.83	.03	.90	22
23	.12	.28	.03	.14	.08	.00	.07	.01	.03	.21	.00	.05	23
24	.30	.40	.00	.02	.04	.00	.00	.00	.00	.13	.05	.29	24
25	.41	1.22	.12	.00	.00	.00	.15	.00	.28	.00	.00	.15	25
26	.18	.40	.00	.00	.47	.00	1.23	.40	.03	.50	.00	.22	26
27	.05	.48	.00	.00	.16	.00	1.14	.00	.00	.16	.04	.25	27
28	.26	.11	.00	.01	.19	.00	.00	.01	.00	.19	.00	.85	28
29	.48	X	.00	.05	.66	.00	.12	.00	.00	.00	.16	.35	29
30	.01	X	.03	.00	.02	.00	.33	.00	.00	.14	.21	.18	30
31	.21	X	.11	X	.00	X	.06	.00	X	.02	X	.00	31
TOTAL	4.47	5.86	0.58	2.37	5.08	0.00	4.69	3.98	3.91	4.77	3.14	5.05	1115
Days with ".01 in. or more.	20	22	8	16	19	0	18	15	13	14	15	19	179
Days with ".04 in. or more	16	19	5	10	16	0	16	13	10	12	11	17	145

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

1810

Kept at *Shortwood House*
in the County of *Somerset*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *2* in.
" Ground " Sea Level *490* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1. following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.70</i>	<i>.10</i>	<i>5</i>	<i>-</i>	<i>.09</i>	<i>.80</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>1.05</i>	<i>-</i>	1
2	<i>.38</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.15</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>.07</i>	<i>.03</i>	2
3	<i>.23</i>	<i>.10</i>	<i>.36</i>	<i>5</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>5</i>	<i>.03</i>	3
4	<i>.13</i>	<i>.13</i>	<i>.06</i>	<i>.18</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.45</i>	<i>.07</i>	4
5	<i>.09</i>	<i>.15</i>	<i>.08</i>	<i>-</i>	<i>.39</i>	<i>-</i>	<i>.71</i>	<i>-</i>	<i>-</i>	<i>.03</i>	<i>.17</i>	<i>.20</i>	5
6	<i>.29</i>	<i>.04</i>	<i>-</i>	<i>5</i>	<i>.07</i>	<i>-</i>	<i>.56</i>	<i>.05</i>	<i>.51</i>	<i>.13</i>	<i>.50</i>	<i>.07</i>	6
7	<i>.05</i>	<i>.04</i>	<i>-</i>	<i>.17</i>	<i>.08</i>	<i>.12</i>	<i>-</i>	<i>-</i>	<i>.31</i>	<i>-</i>	<i>.33</i>	<i>-</i>	7
8	<i>.00</i>	<i>-</i>	<i>.28</i>	<i>.17</i>	<i>.04</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.24</i>	<i>.35</i>	<i>1.37</i>	<i>-</i>	8
9	<i>-</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>.01</i>	<i>.39</i>	<i>.02</i>	<i>.69</i>	<i>-</i>	<i>.01</i>	<i>.09</i>	<i>-</i>	9
10	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.46</i>	<i>.23</i>	<i>.04</i>	<i>.26</i>	<i>-</i>	<i>.04</i>	<i>.52</i>	<i>-</i>	10
11	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.30</i>	<i>.90</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>.13</i>	<i>.01</i>	<i>-</i>	11
12	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.49</i>	<i>.15</i>	<i>-</i>	<i>.02</i>	<i>.15</i>	<i>.92</i>	<i>.20</i>	<i>.02</i>	12
13	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>-</i>	<i>.34</i>	<i>.05</i>	<i>.64</i>	<i>.51</i>	<i>-</i>	13
14	<i>.10</i>	<i>.33</i>	<i>-</i>	<i>.66</i>	<i>.13</i>	<i>.08</i>	<i>-</i>	<i>.06</i>	<i>.14</i>	<i>.68</i>	<i>.13</i>	<i>.03</i>	14
15	<i>.11</i>	<i>.05</i>	<i>-</i>	<i>.32</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.05</i>	<i>.03</i>	<i>.34</i>	<i>.47</i>	<i>-</i>	15
16	<i>.22</i>	<i>.32</i>	<i>-</i>	<i>.57</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.08</i>	<i>.09</i>	<i>-</i>	<i>.47</i>	<i>-</i>	16
17	<i>.12</i>	<i>.88</i>	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.47</i>	<i>2.80</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>.47</i>	<i>-</i>	17
18	<i>.28</i>	<i>.08</i>	<i>-</i>	<i>.12</i>	<i>-</i>	<i>-</i>	<i>.28</i>	<i>.27</i>	<i>-</i>	<i>-</i>	<i>.27</i>	<i>.05</i>	18
19	<i>.03</i>	<i>.06</i>	<i>-</i>	<i>.09</i>	<i>-</i>	<i>-</i>	<i>.19</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.56</i>	<i>-</i>	19
20	<i>-</i>	<i>.01</i>	<i>-</i>	<i>.29</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.49</i>	<i>-</i>	<i>-</i>	<i>.26</i>	<i>-</i>	20
21	<i>.36</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>.03</i>	<i>-</i>	<i>.17</i>	<i>.09</i>	<i>.03</i>	<i>.44</i>	<i>.00</i>	<i>-</i>	21
22	<i>.77</i>	<i>.04</i>	<i>-</i>	<i>.10</i>	<i>-</i>	<i>-</i>	<i>5</i>	<i>-</i>	<i>-</i>	<i>.28</i>	<i>-</i>	<i>-</i>	22
23	<i>.08</i>	<i>-</i>	<i>.03</i>	<i>.01</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	23
24	<i>.06</i>	<i>-</i>	<i>.03</i>	<i>-</i>	<i>-</i>	<i>.04</i>	<i>.14</i>	<i>-</i>	<i>-</i>	<i>.53</i>	<i>-</i>	<i>-</i>	24
25	<i>.31</i>	<i>-</i>	<i>-</i>	<i>.34</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.02</i>	<i>.36</i>	<i>.30</i>	<i>.07</i>	25
26	<i>.01</i>	<i>-</i>	<i>-</i>	<i>.01</i>	<i>.13</i>	<i>-</i>	<i>.09</i>	<i>-</i>	<i>.40</i>	<i>-</i>	<i>.33</i>	<i>-</i>	26
27	<i>.21</i>	<i>.12</i>	<i>.34</i>	<i>.11</i>	<i>.15</i>	<i>-</i>	<i>.07</i>	<i>-</i>	<i>.11</i>	<i>.40</i>	<i>-</i>	<i>-</i>	27
28	<i>.28</i>	<i>-</i>	<i>-</i>	<i>.20</i>	<i>.02</i>	<i>-</i>	<i>.18</i>	<i>-</i>	<i>-</i>	<i>.85</i>	<i>.50</i>	<i>-</i>	28
29	<i>.28</i>	<i>X</i>	<i>-</i>	<i>.12</i>	<i>.18</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>-</i>	<i>.10</i>	<i>-</i>	29
30	<i>.10</i>	<i>X</i>	<i>-</i>	<i>.12</i>	<i>.29</i>	<i>-</i>	<i>-</i>	<i>.17</i>	<i>-</i>	<i>-</i>	<i>.11</i>	<i>-</i>	30
31	<i>.22</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>-</i>	<i>X</i>	<i>-</i>	<i>X</i>	<i>-</i>	31
TOTAL	<i>6.41</i>	<i>2.52</i>	<i>1.22</i>	<i>3.63</i>	<i>2.86</i>	<i>3.38</i>	<i>5.26</i>	<i>2.69</i>	<i>2.23</i>	<i>6.13</i>	<i>8.85</i>	<i>.57</i>	YEARS TOTAL <i>45.75</i>
Days with 01 in. or more.	<i>24</i>	<i>17</i>	<i>8</i>	<i>19</i>	<i>16</i>	<i>11</i>	<i>13</i>	<i>15</i>	<i>14</i>	<i>16</i>	<i>25</i>	<i>9</i>	<i>187</i>
Days with 04 in. or more.	<i>22</i>	<i>15</i>	<i>6</i>	<i>16</i>	<i>13</i>	<i>11</i>	<i>11</i>	<i>13</i>	<i>11</i>	<i>14</i>	<i>24</i>	<i>5</i>	<i>161</i>

(Signed)..... [P.T.O.]

1921/

Long. 3° 11' W.

Lat. 51° 11' N. Williton (GWR)

of Rain Gauge 2.5 in.

age above Ground 1 ft. in.

Sea Level 260 ft.

result entered to the previous day.

requested to add for it at the end of year of rain gauges, Rainfall Observers, Station, 62, Camden

Jan. 1, following

form.

DYTCHE SCHOOL

HOLFORD

SOMERSET

1921, - 1924

IMPORTANT

If an Observer pre the reading at 9 a.m. this paragraph. Full and particulars as sent post-free on a Square, London, N.W.

Kept at Dyche in the County of Somerset by J. E.

Date	Jan.	Feb.											Oct.	Nov.	Dec.	Date
	in.	in.											in.	in.	in.	
1	.25	-											-	.11	.35	1
2	.20	-											.13	.03	.20	2
3	.02	-	.02	-	-	-	-	-	.02	-	-	-	.04	.45	-	3
4	.10	-	.01	-	.05	-	-	-	.03	-	-	-	-	.18	-	4
5	-	-	.03	-	.10	-	-	-	.16	-	-	-	-	.08	-	5
6	.18	-	.01	-	.13	-	-	-	.01	-	-	-	-	-	-	6
7	.09	-	.03	-	.40	-	-	-	.01	-	-	-	-	.04	-	7
8	.05	-	.10	-	.07	-	-	-	-	-	-	-	-	-	-	8
9	-	-	.01	.03	.31	-	-	-	-	-	-	-	-	-	-	9
10	.26	-	.03	-	.02	-	-	-	.10	.07	-	-	-	-	.03	10
11	.12	-	-	-	.06	-	-	-	-	.14	.04	-	-	-	-	11
12	.19	-	.01	-	-	-	.04	.34	1.01	-	-	-	-	-	.12	12
13	-	-	.16	.07	-	-	.01	.05	.02	.05	.10	-	-	.10	-	13
14	-	-	.27	~~.07~~	.17	-	-	.02	.04	-	.03	.12	-	.03	.12	14
15	-	-	.03	.17	-	-	-	.01	.08	-	.11	-	-	.11	-	15
16	.04	-	.10	.36	-	-	-	.26	-	-	.29	.02	-	.29	.02	16
17	.12	-	.05	.04	-	-	-	.01	-	-	-	-	-	-	-	17
18	-	-	.04	-	-	-	-	-	.22	.05	.01	-	-	.01	-	18
19	-	-	.16	-	-	-	-	-	.02	.06	.03	.03	-	.03	.03	19
20	-	-	.02	-	-	-	-	-	-	.04	-	-	-	-	-	20
21	-	-	-	-	-	-	-	-	-	-	.03	.01	-	.03	.01	21
22	-	-	-	.08	-	-	-	-	-	.19	.01	.17	-	.01	.17	22
23	.04	-	-	.04	-	-	.01	-	-	.18	-	-	-	-	-	23
24	.04	.06	-	-	-	-	.01	-	-	-	-	.17	-	-	.17	24
25	.06	.09	.03	-	-	.46	.09	-	-	-	-	.09	-	-	.09	25
26	.02	-	.02	-	.10	.04	.04	-	-	-	.08	.22	-	.08	.22	26
27	-	-	-	-	.04	.05	.07	-	-	-	.05	.04	-	.05	.04	27
28	-	-	.16	.06	.04	-	.13	-	-	-	.10	.06	-	.10	.06	28
29	-	-	.08	-	.09	-	.01	.01	-	-	-	.02	-	-	.02	29
30	.28	~~X~~	-	.05	.03	-	-	-	-	-	.33	.04	-	.33	.04	30
31	.15	~~X~~	-	~~X~~	.25	~~X~~	-	.04	~~X~~	-	~~X~~	-	-	~~X~~	-	31
TOTAL	2.21	.15	1.37	.90	1.91	.55	.41	1.27	1.60	.78	2.06	1.69	14.90	2.06	1.69	14.90
Days with .01 in. or more	18	2	21	9	16	3	9	16	8	9	18	16	145	9	18	145
Days with .04 in. or more	16	2	9	8	14	3	5	7	6	9	12	11	102	9	12	102

REGISTER OF RAINFALL IN 1921.

Kept at Dyche School, Holford
in the County of Somerset
by J. E. Overend

Lat. 51° 10' Long. 3° 11' W.
Time of Observation 9 a.m.
Nearest Railway Station Williton (GWR)
Diameter of Funnel of Rain Gauge 5.5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 260 ft.

6 JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	-	-	-	-	-	-	.18	-	-	.11	.35	1
2	.20	-	-	-	.05	-	-	.02	-	.13	.03	.20	2
3	.02	-	.02	-	-	-	-	.02	-	.04	.45	-	3
4	.10	-	.01	-	.05	-	-	.03	-	-	.18	-	4
5	-	-	.03	-	.10	-	-	.16	-	-	.08	-	5
6	.18	-	.01	-	.13	-	-	.01	-	-	-	-	6
7	.09	-	.03	-	.40	-	-	.01	-	-	.04	-	7
8	.05	-	.10	-	.07	-	-	-	-	-	-	-	8
9	-	-	.01	.03	.31	-	-	-	-	-	-	-	9
10	.26	-	.03	-	.02	-	-	.10	.07	-	-	.03	10
11	.12	-	-	-	.06	-	-	-	.14	.04	-	-	11
12	.19	-	.01	-	-	-	.04	.34	1.01	-	-	.12	12
13	-	-	.16	.07	-	-	.01	.05	.02	.05	.10	-	13
14	-	-	.27	~~.07~~	.17	-	-	.02	.04	-	.03	.12	14
15	-	-	.03	.17	-	-	-	.01	.08	-	.11	-	15
16	.04	-	.10	.36	-	-	-	.26	-	-	.29	.02	16
17	.12	-	.05	.04	-	-	-	.01	-	-	-	-	17
18	-	-	.04	-	-	-	-	-	.22	.05	.01	-	18
19	-	-	.16	-	-	-	-	-	.02	.06	.03	.03	19
20	-	-	.02	-	-	-	-	-	-	.04	-	-	20
21	-	-	-	-	-	-	-	-	-	-	.03	.01	21
22	-	-	-	.08	-	-	-	-	-	.19	.01	.17	22
23	.04	-	-	.04	-	-	.01	-	-	.18	-	-	23
24	.04	.06	-	-	-	-	.01	-	-	-	-	.17	24
25	.06	.09	.03	-	-	.46	.09	-	-	-	-	.09	25
26	.02	-	.02	-	.10	.04	.04	-	-	-	.08	.22	26
27	-	-	-	-	.04	.05	.07	-	-	-	.05	.04	27
28	-	-	.16	.06	.04	-	.13	-	-	-	.10	.06	28
29	-	-	.08	-	.09	-	.01	.01	-	-	-	.02	29
30	.28	~~X~~	-	.05	.03	-	-	-	-	-	.33	.04	30
31	.15	~~X~~	-	~~X~~	.25	~~X~~	-	.04	~~X~~	-	~~X~~	-	31
TOTAL	2.21	.15	1.37	.90	1.91	.55	.41	1.27	1.60	.78	2.06	1.69	YEAR'S TOTAL
Days with .01 in. or more	18	2	21	9	16	3	9	16	8	9	18	16	14.90
Days with .04 in. or more	16	2	9	8	14	3	5	7	6	9	12	11	14.5
													102

REGISTER OF RAINFALL IN 1924.

Kept at Holford (Dytche School)
in the County of Somerset
by J. E. Overend

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								15					1
2													2
3								25					3
4													4
5													5
6								10					6
7													7
8													8
9													9
10													10
11													11
12								18					12
13													13
14								11					14
15								04					15
16								38					16
17								26					17
18								291					18
19								41					19
20								22					20
21								16					21
22								120					22
23								06					23
24								02					24
25								09					25
26													26
27								12					27
28								09					28
29								25					29
30		X						16					30
31		X		X		X			X		X		31
TOTAL								716					YEAR'S TOTAL
Days with 01 in. or more								20					
Days with 04 in. or more								19					

RI

HUNSTRETE House

ORGANIZATION.

1921.

Long. 2.30.15 W.

n. 9. D. 1. 1. 1.

ation. *Perford*

l of Rain Gauge 5 in.

uge above Ground 9 ft.

Sea Level 400 ft.

result entered to the previous day.

y requested to add

for it at the end of

Jan. 1, following.

Kept at *Hunstrete*

in the County of *Lon*

by *H. Lyborne*

1921 - 1930

IMPORTANT NOTE

If an Observer prefers not

the reading at 9 a.m. on 1

this paragraph. Full instructions

and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"

sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden

Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.51		.37					.33	.08		.14	.29	1
2	.20	.01			.03					.09	.24	.07	2
3	.01		.06			.05		.12		.08	.32		3
4	.20		.01		.04			.15			.21		4
5			.01		.03			.36			.32		5
6	.26		.18		.18			.21			.01	.05	6
7	.11		.01		.27			.04			.09		7
8	.03		.08		.11								8
9	.01		.02	.04	.23				.02				9
10	.33		.09		.02			.52	.16			.03	10
11	.22		.25						1.42				11
12	.25		.10					.12	.22			.18	12
13	.02		.25	.18	.27		.01	.03	.20	.06	.02		13
14			.05	.03	.01		.11	.01	.07		.01	.15	14
15			.06	.02			.04				.10		15
16	.06		.09	.40	.16			.14			.23	.04	16
17	.12		.18	.17	.06				.37				17
18	.08		.14							.15		.04	18
19	.03		.18							.12		.14	19
20			.01							.01	.01	.02	20
21	.05			.02	.01					.02	.06	.07	21
22	.02		.07	.04			.10			.50		.33	22
23				.06			.09			.25			23
24	.11	.08					.02					.21	24
25	.05	.21	.05			.20	.17					.07	25
26	.17						.03	.01				.34	26
27			.05				.04	.02				.04	27
28			.24		.22		.05	.01		.12	.12		28
29	.12		.04		.37			.08				.04	29
30	.70	~~X~~		.01	.04						.27	.08	30
31	.07	~~X~~		~~X~~	.17	~~X~~		.01	~~X~~		~~X~~		31
TOTAL	3.73	.30	2.31	1.04	2.22	.25	.66	2.15	2.54	1.28	2.15	2.31	YEAR'S TOTAL
Days with .01 in. or more	24	3	24	10	17	2	10	15	8	9	15	19	20.95
Days with .04 in. or more	18	2	19	7	12	2	7	10	7	7	11	17	157
													119

REGISTER OF RAINFALL IN 1921.

Kept at Henshale House Penzance
 in the County of Cornwall
 by H. Leborne Popham

Lat. 57° 21' 15" N Long. 2° 30' 15" W.
 Time of Observation 9-2-11
 Nearest Railway Station Penzance
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 9 in.
 " " " " Sea Level 400 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.51		.09					.33	.08		.14	.29	1
2	.20	.01			.03					.09	.24	.07	2
3	.01		.06			.05		.12		.08	.32		3
4	.20		.01		.04			.15			.21		4
5			.01		.03			.36			.32		5
6	.26		.18		.18			.21			.01	.05	6
7	.11		.01		.27			.04			.09		7
8	.03		.08		.11								8
9	.01		.02	.04	.23				.02				9
10	.33		.09		.02			.52	.16			.03	10
11	.22		.25						1.42				11
12	.25		.10					.12	.22			.18	12
13	.02		.25	.18	.27		.01	.03	.20	.06	.02		13
14			.05	.03	.01		.11	.01	.07		.01	.15	14
15			.06	.02			.04				.10		15
16	.06		.09	.40	.16			.14			.23	.04	16
17	.12		.18	.17	.06				.37				17
18	.08		.14							.15		.04	18
19	.03		.18							.12		.14	19
20			.01							.01	.01	.02	20
21	.05			.02	.01					.02	.06	.07	21
22	.02		.07	.04			.10			.50		.33	22
23				.06			.09			.25			23
24	.11	.08					.02					.21	24
25	.05	.21	.05			.20	.17					.07	25
26	.17						.03	.01				.34	26
27			.05				.04	.02				.04	27
28			.24		.22		.05	.01		.12		.12	28
29	.12		.04		.37			.08				.04	29
30	.70	~~XX~~		.01	.04						.27	.08	30
31	.07	~~XX~~		~~XX~~	.17	~~XX~~		.01	~~XX~~		~~XX~~		31
TOTAL	3.73	.30	2.31	1.04	2.22	.25	.66	2.15	2.54	1.28	2.15	2.31	YEAR'S TOTAL
Days with .01 in. or more	24	3	24	10	17	2	10	15	8	9	15	19	20.95
Days with .04 in. or more	18	2	19		12	2	7	10	7	7	11	17	157
													119

REGISTER OF RAINFALL IN 1922.

HUNSTRETE HOUSE
PENSFORD

Kept at.....NEAR BRISTOL.....

in the County of Somerset

by N. Seymour Popham

Lat. 51° 21' 15" N. Long. 2° 30' 15" W.

Time of Observation 9-0-0 a.m.

Nearest Railway Station Pensford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 9 ft. 9 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.16	.34	.11	.08		.68		.05	.02	.37		1
2		.48	.07	.16	.04		.26	.02			.04	.01	2
3	~~.01~~	.20	.57	.30	.14		.04	.24			.04		3
4	~~.01~~	.13	.21		.08		.06		.18				4
5	.08		.32	.13			1.30		.31	.31	.57		5
6	.09		.18	.02			.40	.70		.01	.32		6
7	.12		.36	.18		.07	.29	.12			.08	.01	7
8	.10		.01				.38	.13			.03	.03	8
9	.11		.01	.01			.06	.01			.02		9
10	.01							.01			.26		10
11				.02	.02								11
12				.47		.03		.37	.56			.01	12
13	.30			.54		.19	.36		.13			.01	13
14				.03					.16		.02		14
15	.62	.39		.14			.04		.02		.01		15
16	.02	.22		.15	.20			.24	.07			.20	16
17		.14			.13		.08		.01			.16	17
18	.20	.03			.09		.02	.01	.08			.11	18
19		.10	.06						1.02			.88	19
20	.16	.18										.02	20
21	.25	.12	.14	.03			.14	.01				.68	21
22	.01	.22				.08	.09	.28	.04			.17	22
23		.21		.04			.13		.07		.02	.07	23
24	.09		.05	.03	.02	.60		.08				.11	24
25	.19	.09	.03	.16		.16			.15			.13	25
26	.12	.54					.07		.10		.06	.01	26
27	.19	.91	.07	.34		.04		.25	.05		.02	.37	27
28	.28	.62	.04	.07		.24		.14				.20	28
29	.04			.03		.09	.17			.57		.68	29
30	.69			.01		.01		.69	.29		.08	.66	30
31	.09						.02	.03		.61			31
TOTAL	3.80	4.74	3.04	2.86	.80	1.51	4.59	3.33	2.80	1.70	1.94	4.52	YEAR'S TOTAL
Days with ".01 in. or more	24	17	17	20	9	10	19	17	15	6	15	20	35.63 ✓
Days with ".04 in. or more	18	16	14	12	7	8	17	11	13	4	9	13	142 ✓

Exd. 1
AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at

HUNSTON HOUSE
PENSFORD
NEAR BRISTOL

in the County of Somerset.

by H. Leyborne Popham

Lat. 51° 41' 15" N Long. 2° 30' 15" W.

Time of Observation 9-0 a.m.

Nearest Railway Station Pensford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 9 ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.65	.12					.01	.05	.13		.66	1
2	.21	.36	.06	.22	.06					.24	.01	.05	2
3	.05	.01	.06	.01		.01	.02			.36	.04	.12	3
4				.02					.18		.48	.22	4
5	.60		.01	.23	.15					.04	.09		5
6	.21	.58	.13	.10						.02			6
7	.09	.83	.05							.21		.52	7
8	.17	.04	.03	.03						.23	.09	.01	8
9	.15	.75				.10						.01	9
10		.34		.21	.12					.29		.06	10
11		.04		.51	.04		.17			.67			11
12		.17	.24	.07	.29	.02				.64	.08		12
13	.02	.14		.11	.10				.09	.02	1.49	.02	13
14	.01			.02	.07		.01	.15	.65		.33	.01	14
15		.13	.03	.13	.16	.38	.03				.39		15
16	.02	.20		.01	.07		.01		.01		.36	.01	16
17		.64					.21	.35	.55	.06	.08		17
18	.02	.20				.02	11	.26	.11	.24	.01	.02	18
19	.07	.02					.11	.04	.81	.09	.02		19
20	.01	.16			.07				.14	.35			20
21		.21				.01		.45	.05	.19		.02	21
22		.39			.15			.21	.04	.20		.11	22
23	.05	.20	.26		.07		.12	.49	.22	.18		.08	23
24		.13		.16	.06		.02	.07	.25	.20		.07	24
25		.35		.33	.01	.10	.08	.07	.23	.36		.46	25
26		.22		.12	.19	.01		.13		.46		.26	26
27		.51	.10		.12		.10	.47		.14		.15	27
28		.16	.13	.08	.05		.23	.18	.02	.04			28
29	.01	X		.19	.06		.04	.70		.05		.17	29
30	.09	X	.01	X		.02	.18	.05		.20		.05	30
31	.13	X	.08	X		X	.25	.05	X		X	.25	31
TOTAL	1.98	7.43	1.31	2.45	1.84	.67	1.58	3.62	3.40	5.61	3.47	3.33	YEAR'S TOTAL
Days with 01 in. or more	18	25	14	18	18	9	15	16	15	25	13	22	208
Days with 04 in. or more	12	23	10	13	17	3	10	14	13	23	10	14	162

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Hunsbroke Arms Pumphord
 in the County of Somerset
 by W. Dyborne Popham

Lat. 51. 21. 15 N Long. 2. 30. 15 W.Time of Observation 9-0. a.m.Nearest Railway Station PumphordDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 9 ft." " " " Sea Level 400 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.02			.11	.07	.12			.94	.29	R V V
2	.08		.33		.12		.22			.04	.01	.05	C 3
3	.13		.08		.01	.17	.22	.19					608 4
4						.24	.04	.13	.05			.19	5
5			.08				.21	.06	.02	.10		.20	6
6					.08		.08	.09	.03	.44			7
7	.03				.37	.10			.36	1.58			8
8	.13	.04		.01	.02				.24	.04			9
9	.15	.01		.01	.06	.13			.04	.01	.03		10
10	.16			.11	.43	.33			.04		.01		11
11	.46	.08		.55	.68	1.17		.03	.01	.11	.29		12
12	.20			.12	.13	.29		.16	.12	.01			13
13	.12			.73				.01	.56		.01	.38	14
14				.01				.12	.02			.12	15
15		.10							.05			.37	16
16	.13							.30	.07				17
17	.15				.10	.11	.87	.34	.13		.01		18
18	.69	.01			.32			.01		.12	.01	.01	19
19	.12				.09		.03	.08	.12	.06			20
20	.32				.31		.36	.10	.35	.39			21
21	.41		.09		.09	.33	.01	.48	.04	.48			22
22	.48		.57					.77	.40			.25	23
23	.05		.37		.40	.01	.06	.10	.14			.41	24
24	.32	.08	.07	.17	.44				.08			.12	25
25	.01		.03	.21			.25	.10	.23	.15	.43	.06	26
26				.52			.02	.02	.07	.09	.51	1.02	27
27		.01		.51			.82			.79		.36	28
28		.01					.27	.09		.15	.21	.15	29
29		.03		.39	.36		.22	.22	.02	.91	.36	.58	30
30		X		.15	.35		.02	.05	.12	.24	.15	.33	31
31		X		X	.53	X		.13	X	.09	X	.43	1077 m YEAR'S TOTAL
TOTAL	4.15	.37	1.64	3.49	4.89	2.99	3.77	3.70	3.31	5.80	2.96	5.33	42.40
Days with .01 in. or more	20	9	9	13	19	11	17	23	24	19	12	19	195
Days with .04 in. or more	17	4	7	10	17	10	13	19	19	17	7	17	157

REGISTER OF RAINFALL IN 1925.

HUNSTRETE HOUSE
PENSFORD
NEAR BRISTOL

Kept at

in the County of Somerset.

by H. Leyborne Popham

FOR OFFICIAL USE.

1806

County No.

River Dist.

Station No.

Lat. 51° 21' 15" N. Long. 2° 30' 15" W.

Time of Observation 9-0 A.M.

Nearest Railway Station Pensford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.96	-	-	-	.01	.04	-	.10	.06	-	.45	-	1
2	.38	.21	-	.05	-	-	.74	-	-	.02	.72	-	2
3	.14	.14	-	-	.27	-	.07	.05	-	-	.04	-	3
4	.26	-	-	.18	.16	-	-	.01	-	-	.16	-	4
5	.04	.27	-	.79	.08	-	-	.26	.50	-	.03	-	5
6	-	.13	-	-	.25	-	.50	-	-	-	.47	-	6
7	-	.22	-	.04	.51	-	-	-	-	-	.46	.15	7
8	.16	.02	.03	-	.15	-	.12	-	-	-	-	.34	8
9	-	.06	-	.09	.19	-	.01	.40	.28	-	-	.11	9
10	-	.14	.02	-	.09	-	-	.19	.03	-	-	-	10
11	-	.45	-	-	.03	-	-	-	-	-	-	-	11
12	.01	.38	-	.04	-	-	-	.49	-	-	-	-	12
13	.04	.25	.11	.03	-	-	-	-	-	.01	-	-	13
14	.26	.24	-	.40	-	-	-	-	-	-	-	-	14
15	.01	-	-	.10	-	-	-	-	.10	.16	-	-	15
16	-	.04	-	-	-	-	-	-	-	.18	.03	.01	16
17	.01	-	-	-	.01	-	.14	-	.03	.04	-	-	17
18	-	-	-	.11	1.74	-	.02	-	.09	.03	-	.02	18
19	-	.04	-	.03	-	-	.04	-	1.20	.86	-	.62	19
20	-	-	.06	-	-	-	.03	.98	.24	.55	-	.02	20
21	-	.01	-	-	-	-	.35	.27	.11	.41	-	.18	21
22	.03	.20	-	.14	.04	-	.18	.29	.64	.66	-	.36	22
23	.10	.03	-	.11	.06	-	.03	.04	.07	.24	-	.04	23
24	.25	.38	.04	-	.01	-	-	-	-	.13	.03	.16	24
25	.32	.68	.05	.02	.21	-	.11	-	.13	.05	-	.12	25
26	.16	.26	-	.09	.45	-	.73	.43	-	.30	-	.27	26
27	.05	.60	-	-	.14	-	.44	.01	-	.04	.02	.16	27
28	.08	.06	-	.01	.30	-	-	-	.03	.05	.02	.62	28
29	.36	X	-	.04	.62	-	.21	-	.01	-	.07	.61	29
30	-	X	-	.06	.02	-	.32	-	-	.14	.29	.08	30
31	.14	X	.14	X	.01	X	.03	-	X	.01	X	.05	31 975
TOTAL	3.76	4.75	.45	2.33	5.35	.04	4.07	3.52	3.52	3.88	2.79	3.92	YEAR'S TOTAL 38.38
Days with 01 in. or more.	20	22	7	18	22	1	18	14	15	18	13	18	186
Days with 01 in. or more	16	19	5	14	16	1	13	12	11	14	8	15	143

8.51 8.96 11.29 16.64 16.68 20.75 24.27 27.77 31.67 34.46

H. Leyborne Popham

Section



for the entry of Daily Observations.

WVV E.T.

WVV

FOR OFFICIAL USE

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at

in the County of *Somerset*

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

*Corr. for Arthur***THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.52	.09	.01	-	.06	.55	-	-	.06	-	.88	-	1
2	.31	.02	-	-	-	.06	-	-	.07	-	.01	.02	2
3	.16	.15	.23	-	-	-	-	.01	-	-	.01	.02	3
4	.21	.16	.02	.57	-	-	-	-	-	-	.49	.04	4
5	.06	.09	.09	-	.37	-	.59	-	.36	.02	.19	.21	5
6	.21	.07	-	.01	.05	-	.44	.04	-	.07	.27	.01	6
7	-	.03	-	.29	.27	.16	-	-	-	-	.20	.06	7
8	-	.02	.16	-	.02	.04	.03	.29	.20	.33	1.17	-	8
9	-	-	-	-	-	.31	-	.74	-	.02	.12	-	9
10	-	-	.03	-	.23	.27	.02	.38	-	-	.42	-	10
11	-	-	.01	-	.13	.62	-	-	.05	.17	-	.01	11
12	-	-	-	-	.72	.09	-	-	-	.64	.19	.01	12
13	-	-	-	-	.04	.04	-	.27	.07	.34	.48	.01	13
14	.06	.32	-	.54	.22	.16	-	.02	.02	.58	.23	.08	14
15	.11	.12	-	.23	-	-	-	-	.06	.35	.22	-	15
16	.15	.34	-	.34	-	-	-	.06	.02	-	.16	-	16
17	-	.63	-	.01	-	.33	1.86	.02	-	-	.44	.08	17
18	.21	.08	-	.20	-	-	.22	.13	-	-	.29	.01	18
19	.01	.02	-	.02	-	.01	.26	.02	.02	-	.41	-	19
20	.02	-	-	.24	-	.02	-	.24	-	-	.21	-	20
21	.04	-	-	.10	-	-	.17	.06	-	.44	.08	-	21
22	.36	.02	-	.05	-	-	-	-	-	.14	.01	-	22
23	.11	-	-	-	-	-	-	.03	-	-	-	-	23
24	.11	-	-	-	-	-	.29	.02	.01	.36	-	-	24
25	.18	-	-	.40	-	-	.24	-	.11	.27	.21	.05	25
26	-	-	.01	-	.18	-	.24	-	.17	-	.33	-	26
27	.21	.08	.58	.08	.06	-	.05	-	.02	.30	-	-	27
28	.22	-	-	.12	-	-	.19	-	-	.66	.45	-	28
29	.16	X	-	.20	.09	-	.08	-	-	-	.14	-	29
30	.11	X	-	.10	.41	-	.02	.20	-	-	.12	-	30
31	.23	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	4.76	2.24	1.14	3.50	2.85	2.66	4.46	2.53	1.24	4.69	7.73	.61	38.41
Days with .01 in. or more.	22	16	9	17	14	13	14	16	14	15	26	13	189
Days with .04 in. or more.	20	11	4	14	13	11	11	10	9	13	23	6	145

7.00

8.14

11.04

14.51

17.17

(Signed)

N. Seymour Poplar

2343

100

REGISTER OF RAINFALL IN 1927.

1783°

Kept at
in the County of
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.70	.12	-	-	-	.80	.01	-	.20	.36	-	1
2	.04	-	.05	.12	.11	-	-	-	-	.09	.01	-	2
3	.04	.02	.15	-	.04	.02	.11	-	-	-	.03	.03	3
4	.01	-	.05	.02	.09	.05	.09	-	-	-	.06	-	4
5	.11	.10	.29	.45	-	.08	.04	-	-	-	.49	-	5
6	.06	-	.26	.33	-	.04	.05	.04	.49	-	.09	-	6
7	-	.11	.05	.18	-	.20	1.02	.17	-	-	-	-	7
8	.02	-	.05	.17	-	-	.04	.15	.06	-	.01	-	8
9	-	-	-	.01	.15	-	.07	.31	.06	-	-	.14	9
10	.01	-	-	.04	-	-	-	.90	.02	-	-	-	10
11	.01	-	-	.06	-	-	.80	.20	-	-	-	-	11
12	.22	-	-	-	-	-	.03	.33	-	.02	-	-	12
13	.19	-	-	.09	-	.06	.74	.21	.19	.08	.05	.24	13
14	.02	-	-	.15	.04	-	.02	.34	1.32	-	.01	.06	14
15	.01	-	-	-	.21	-	-	.47	.76	-	.03	.01	15
16	.01	-	-	-	.22	.57	-	.04	.34	-	.03	-	16
17	.23	-	.14	-	-	.21	-	.44	.17	-	.01	-	17
18	-	-	-	-	-	.66	-	.01	.06	.08	.44	-	18
19	-	.31	.02	-	-	.03	.11	.39	.02	.12	.62	-	19
20	.01	.16	-	-	.02	.05	.24	.24	.02	-	.25	.19	20
21	.03	.14	-	-	.01	.03	.14	.80	.28	.51	.06	.60	21
22	.22	.24	.55	.08	-	.21	-	.22	.24	.56	-	.60	22
23	-	.37	.14	-	-	.34	-	.05	.62	-	.19	.11	23
24	.04	.06	.52	.04	-	.01	.07	.17	.18	.05	.01	.38	24
25	.14	.31	.16	.01	-	.21	-	.05	-	.10	.01	.79	25
26	.15	.60	.02	.01	-	.06	.31	-	.22	.05	-	.01	26
27	.01	.09	.02	-	.09	.05	.37	-	-	.58	-	-	27
28	1.67	.24	.16	-	-	.06	.01	-	.28	.01	.23	-	28
29	.04	X	.22	-	-	.20	-	-	.44	.03	.03	-	29
30	.04	X	.06	-	-	.12	.20	.02	.08	.12	.05	-	30
31	.24	X	.24	X	-	X	.32	-	X	-	X	.18	31
TOTAL	2.81	3.45	3.27	1.82	.98	3.23	5.58	6.16	6.32	2.60	3.07	2.74	YEARS TOTAL 42.03
Days with ".01 in. or more.	26	14	20	15	10	21	21	22	20	15	22	13	219
Days with ".04 in. or more.	17	13	19	12	8	14	18	19	18	13	12	10	174

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

1853
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at
in the County of Somerset
Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground..... ft. 9 in.
" Ground " Sea Level 4.00 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>1.12</u>	-	<u>03</u>	-	-	-	-	-	-	-	-	-	1
2	<u>02</u>	<u>27</u>	<u>34</u>	<u>06</u>	-	-	<u>09</u>	<u>01</u>	-	-	<u>57</u>	<u>01</u>	2
3	<u>01</u>	<u>02</u>	-	<u>20</u>	-	-	<u>10</u>	<u>05</u>	-	-	<u>27</u>	-	3
4	<u>08</u>	<u>28</u>	-	<u>02</u>	-	<u>01</u>	-	-	-	<u>40</u>	<u>16</u>	-	4
5	<u>14</u>	<u>25</u>	<u>07</u>	<u>10</u>	<u>15</u>	<u>03</u>	<u>19</u>	-	<u>08</u>	<u>45</u>	<u>01</u>	<u>01</u>	5
6	<u>01</u>	-	<u>05</u>	-	<u>02</u>	<u>47</u>	-	-	<u>01</u>	-	-	<u>07</u>	6
7	<u>11</u>	<u>05</u>	<u>02</u>	<u>02</u>	-	<u>24</u>	-	<u>11</u>	-	<u>06</u>	-	-	7
8	-	<u>13</u>	-	<u>03</u>	-	<u>43</u>	<u>08</u>	-	<u>08</u>	<u>49</u>	-	-	8
9	<u>19</u>	<u>01</u>	-	<u>14</u>	-	<u>10</u>	-	-	<u>11</u>	<u>31</u>	-	<u>02</u>	9
10	<u>21</u>	<u>39</u>	-	<u>09</u>	-	<u>12</u>	-	<u>02</u>	-	<u>23</u>	<u>10</u>	<u>07</u>	10
11	-	<u>01</u>	<u>05</u>	<u>05</u>	-	-	-	<u>01</u>	-	<u>43</u>	<u>06</u>	<u>27</u>	11
12	<u>64</u>	<u>46</u>	<u>01</u>	-	-	-	-	<u>23</u>	-	-	<u>05</u>	<u>01</u>	12
13	-	<u>02</u>	-	<u>05</u>	-	<u>46</u>	-	<u>10</u>	-	-	<u>02</u>	-	13
14	<u>18</u>	<u>60</u>	<u>01</u>	<u>24</u>	-	<u>07</u>	-	<u>14</u>	-	<u>40</u>	<u>25</u>	-	14
15	<u>10</u>	<u>14</u>	<u>24</u>	-	-	<u>01</u>	-	-	-	<u>02</u>	<u>37</u>	<u>02</u>	15
16	-	<u>18</u>	-	<u>03</u>	<u>04</u>	-	-	-	-	<u>07</u>	<u>29</u>	<u>44</u>	16
17	<u>04</u>	<u>01</u>	-	-	<u>15</u>	<u>01</u>	-	-	-	<u>01</u>	<u>01</u>	-	17
18	<u>31</u>	-	<u>01</u>	-	<u>03</u>	<u>01</u>	-	-	-	<u>40</u>	<u>02</u>	<u>03</u>	18
19	<u>01</u>	-	<u>05</u>	-	-	<u>05</u>	-	<u>10</u>	-	<u>56</u>	-	<u>02</u>	19
20	<u>18</u>	-	<u>51</u>	-	<u>16</u>	-	-	<u>54</u>	-	-	<u>23</u>	-	20
21	<u>72</u>	-	<u>26</u>	-	<u>02</u>	<u>02</u>	-	<u>08</u>	-	-	<u>20</u>	-	21
22	-	-	<u>14</u>	-	-	-	-	<u>02</u>	-	<u>102</u>	<u>45</u>	-	22
23	<u>20</u>	<u>01</u>	<u>12</u>	-	<u>27</u>	-	<u>01</u>	-	-	<u>22</u>	<u>30</u>	<u>29</u>	23
24	<u>09</u>	-	<u>01</u>	-	-	-	-	<u>01</u>	<u>32</u>	<u>09</u>	<u>05</u>	<u>17</u>	24
25	<u>12</u>	-	<u>02</u>	-	-	<u>02</u>	-	-	-	<u>06</u>	-	<u>91</u>	25
26	<u>17</u>	-	<u>04</u>	-	<u>03</u>	<u>11</u>	<u>59</u>	<u>27</u>	-	<u>1.01</u>	<u>01</u>	<u>01</u>	26
27	<u>08</u>	-	-	<u>19</u>	-	-	<u>78</u>	<u>1.04</u>	<u>14</u>	<u>22</u>	-	<u>99</u>	27
28	<u>08</u>	-	<u>25</u>	-	<u>01</u>	-	<u>10</u>	<u>31</u>	<u>69</u>	-	-	<u>75</u>	28
29	<u>09</u>	<u>24</u>	<u>03</u>	-	-	<u>16</u>	-	<u>44</u>	-	<u>14</u>	-	<u>22</u>	29
30	<u>01</u>	×	<u>09</u>	-	-	<u>01</u>	<u>59</u>	-	-	<u>01</u>	-	<u>15</u>	30
31	<u>31</u>	×	<u>28</u>	×	-	×	<u>1.24</u>	-	×	-	×	-	31
TOTAL	<u>5.58</u>	<u>3.03</u>	<u>3.02</u>	<u>1.18</u>	<u>.88</u>	<u>2.33</u>	<u>3.83</u>	<u>3.48</u>	<u>1.43</u>	<u>6.00</u>	<u>3.98</u>	<u>3.66</u>	YEAR'S TOTAL
Days with ".01 in. or more.	<u>26</u>	<u>17</u>	<u>22</u>	<u>13</u>	<u>10</u>	<u>18</u>	<u>10</u>	<u>17</u>	<u>7</u>	<u>21</u>	<u>19</u>	<u>19</u>	<u>199</u>
Days with ".04 in. or more.	<u>21</u>	<u>11</u>	<u>14</u>	<u>8</u>	<u>5</u>	<u>10</u>	<u>9</u>	<u>12</u>	<u>6</u>	<u>18</u>	<u>15</u>	<u>11</u>	<u>140</u>

REGISTER OF RAINFALL IN 19229.

Kept at _____
in the County of Lincoln
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
„ Ground „ Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.35			.11	.12	-	-	.13	.64	-	.22	1
2	-	.18				.08	.07	-	-	.18	.02	.24	2
3	-	-			-	.27	.04	1.11	-	.07	-	.13	3
4	-	-		.10	.62	.01	.07	.12	-	.05	-	.61	4
5	-	-			.67	.40	.29	.24	-	2.00	.74	.35	5
6	.65	.01			.21	.05	-	.30	-	.30	.05	.72	6
7	.02	-			.03	-	-	.03	-	.41	.33	.32	7
8	-	.02			.04	.08	-	.03	-	.14	-	.37	8
9	.10	.11			-	-	-	-	-	-	.18	.83	9
10	.05	-		.05	.01	-	-	-	-	.05	.19	.30	10
11	-	.01		.01	.18	-	-	.05	-	.01	1.09	.17	11
12	-	-		.12	.01	.36	-	-	-	-	.02	.01	12
13	.02	-		.04	.02	.00	-	.03	-	-	-	.05	13
14	-	-			.15	.18	-	-	-	-	-	.18	14
15	.05	.66			.03	.09	-	-	-	-	.63	.01	15
16	-	-			-	-	-	.04	-	-	-	-	16
17	.03	-			-	-	-	.18	-	.19	-	-	17
18	-	-			-	-	-	.36	-	.05	.77	-	18
19	-	-			-	-	-	-	.10	-	.35	.05	19
20	.01	-			-	-	-	.06	-	.34	-	.46	20
21	.02	-	.18		-	-	.04	.03	-	-	-	.01	21
22	.01	.01			-	-	.01	.16	-	.01	.39	.01	22
23	-	.02		.01	.02	-	-	-	-	.05	.29	.43	23
24	-	-	.01		-	-	-	.01	-	.87	1.76	.50	24
25	-	.09	.00	.03	-	-	-	-	-	-	.09	.08	25
26	-	.01		.01	.05	-	-	-	-	-	.24	.25	26
27	-	-		.11	.15	-	.01	.04	-	.07	.71	.19	27
28	.20	-		.09	-	-	.36	.21	-	.11	.80	.52	28
29	.08	X		.14	-	-	-	-	.14	.02	.48	.19	29
30	.01	X		-	-	.08	.09	-	.25	-	.03	.02	30
31	.65	X		X	-	X	.56	.25	X	-	X	.01	31
TOTAL	1.31	.82	.23	.71	2.36	1.78	1.54	3.32	.63	5.55	8.56	7.63	YEAR'S TOTAL 34.16
Days with "01 in. or more.	14	11	3	11	15	12	10	18	4	19	20	28	165
Days with ".04 in. or more.	7	5	2	7	10	11	8	14	4	15	17	22	122

REGISTER OF RAINFALL IN 1930.

Kept at
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground ft 9 in.
Ground Sea Level 400 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.21	.25	-	.20	-	.01	-	.14	-	-	.31	-	I
2	.01	.02	.03	.13	.15	-	-	.22	-	-	.67	-	2
3	.22	.21	-	.64	.16	-	-	.53	.04	.16	-	-	3
4	.34	.01	.08	.06	-	-	-	-	-	.33	-	-	4
5	-	-	-	-	.08	-	-	.18	.05	.23	-	-	5
6	-	-	.12	-	.07	-	-	.71	.15	.09	-	.02	6
7	.07	-	-	-	-	-	-	.01	.01	.22	.12	.19	7
8	.01	-	-	.13	-	-	-	-	.10	.37	-	.15	8
9	.33	-	.41	.15	.10	-	-	.12	.02	.01	.05	-	9
10	.84	-	.05	-	.28	.01	-	.07	-	-	-	.67	10
11	.14	-	-	.08	.02	-	.28	-	-	.05	-	.12	11
12	.21	-	-	-	.11	-	-	.07	-	-	-	.12	12
13	.04	-	-	.11	.08	.02	.18	.12	.30	-	-	.07	13
14	.56	.05	.44	.07	.01	-	.01	-	.02	-	-	-	14
15	-	.04	.37	-	-	-	.50	-	-	.26	.28	.39	15
16	-	-	-	-	-	-	.04	-	.06	.31	-	.11	16
17	-	-	-	-	.03	-	.03	.07	.63	.08	-	.04	17
18	-	-	.03	.12	.10	-	.01	.19	.53	.13	.08	.10	18
19	-	-	.01	.14	-	.25	-	.08	.83	.31	.39	.01	19
20	-	-	-	.05	.01	-	.37	.78	.65	.25	.18	-	20
21	-	-	.01	-	-	-	.05	.12	-	.05	.40	-	21
22	.41	-	-	.03	.01	.02	-	.28	.10	.34	.25	-	22
23	.07	-	.12	.02	.02	.09	.27	.07	.09	-	.40	.02	23
24	.43	-	-	.22	-	.02	.01	-	.37	-	.38	.02	24
25	.02	.05	.01	.04	.68	-	.01	-	.03	.55	.17	.22	25
26	.62	-	-	-	.18	-	.05	-	.10	.01	.07	.09	26
27	.11	-	.01	-	-	-	.17	-	.04	.12	-	.02	27
28	.02	-	.19	-	-	-	.30	-	.01	.02	.69	.36	28
29	.03	-	-	-	.03	-	.10	-	.39	.34	.14	.07	29
30	-	X	.05	-	.06	.08	.41	-	-	.02	.01	.48	30
31	.31	X	.06	X	.38	X	-	-	X	.15	X	.17	31
TOTAL	5.26	.64	1.99	2.20	2.34	.50	2.79	4.31	4.53	3.30	4.56	3.51	YEAR'S TOTAL
Days with or in. or more.	21	7	16	16	20	8	17	17	21	23	17	21	101
Days with .04 in. or more.	17	5	10	14	13	3	12	16	15	13	16	17	151

REG

ILMINSTER

NIZATION.

Kept at Whitelackington
in the County of Somerset
by Lamb & Creed

WHITE LACKINGTON HSE

SOMERSET

1921-1930

11
Ilminster 2 1/2 miles
Gauge 5 in.
Ground 5 ft. in.
Sea Level 200 ft.
referred to the previous day.

ed to add
the end of
in gauges,
Observers,"
Camden

Jan. 1, following.

IMPORTANT NOTE.—
If an Observer prefers not to
the reading at 9 a.m. on 1st J
this paragraph. Full instruction
and particulars as to the Briti
sent post-free on application
Square, London, N.W. 1.

Recc

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14		.02					.17			.07	.17	1
2	.05		.02		.02					.15	.05	.08	2
3	.02					.02					.14		3
4	.09		.11					.04			.14		4
5			.02		.04			.40			.21		5
6	.25				.08								6
7	.16				.44			.01			.02		7
8	.04		.14		.10								8
9			.01	.05	.26				.03	.01	.01		9
10	.24		.09	.02	.04			.60				.02	10
11	.10		.05		.06			.07	.76	.02			11
12	.31		.13					.09				.28	12
13			.32	.08			.01	.02		.10	.34		13
14	.02		.10	.02	.28		.22	.01	.06		.02		14
15			.10	.08			.09				.34	.14	15
16	.04		.04	.22				.11			.50	.01	16
17	.05		.19				.12	.03	.24				17
18	.05			.12					.02	.14			18
19			.06	.01						.02		.02	19
20										.10	.21		20
21										.02	.03		21
22	.03			.04						.08	.01	.46	22
23				.02			.05			.33			23
24	.03	.03					.11					.04	24
25		.13	.01			.67						.22	25
26	.01						.01				.03	.22	26
27	.16		.03		.09						.04	.03	27
28			.16		.03		.13				.06	.08	28
29	.10		.10		.41							.07	29
30	.60	X					.01	.03			.20	.09	30
31		X		X	.05	X			X		X		31
TOTAL	279	16	159	.66	204	.69	.75	158	111	.97	252	193	16.76
Days with 01 in. or more	20	2	18	10	14	2	9	12	5	10	18	15	135
Days with 04 in. or more	15	1	12	6	12	1	6	7	3	6	11	11	91
YEAR'S TOTAL													16.76

REGISTER OF RAINFALL IN 1921.....

Kept at Whitchurch
in the County of Somerset
by Lambert Creed

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Ilminster 23 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. _____ in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.44		.02					.17			.07	.17	1
2	.05		.02		.02					.15	.05	.08	2
3	.02					.02					.44		3
4	.09		.#		.11			.04			.14		4
5			.02		.04			.40			.21		5
6	.25				.08								6
7	.16				.44			.01			.02		7
8	.04		.14		.10								8
9			.01	.05	.26				.03	.01	.01		9
10	.24		.09	.02	.04			.60				.02	10
11	.10		.05		.06			.07	.76	.02			11
12	.31		.13					.09				.28	12
13			.32	.08			.01	.02		.10	.34		13
14	.02		.10	.02	.28		.22	.01	.06		.02		14
15			.10	.08			.09				.34	.14	15
16	.04		.04	.22				.11			.50	.01	16
17	.05		.19				.12	.03	.24				17
18	.05			.12					.02	.14			18
19			.06	.01						.02		.02	19
20										.10	.21		20
21										.02	.03		21
22	.03			.04						.08	.01	.46	22
23				.02			.05			.33			23
24	.03	.03					.11					.04	24
25		.13	.01			.67						.22	25
26	.01						.01				.03	.22	26
27	.16		.03		.09						.04	.03	27
28			.16		.03		.13				.06	.08	28
29	.10		.10		.41							.07	29
30	.60	~~X~~					.01	.03			.20	.09	30
31		~~X~~		~~X~~	.05	~~X~~			~~X~~		~~X~~		31
TOTAL	279	16	159	66	204	69	75	158	111	97	252	193	YEAR'S TOTAL
Days with ".01 in. or more	20	2	18	10	14	2	9	12	5	10	18	15	16.76 ✓
Days with ".04 in. or more	15	1	12	6	12	1	6	7	3	6	11	11	135 ✓
													91

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922.

Kept at Whitelackington
in the County of Somerset
by Saml. Creed

Lat. _____ Long. _____
Time of Observation 9.45
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 3 ft. _____ in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		30	26	35			64	03		01	29		1
2		22	07	01	04		22	03			10		2
3	03	11	15	40	08		01	09			10		3
4		02	24				02			30			4
5	10		38	10			161	30		15	53		5
6	19		23	05			01	199	03		16		6
7	03		59	40		05	12	57					7
8	02		02	03		08	53	12			12	11	8
9	15										06		9
10	01						10				34		10
11	02			02	10		01				01		11
12				31		02	15	30	67			03	12
13	60			60		03			06		01		13
14	02	01	04	06			01		05		01		14
15	60	08		19			03				01		15
16		13		28	16			18				08	16
17		09			04		03		06			17	17
18	48	03			01			01	02			08	18
19	02	03	02									148	19
20	53	30	02									01	20
21	10	07				02	28	01	02		03	145	21
22		11				02		07	01			27	22
23	03	05		05	03	08	10					04	23
24	11		11	02		04		03			01	04	24
25	39	09		19		06		01	38			29	25
26	02	42		03			06	02	28		06	03	26
27	48	62	08	01		08		25	04		02	27	27
28	78	50						19				28	28
29	47		09	63						73		46	29
30	76	X	130					65	20	10	03	53	30
31		X		X		X	02	03	X	69	X		31
TOTAL	5941	318	360	366	46	48	395	488	182	198	189	562	YEAR'S TOTAL
Days with 01 in. or more	23	18	15	19	7	10	18	19	12	6	17	17	3746
Days with 04 in. or more	14	14	12	13	5	6	10	11	8	5	9	14	181
													121

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Whitla Chington
in the County of Somerset
by Saml. Creed

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Minster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 200 ft.

1927
29 JAN 1924

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	09	04	44						77	14	02	125	1
2	13	03	06		02			08		22		03	2
3	03		02	07						28		21	3
4				03	06				12	01	04	16	4
5	78		02		03					03	02	10	5
6	76	163	06	15			01					01	6
7		126		04						11		85	7
8	04	01								03	12		8
9	12	202			01					02			9
10	01	40		66			09			15			10
11				07	03					89			11
12		13	35		02	01	03			52	02	02	12
13	02	34		47	02				23	02	94	02	13
14	01	01	03	09	04				46	04	12		14
15		08	07	16	11	31	09				48		15
16		25		40	05						21		16
17	01	59					02	06	55		51		17
18	02	31		15				01	12	09	05	02	18
19	05	05		01			04		10	18			19
20		32			02				10	45	04	02	20
21		05							01	05			21
22		63	02	02				01	10	07		01	22
23		74	29		02		04	86	05	24		17	23
24		18		14	01				80	04		20	24
25		57	01	27			01	05		52		35	25
26		02	03	07				05		67		30	26
27		26	35	07	07		02	12		04	02	10	27
28	01	16		01	17		11	26					28
29	03				18			57	02	04			29
30		X			04		10	03	01	12		10	30
31		X	03	X		X	25	09	X	01	X	18	31
TOTAL	211	1008	178	288	90	52	81	219	264	498	259	410	3558
Days with 01 in. or more	15	24	14	18	17	2	12	12	14	26	13	19	186
Days with 04 in. or more	7	20	7	14	8	1	7	9	11	20	9	12	135

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Whitelackington Ilminster
in the County of Somerset
by Saml Creed

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.02				.03	.13	.10			.60	.20	W R V
2	.03		.32		.05		.20			.03		.01	2000
3	.25		.09		.05	.21	.17	.11		.07			3 C
4			.01	.05		.66			.01			.29	4 1005
5			.03		.01		.10			.15		.05	5
6					.10		.02		.20	.46			6
7	.02				.14	.10			1.72	1.85			7
8	.19				.17		.07		.17	.01			8
9	.05	.21		.03	.17	.08				.01	.13		9
10	.12	.02		.02	.78	.86			.03	.07	.03		10
11	.19	.19		.41	.28	.36			.01	.08	.65	.02	11
12	.35			.02	.13	.06	.05		.27		.02		12
13	.06	.01		.76					.54			.39	13
14				.02				.04				.24	14
15	.01	.03						.02	.02	.02		.87	15
16	.22							.38				.02	16
17	.42				.08	.11	.53	.14				.01	17
18	.27	.01			.21			.66		.39			18
19					.05		.14	.38	.05				19
20	.26		.03		.67	.30	.36	.31	.52	.29			20
21	.30		.08		.20	.43	.11	.04	.03	.40			21
22	.31		.65		.06		.03	.27	.63			.28	22
23	.01		.11	.01	.42		.05	.23	.07			.98	23
24	.16		.19	.31	.06			.03	.58	.04	.08	.52	24
25		.02	.03	.32	.07		.07		.51	.17	.42	.21	25
26				.06				.02	.04	.03	.94	.85	26
27				.72			.65	.02	.01	.67		.28	27
28				.09			.66	.16		.08	.64	.02	28
29		.05			.01		.10	.06	.03	.73	.66	.82	29
30		X		.02	.18		.01	.16	.13	.43	.34	.17	30
31		X		X	.52	X	.01	.03	X	.20	X	.18	31 1143
TOTAL	3.24	.56	1.47	2.84	4.41	3.20	3.46	3.16	5.57	6.18	4.51	6.41	45.01
Days with ".01 in. or more.	19	9	10	14	22	11	19	19	20	21	11	20	195
Days with ".04 in. or more.	14	3	5	8	20	10	15	14	13	16	9	15	142

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at *Whitelackington*
in the County of *Somerset*

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *3* ft. in.
Ground Sea Level *200* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.85</i>		<i>.02</i>	<i>.01</i>	<i>.03</i>			<i>.10</i>	<i>.06</i>	<i>.02</i>	<i>1.03</i>		1
2	<i>.14</i>			<i>.05</i>			<i>.22</i>			<i>.01</i>			2
3	<i>.12</i>				<i>.09</i>		<i>.03</i>		<i>.03</i>	<i>.01</i>			3
4	<i>.07</i>			<i>.67</i>	<i>.33</i>		~~<i>.20</i>~~	<i>.20</i>			<i>.27</i>		4
5	<i>.02</i>	<i>.29</i>		<i>1.04</i>	<i>.45</i>			<i>.27</i>	<i>.17</i>				5
6		<i>.03</i>			<i>.65</i>		<i>.21</i>	<i>.14</i>		<i>.02</i>	<i>.85</i>	<i>.01</i>	6
7		<i>.22</i>	<i>.03</i>		<i>.54</i>					<i>.03</i>	<i>.06</i>	<i>.52</i>	7
8	<i>.24</i>				<i>.11</i>		<i>.05</i>	<i>.45</i>				<i>.20</i>	8
9		<i>.01</i>		<i>.12</i>	<i>.44</i>		<i>.10</i>	<i>.01</i>	<i>.04</i>			<i>.05</i>	9
10			<i>.01</i>	<i>.01</i>				<i>.01</i>		<i>.01</i>			10
11		<i>.46</i>			<i>.21</i>			~~<i>.01</i>~~		<i>.01</i>			11
12	<i>.01</i>	<i>.86</i>		<i>.01</i>				<i>.49</i>					12
13	<i>.12</i>	<i>.07</i>	<i>.19</i>	<i>.01</i>								<i>.06</i>	13
14	<i>.40</i>	<i>.37</i>		<i>.12</i>							<i>.10</i>		14
15	<i>.03</i>			<i>.06</i>					<i>.17</i>		~~<i>.23</i>~~	<i>.03</i>	15
16	<i>.01</i>	<i>.12</i>								<i>.31</i>			16
17		<i>.01</i>			<i>.13</i>		<i>.04</i>		<i>.05</i>				17
18		<i>.02</i>		<i>.13</i>	<i>.23</i>		<i>.04</i>	<i>.01</i>	<i>.25</i>	<i>.03</i>		<i>.03</i>	18
19		<i>.02</i>		<i>.15</i>			<i>.06</i>	<i>.63</i>	<i>1.73</i>	<i>.53</i>		<i>.65</i>	19
20	<i>.01</i>	<i>.03</i>	<i>.02</i>				<i>.02</i>	<i>.08</i>	<i>.57</i>	<i>.73</i>		<i>.06</i>	20
21							<i>.64</i>	<i>.75</i>	<i>.77</i>	<i>.51</i>		<i>.27</i>	21
22	<i>.04</i>	<i>.71</i>		<i>.10</i>	<i>.13</i>		<i>.03</i>			<i>.82</i>		<i>.56</i>	22
23	<i>.05</i>	<i>.04</i>		<i>.01</i>	<i>.01</i>					<i>.05</i>	<i>.01</i>	<i>.03</i>	23
24	<i>.30</i>	<i>.60</i>	<i>.08</i>	<i>.06</i>	<i>.18</i>		<i>.01</i>	<i>.09</i>		<i>.01</i>		<i>.25</i>	24
25	<i>.70</i>	<i>.85</i>	<i>.08</i>		<i>.07</i>		<i>.14</i>		<i>.20</i>	<i>.20</i>		<i>.84</i>	25
26	<i>.17</i>	<i>.28</i>			<i>.54</i>		<i>.25</i>	<i>.15</i>	<i>.02</i>	<i>.53</i>		<i>.09</i>	26
27	<i>.03</i>	<i>.03</i>		<i>.11</i>	<i>.11</i>		<i>.11</i>			<i>.02</i>		<i>.17</i>	27
28	<i>.15</i>	<i>.03</i>			<i>.15</i>		<i>.07</i>		<i>.02</i>				28
29	<i>.07</i>			<i>.01</i>	<i>.18</i>		<i>.01</i>		<i>.01</i>		<i>.04</i>	<i>.43</i>	29
30		<i>X</i>		<i>.09</i>	<i>.06</i>		<i>.47</i>			<i>.10</i>	<i>.05</i>	<i>.40</i>	30
31	<i>.21</i>	<i>X</i>	<i>.02</i>	<i>X</i>	<i>.02</i>	<i>X</i>	<i>.02</i>		<i>X</i>	<i>.01</i>	<i>X</i>	<i>.03</i>	31
TOTAL	<i>3.74</i>	<i>5.05</i>	<i>.45</i>	<i>2.76</i>	<i>4.46</i>	<i>Nil</i>	<i>2.52</i>	<i>3.39</i>	<i>4.09</i>	<i>3.96</i>	<i>2.41</i>	<i>3.88</i>	YEARS TOTAL <i>36.11</i>
Days with ".01 in. or more.	<i>21</i>	<i>20</i>	<i>8</i>	<i>18</i>	<i>21</i>	<i>Nil</i>	<i>19</i>	<i>15</i>	<i>14</i>	<i>20</i>	<i>8</i>	<i>19</i>	<i>18</i>
Days with ".04 in. or more.	<i>15</i>	<i>12</i>	<i>3</i>	<i>12</i>	<i>17</i>	<i>0</i>	<i>13</i>	<i>11</i>	<i>10</i>	<i>9</i>	<i>7</i>	<i>14</i>	<i>13</i>

(Signed) *Lambert Creed* [P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

1884

Kept at *Whitela Kingston*
in the County of *Somerset*

Diameter of Funnel of Gauge *3* in.Height of top of Gauge above Ground *3* ft. in.,, Ground ,, Sea Level *200* ft.

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.85		.02	.01	.03			.70	.06	.02	1.03		1
2	.14			.05			.22			.01			2
3	.12				.09		.03		.03	.01			3
4	.07			.67	.33		~~.20~~	.20			.27		4
5	.02	.29		1.04	.45			.27	.17				5
6		.03			.65		.21	.14		.02	.85	.01	6
7		.22	.03		.54					.03	.06	.52	7
8	.24				.11		.05	.45				.20	8
9		.01		.12	.44		.10	.01	.04			.05	9
10			.01	.01				.01		.01			10
11		.46			.01			.01		.01			11
12	.01	.86		.01				.49					12
13	.12	.07	.19	.01								.06	13
14	.40	.37		.12							.10		14
15	.03			.06					.17		~~.03~~	.03	15
16	.01	.12								.31			16
17		.01			.13		.04		.05				17
18		.02		.13	.23		.04	.01	.25	.03		.03	18
19		.02		.15			.06	.63	1.73	.53		.65	19
20	.01	.03	.02				.02	.08	.57	.73		.06	20
21							.64	.75	.77	.51		.27	21
22	.04	.71		.10	.13		.03			.82		.56	22
23	.05	.04		.01	.01					.05	.01	.03	23
24	.30	.60	.08	.06	.18		.01	.09		.01		.25	24
25	.70	.85	.08		.07		.14		.20	.20		.04	25
26	.17	.28			.54		.25	.15	.02	.53		.09	26
27	.03	.03		.11	.11		.11			.02		.17	27
28	.15	.03			.15		.07		.02				28
29	.07			.01	.18		.01		.01		.04	.43	29
30		X		.09	.06		.47			.10	.05	.40	30
31	.21	X	.02	X	.02	X	.02		X	.01	X	.03	31
TOTAL	3.74	5.05	.45	2.76	4.46	Nil	2.52	3.39	4.09	3.96	2.41	3.88	36.71
Days with ≥ 1 in. or more.	21	20	8	18	21	Nil	19	15	14	20	8	19	183
Days with ≥ .04 in. or more.	15	12	3	12	17	0	12	11	10	9	7	14	123

(Signed) *L. A. M. C. C.*

[P. 10]



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Whitelackington Ilminster
in the County of Somerset

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....3 ft..... in.
" Ground " Sea Level.....200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.06	.23			.03	1.20			.23		1.64	.01	1
2	.32	.04				.24			.10				2
3	.12	.23	.14	.02								.02	3
4	.03	.26	.20				.01				.52	.07	4
5	.05	.16	.04		.17	~~.25~~	.26			.15		.23	5
6	.20	.09	.02	.04			.35	.05	.03	.12	.38		6
7	.03	.02		.42	.17	.05			.04		.48	.02	7
8		.01	.01	.09			.03			.12	1.69		8
9			.05		.01	.50	.01	.21	.02	.02	.16		9
10					.05	.35		.21		.10	.51		10
11					.31	.30		.10			.03	.01 <i>1.03</i>	11
12					.20	.07		.02		.22	.30	.01 <i>1.03</i>	12
13		.06				.45				.02	.45		13
14	.03	.23		.56	.09				.02	.68	.05	.01 <i>1.03</i>	14
15	.04			.26						.38	.07		15
16	.25	.27		.32				.11		.06	.15		16
17	.13	.50		.07		.35	<u>.231</u>	.17			.78	.10	17
18	.33	.03		.13			.02	.02			.27	.01	18
19	.02			.01	.02		.14	.04	.04		.14		19
20		.01		.23				.18			.09		20
21	.11			.21			.11	.02		.55	.01	.04	21
22	.33			.02						.72			22
23	.17	.10				.01							23
24			.07							.30			24
25	.11			.05			.16		.01	.27	.16	.03	25
26	.04				.07				.17		.10		26
27	.21	.02	.07	.09	.07								27
28	.57									.79	.62		28
29	.10			.14	.10		.05				.10		29
30	.18	X		.43	.17			.13			.13		30
31	.57	X		X		X			X		X		31
TOTAL	5.00	2.26	.60	2.84	1.46	3.52	3.45	1.26	.66	4.50	8.83	.56	34.94
Days with ".01 in. or more.	23	16	8	17	13	10	11	12	9	15	23	12	169
Days with ".04 in. or more.	19	11	6	14	10	9	7	9	5	13	21	4	128
YEAR'S TOTAL													

Please read the Notes and Instructions Overleaf.

Section **A** for the entry of Daily Observations.

1864
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at *Whitelackington, Ilminster*

in the County of *Somerset*

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....3 ft.....in.

„ Ground „ Sea Level 200 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1		1.86		.02			.90	.07		.13	.35		1
2	.01		.03	.12	.03								2
3	.20	.01	.28	.03	.08		.20						3
4	.01		.12		.13		.52				.12		4
5	.02	.03	.19	.29		.02	.04				.09		5
6	.08		.28	.53		.01	.01	.13	1.06				6
7		.13	.03	.04		.14	.13	.19			.02		7
8			.03	.24	.02			.15	.03			.08	8
9			.03		.28		.07	.12	.64			.17	9
10			.06	.05		.01			.03				10
11								.05	.02		.27		11
12	.15	<i>Dense Fogs</i>						.55	.03				12
13	.07					.10		.10	.09		.03	.25	13
14	.05			.03	.06		.06	.01	1.02	.04			14
15	.03				.04			.35	.23		.16		15
16					.14	.73			.18	.01			16
17	.23	.06	.05			.13		.49	.08	.03	.10		17
18						.53		.03	.01		.45		18
19		.27					.01	.29			.73		19
20	.24	.24			.02	.01	.13	.15			.40	.40	20
21	.02	.32	.05		.01			.35	.29	.88	.09	1.25	21
22	.04	.32	1.09			.05			.09	.61	.22	.91	22
23		.53	.21			.19	.03	.03	1.04			.08	23
24	.43	.04	.45	.04				.19	.06	.02		.75	24
25	.23	.29	.22	.01		.12	.01		.06	.05		.55	25
26	.35		.05	.01		.05	.38		.10	.02			26
27	.02	.18	.05		.10	.03	.42			.38			27
28	2.38	.05	.16	.04		.13			.45	.03	.21		28
29	.10		.20			.07	.06		.40	.03	.01		29
30	.01	X				.12	.05	.02	.03	.16	.01	.04	30
31	.08	X	.75	X		X	.07		X		X	.14	31
TOTAL	4.75	4.11	4.33	1.45	.91	2.44	3.09	3.27	5.94	2.37	3.26	4.62	YEARS TOTAL 40.54
Days with .01 in. or more.	21	13	20	13	11	17	17	18	21	13	16	11	191
Days with .04 in. or more.	14	11	16	8	7	12	13	14	15	7	12	11	140



for the entry of Daily Observations.

1938
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928 .

Kept at Whitelackington
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
Ground Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.24	.02						.03					1
2	.13	.19	.30	.04			.02	.17			.03		2
3		.03	.03	.21			.20				.16		3
4	.04	.23		.01		.07				.12	.18		4
5			.08						.05	.79			5
6			.02	.21		.67						.04	6
7		.01	.02	.06	.01	.02		.04		.10			7
8	.01	.04		.14		.52		.04	.08	.25		.05	8
9		.01		.27		.14		.05	.29			.05	9
10	.10	.21		.09				.02		.48	.10		10
11						.20	.709 .01	.03		.48	.01	.47	11
12	.41	.58	.04					.07		.04	.05	.03	12
13						.10		.02					13
14	.05	.07		.26	.01	.10		.04		.31	.57		14
15	.07		.02	.30		.04		.06		.03	.36	.10	15
16		.05	.13		.11					.07	.31	.63	16
17	.02				.38	.02		.01			.03		17
18	.19		.16			.02			.01	.29	.30	.02	18
19			.31		.24	.05				1.03	.15		19
20	.24		.16					.05			.44		20
21	.05		.63	.02	.28					.04	.90	.01	21(01)
22	.35		.25					.01		1.16	.21	.04	22
23	.12		.06		.02			.02		.37	.14	.01	23
24	.02							.13	.25	.02	.04	.12	24
25	.10		.08			.06		.04		.17	.09	.54	25
26	.13		.02		.01	.10	.06	.44		1.17		.06	26
27				.09			.75	.10	.44	.12	.03	.88	27
28	.85	.23	.25		.01			.16	.88			.06	28
29	.22	.63	.25		.03	.11	.08		.01	.06	.02	.03	29
30	.05	X			.01		.33					.12	30
31	.17	X	.09	X		X	.22		X		X		31
TOTAL	5.44	2.30	2.90	1.70	1.11	2.27	1.67	1.53	2.01	7.40	4.12	3.26	35.71
Days with .01 in. or more.	21	13	19	12	11	15	8	20	8	20	20	18	185
Days with .04 in. or more.	18	9	14	10	4	12	6	13	6	18	15	13	138

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Whitelackington
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" Ground " Sea Level " ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.41			.16	.06				.27		.17	1
2		.21			.02		.11	.02		.06	.02	.58	2
3						.03	.01	.80				.31	3
4	.01	.05		.10	.43	.01	.10	.15		.13		1.15	4
5	.02	.06			.84	.35	.26	.35		2.38	1.20	.18	5
6					.03	.02		.05				1.18	6
7					.06	.21				.79	.35	.64	7
8					.10	.05		.02		.18			8
9	.11	.05						.01		.02	.13	.64	9
10				.02	.12							.22	10
11					.15	.02					1.20	.15	11
12				.17		.85					.02	.10	12
13	.02			.02	.15	.10							13
14					.10	.10						.26	14
15	.01	.16				.08					.74	.02	15
16	.09							.03			.06		16
17										.02			17
18										.26	1.53		18
19											1.30		19
20	.02							.03			.02	.90	20
21	.02		.18				.03				.02		21
22		.08						.07		.01	1.09	.18	22
23					.08					.02	.67	.50	23
24		.02	.03	.09						.98	2.12	1.05	24
25											.30	.02	25
26		.10		.02	.01						.01	.20	26
27		.04		.10	.28					.04	1.16	.12	27
28	.44			.25			.43	.01		.10	.64	.65	28
29	.03			.50					.15	.39	.94	.21	29
30	.07	X		.03		.20	.05		.24		.02	.13	30
31		X		X		X	.21		X		X	.02	31
TOTAL	1.07	1.18	.21	1.11	2.53	2.10	1.20	1.96	.39	5.65	13.16	9.58	YEAR'S TOTAL
Days with ".01 in. or more.	11	.10	2	.10	.74	.13	.08	.11	2	.15	.21	.24	40.14
Days with ".04 in. or more.	4	9	1	6	11	8	6	4	2	11	15	21	98

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Whitchurch
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
,, Ground ,, Sea Level 200 about ft.

I have no convenient place for gauge at 1 ft

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.05	.20		.67				.20		.01	.31		I
2		.02		.13			.11	.44		.01	.27		2
3	.09	.12		.68				.46		.07			3
4	.77	.25	.08	.03				.02		.22			4
5				.30	.05			.90		.06	.10		5
6			.05		.02			.35	.14	.06			6
7	.34		0					.02		.29	.28	.18	7
8	.01			.05					.32	.02		.21	8
9	.26		.37	.20	.06				.09	.01			9
10	.95		.07	.03	.20	.01			.44	.01		.90	10
11	.14		.07		.01							.08	11
12	.27			.08	.17				.03			.13	12
13	.07		.19	.30			.03		.34			.03	13
14	.60	.03	.18	.10	.01		.02		.02	.01		.21	14
15	.07		.36					.02	.37	.00	.04	.50	15
16	.05						.61		.02	.10		.37	16
17				.14	.05		.11	.03	.66	.07			17
18							.13		.78	.04	.14		18
19			.02	.17		.01		.150	.57	.27	.68		19
20				.12			.41	.04	.43	.04	.47	.04	20
21			.02			.04		.35	.03	.18	.52		21
22	.81			.06		.01				.27	.06		22
23	.07		.30	.03		.19	.05		.07		.67		23
24	.40			.23						.13	.18	.18	24
25	.07	.20		.02	.25	.08	.05		.12	.02	.05	.20	25
26	.107	.20			.20				.05		.41	.22	26
27	.08								.05	.03			27
28	.05		.13				.04		.05		.98	.51	28
29	.04		.01		.10				.20	.01	.48	.20	29
30	.05	X	.50		.02		.16			.01	.01	.10	30
31	.60	X	.02	X	.26	X			X	.30	X	.35	31
TOTAL	6.61	1.02	2.37	3.34	1.40	.34	1.72	4.41	4.78	3.04	5.65	4.49	30.47
* Days with or more.	23	7	15	10	13	6	11	12	20	25	17	17	1884
* Days with or more.	22	5	11	14	9	8	9	8	16	15	16	16	144

40-9999

*See Instruction 2 (f) on other side.

(Signed) L. A. Creed

[P.T.O.]

ILMINSTER

Kept at *Dillington Pk* DILLINGTON PK. GDNS

in the County of *Som.*

by *Wilson Gold*

SOMERSET

1921-1930

Gauge *7 3/4* in.
e Ground *3 1/2* ft. — in.
Sea Level *161.4* ft.

tered to the previous day.

ted to add
the end of
rain gauges,
Observers,
62, Camden

Jan. 1, following.

IMPORTANT NOTE.—

If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructi
and particulars as to the Br
sent post-free on application
Square, London, N.W. 1.

Re

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>40</i>		<i>.02</i>					<i>.18</i>			<i>.08</i>	<i>.18</i>	1
2	<i>.04</i>							<i>.02</i>		<i>.17</i>	<i>.05</i>	<i>.07</i>	2
3	<i>.01</i>					<i>.03</i>					<i>.44</i>		3
4	<i>.11</i>				<i>.07</i>			<i>.05</i>			<i>.09</i>		4
5			<i>.02</i>		<i>.05</i>			<i>.39</i>			<i>.24</i>		5
6	<i>.27</i>		<i>.05</i>		<i>.08</i>							<i>.01</i>	6
7	<i>.14</i>				<i>.38</i>								7
8	<i>.04</i>		<i>.15</i>		<i>.15</i>								8
9				<i>.09</i>	<i>.24</i>				<i>.04</i>	<i>.02</i>	<i>.02</i>		9
10	<i>.20</i>		<i>.11</i>	<i>.03</i>	<i>.02</i>			<i>.55</i>		<i>.04</i>		<i>.02</i>	10
11	<i>.11</i>		<i>.04</i>		<i>.06</i>			<i>.08</i>	<i>.77</i>				11
12	<i>.27</i>		<i>.10</i>					<i>.10</i>				<i>.28</i>	12
13	<i>.01</i>		<i>.29</i>	<i>.07</i>			<i>.05</i>	<i>.02</i>	<i>.04</i>	<i>.18</i>	<i>.31</i>		13
14			<i>.12</i>	<i>.11</i>	<i>.26</i>		<i>.24</i>	<i>.02</i>	<i>.04</i>		<i>.02</i>	<i>.11</i>	14
15			<i>.08</i>	<i>.03</i>			<i>.09</i>				<i>.35</i>		15
16	<i>.05</i>		<i>.05</i>	<i>.24</i>			<i>.09</i>	<i>.12</i>			<i>.46</i>	<i>.02</i>	16
17	<i>.07</i>		<i>.01</i>					<i>.04</i>	<i>.28</i>				17
18	<i>.08</i>		<i>.19</i>	<i>.11</i>						<i>.12</i>			18
19			<i>.06</i>	<i>.01</i>								<i>.02</i>	19
20			<i>.03</i>	<i>.01</i>						<i>.14</i>			20
21	<i>.02</i>										<i>.02</i>		21
22				<i>.10</i>						<i>.10</i>	<i>.01</i>	<i>.42</i>	22
23							<i>.05</i>			<i>.33</i>			23
24	<i>.03</i>	<i>.05</i>										<i>.03</i>	24
25		<i>.13</i>				<i>.82</i>	<i>.08</i>					<i>.19</i>	25
26	<i>.18</i>		<i>.03</i>				<i>.01</i>				<i>.04</i>	<i>.23</i>	26
27			<i>.02</i>		<i>.14</i>	<i>.01</i>						<i>.05</i>	27
28			<i>.15</i>		<i>.02</i>		<i>.18</i>				<i>.09</i>	<i>.08</i>	28
29	<i>.12</i>		<i>.14</i>		<i>.36</i>			<i>.07</i>			<i>.01</i>	<i>.08</i>	29
30	<i>.57</i>	<i>X</i>			<i>.05</i>						<i>.16</i>	<i>.11</i>	30
31	<i>.03</i>	<i>X</i>		<i>X</i>		<i>X</i>			<i>X</i>		<i>X</i>		31
TOTAL	<i>2.75</i>	<i>.18</i>	<i>1.66</i>	<i>.80</i>	<i>1.88</i>	<i>.86</i>	<i>.79</i>	<i>1.64</i>	<i>1.17</i>	<i>1.05</i>	<i>2.39</i>	<i>1.90</i>	YEAR'S TOTAL <i>17.07</i>
Days with ".01 in. or more	<i>20</i>	<i>2</i>	<i>19</i>	<i>10</i>	<i>13</i>	<i>3</i>	<i>8</i>	<i>12</i>	<i>5</i>	<i>8</i>	<i>16</i>	<i>16</i>	<i>132 days</i>
Days with ".04 in. or more	<i>15</i>	<i>2</i>	<i>13</i>	<i>6</i>	<i>11</i>	<i>1</i>	<i>7</i>	<i>9</i>	<i>5</i>	<i>7</i>	<i>11</i>	<i>11</i>	<i>98 days</i>

REGISTER OF RAINFALL IN 1927.....

Kept at Dillingham Ph Eds. Grinstead
in the County of Somerset
by Wilson Goldthorpe

Lat. ——— Long. ———
Time of Observation 9 a.m.
Nearest Railway Station Grinstead
Diameter of Funnel of Rain Gauge 7 3/4 in.
Height of top of Gauge above Ground 3 1/2 ft. — in.
" " " " Sea Level 161.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40		.02					.18			.08	.18	1
2	.04							.02		.17	.05	.07	2
3	.01					.03					.44		3
4	.11				.07			.05			.09		4
5			.02		.05			.39			.24		5
6	.27		.05		.08							.01	6
7	.14				.38								7
8	.04		.15		.15								8
9				.09	.24				.04	.02	.02		9
10	.20		.11	.03	.02			.55		.04		.02	10
11	.11		.04		.06			.08	.77				11
12	.27		.10					.10				.28	12
13	.01		.29	.07			.05	.02	.04	.18	.31		13
14			.12	.11	.26		.24	.02	.04		.02	.11	14
15			.08	.03			.09				.35		15
16	.05		.05	.24			.09	.12			.46	.02	16
17	.07		.01					.04	.28				17
18	.08		.19	.11						.12			18
19			.06	.01								.02	19
20			.03	.01						.14			20
21	.02										.02		21
22				.10						.10	.01	.42	22
23							.05			.33			23
24	.03	.05										.03	24
25		.13				.82	.08					.19	25
26	.18		.03				.01				.04	.23	26
27			.02		.14	.01						.05	27
28			.15		.02		.18				.09	.08	28
29	.12		.14		.36			.07			.01	.08	29
30	.57	X			.05						.16	.11	30
31	.03	X		X		X			X		X		31
TOTAL	2.75	.18	1.66	.80	1.88	.86	.79	1.64	1.17	1.05	2.39	1.90	YEAR'S TOTAL 17.07
Days with ".01 in. or more	20	2	19	10	13	3	8	12	5	8	16	16	132 days
Days with ".04 in. or more	15	2	13	6	11	1	7	9	5	7	11	11	98 days

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at The Gardens, Dillingham Park
in the County of Somerset.
by Wilson Goldthorpe

Lat. _____ Long. _____
Time of Observation 9.4.22
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 161.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.23	.24	.63			.64	.02			.23		1
2		.25	.06	.17	.02		.18	.05			.10		2
3	.03	.13	.18	.54	.09			.11			.10		3
4		.02	.27		.13		.04			.30			4
5	.11		.27	.10			1.41	.12		.16	.51		5
6	.17		.22	.14				2.12			.18		6
7	.02		.54	.32		.07	.11	.58	.02		.22		7
8	.03		.02	.04		.09	.54	.12			.10	.10	8
9	.15										.05		9
10							.02				.29		10
11	.03				.08			.29					11
12				.46					.64				12
13	.54			.52		.04	.17		.04			.03	13
14			.05	.12			.02		.05				14
15	.55	.08		.20			.04						15
16		.13		.22	.13			.15	.02			.07	16
17		.08			.44		.04		.01			.16	17
18	.49	.03							.05			.13	18
19	.01	.03	.03									1.38	19
20	.42	.29	.02						.03			.01	20
21	.11	.07					.27	.02	.01		.07	1.63	21
22		.05				.03	.01	.07					22
23		.09		.05		.01	.07		.04			.04	23
24	.07	.04	.09	.01	.02	.12	.02	.03				.03	24
25	.40			.17		.09			.33			.23	25
26	.01	.34		.04			.07	.02	.33		.08	.01	26
27	.50	.66	.12	.01				.23	.05	.04	.02	.33	27
28	.83	.58	.03			.09		.21				.23	28
29	.42		.05	.59				.61		.55		.52	29
30	.75	X						.05	.20	.12	.03	.52	30
31		X		X		X	.05		X	.43	X		31
TOTAL	5.64	3.10	2.96	4.33	.51	.54	3.70	4.60	1.82	1.60	1.98	5.42	36.40
Days with ".01 in. or more	20	17	16	18	7	8	17	17	14	6	13	16	169
Days with ".04 in. or more	14	14	12	16	5	6	13	13	9	6	11	12	131
													YEAR'S TOTAL

REGISTER OF RAINFALL IN 1923.

AIR MINISTRY.

Kept at Dillington Pk. Obs. Station
in the County of Somersetshire
by Wilson Goldthorpe

Lat. _____ Long. _____
Time of Observation 9 a.m. 9 a.m.
Nearest Railway Station Gloucester & Stroud
Diameter of Funnel of Rain Gauge 8 inc
Height of top of Gauge above Ground 3 ft. 4 in.
" " " " Sea Level 761 ft. 4 in.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.05	.42					.02	.20	.16	.03	.95	1
2	.14	.05	.07		.02			.11		.24	.01	.03	2
3	.04		.01	.10					.13	.34		.21	3
4				.03	.02					.02	.06	.14	4
5	.71				.15					.02	.02		5
6	.42	1.45	.02	.13			.02			.01	.01		6
7	.01	1.12	.10	.03						.11		.72	7
8	.03		.01		.02					.03	.12	.01	8
9	.16	1.78									.01		9
10	.01	.44		.63	.01		.07			.13	.01		10
11				.08	.03					.98	.01		11
12		.14	.32	.02	.03	.01	.05			.59		.03	12
13	.01	.35		.36	.04				.16	.01			13
14		.01	.02	.09	.03			.01	.52	.05	.88		14
15		.11	.07	.15	.16	.51	.09				.18		15
16		.22		.38	.08						.57	.02	16
17	.03	.56					.07	.07	.52	.02	.53		17
18	.02	.35		.15		.02		.01	.15	.08	.07	.01	18
19	.05	.07					.04	.02	.12	.17			19
20		.27			.02				.10	.42	.05		20
21		.08							.01	.07	.01	.02	21
22		.62		.04				.02	.11	.07		.01	22
23		.74	.32				.05	.99	.05	.23		.16	23
24		.19		.15	.02				.59	.05		.22	24
25		.55		.27			.01	.05	.06	.54		.38	25
26		.04	.06	.11				.04		.63		.34	26
27		.35	.34		.09		.03	.18		.12		.11	27
28	.03	.19	.15	.09	.15		.09	.17	.02	.01			28
29	.02			.02	.15		.01	.71		.02		.11	29
30		X			.03		.13	.03	.01	.11		.01	30
31		X	.04	X		X	.20	.11	X		X	.22	31
TOTAL	1.75	9.73	1.95	2.83	1.05	.54	.86	2.54	2.75	5.23	2.55	3.70	YEAR'S TOTAL 35.48
Days with '01 in. or more	15	23	14	18	17	3	13	15	15	27	16	19	195
Days with '04 in. or more	7	22	10	14	7	1	9	9	12	19	8	11	129

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924

County No. _____

River Dist. _____

Station No. _____

Kept at Dillington Park Garden
in the County of Somerset Honiton
by Wilson Goldthorpe

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Honiton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 161 ft. 4 in.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.01		.01	.03	.11	.14			.63	.12	RRR
2	.07				.07		.18			.08		.02	2 BTH
3	.29		.45		.09	.07	.16	.11		.06			3
4			.03	.05		.82				.02		.26	4
5			.08		.01		.15			.16		.06	5
6					.09			.09	.25	.40		.01	6
7	.02				.16	.10			.65	1.70			7
8	.15	.20		.03	.07		.05		.18	.03			8
9	.16	.02			.10	.09			.30		.12		9
10	.16	.14		.15	.78	.68			.02	.06	.02		10
11	.32	.05		.56	.28	.36				.07	.66		11
12	.55	.02		.05	.13	.12		.25	.19				12
13	.07			.90					.53	.02		.40	13
14				.06				.05				.23	14
15		.04							.02			.80	15
16	.23							.52					16
17	.46				.08	.10	.57	.18	.01				17
18	.45				.21			.75		.39			18
19	.02				.05		.10	.25	.07				19
20			.05		.67	.25	.46	.35	.43	.30			20
21	.31				.20	.44	.08	.06	.02	.36			21
22	.56		.73		.06		.07	.28	.86			.20	22
23	.01		.11		.42		.04	.20	.05			.90	23
24	.22	.02	.17	.26	.11			.03	.61	.06	.09	.35	24
25			.03	.25			.08	.01	.47	.13	.40	.21	25
26				.17				.02	.05	.08	.95	.65	26
27				.90			.65	.02		.78		.26	27
28							.72	.13		.07	.55	.02	28
29		.05		.14	.01		.02	.07	.02	.75	.70	.76	29
30		X		.04	.21		.01	.17	.16	.40	.35	.18	30
31	.03	X		X	.40	X	.02	.02	X	.20	X	.20	31 1179
TOTAL	4.11	.54	1.66	3.57	4.21	3.06	3.47	3.70	5.89	6.12	4.47	5.63	YEARS TOTAL 46.43
Days with .01 in. or more.	19	8	9	13	22	11	17	21	19	21	10	18	188 days
Days with .04 in. or more.	14	5	6	12	19	10	14	16	14	18	9	15	152 days

(Signed) Wilson Goldthorpe [P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at *Dillington P. N. Christie*
in the County of *Doncaster*

Diameter of Funnel of Gauge *9 in.* in.
Height of top of Gauge above Ground *3* ft. in.
Ground Sea Level *161.4* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.90	.24			.05	1.06			.32		1.99		1
2	.23	.04				.33			.04				2
3	.16	.21	.15	.01								.02	3
4	.03	.25	.21				.15				.47	.08	4
5	.06	.15	.04		.16				.02	.17	.08		5
6	.18	.20	.01	.03			.37	.06	.05	.14	.35	.22	6
7	.04	.05		.41	.18	.07			.03		.19	.03	7
8		.01		.09			.02		.04	.14	1.63		8
9			.07			.48		.21		.04	.17		9
10					.06	.43	.02	.25		.11	.53		10
11					.30	.24		.11	.01	.01	.06		11
12					.18	.17				.24	.21		12
13		.02				.42		.04	.02		.45		13
14		.19		.47	.07				.01	.65	.05	.03	14
15	.07	.03		.25	.02					.42	.09		15
16	.06	.24		.30				.24		.04	.09		16
17	.29	.54		.07		.46	1.39	.07			.86	.10	17
18	.37	.03		.12			.74	.04			.29	.02	18
19	.03			.02	.05		.14	.07	.04		.71		19
20		.01		.25			.05	.13			.13		20
21	.09			.20				.01		.54	.01		21
22	.32									.63			22
23	.12												23
24			.08				.17			.31			24
25	.11		.02	.05			.05		.03	.53	.17	.05	25
26	.03				.08		.05		.17		.10		26
27	.20	.03	.04	.12	.06					.28			27
28	.51						.06			.82	.65		28
29	.15			.19	.10			.11			.10		29
30	.17	X		.12	.27						.14		30
31	.46	X		X		X			X		X		31
TOTAL	4.58	2.24	.62	2.70	1.58	3.66	3.21	1.34	.78	4.87	9.73	.55	35.75
Days with '01 in. or more.	22	16	8	16	13	9	12	12	12	16	24	8	168
Days with '04 in. or more.	20	19	10	6	13	12	9	10	11	6	15	23	138

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1927.

Kept at *The Garden, Dillington Park*
in the County of *Gloucestershire*.

Diameter of Funnel of Gauge *8.12* in.
Height of top of Gauge above Ground *3* ft. in.
" Ground " Sea Level *161.4* ft.

Observers are requested to read the instructions printed overleaf, before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.80		.01			.93	.06		.11	.30		1
2			.05	.11	.05					.05			2
3	.22	.01	.21		.10		.28						3
4	~~.21~~	.01	.09	.03	.12		.33				.12		4
5	.03	.03	.22	.31			.12				.11		5
6	.10		.26	.52				.14	1.10				6
7		.12	.05	.02				.23					7
8	.01		.04	.28	.02	.02	.10	.18	.04			.07	8
9			.07		.33	.02	.06		.70			.15	9
10			.07	.07		.28		.12	.03				10
11			.01					.02	.03				11
12	.13	.01						.58			.29		12
13	.09	.01						.10	.13		.02	.24	13
14	.05	.01		.05	.06		.05	.01	.05				14
15	.05	.01						.38	.31				15
16	.01				.17	.68			.18		.10		16
17	.19		.03			.15		.46	.08		.11		17
18						.43		.01	.02		.47		18
19		.25						.24		.09	.60		19
20	.23				.03	.01	.18	.17		.40	.33		20
21		.29	.04		.01	.14	.01	.32	.27	.82	.08	1.06	21
22	.08	.30	1.09			.05		.06	.12	.46		.88	22
23	.03	.51	.28			.18	.02		.92		.21	.09	23
24	.28	.10	.42	.07		.03	.01	.20	.06	.02		.55	24
25	.19	.19	.29			.14			.10	.08		.40	25
26	.35	1.05	.06			.08	.35	.01	.09	.01		.25	26
27	.04	.18	.05		.09	.04	.32			.36			27
28	2.32	.43	.16	.05		.11			.28	.02	.18	.04	28
29	.07		.16			.08	.05		.43	.04			29
30	.01	X				.18	.05		.06	.16	.02	.04	30
31	.10	X	.77	X		X	.07		X		X	.14	31
TOTAL	4.59	5.31	4.42	1.52	.98	2.62	2.93	3.29	6.00	2.22	3.01	4.24	YEAR'S TOTAL 41.13
Days with '01 in. or more.	22	18	21	11	10	17	16	18	20	12	14	13	192
Days with '04 in. or more.	16	11	19	9	7	13	13	14	17	9	12	13	153

(Signed) *Wilson Goldchop* [P. 10]

REGISTER OF RAINFALL IN 1928.

Kept at *The Gardens, Dillington Park*
in the County of *Somerset* *Wiltshire*
Diameter of Funnel of Gauge *8* in.
Height of top of Gauge above Ground *3* ft. — in.
„ Ground „ Sea Level *161.4* ft.

The Gauge. no file
Self Registering one
(The Wilson)

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.04</i>	<i>.02</i>											1
2	<i>.21</i>	<i>.23</i>	<i>.27</i>	<i>.05</i>				<i>.02</i>					2
3	<i>.01</i>		<i>.03</i>	<i>.21</i>			<i>.12</i>	<i>.12</i>			<i>.05</i>		3
4		<i>.18</i>				<i>.06</i>				<i>.41</i>	<i>.15</i>		4
5	<i>.04</i>	<i>.04</i>	<i>.06</i>	<i>.17</i>					<i>.04</i>	<i>1.02</i>	<i>.18</i>		5
6			<i>.02</i>			<i>.61</i>					<i>.01</i>	<i>.07</i>	6
7		<i>.02</i>		<i>.06</i>	<i>.02</i>	<i>.03</i>		<i>.04</i>		<i>.08</i>			7
8		<i>.05</i>		<i>.15</i>		<i>.48</i>			<i>.05</i>	<i>.32</i>			8
9	<i>.02</i>			<i>.25</i>		<i>.11</i>		<i>.05</i>	<i>.32</i>	<i>.23</i>		<i>.06</i>	9
10	<i>.21</i>	<i>.29</i>		<i>.09</i>				<i>.03</i>		<i>.45</i>	<i>.09</i>	<i>.04</i>	10
11						<i>.22</i>		<i>.03</i>		<i>.69</i>	<i>.01</i>	<i>.47</i>	11
12	<i>.39</i>	<i>.56</i>	<i>.04</i>					<i>.07</i>		<i>.05</i>	<i>.03</i>	<i>.03</i>	12
13						<i>.08</i>		<i>.05</i>					13
14	<i>.04</i>	<i>.08</i>		<i>.28</i>	<i>.01</i>	<i>.12</i>		<i>.05</i>		<i>.28</i>	<i>.45</i>		14
15	<i>.10</i>	<i>.08</i>		<i>.27</i>		<i>.07</i>				<i>.05</i>	<i>.33</i>	<i>.07</i>	15
16			<i>.13</i>		<i>.15</i>	<i>.01</i>				<i>.05</i>	<i>.37</i>	<i>.49</i>	16
17					<i>.36</i>	<i>.02</i>		<i>.01</i>		<i>.02</i>	<i>.06</i>		17
18	<i>.19</i>		<i>.16</i>							<i>.18</i>	<i>.17</i>		18
19			<i>.36</i>		<i>.26</i>	<i>.15</i>				<i>.92</i>	<i>.13</i>	<i>.02</i>	19
20	<i>.18</i>		<i>.59</i>					<i>.07</i>			<i>.32</i>		20
21	<i>.77</i>		<i>.18</i>	<i>.03</i>	<i>.32</i>					<i>.06</i>	<i>.80</i>		21
22			<i>.23</i>							<i>1.03</i>	<i>.20</i>	<i>.05</i>	22
23	<i>.29</i>		<i>.06</i>							<i>.22</i>	<i>.22</i>		23
24	<i>.05</i>							<i>.19</i>	<i>.23</i>	<i>.04</i>	<i>.04</i>	<i>.12</i>	24
25	<i>.12</i>		<i>.08</i>			<i>.07</i>		<i>.10</i>		<i>.18</i>		<i>.50</i>	25
26	<i>.14</i>		<i>.01</i>		<i>.02</i>	<i>.10</i>	<i>.07</i>	<i>.70</i>		<i>1.00</i>	<i>.11</i>	<i>.08</i>	26
27				<i>.10</i>		<i>.01</i>	<i>.60</i>	<i>.17</i>	<i>.28</i>	<i>.12</i>	<i>.03</i>	<i>.89</i>	27
28	<i>.79</i>	<i>.25</i>	<i>.23</i>		<i>.03</i>			<i>.42</i>	<i>1.12</i>			<i>.09</i>	28
29	<i>.13</i>	<i>.60</i>	<i>.29</i>			<i>.10</i>	<i>.09</i>			<i>.07</i>	<i>.02</i>	<i>.06</i>	29
30	<i>.04</i>	<i>X</i>				<i>.02</i>	<i>.33</i>			<i>.01</i>		<i>.13</i>	30
31	<i>.16</i>	<i>X</i>	<i>.14</i>	<i>X</i>		<i>X</i>	<i>.22</i>		<i>X</i>		<i>X</i>	<i>.01</i>	31
TOTAL	<i>4.92</i>	<i>2.40</i>	<i>2.88</i>	<i>1.66</i>	<i>1.17</i>	<i>2.26</i>	<i>1.53</i>	<i>2.12</i>	<i>2.05</i>	<i>7.46</i>	<i>3.77</i>	<i>3.18</i>	YEAR'S TOTAL
Days with "01 in. or more.	<i>20</i>	<i>12</i>	<i>17</i>	<i>11</i>	<i>8</i>	<i>17</i>	<i>6</i>	<i>16</i>	<i>6</i>	<i>23</i>	<i>21</i>	<i>17</i>	<i>174</i>
Days with "04 in. or more.	<i>18</i>	<i>10</i>	<i>14</i>	<i>10</i>	<i>4</i>	<i>12</i>	<i>6</i>	<i>12</i>	<i>6</i>	<i>21</i>	<i>16</i>	<i>14</i>	<i>143</i>

REGISTER OF RAINFALL IN 1929.

Kept at *Dillington Park Gardens, Amington*
in the County of *Somerset*

Diameter of Funnel of Gauge *8* in. *c*
Height of top of Gauge above Ground *2* ft. *—* in.
,, Ground ,, Sea Level *161* ft. *4* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.38			.20	.06		.02		.24		.17	I
2		.18					.10					.43	2
3					.01	.04	.02	.84		.06		.29	3
4	.01			.11	.40		.16	.13		.03		.98	4
5					.79	.38	.25	.35		2.24	1.03	.19	5
6		.08			.07			.04			.02	1.08	6
7	.01				.03					.90	.28	.56	7
8						.05		.02		.18		.53	8
9	.13	.06								.01	.15	.55	9
10				.03	.18							.20	10
11					.15						.99	.07	11
12		.09		.15		.84						.22	12
13				.03	.10	.09							13
14					.10	.12						.23	14
15					.01	.08					.66		15
16		.16						.03			.06		16
17	.11												17
18										.31	1.07		18
19											.76		19
20	.04							.03		.21		.75	20
21			.18								.03		21
22		.07					.04				.87	.18	22
23					.10			.04		.02	.77	.45	23
24										.90	1.62	.85	24
25			.04	.09							.25	.02	25
26		.10		.02								.16	26
27	.03	.04		.13	.28					.04	.95	.12	27
28	.35			.05			.40			.08	.57	.58	28
29	.02			.53		.13			.10	.42	.74	.20	29
30		X		.02		.30	.05		.23		.03	.12	30
31	.93	X		X		X	.21	.54	X		X	.02	31
TOTAL	163	1.16	.22	1.16	2.42	2.07	1.23	2.04	.33	5.64	10.85	8.95	37.72
Days with "or in. or more.	9	9	2	10	13	10	8	10	2	14	18	24	129
Days with ".04 in. or more.	5	9	2	6	10	10	7	6	2	11	15	22	105

Section

A

for the entry of Daily Observations.

2048
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *The Grange, Dillington Pk. Leicester*
in the County of *Leicestershire*Diameter of Funnel of Gauge *8* in.Height of top of Gauge above Ground *3* ft. *4* in.,, Ground ,, Sea Level *1611.4* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.21		.70				.19					1
2		.02		.15			.15	.38		.03	.22		2
3	.10	.13		.66				.44		.10	.37		3
4	.60	.24	.07	.06						.21			4
5				.40	.08			.72		.07	.10		5
6			.06					.28	.11	.07		.07	6
7	.25							.03		.18	.24	.03	7
8				.05					.26	.05		.18	8
9	.27		.36	.18	.07				.20	.04			9
10	.73		.05		.18				.42			.78	10
11	.15		.10	.04	.02							.09	11
12	.23			.07	.16							.09	12
13	.05	.02	.15	.20			.04		.36			.05	13
14	.55		.17	.19	.10		.02		.02			.21	14
15	.07		.41		.02		.46		.04	.80	.27	.50	15
16									.33	.11		.30	16
17				.20	.06		.07	.06	.55	.07			17
18									.66	.03	.13		18
19			.03	.18			.02	.05	.58	.26	.65		19
20				.11			.41	1.48	.44	.06	.33	.14	20
21			.02			.03			.03	.19	.55		21
22	.53			.07		.02		.37		.26	.06		22
23	.07		.30	.05		.18	.03		.07	.01	.63		23
24	.41	.21		.22						.11	.24	.15	24
25	.09				.26	.09	.04		.15	.03	.04	.20	25
26	.93	.21			.14		.03		.06	.04	.42	.16	26
27	.08								.05				27
28	.06		.09				.06		.06		.93	.49	28
29	.04				.05		.17		.21		.48	.18	29
30	.06	X	.46		.07	.02						.10	30
31	.60	X	.03	X	.31	X			X	.33	X	.38	31
TOTAL	5.92												YEAR'S TOTAL
*Days with or in. or more.	21	7	14	17	13	5	12	10	19	21	16	18	173
*Days with or in. or more.	21	5	11	17	11	2	8	9	17	17	16	17	151

40-9999

*See Instruction 2 (f) on other side.

(Signed) *W. A. Goldthorpe* [B.T.O.]

921

Kept at *Ilminster*

in the County of.

by *W. Bee*

ILMINSTER
SOMERSET.

1921

IMPORTANT

If an Observer print the reading at 9 a.m. this paragraph. For and particulars as sent post-free on Square, London, N

Long. *8. 30 am*
Station *Ilminster*
of Rain Gauge *5* in.
Gauge above Ground *1* ft. in.
Sea Level *180* ft.

result entered to the previous day.

By requested to add for it at the end of ending of rain gauges, Rainfall Observers, Organization, 62, Camden

Jan. 1, following.

this form.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40												1
2	.05									.16	.06	.18	2
3	.01					.01	.03				.42		3
4	.09					.11			.06		.16		4
5			.02		.04				.39		.18		5
6	.18		.11		.09								6
7	.20				.36						.02		7
8	.04		.11		.12								8
9	.20		.01	.10	.33				.02	.02	.03		9
10	.18		.10	.03	.06			.57				.02	10
11	.12		.04		.05			.15	.62				11
12	.26		.10					.06	.02			.29	12
13			.29	.07	.01		.02	.07	.03	.10	.34		13
14	.01		.11	trace	.25		.25	trace	.03		.05	.10	14
15	.04		.08	.14	.02		.04				.32	.07	15
16	.04		.04	.22			.05	.12			.49	.01	16
17	.06		.17	trace			.07	.25					17
18	.10		trace	.14					.11				18
19			.06	.02	.01				.02			.02	19
20			.03						.10	.02			20
21										.07			21
22	.02			.04					.09	.01	.40		22
23				.07			.08		.37				23
24	.01	.02										.03	24
25	.02	.12				.73	.09						25
26	.15		.02			.01	.01				.04	.21	26
27			.05		.08	.01	.01				.07	.02	27
28			.15		.08		.17				.10	.15	28
29	.10		.13		.38			.01				.08	29
30	.54				.07		.01				.16	.07	30
31	.02				.06								31
TOTAL	2.84	.14	1.63	.77	2.09	.78	.73	1.62	.97	.97	2.47	1.67	YEAR'S TOTAL 16.68
Days with .01 in. or more	23	2	19	9	19	4	10	11	6	8	18	15	144
Days with .04 in. or more	17	1	14	6	13	1	6	8	2	6	12	9	95

REGISTER OF RAINFALL IN 1921

Kept at Ilminster
in the County of Somerset
by W. Beckett

Lat. _____ Long. _____
Time of Observation 8.30 am
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.40	trace	.01					.16			.06	.18	1
2	.05				.02			~~.02~~		.16	.05	.08	2
3	.01				.01	.03		~~.02~~			.42		3
4	.09				.11			.06			.16		4
5			.02		.04			.39			.18		5
6	.18		.11		.09								6
7	.20				.36						.02		7
8	.04		.11		.12								8
9	.20		.01	.10	.33				.02	.02	.03		9
10	.18		.10	.03	.06			.57				.02	10
11	.12		.04		.05			.15	.62				11
12	.26		.10					.06	.02				12
13			.29	.07	.01		.02	.07	.03	.10	.34		13
14	.01		.11	trace	.25		.25	trace	.03		.05	.10	14
15	.02		.08	.14	.02		.04				.32	.01	15
16	.02		.02	.22			.05	.12			.49	.01	16
17	.06		.17	trace				.01	.25				17
18	.10		trace	.14						.11			18
19			.06	.02	.01					.02		.02	19
20			.03							.10	.02		20
21											.01		21
22	.02			.04						.09	.01	.40	22
23				.01			.08			.37			23
24	.01	.02										.03	24
25	.02	.12				.73	.09						25
26	.15		.02			.01	.01				.02	.21	26
27			.05		.08	.01	.01				.01	.02	27
28			.15		.08		.17				.10	.15	28
29	.10		.13		.38			.01				.08	29
30	.54	~~X~~			.01		.01				.16	.07	30
31	.02	~~X~~		~~X~~	.06	~~X~~			~~X~~		~~X~~		31
TOTAL	2.84	.14	1.63	.77	2.09	.78	.73	1.62	.97	.97	2.47	1.67	YEAR'S TOTAL 16.68 ✓
Days with ".01 in. or more	23	2	19	9	19	4	10	11	6	8	18	15	144
Days with ".04 in. or more	17	1	14	6	13	1	6	8	2	6	12	9	95

REGISTER OF RAINFALL IN 1922

Lat. $51^{\circ}24'19''$ N. Long. $2^{\circ}29'28''$ W.
Time of Observation 9 a.m.
Nearest Railway Station $Keynsham G.W.R.$
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 134 ft.

Kept at West View, Chewton Road
in the County of Keynsham, Somerset
by Arthur Edward Stephens
M.B.A.A. M.B.D.W.A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								5		01	26		1
2								2			4		2
3								44			4		3
4										25			4
5	This record started Monday 17 th July. (from Wimborne)							1		31	61		5
6								61			12		6
7								22			5		7
8								29		1	4		8
9								1					9
10											13		10
11													11
12								42	43		~~3~~	3	12
13									12				13
14													14
15									2		3		15
16								30	6			13	16
17							nil		1			13	17
18							.		10			11	18
19							.		52			95	19
20													20
21												56	21
22							11	17				17	22
23							5						23
24								9					24
25									12			13	25
26							3		9		5	3	26
27								9	7		4	31	27
28								17	2			12	28
29										5 70 ~~29~~		70	29
30		X						66	33	4	4	67	30
31		X		X		X	wp	1	X	45	X	.	31
TOTAL							0.19	3.56	1.89	1.77	1.45	4.04	YEAR'S TOTAL
Days with ".01 in. or more							5	16	12	7	12	13	
Days with ".04 in. or more							2	12	9	5	11	11	

1990

NIZATION.

Kept at

West View

KEYNSHAM, WEST VIEW

in the County of

by

1923-30

IMPORTANT NOT

previous day. If an Obser

to add the reading at 9 a.m. on 1st January

this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

2-29-28 W.

an

Gauge 8 in.

Ground 2 ft. 0 in.

Sea Level 134 ft.

and the result entered to the

nestly requested

it at the end of

Jan. 1, following.



Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6	59	17						11	10		63	1
2	18	52	8	30	8						2		2
3			11				3		7	31		8	3
4	3			2					1		37	22	4
5	53			15	T. 17		(Shade 84°F.)			3	18		5
6	21	35	10	7			92°			3		8	6
7	4	56								23		41	7
8	15	16	3										8
9	T.L.H. 25	61											9
10				19	H. 15	7	50			16		6	10
11		2		65	2					42			11
12	2	13	25	7	T.H. 35					57	12		12
13		14		17	7						106		13
14					4			16	65		12		14
15		12	2	9	2						41		15
16	1	18		2	8	34			2		30		16
17		46					5	27	45	5	7		17
18		17		8		2		15	6				18
19									87	6			19
20	3	14			4		11		10	58			20
21		24						30		18			21
22	3				6			17	7	5		10	22
23		14	24		15		11	31	13	1		5	23
24		14		15	4			9	20	17		3	24
25		30		31	8	2		5	8	38		60	25
26		16		7	9	4		30		40		28	26
27		40	12		12		4	41		7		16	27
28		16	12	8	4		44	6					28
29				18	7					1		17	29
30	4	X				1	23	40		16		5	30
31	13	X		X		X	21	20	X	2	X	26	31
TOTAL	1.71	5.69	1.24	2.58	1.67	.50	1.72	2.87	2.82	3.99	2.65	3.18	YEAR'S TOTAL
Days with 0.1 in. or more	14	21	10	16	18	6	9	13	13	21	9	15	30.62
Days with 0.4 in. or more	9	20	8	14	16	3	8	13	11	16	8	14	140

REGISTER

Kept at West View Chesham Red
Keynsham, Bristol
 in the County of Somerset
 by Mr Arthur Edward Stephens

Lat. 51.24.14 N. Long. 2.29.28 W.
 Time of Observation 9 am
 Nearest Railway Station Keynsham B.M.
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 2 ft. 0 in.
 " " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6	59	17						11	10		63	1
2	18	52	8	30	8						2		2
3			11				3		7	31		8	3
4	3			2					1		37	22	4
5	53			15	T. 17		~~(Shade 84°F.)~~			3	18		5
6	21	35	10	7			~~92°~~			3		8	6
7	4	56								23		41	7
8	15	16	3										8
9	T.L.H. 25	61											9
10				19	H. 15	7	50			16		6	10
11		2		65	2					42			11
12	2	13	25	7	T.H. 35					57	12		12
13		14		17	7						106		13
14					4			16	65		12		14
15		12	2	9	2						41		15
16	1	18		2	8	34			2		30		16
17		46					5	27	45	5	7		17
18		17		8		2		15	6				18
19									87	6			19
20	3	14			4		11		10	58			20
21		24						30		18			21
22	3				6			17	7	5		10	22
23		14	24		15		11	31	13	1		5	23
24		14		13	4			9	20	17		3	24
25		30		31	7	2		5	8	38		60	25
26		16		7	9	4		30		40		28	26
27		40	12		12		4	41		7		16	27
28		16	12	8	4		44	6					28
29				18	7					1		17	29
30	4	X				1	23	40		16		5	30
31	13	X		X		X	21	20	X	2	X	26	31
TOTAL	1.71	5.69	1.24	2.58	1.67	.50	1.72	2.87	2.82	3.99	2.65	3.18	YEAR'S TOTAL 30.62
Days with .01 in. or more	14	21	10	16	18	6	9	8	13	13	9	15	168
Days with .04 in. or more	9	20	8	14	16	3	8	8	11	16	8	14	140

Lower class

FOR OFFICIAL USE.

1779

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.

River Dist.

Station No.

REGISTER OF RAINFALL IN 1924

Kept at

in the County of

by

Lat. $51^{\circ}24'19''N$ Long. $2^{\circ}29'28''W$
Time of Observation 9 am
Nearest Railway Station Keynsham G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 134 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

—

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					3	11	8				25	25	RRR
2	10						22	13		4		8	RRR
3	12		33		3	20	20	13					3
4						25	7	7	2			23	4
5			14				12		3	6		30	5
6					8			9		44			6
7						09			32	127			7
8	20				7				29	5			8
9	18	06		2		13							9
10	19			7	35	31			3	4	3		10
11	60			42	49	85		13	3	6	31		11
12	14			20		16		12					12
13	13			60		28						42	13
14								13	56			9	14
15									8			26	15
16	11							21					16
17	13				25	24	99	28	20				17
18	88				10			9					18
19	11				7		1	23	9	15			19
20	26		5		35		19	6	29	15			20
21	53		3		5	13	23	114	2	56			21
22	49		48					57	24				22
23			19		37		5	11	8			46	23
24	40		3	13	63				5		3	6	24
25			7	15			27	9	23	12	30	9	25
26				23					23	12	51	85	26
27		13		55			80	1		82		45	27
28							27	8		7	13	11	28
29				32	39	1	27	20		75	33	41	29
30		X		13				6	12		31	35	30
31		X		X	49	X	3		X	5	X	40	31 980
TOTAL	457	019	132	282	375	276	380	393	299	475	290	481	YEAR TOTAL 3859
Days with .01 in. or more.	16	2	8	11	15	12	15	20	19	16	9	16	154
Days with .04 in. or more.	16	2	6	10	13	11	13	19	14	16	7	16	143
	2	1	2	1	2	1	2	1	5	2			

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Brewton Road, Keynsham
in the County of Somerset

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
„ „ Ground „ Sea Level 134 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. Dec 22 Gmrow 75 ref 21/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

—

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.75		9			0.02					22	18	1
2	55	17		3			52				46	3	2
3	* 13	13			24		5	3					3
4	40			7	8			28			28		4
5	13	28	3	67	8			18	48				5
6		10			20		42				50		6
7		14						2			18	3	7
8	15				49		10	28	3			23	8
9		6		5	19		2		6			8	9
10		5	4		46			13					10
11		37			3								11
12		40						53					12
13	2	15	13										13
14	19	16											14
15	2								8	15			15
16		11		3						33			16
17					2		8		4				17
18				7	1.23		1		6				18
19		3		3					1.16	82		53	19
20							4	23	25	51		2	20
21			13				32	25	13	23		22	21
22		16		13	4		18	1.03	47	86		(.75)	22
23	9			3					6	30			23
24	23	35						2		17		21	24
25	43	75	8				9		17			12	25
26	15	16	5		90		52	33		33		28	26
27	6	47		5	7		55			3		18	27
28		7			30				4	3		82	28
29	26				46		20				3	72	29
30		X					38			13		18	30
31	10	X	10	X		X	5		X		X	2	31
TOTAL	3.66	4.11	0.65	1.59	4.79	0.02	3.53	3.31	3.03	3.89	1.85	(4.31)	YEARS TOTAL
Days with .01 in. or more.	16	19	8	11	16	11	16	12	13	12	7	16	147
Days with .04 in. or more.	14	18	7	7	14	0	14	9	12	10	6	12	123

(Signed) A.E. Stephens (P.T.O.)

(Radio 6VZ)

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1828

REGISTER OF RAINFALL IN 1926.

Kept at Chewton Road Keynsham
in the County of Somerset
Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....2 ft. 0 in.
,, Ground ,, Sea Level 134 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.	
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	<u>1.46</u>	8			7	38			3		8.5		1	
2	12	8				8			11		3	5	2	
3	21	12	9										3	
4	16	7		48									4	
5	8	17			18		43		<u>40</u>		15	<u>24</u>	5	
6	21	7			3		53		7	10	30		6	
7			2	10	38	10		X	9		18		7	
8			<u>30</u>	14			3				42	<u>107</u>		8
9			2	8		25		1.36 X			8		9	
10					21	9			X			46		10
11					11	21		5	8	14			11	
12		3			23	24				<u>82</u>	23	1	12	
13		33			1			16	13	32	42		13	
14	8	8		42	17			14		57	8	11	14	
15	11	13		11						49	20		15	
16	13	26		<u>49</u>				16	5		15		16	
17	8	<u>62</u>				<u>42</u>	<u>71</u>	13			35	1	17	
18	22	13					30	10			31	3	18	
19		2		18			25	6			34		19	
20		3		23				20			32		20	
21	3			3				4		36	15		21	
22	28			2									22	
23		3						3	2	12			23	
24	21						17		3	38	18		24	
25	3			39					6	23			25	
26					20		20		14		38		26	
27	26	9	18	8	13		~~8~~			20			27	
28	17			10			X			<u>76</u>	36		28	
29	17			17	13		52				12		29	
30	10	X		23	<u>42</u>		X	23			13		30	
31	17	X		X		X			X		X		31	
TOTAL	4.28	2.34	.61	3.25	22	7	1.77	2.94	2.66	1.21	4.91	6.78	48	YEARS TOTAL
Days with ".01 in. or more.	20	17	5	16	13	8	21	14	12	13	23	6	158	
Days with ".04 in. or more.	18	13	3	14	11	8	10	13	9	13	22	3	137	

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

1795
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Chewton Keynsham

in the County of Somerset

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....2 ft. 0 in.

„ Ground „ Sea Level.....134 ft.

*Not any Sep
observer confirms original
but 1/2 doz. See file 756475/1 to 28th Oct
Oct corr by surr slip
notified 13/6/28.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1	0.01	78	5				66		-	18	38		1
2	3		3	13	8				3	11			2
3	8	7	4		4		8		-		4		3
4	10	1	8	9	16				-		8	3	4
5		11	38	48	4				-		38		5
6			22	24			59	4	47		9		6
7		10	8	9		16	5	14					7
8	1			10				23	8		8		8
9			9	4	18		4	14	42			11	9
10				7					11	7			10
11				4			20				~~20~~		11
12	24						4	33					12
13	14			3			33	33	32		8	26	13
14	8				7		2	31	120			8	14
15		3			11			21	93		3		15
16					31	58		1	40				16
17	24		8		7	15		41	18				17
18						63		15	9	11	50		18
19		31		9		8	13	-	2		52	~~48~~	19
20	8.21	13				8	26	x	2		23	20	20
21	8	12					26	1	25	41	8	42	21
22		20	48	11		20		x	17	54		52	22
23	9	32	16			42		x	52		21	11	23
24	14	13	47			9			12	4		17	24
25	18	35	27			14			4	16		27	25
26	14					8	26	134		3			26
27		58				6	47				1		27
28	1.32	21	10			4	1	x	16	~~21~~	21		28
29	8	x	16			25	4		41		3		29
30	4	x	9			24	9		3		6		30
31	23	x	31	x		x	3		x		x	33	31
TOTAL	3.44	3.45	3.09	1.51	1.06	3.20	3.56	3.64	5.94	2.18	3.01	2.50	YEAR'S TOTAL
Days with "01 in. or more.	19	15	17	12	9	15	18	20	20	16	18	12	1822
Days with "04 in. or more.	16	13	16	11	9	15	15	16	17	18	15	10	1768

REGISTER OF RAINFALL IN 1928.

Kept at Brewton Keynsham
in the County of Somerset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 133 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.
-

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.52		5		1						1		1
2	6	33	30	8							12		2
3	2						14				22		3
4	7	25		5		3		3		35	13		4
5		10	6	10	32	5	17		4	41			5
6	17	1	4			42			3			5	6
7	19	27	2			42		7		9			7
8	3					29	4			21			8
9	4			12		8			10	13		2	9
10		33				6		2		20	12		10
11	24	48								41	7	21	11
12	58		5	3				10			3	2	12
13		36		5		34		17					13
14	8			8	33	8		25		48	21		14
15	20	23	1		2	7				2	20		15
16		20			3					8	36	36	16
17			1							3			17
18	31		15							32	5	2	18
19			6					8		55	5	2	19
20	24		41					47			7		20
21	62		23			7		1			58		21
22			57					1		37	53	7	22
23	28				31					19	21		23
24	10							3	13	10	2	14	24
25	18					5				4		1.24	25
26	15				2	7	35			93		4	26
27	5		2	15			1.30	37	9	31		91	27
28	65		15			9	5	5	50			17	28
29	13	25						13		12		16	29
30		X					45					12	30
31	39	X	25	X		X	1.30		X		X		31
TOTAL	5.30	2.81	2.36	0.88	0.71	2.12	3.83	1.79	0.89	5.34	2.98	3.55	YEAR'S TOTAL
Days with .01 in. or more.	23	11	16	7	6	14	8	14	6	20	17	15	157
Days with .04 in. or more.	21	10	11	7	2	13	7	9	5	18	14	11	129

⊗ whole inch

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Brewton Keynsham
in the County of Somerset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 133 ft.

756475

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.43			9	9			2	50		8	1
2		19				9	3			26		28	2
3					4	9	3	1.73		6		15	3
4				11	57		14	5				67	4
5	.02				69	31	33	20		1.85	53	22	5
6					15	8		5		19		70	6
7					3			10		28	51	50	7
8						2		2		34		50	8
9	.12											36	9
10	.06			1							10	40	10
11		47		7	15						1.20	6	11
12				12		31						1	12
13					3							5	13
14					10	36						25	14
15		10				6					.60	3	15
16	.12												16
17										36			17
18										6	.60		18
19									11		.36	1	19
20								.4		34		40	20
21			21								28		21
22							10	.40					22
23		2			2						26	35	23
24										81	91	56	24
25				1						2	14	6	25
26		7			5						8	16	26
27				4	5			2			74	17	27
28	.18						42	35		18	70	50	28
29	.09	X							14	6	77	17	29
30		X				10	3		31		4	2	30
31	.47	X		X		X	35	22	X		X	1	31
TOTAL	1.06	1.28	.21	.36	1.97	1.51	1.43	3.14	.58	5.31	7.82	6.66	YEAR'S TOTAL 31.33
Days with or in. or more.	7	6	1	6	12	10	8	10	4	14	16	26	120
Days with or in. or more.	6	5	1	4	9	9	5	8	3	13	16	21	100

Total of 40 in gauge. ? 12 in.

REGISTER OF RAINFALL IN 1979.

Kept at Brewton Keynesham
in the County of Somerset
by J. E. Stephens

Lat. _____ Long. _____
Time of Observation As before
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 133 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.25	17		18		2		5			46		1
2		2		13	24			33			72		2
3	27	21		47	11			41		12			3
4	35			5					4	29			4
5			7		11			1.20		17			5
6			11		10			90	14	4			6
7	18							2		18	15	27	7
8				11					7	28		18	8
9	38		41	20	8				4	1	2		9
10	66		3		15			14				53	10
11	10			6	5		12			5		17	11
12	22				11							7	12
13	2		5	17	4		20	6	40			10	13
14	50	7	34	5	2		3						14
15			51				47			20	23	24	15
16									13			21	16
17				6	2			6	46	7			17
18					13			48	30	17	9	17	18
19			8	15		25	1	14	95	23			19
20			3		4		26	60	64	5	8		20
21							5	35		7	36		21
22	25							39	10	27	74		22
23	4		12	4	3	12	30	4	8		29		23
24	36			18		51			42	3	30	8	24
25	1	6			48				2		11	22	25
26	70				31				8		4	5	26
27	10						8		6	5		4	27
28	8		18				23			2	62		28
29		X					10		28	31	20	3	29
30		X			8	11	49					41	30
31	25	X	8	X	17	X			X	11	X	15	31
TOTAL	4.72	5.3	2.01	1.85	2.27	1.01	2.34	5.17	4.21	2.72	3.91	2.89	YEAR'S TOTAL
Days with 01 in. or more	18	5	12	13	18	8	12	15	17	20	15	16	33.63
Days with 04 in. or more	16	4	10	13	15	4	10	14	16	17	14	15	786
													148

REC

KINGSTON

CAPLINS

SOMERSET

1922 - 1927

122.

Long.

9. A.M.

Station Taunton.

of Rain Gauge 5 in.

Height above Ground ft. 10 in.

Sea Level about 250 ft.

and the result entered to the
most universal rule, he is earnestly
begging year in the space provided
for measurement of rain,

Jan. 1, following.

Kept at Caplins, King
in the County of Som
by Henry Jan

IMPORTANT NOTICE
previous day. If an observer is
requested to add the result
for it at the end of the year,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	11.	15.	15. snow	01.	—	43.	02.	05.	01.	18.	—	1
2	—	23.	06.	34. snow	06.	—	05.	30.	—	—	18.	—	2
3	05.	11.	21.	46. snow	16.	—	05.	23.	—	—	05.	—	3
4	02.	06.	15.	—	14.	—	03.	—	—	30.	—	—	4
5	08.	—	14.	06.	—	—	102.	01.	—	27.	35.	—	5
6	15.	—	09.	03.	—	—	07.	103.	—	01.	24.	—	6
7	08.	—	31.	45.	—	11.	19.	15.	—	—	18.	04.	7
8	07.	—	04.	03.	—	04.	37.	28.	—	01.	05.	09.	8
9	11.	—	02.	—	—	—	01.	—	—	—	03.	—	9
10	—	—	—	—	—	—	01.	—	—	—	17.	—	10
11	04.	—	—	05.	—	—	—	—	—	—	—	—	11
12	—	—	—	30.	12.	—	01.	33.	36.	—	—	—	12
13	24.	—	—	47.	—	06.	24.	—	11.	—	—	—	13
14	01.	—	04.	07.	—	—	—	—	17.	—	01. fog	—	14
15	35.	06.	—	10.	—	—	06.	—	—	—	—	—	15
16	01.	18.	—	55.	—	01.	—	09.	04.	—	—	12.	16
17	10.	12.	—	—	11.	—	—	—	—	—	—	19.	17
18	27.	08.	—	—	09.	—	—	05.	07.	—	—	14.	18
19	01.	03.	05.	—	02.	01.	—	—	04.	—	—	155.	19
20	13.	25.	—	—	—	—	35.	—	—	—	—	10.	20
21	06.	10.	—	—	—	—	01.	01.	—	—	03.	61.	21
22	—	14.	—	—	04.	09.	07.	11.	03.	—	—	13.	22
23	02.	11.	—	06.	—	03.	—	—	01.	—	—	12.	23
24	15. snow	—	05.	03.	—	26.	—	05.	—	—	—	02.	24
25	12.	02.	—	20.	—	05.	10.	01.	25.	—	—	20.	25
26	02.	17.	01.	06.	—	—	—	09.	24.	—	01.	02.	26
27	34.	47.	—	16.	—	01.	—	10.	23.	—	02.	30.	27
28	50.	47.	05.	—	—	14.	01.	—	01.	—	—	14.	28
29	22.	X	09.	07.	—	—	09.	34.	—	54. fog	—	57.	29
30	55.	X	—	—	—	03.	—	07.	29.	07.	06.	72.	30
31	01.	X	102. snow	X	—	X	—	—	X	19.	X	—	31
Total	371. 361.	271.	254.	364.	075.	084.	317.	327.	190.	140.	156.	500.	3039.
Rain Days.	26.	17.	16.	19.	9.	12.	19.	18.	14.	8.	14.	12.	189.

REGISTER OF RAINFALL IN 1922.

FORM A.
BRITISH RAINFALL.

Kept at Caplins, Kingston Tarranton.

in the County of Somerset

by Henry Jones. Gardener.

Lat. _____ Long. _____

Time of Observation 9 A.M.

Nearest Railway Station Tarranton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground _____ ft. 10 in.

" " " " Sea Level about 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	Days
1	—	11.	15.	^{snow} 15.	01.	—	43.	02.	05.	01.	18.	—	1
2	—	23.	06.	^{snow} 34.	06.	—	05.	30.	—	—	18.	—	2
3	05.	11.	21.	^{snow} 46.	16.	—	05.	23.	—	—	05.	—	3
4	02.	06.	15.	—	14.	—	03.	—	—	30.	—	—	4
5	08.	—	14.	06.	—	—	102.	01.	—	27.	35.	—	5
6	15.	—	09.	03.	—	—	07.	103.	—	01.	24.	—	6
7	08.	—	31.	45.	—	11.	19.	15.	—	—	18.	04.	7
8	07.	—	04.	03.	—	04.	37.	28.	—	01.	05.	09.	8
9	11.	—	02.	—	—	—	01.	—	—	—	03.	—	9
10	—	—	—	—	—	—	01.	—	—	—	17.	—	10
11	04.	—	—	05.	—	—	—	—	—	—	—	—	11
12	—	—	—	30.	12.	—	01.	33.	36.	—	—	—	12
13	24.	—	—	47.	—	06.	24.	—	11.	—	—	—	13
14	01.	—	04.	07.	—	—	—	—	17.	—	^{Fog} 01.	—	14
15	35.	06.	—	10.	—	—	06.	—	—	—	—	—	15
16	01.	18.	—	55.	—	01.	—	09.	04.	—	—	12.	16
17	10.	12.	—	—	11.	—	—	—	—	—	—	19.	17
18	27.	08.	—	—	09.	—	—	05.	07.	—	—	14.	18
19	01.	03.	05.	—	02.	01.	—	—	04.	—	—	155.	19
20	13.	25.	—	—	—	—	35.	—	—	—	—	10.	20
21	06.	10.	—	—	—	—	01.	01.	—	—	03.	61.	21
22	—	14.	—	—	04.	09.	07.	11.	03.	—	—	13.	22
23	02.	11.	—	06.	—	03.	—	—	01.	—	—	12.	23
24	^{snow} 15.	—	05.	03.	—	26.	—	05.	—	—	—	02.	24
25	12.	02.	—	20.	—	05.	10.	01.	25.	—	—	20.	25
26	02.	17.	01.	06.	—	—	—	09.	24.	—	01.	02.	26
27	34.	47.	—	16.	—	01.	—	10.	23.	—	02.	30.	27
28	50.	47.	05.	—	—	14.	01.	—	01.	—	—	14.	28
29	22.	~~X~~	09.	07.	—	—	09.	34.	—	^{snow} 54.	—	57.	29
30	55.	~~X~~	—	—	—	03.	—	07.	29.	07.	06.	72.	30
31	01.	~~X~~	^{snow} 108.	~~X~~	—	~~X~~	—	—	~~X~~	19.	~~X~~	—	31
Total	371.	271.	254.	364.	075.	084.	317.	327.	190.	140.	156.	500.	3039.
Rain Days.	26.	17.	16.	19.	9.	12.	19.	18.	14.	8.	14.	17.	189.

REGISTER OF RAINFALL IN 1923.

Kept at Caffine, Kingslon, Taunton
 in the County of Somerset
 by Henry Jones

Lat. _____ Long. _____
 Time of Observation 9 A.M.
 Nearest Railway Station Taunton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level alt 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	11.	13.	20.	/	/	/	/	/	33.	14.	03.	46.	1
2	17.	06.	01.	/	05.	/	01.	/	/	27.	02.	06.	2
3	10.	/	01.	/	/	/	03.	/	15.	30.	03.	14.	3
4	/	/	/	04.	02.	03.	/	/	/	02.	16.	16.	4
5	49.	/	02.	02.	07.	/	/	/	/	11.	08.	14.	5
6	85.	77.	08.	16.	/	/	/	/	/	01.	/	/	6
7	02.	79.	01.	12.	/	/	/	/	/	13.	/	08.	7
8	06.	06.	/	02.	/	/	/	/	/	02.	20.	02.	8
9	22.	56.	/	/	05.	05.	/	/	/	/	/	/	9
10	02.	27.	/	30.	02.	/	02.	/	/	25.	/	01.	10
11	/	/	/	05.	07.	/	/	/	/	92.	/	/	11
12	/	23.	25.	/	10.	06.	01.	/	01.	57.	02.	01.	12
13	01.	41.	/	19.	09.	/	126.	25.	08.	16.	65.	03.	13
14	/	02.	/	12.	05.	02.	/	/	94.	08.	15.	03.	14
15	/	20.	04.	11.	25.	52.	10.	/	05.	/	20.	/	15
16	01.	05.	/	63.	11.	/	/	01.	/	01.	23.	04.	16
17	/	46.	/	/	02.	01.	12.	16.	54.	06.	30.	02.	17
18	01.	41.	/	07.	01.	04.	/	05.	10.	02.	04.	/	18
19	02.	19.	/	01.	/	/	07.	/	25.	09.	01.	01.	19
20	01.	13.	/	/	04.	/	/	/	10.	31.	07.	/	20
21	02.	16.	/	/	/	/	/	01.	02.	16.	/	03.	21
22	/	55.	/	/	/	/	/	03.	11.	10.	/	02.	22
23	/	18.	14.	09.	12.	/	07.	45.	25.	11.	/	20.	23
24	/	15.	/	22.	04.	/	01.	/	27.	03.	/	21.	24
25	/	34.	/	09.	01.	/	/	05.	06.	42.	/	(36.)	25
26	/	30.	06.	/	05.	/	/	02.	/	51.	/	46.	26
27	02.	50.	10.	15.	32.	/	04.	23.	/	/	02.	13.	27
28	/	11.	20.	01.	17.	/	09.	12.	/	/	/	01.	28
29	28.	/	03.	07.	06.	/	02.	37.	01.	/	/	19.	29
30	02.	X	/	/	30.	/	16.	/	/	11.	/	02.	30
31	02.	X	/	X	/	X	15.	37.	X	/	X	24.	31
TOTAL	246.	703.	116.	247.	202.	072.	216.	212.	327.	491.	221.	308.	YEAR'S TOTAL
Days with 01 in. or more	19.	24	13	19.	22	7	15	13	16	25	16	25	3361.
Days with 04 in. or more	8.	23	8	15.	17	4	9	9	13	18	10	14	214
													149

REGISTER OF RAINFALL IN 1924.

Kept at Camplin, Kingston, Llanston.
in the County of Somerset
by Henry Jones

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station 9 1/2 R Llanston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 250 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06.	/	04.	/	02.	09.	08.	15.	/	/	47.	23.	1 97
2	08.	/	25.	/	13.	/	17.	01.	/	02.	/	/	2
3	24.	/	07.	/	01.	/	07.	12.	/	/	/	07.	3
4	/	/	/	02.	/	84.	/	02.	/	/	/	20.	4
5	/	/	17.	/	02.	/	26.	/	/	30.	02.	08.	5
6	/	/	/	/	03.	/	/	15.	128.	36.	28.	/	6
7	05.	/	/	/	07.	12.	/	/	86.	192.	75.	/	7
8	28.	/	/	04.	09.	/	05.	01.	55.	01.	/	01.	8
9	18.	10.	/	01.	02.	19.	/	/	30.	01.	23.	/	9 10
10	19.	01.	/	01.	25.	30.	/	/	04.	04.	32.	/	10 02
11	21.	06.	/	47.	35.	76.	/	02.	03.	07.	35.	/	11 20
12	14.	04.	/	10.	12.	10.	/	/	34.	/	/	/	12
13	05.	/	/	68	/	/	/	30.	/	/	/	32.	13
14	/	/	/	/	/	/	/	05.	05.	/	/	20.	14
15	03.	/	/	/	/	/	/	/	/	/	/	15.	15
16	21.	/	/	/	/	/	/	35.	01.	/	/	/	16
17	26.	/	/	/	10.	/	57.	25.	05.	/	/	/	17
18	71.	06.	/	/	53.	08.	/	30.	01.	42.	10.	/	18
19	34.	/	/	/	/	/	16.	29.	11.	/	02.	/	19
20	02.	/	05.	/	29.	06.	90.	25.	35.	22.	20.	/	20
21	42.	/	01.	/	07.	33.	/	06.	05.	31.	/	/	21
22	55.	/	36.	/	01.	/	/	63.	21.	/	/	13.	22
23	/	/	16.	/	26.	/	04.	17.	07.	/	/	38.	23
24	18.	07.	15.	16.	29.	/	/	12.	41.	04.	21.	/	24 02
25	01.	/	11.	07.	/	/	06.	02.	42.	22.	22.	/	25 28
26	02.	/	/	13.	02.	/	/	05.	01.	02.	39.	/	26 75
27	/	02.	/	70.	/	/	/	02.	/	50.	22.	/	27 61
28	/	02.	/	/	/	/	41.	04.	/	15.	05.	10.	28 23
29	/	05.	/	08.	/	01.	60.	07.	05.	42.	62.	/	29 32
30	/	X	/	05.	11.	/	/	20.	23.	40.	20.	/	30 35
31	/	X	/	X	22.	X	02.	03.	X	15.	X	38.	31 1017
TOTAL	424	0.43	1.32	2.58	3.11	2.88	3.39	3.68	5.43	5.58	3.25	4.11	40.05
Days with 0.1 in. or more	22	9	10	13	21	11	13	25	21	19	11	18	193
Days with 0.4 in. or more	17	6	9	11	14	10	12	18	17	15	8	17	154

Aug. 18/19. Corrd by Obs.
April Nov. " for arith.

FOR OFFICIAL USE.

1898

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1925.

Kept at Camplins, Kingston, Taunton.
in the County of Somerset
by Henry Jones.

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station GWR Taunton.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	75.	/	06.	/	/	02.	/	02.	03.	/	60.	01.	1
2	21.	/	03.	02.	/	/	18.	/	/	/	32.	/	2
3	07.	02.	/	/	58.	/	06.	02.	02.	/	02.	/	3
4	05.	02.	/	14.	14.	/	/	32.	/	/	30.	/	4
5	07.	25.	/	47.	31.	/	/	28.	15.	/	/	/	5
6	/	11.	/	/	57.	/	35.	06.	/	/	43.	/	6
7	20.	12.	06.	/	20.	/	/	01.	02.	/	22.	13.	7
8	/	/	/	/	13.	/	05.	32.	/	/	01.	17.	8
9	/	07.	/	10.	32.	/	10.	/	06.	/	16.	10.	9
10	/	/	01.	01.	02.	/	/	07.	01.	/	/	/	10
11	/	58.	/	/	03.	/	/	09.	/	/	/	/	11
12	/	31.	/	/	/	/	/	27.	/	02.	/	/	12
13	01.	02.	12.	07.	/	/	/	/	/	04.	/	11.	13
14	10.	07.	/	20.	/	/	/	/	/	/	/	/	14
15	02.	/	/	06.	/	/	/	/	22.	/	05.	10.	15
16	/	15.	/	/	/	/	/	/	01.	37.	/	/	16
17	/	02.	/	01.	05.	/	03.	02.	/	/	/	/	17
18	/	02.	/	13.	15.	/	/	07.	17.	02.	/	05.	18
19	/	07.	/	10.	01.	/	02.	/	120.	64.	/	70.	19
20	/	/	04.	/	/	/	02.	32.	30.	46.	/	05.	20
21	/	13.	01.	/	01.	/	44.	20.	21.	26.	/	27.	21
22	02.	15.	/	09.	11.	/	12.	/	60.	46.	/	82.	22
23	04.	03.	06.	06.	05.	06.	05.	/	/	05.	/	07.	23
24	23.	23.	/	07.	18.	/	/	10.	/	05.	02.	14.	24
25	78.	60.	14.	/	13.	/	13.	/	26.	10.	/	06.	25
26	63.	36.	02.	04.	44.	/	22.	/	03.	19.	/	13.	26
27	04.	03.	/	02.	10.	/	20.	33.	01.	05.	/	15.	27
28	15.	03.	/	/	06.	/	04.	/	06.	01.	02.	49.	28
29	10.	/	/	18.	13.	/	09.	02.	01.	01.	23.	44.	29 788
30	04.	X	01.	02.	/	/	34.	/	/	02.	04.	18.	30 31.03
31	17.	X	05.	X	/	X	06.	/	X	/	X	06.	31
TOTAL	365	339	61	178	372	008	250	252	337	275	242	423	YEAR'S TOTAL
Days with 01 in. or more.	19	22	12	18	21	2	18	17	18	16	13	20	196
Days with 04 in. or more	16	14	7	13	17	1	15	12	10	11	9	19	144

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Campden, Kingston - Rainfall 1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

Would you kindly state whether no rainfall was measured for 19th August 1925, in the morning of the 20th, as stated on the rainfall return?

There were heavy thunderstorms on that day, and heavy rain was measured at some neighbouring station.

P. J. Jones

21/6/26.

August. REPLY. 1925.

1 st .	02.
3 rd .	02.
4 th .	32.
5 th .	28.
6 th .	06.
7 th .	01.
8 th .	32.
10 th .	07.
11 th .	09.
12 th .	27.
18 th .	02.
19 th .	02.
20 th .	32. Thunder storm.
21 st .	20.
24 th .	10.
27 th .	33.
29 th .	02.

Total 2'52. inches. 17 days.

Henry Jones

23 June 1926.

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at *Cumplings, Kingston, Taunton,*
in the County of *Somerset.*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *in.*
" Ground " Sea Level *about 150* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	89.	16.	02.	/	07.	1 02	/	/	44.	/	69.	/	1
2	13.	11.	/	/	/	31.	/	/	/	/	01.	01.	2
3	09.	22.	17.	03.	/	/	/	/	/	/	/	/	3
4	07.	10.	25.	/	/	/	/	/	/	/	44.	07.	4
5	05.	24.	04.	/	30.	/	15.	/	33.	09.	04.	09.	5
6	19.	03.	12.	03.	/	10.	28.	15.	03.	33.	11.	/	6
7	03.	02.	/	60.	10.	16.	/	/	07.	/	15.	02.	7
8	/	01.	09.	07.	/	07.	01.	05.	/	16.	2 05.	/	8
9	/	/	04.	/	/	20.	04.	44.	/	03.	23.	/	9
10	/	/	/	/	09.	25.	05.	02.	/	04.	39.	/	10
11	/	/	01.	/	26.	41.	/	15.	06.	01.	/	/	11
12	/	/	/	/	13.	08.	/	01.	02.	28.	11.	01.	12
13	/	07.	/	/	/	15.	/	06.	15.	15.	34.	02.	13
14	06.	16.	/	29.	/	/	/	/	/	45.	06.	08.	14
15	13.	05.	/	42.	/	/	/	/	/	50.	17.	/	15
16	33.	16.	/	02.	/	/	/	01.	01.	04.	16.	/	16
17	12.	46.	/	25.	/	56.	96.	09.	/	/	66.	05.	17
18	27.	04.	/	01.	/	/	/	04.	/	/	19.	02.	18
19	01.	/	/	37.	/	/	20.	01.	20.	/	40.	02.	19
20	03.	/	/	11.	/	/	/	20.	/	/	12.	/	20
21	08.	01.	/	01.	/	/	06.	07.	/	31.	09.	/	21
22	28.	/	/	/	/	01.	/	/	/	38.	/	/	22
23	05.	06.	08.	/	/	/	/	02.	/	/	02.	/	23
24	03.	/	04.	09.	/	/	07.	/	05.	37.	/	/	24
25	12.	/	/	05.	/	/	01.	06.	06.	38.	01.	04.	25
26	01.	02.	/	08.	14.	/	21.	/	30.	/	13.	/	26
27	09.	04.	/	04.	05.	/	/	/	/	49.	/	/	27
28	24.	/	/	03.	01.	/	04.	/	/	79.	51.	/	28
29	11.	X	/	11.	18.	/	/	/	/	/	18.	/	29
30	13.	X	/	10.	11.	/	/	18.	/	/	22.	/	30
31	10.	X	/	X	/	X	/	/	X	/	X	/	31
TOTAL	364.	196.	086.	271.	144.	322.	208.	136.	172.	480.	748.	043.	YEARS TOTAL
Days with "01 in. or more.	25	18	10	19	11	12	12	16	12	17	25	11	32 00.
Days with "04 in. or more.	20	13	8	13	10	11	10	11	9	15	22	5	188.

(Signed) *Henry Jones* 147
P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Cemplan Kingston, Taunton
in the County of Somerset

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. in.

„ Ground „ Sea Level about 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03.	1.15.	04.	/	/	/	78.	/	/	08.	29.	/	1
2	/	/	/	10.	02.	/	/	/	/	06.	01.	/	2
3	15.	03.	08.	/	12.	10.	08.	/	/	/	/	02.	3
4	02.	/	12.	03.	22.	/	11.	/	/	/	17.	/	4
5	06.	02.	15.	37.	/	05.	12.	/	/	/	12.	01.	5
6	19.	/	29.	37.	/	02.	02.	22.	1.07.	/	20.	01.	6
7	02.	/	01.	03.	/	22.	13.	10.	/	/	/	01.	7
8	01.	/	02.	24.	02.	/	03.	11.	04.	/	/	/	8
9	/	/	/	01.	41.	/	05.	07.	55.	/	/	10.	9
10	/	/	05.	03.	/	02.	/	02.	07.	/	/	/	10
11	/	/	/	01.	/	/	12.	01.	04.	/	snow 30.	/	11
12	21.	/	/	/	/	/	/	08.	03.	/	/	/	12
13	10.	/	/	/	/	11.	/	23.	15.	02.	05.	23.	13
14	16.	/	/	14.	01.	/	05.	01.	95.	/	/	04.	14
15	06.	/	/	/	20.	/	/	38.	29.	/	06.	/	15
16	10.	01.	/	/	14.	77.	/	01.	13.	02.	03.	/	16
17	25.	/	04.	/	/	02.	/	41.	12.	/	11.	/	17
18	/	/	/	/	/	12.	/	03.	02.	/	33.	/	18
19	/	31.	/	/	/	/	04.	39.	/	02.	67.	/	19
20	19.	04.	/	/	/	03.	12.	11.	04.	/	45.	33.	20
21	03.	08.	03.	/	05.	07.	07.	10.	38.	58.	06.	51.	21
22	08.	12.	52.	04.	/	10.	01.	16.	20.	42.	/	58.	22
23	01.	51.	20.	/	/	24.	05.	01.	1.14.	/	25.	50.	23
24	10.	04.	45.	06.	/	05.	05.	08.	05.	06.	/	33.	24
25	10.	19.	33.	01.	/	13.	/	01.	34.	25.	/	45.	25
26	25.	58.	04.	/	/	10.	75.	/	19.	02.	/	07.	26
27	06.	05.	02.	/	02.	05.	38.	/	/	35.	01.	/	27
28	1.36.	20.	25.	03.	/	85.	03.	/	14.	02.	19.	/	28
29	11.	X	10.	/	/	04.	03.	/	25.	01.	03.	/	29
30	05.	X	/	/	/	03.	06.	18.	03.	38.	03.	snow 02.	30
31	27.	X	55.	X	/	X	06.	01.	X	/	X	16.	31
TOTAL	3.92	3.33	3.29	1.47	1.21	2.37	3.09	2.73	6.22	2.34	3.36	3.37	YEARS TOTAL 35.75
Days with 01 in. or more.	25	14	19	14	10	20	22	22	22	14	19	16	297
Days with 04 in. or more.	19	11	15	7	6	16	16	14	18	8	14	11	155

Please read the Notes and Instructions Overleaf.

Henry Jones

KILVE

1921

2095
JAN 1922

Long 3.13' W.
9 a.m. Greenwich time
Station Williton
of Rain Gauge five in.
Gauge above Ground 1 ft. in.
Sea Level 150 ft. 4 in.
result entered to the previous day.

Kept at Kilve
in the County of Somerset
by J. C. Hurst

1921 - 1930

IMPORTANT NOTE

If an Observer prefers not the reading at 9 a.m. on 1st this paragraph. Full instructions and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								.23	.05	~~.12~~	.12	.40	1
2								.03	-	.13	.05	.24	2
3								.03	-	.06	.52	.01	3
4								.04	-	-	.12	-	4
5								.13	-	-	.20	-	5
6								-	-	-	.01	-	6
7								traces	-	-	.02	-	7
8								-	-	-	-	-	8
9								.01	.09	-	-	-	9
10								.14	.23	-	-	.03	10
11								-	1.15	.06	-	-	11
12								.40	.01	-	-	.15	12
13								.02	.05	.06	.17	-	13
14							.06	.02	.10	-	.04	.20	14
15							traces	-	-	-	.15	.01	15
16							.01	.21	-	-	.26	.02	16
17							-	.01	.23	-	.01	-	17
18							-	-	.03	.06	-	-	18
19							-	-	.01	.08	.02	.03	19
20							-	-	-	.05	.01	-	20
21							-	-	-	-	.04	.02	21
22							-	-	-	.18	traces	.25	22
23							.01	-	-	.20	-	-	23
24							.01	-	-	-	-	.16	24
25						.42	.12	-	-	-	-	.08	25
26						-	.05	-	-	-	.10	.24	26
27						-	.04	-	-	-	.05	.11	27
28						-	.20	-	-	-	.06	.08	28
29						-	traces	-	-	-	traces	.01	29
30							-	-	-	-	.37	.02	30
31							-	-	-	-	-	-	31
TOTAL						.42	.50	1.27	1.85	.88	2.32	2.06	YEAR'S TOTAL
Days with .01 in. or more						1	8	12	10	9	19	18	
Days with .04 in. or more						1	5	6	7	9	14	10	

REGISTER OF RAINFALL IN 1921

Kept at Kilve Court, Kilve
in the County of Somerset
by J. C. Hurle

Lat. 51° 10' 6" Long. 3° 13' W.
Time of Observation 9 a.m. Greenwich time
Nearest Railway Station Williton
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft. 4 in.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						-	-	.23	.05	~~.12~~	.12	.40	1
2						-	-	.03	-	.13	.05	.24	2
3						-	-	.03	-	.06	.52	.01	3
4						-	-	.04	-	-	.12	-	4
5						-	-	.13	-	-	.20	-	5
6						-	-	-	-	-	.01	-	6
7						-	-	traces	-	-	.02	-	7
8						-	-	-	-	-	-	-	8
9						-	-	.01	.09	-	-	-	9
10						-	-	.14	.23	-	-	.03	10
11						-	-	-	1.15	.06	-	-	11
12						-	-	.40	.01	-	-	.15	12
13						-	-	.02	.05	.06	.17	-	13
14						-	.06	.02	.10	-	.04	.20	14
15						-	traces	-	-	-	.15	.01	15
16						-	.01	.21	-	-	.26	.02	16
17						-	-	.01	.23	-	.01	-	17
18						-	-	-	.03	.06	-	-	18
19						-	-	-	.01	.08	.02	.03	19
20						-	-	-	-	.05	.01	-	20
21						-	-	-	-	-	.04	.02	21
22						-	-	-	-	.18	traces	.25	22
23						-	.01	-	-	.20	-	-	23
24						-	.01	-	-	-	-	.16	24
25						.42	.12	-	-	-	-	.08	25
26						-	.05	-	-	-	.10	.24	26
27						-	.04	-	-	-	.05	.11	27
28						-	.20	-	-	-	.06	.08	28
29						-	traces	-	-	-	traces	.01	29
30		X				-	-	-	-	-	.37	.02	30
31		X		X		X	-	-	X	-	X	-	31
TOTAL						.42	.50	1.27	1.85	.88	2.32	2.06	YEAR'S TOTAL
Days with .01 in. or more						1	8	12	10	9	19	18	
Days with .04 in. or more						1	5	6	7	9	14	10	

REGISTER OF RAINFALL IN 1922

Kept at Kilve Court
in the County of Somerset
by J. C. Hurle

Lat. 51° 10' 6" N. Long. 3° 13' W
Time of Observation 9 a.m.
Nearest Railway Station Williton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.08	.27	.02	-	.	.26	.13	.04	.01	.09	-	1
2	.01	.22	.05	.45 ^{small}	.13	.	.04	.05	-	.	.17	-	2
3	.02	.11	.15	.31	.20	.	.04	.18	-	.	.68	-	3
4	-	.08	.12	-	.11	.	-	-	-	.45	-	-	4
5	.01	-	.17	.24	.	-	.84	.02	-	.19	.43	.01	5
6	.08	-	.07	.04	-	-	.09	1.00	-	.	.19	-	6
7	.02	-	.35	.43	.	.02	.20	.17	-	.	.16	.04	7
8	.08	-	.07	.04	.	.01	.25	.68	-	.	.04	.11	8
9	.13	-	-	-	-	-	.06	.01	-	-	.03	.	9
10	.02	-	.03	-	-	-	-	-	-	-	.19	.	10
11	.02	-	-	.02	.07	-	-	-	-	-	.	.	11
12	-	-	-	.41	.	.03	.01	.28	.45	.	.	.	12
13	.13	-	-	.40	.	.02	.14	-	.11	-	.	.	13
14	.01	.03	.04	.08	.	-	-	-	.08	-	.01	.	14
15	.48	.05	-	.30	.	-	-	-	-	-	.	.01	15
16	traces	.16	-	.25	.06	.06	-	.06	.04	-	.01	.28	16
17	.02	.16	-	-	.08	-	.07	-	-	-	.	.14	17
18	.31	.07	-	-	.	.	.	-	.13	-	-	.10	18
19	.01	.06	.06	-	.	.	.	-	.02	-	.	1.56	19
20	.12	.27	-	-	.	.	-	-	-	-	.	.07	20
21	.06	.13	-	.04	.	.01	.22	.02	-	-	.02	.83	21
22	.01	.04	-	-	.03	.09	.01	.07	.05	.	.	.10	22
23	.02	.02	-	.05	.43	-	.06	-	.01	-	-	.20	23
24	.13 (show)	-	.05	.06	.	.11	-	.03	-	-	.	.01	24
25	.10	.04	-	.12	.	.09	-	.01	.34	.	-	.16	25
26	.01	.26	.02	.01	.	.01	.23	-	.23	-	.01	.08	26
27	.32	.49	-	.06	.	-	-	.41	.22	-	-	.31	27
28	.35	.45	.01	-	.	.21	-	.14	.02	-	.	.20	28
29	.15	X	.05	.05	.	-	-	-	-	.48	.	.52	29
30	.36	X	-	-	.	.06	-	.17	.22	.08	.06	.41	30
31	.04	X	1.20 ^{small}	X	-	X	-	.10	X	.35	X	.01	31
TOTAL	3.05	2.72	2.71	3.38	.81	.72	2.52	3.53	1.96	1.56	2.00	5.15	29.60
Days with .01 in. or more	28	18	16	20	8	12	15	18	14	6	14	20	30.20
Days with .01 in. or more	15	16	13	17	6	6	13	13	11	5	9	16	140

Kept at Kilve
in the County of Somerset
by J. C. Hurle

Lat. 51° 10' 6" Long. 3° 13'
Time of Observation 9 a.m. Greenwich time
Nearest Railway Station Williton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.06	.21	-	.02	-	.	.	.09	.13	.07	.33	1
2	.10	.02	.03	.03	.10	-	.01	.02	.	.28	.02	.02	2
3	.04	.	.02	.	.	.	.03	.01	.15	.14	.07	.25	3
4	.	.	.	.02	.03	✓	.	.	.01	.02	.26	.06	4
5	.45	.	.05	.09	.07	.	.	.	.	.02	.12	.02	5
6	.82	1.03	.01	.17	.	.	.	.	.	.16	.	.01	6
7	.	.95	.02	.03	.	.	.	.	.	.	.	.15	7
8	.04	.07	.	.06	.	.	.	.	.	.06	.22	.08	8
9	.20	.93	.	.	.	.01	.	.	.	.	.	.	9
10	.02	.29	.	.35	.03	.	.	.	.	.28	.	.05	10
11	-	.03	.	.05	.12	.	.	.	.	.54	.	.	11
12	-	.28	.25	.01	.30	.08	.	.	.	.41	.01	.01	12
13	.	.27	.	.25	.12	.	.04	.	.22	.52	.54	.	13
14	.	.01	.01	.25	.08	.	.67	.05	.40	.	.15	.02	14
15	.01	.22	.01	.15	.10	.46	.11	.	.08	.	.41	.	15
16	.03	.14	.	.27	.07	.	.	.	.01	.	.23	.03	16
17	.01	.51	.	.	.02	.01	.09	.05	.76	.06	.60	.02	17
18	-	.31	.	.10	.03	.02	.	.	.18	.03	.10	.01	18
19	-	.13	.	.01	.08	-	.08	.	.22	.06	.01	-	19
20	.01	.20	.	.	.03	-	.	.	.08	.15	.04	-	20
21	.02	.15	.	.	.02	.	.	.05	.08	.27	.	.	21
22	.	.56	.	.	.	.	.20	.	.04	.23	.	.03	22
23	.	.51	.14	.	.14	-	.	.32	.23	.34	.	.20	23
24	.	.29	.	.01	.03	.	.11	.	.22	.08	.	.18	24
25	.01	.32	.	.00	.01	-	.	.11	.02	.48	.	.22	25
26	-	.27	.01	.08	-	-	.	.05	.	.53	.	.35	26
27	.01	.21	.13	.	.15	-	.04	.25	.	.04	.02	.10	27
28	.02	.08	.24	.18	.08	-	.22	.26	.	.01	.	.05	28
29	.25	XX	.	.03	.07	-	.	.32	.01	.09	.	.12	29
30	.	XX	.	.	.42	-	.15	.02	.	.09	.05	.01	30
31	.01	XX	.	XX	.	XX	.16	1.03	XX	.	XX	.14	31
TOTAL	2.11	7.84	1.13	2.24	2.12	0.58	1.91	2.54	2.80	5.02	2.92	2.46	YEAR'S TOTAL 33.67
Days with "01 in. or more	18	25	13	20	23	5	13	13	17	25	17	24	213
Days with "04 in. or more	8	22	6	13	14	2	11	10	13	21	13	14	147

x Malted Snow

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924

Kept at Kilve
in the County of Somerset
by J. C. Hurle

Lat. 51° 10' 6" Long. 3° 13' W
Time of Observation 9 a.m. Greenwich time
Nearest Railway Station Williton
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.	.03 x	.	.02	.20	.06	.11	.	.	.52	.16	RAR 1
2	.05	.	.17 x	.	.25	.	.09	.	.	.	.02	.01	WFR 2
3	.18	.	.06 x	.	.	.20	.11	.28	.	.	.	.	3
4	.	.	.	.02	.	.64	.	.	.01	.	.	.34	4
5	.	.	.21	.	.04	.	.20	.	.02	.34	.	.06	5
6	.	.	.	.	.17	.04	.01	.12	.34	.08	.	.01	6
7	.04	.	.	.01	.	.10	.	.	.71	1.65	.	.	7
8	.23	.15	.	.05	.	.	.02	.	.19	.01	.	.	8
9	.13	.04	.	.02	.15	.18	.	.	.05	.04	.09	.	9
10	.13	.10	.	.	.36	.19	.	.	.03	.	.02	.	10
11	.31	.01	.	.46	.59	.99	.	.	.	.03	.17	.	11
12	.10	.	.	.05	.04	.49	.01	.09	.08	.	.	.	12
13	.04	.	.	.63	.	.	.01	.	.61	.	.01	.38	13
14	.	.	.	.	.	.	.	.12	.	.	.	.32	14
15	.	.01	.	.	.	.	.	.02	.	.	.	.15	15
16	.28	.	.	.	.	.	.	.26	.01	.	.	.01	16
17	.15	.	.	.	.02	.11	.36	.18	.03	.	.	.	17
18	.36	.02	.	.	.20	.	.	1.98	.	.19	.02	.	18
19	.08	.	.	.	.07	.10	.02	.37	.08	.	.	.	19
20	.21	.	.02	.	.12	.	.99	.32	.29	.29	.	.	20
21	.42	.	.01	. ~~21~~	.05	.25	.10	.23	.04	.47	.	.	21
22	.45	.	.33	. ~~21~~	.02	.	.01	1.21	.38	.	.	.35	22
23	.01	.	.04	. ~~21~~	.29	.01	.01	.04	.23	.	.	.31	23
24	.20	.03	.04	.21	.42	.	.	.02	.36	.01	.01	.09	24
25	.	.	.06	.28	.01	.	.13	.05	.35	.27	.37	.17	25
26	.01	.	.	.14	.	.	.02	.01	.01	.05	.72	.35	26
27	.	.	.	.49	.	.	.48	.07	.	.36	.01	.32	27
28	.	.02	.	.	.	.	.55	.05	.	.	.32	.14	28
29	.01	.	.	.11	.	.	.	.21	.07	.60	.45	.72	29
30	.01	X	.	.	.08	.	.01	.12	.10	.29	.51	.29	30
31	.	X	.	X	.14	X	.	.	X	.20	X	.49	1008 31
TOTAL	3.48	0.38	0.97	2.47	3.04	3.50	3.19	5.86	3.99	4.88	3.24	4.87	YEAR'S TOTAL
Days with 01 in. or more	22	8	10	12	19	13	19	21	21	16	14	19	39.67
Days with 04 in. or more	18	3	7	9	15	12	10	18	15	13	8	16	194
													144

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at KILVE

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ Ground „ Sea Level 150 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.81		.06			.03		.23	.07		.61	.01	1
2	.24	.02		.01			.23				.46		2
3	.10	.08			.13		.09	.01			.04		3
4	.06			.24	.17			.11	.02		.10		4
5	.13	.25		.68	.37			.19	.09				5
6		.11			.59		.43	.06			.78		6
7		.14	.03		.27				.01	.01	.52	.12	7
8	.07	.01			.23		.03	.36				.19	8
9		.04		.18	.07		.03	.15	.10		.30	.05	9
10		.07	.04		.03			.62	.02				10
11		.75			.02								11
12		.58		.03				.05				.05	12
13	.03	.03	.17	.14						.02			13
14	.10	.13		.41	.03								14
15	.02	.01		.10					.39			.08	15
16		.03			.02					.24			16
17		.01		.01	.24		.03						17
18		.01		.07			.02	.99	.20	.03			18
19		.01		.15			.04	.14		.59		.64	19
20			.02				.01	.58	1.56	.21		.10	20
21		.13	.11		.03		.51	.17	.37	.30		.15	21
22	.02	.44		.10	.02		.06	.70	.58			.38	22
23	.02	.06	.05	.11		.02	.01	.35	.05	.26	.02	.08	23
24	.21	.39	.01	.09	.32			.27		.05		.24	24
25	.50	.60	.21		.03		.14		.41	.13		.03	25
26	.46	.41		.03	.49		.27	.32	.02	.15		.03	26
27	.11	.04			.12		.24	.01		.01		.12	27
28	.04	.11			.15				.03			.16	28
29	.03	X		.25	.20		.03		.02	.03	.17	.33	29
30		X		.15			.42			.09	.15	.17	30
31	.19	X	.06	X		X	.02		X		X	.03	31
TOTAL	3.14	4.46	.76	2.75	3.53	.05	2.61	4.61	4.06	2.70	3.15	2.96	YEAR'S TOTAL
Days with .01 in. or more.	18	25	10	17	20	2	18	17	17	15	10	19	188
Days with .04 in. or more.	13	18	7	13	13	-	10	15	11	10	9	15	134

(Signed)

[P.T.O.]

1913.



AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.

QUERY FORM.

On examination of the return of observations made at

*Kieve**Rainfall*192 *5*

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

Would you kindly
 verify the entry of .99
 inch which is entered
 on the return to August
 18th?
 (A similar)
 amount is not
 shown at other stations;
 perhaps it was due to
 a local thunderstorm.

*21/6/26**J. C. Huxle*

REPLY.

I enclose the sheet on
 which the observations
 were taken. I remember
 the amount ^{being just short of an inch}; but I
 cannot recollect whether
 it was due to a thunder
 storm.

*22/6/26**J. C. Huxle**Adopt 99**Rob.
23.6.26.*

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division



Register of Rainfall in 1926

1923

2095

Kept at KILVE

in the County of Somerset

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. in.

Ground Sea Level 150 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.39	.09	.01	-	.05	.87	.	.	.92	.01	1.37	.01	1
2	.14	.02	-	Tr	-	.03	.	.	.01	.	.08	.	2
3	.09	.17	.25	-	.	.	.02	.	.	.	.	.	3
4	.06	.08	.26	-	.	.	.	.	.	.12	.38	.05	4
5	.03	.29	.08	-	.19	-	.24	.	.49	.	.06	.04	5
6	.17	.02	.01	.02	.01	.03	.65	.11	Tr	.18	.39	.	6
7	.03	.01	.02	.23	.07	.19	.	.	.05	.	.20	.	7
8	-	.02	Tr	.13	.	.	.	.06	.01	.04	1.68	.	8
9	-	.	.01	.01	.01	.30	.	1.08	.	.03	.26	.	9
10	-	.	.	.	.05	.01	.02	.09	.	.02	.53	.	10
11	-	.	.	.	.22	.20	.	.14	.09	.02	.	.	11
12	-	.	.	.	.06	.26	.	.	.02	.09	.10	.	12
13	-	.15	.	.	.05	.30	.	.02	.13	.05	.23	.01	13
14	.05 (Sun)	.19	.	.28	.	.	.	.	Tr	.65	.02	.	14
15	.08 (Sun)	.02	.	.13	.04	.	.	.	.10	.52	.14	.	15
16	.25 (Sun)	.19	.	.36	.	.	.	.01	Tr	.03	.12	.	16
17	.14 (Sun)	.51	.	.01	.	.30	.15	.13	.	.	.54	.04	17
18	.25	.11	.	.18	.	.	.	.06	.	.	.19	.01	18
19	.02	.01	.	.08	.	.	.33	.02	.19	.	.46	.	19
20	.	.	.	.28	.	.	.	.08	.	.	.08	.	20
21	.04	.	.	.02	.	Tr	.03	.06	.	.16	.11	.	21
22	.09	.06	.	.24	.	.	.	.	.	.13	.	.	22
23	.09	.21	.09	.	Tr	.	.	.01	.	.	.	.	23
24	.01	.	.04	.	.	.01	.26	.	.01	.62	.	.	24
25	.09	.01	.	.07	.	.	.07	.	.31	.33	.05	Tr	25
26	.02	.	.	.01	.	.	.36	.	.26	.	.10	.	26
27	.15	.02	.02	.02	.16	.	.	.	.	.61	.	.	27
28	.24	.	.	.07	.03	.	.	.	.	.68	.45	.	28
29	.11	X	.	.12	.08	.	.	.	.	.	.06	.	29
30	.11	X	.	.22	.16	.	.	.10	.	.	.18	Tr	30
31	.14	X	.	X	.	X	.	.	X	.	X	.	31
TOTAL	3.79	2.18	.79	2.47	1.18	2.50	2.13	1.97	2.59	4.29	7.78	.16	YEARS TOTAL 31.83
Days with .01 in. or more.	24	19	10	18	14	11	10	14	13	18	24	6	181
Days with .04 in. or more.	19	11	5	13	11	7	7	10	9	13	23	3	131

(Signed)

G. C. Hurdle

(P.T.O.)

A

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at KILVE
 in the County of Somerset
 Diameter of Funnel of Gauge five in.
 Height of top of Gauge above Ground one ft. — in.
 „ Ground „ Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.93	.07				.66			.02	.03		1
2			.01	.11						.03			2
3	.16	.01	.06	.02	.15	.03	.08					.05	3
4		Tr	.12	.14	.18		.21				.13		4
5	.10	.06	.29	.30		.03	.03				.09		5
6	.06		.39	.31				.08	1.67		.25		6
7		.06	.02	.01		~~1.15~~	.37	.01	.03		.02		7
8	.02		.02	.24	.02			.23	.06		.02	.02	8
9			.29	.03	.62		.03	.03	.50			.14	9
10									.21				10
11				.02			.42	.10	.02		.25		11
12	.12						.82	.09	.03				12
13	.10						.02	.32	.24	.01	.01	.30	13
14	.22	Tr		.25	.16		.12	.11	.98			.10	14
15	.06	.01			.05			.42	1.41	~~1.41~~	.12		15
16	.14				.12	.48			.06	.02	.02		16
17	.16		.03			.14		.55	.34	.02	.08		17
18						.17		.12		.01	.43		18
19		.25	Tr				.07	.46	.02	.11	.95		19
20	.30	.12			.07	.02	.20	.02			.46	.35	20
21	.16	.17	.01		.01	.04	.08	.35	.39	.69	.13	.58	21
22	.05	.30	.34	.05		.08	.18	.08	.31	.52	.01	.49	22
23	Tr	.50	.10			.19		.21	.95	.01	.24	.23	23
24	.20		.63					.25	.24	.05		.42	24
25	.06	.18	.18			.16	.06		.15	.07		.32	25
26	.22	.36	.05				.48		.36	.02		.06	26
27	.02	.04	.05		.11	.08	.24			.52			27
28	1.44	.12	.27			.01	.09		.28	.01	.11		28
29	.12	X	.02			.03	.02		.40		~~1.11~~		29
30	.04	X				.01	.09	.17	.12	.10		.01	30
31	.21	X	.68	X		X			X		X	.14	31
TOTAL	3.98	3.11	3.63	1.48	1.49	1.62	4.27	3.60	8.77	2.21	3.35	3.21	YEARS TOTAL
Days with .01 in. or more.	22	14	20	11	10	15	20	18	22	16	18	14	200
Days with .04 in. or more.	19	12	14	7	8	9	16	15	19	7	12	12	150

Please read the Notes and Instructions Overleaf.

J. C. Hulse

Section **A**

for the entry of Daily Observations.

1966
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

2095

Kept at KILVE
in the County of Somerset
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. in.
" Ground " Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.43	.04	.01								.02		1
2	.03	.31	.39	.13			.02				.07	.02	2
3		.02	.02	.15			.11				.11	.01	3
4		.14	.01	.05		.22				.19	.14		4
5	.05	.07	.04						.03	.04			5
6	.01		.05			.38					.02	.28	6
7			.04	.03		.18		.13		.07		.12	7
8		.03		.10		.20	.04		.10	.27		.02	8
9				.21		.12		.04	.10	.15			9
10	.12	.26		.06		.07		.06		.23	.29	.11	10
11		.02	.08 ^{show}	.04				.12		.60	.07	.59	11
12	.24	.75	.08 ^{show}					.16				.03	12
13						.38		.13		.09			13
14	.07	.24	.03	.76		.10		.04		.30	.20		14
15	.13	.01	.01	.06						.10	.25	.01	15
16		.12	.05		.11					.19	.43	.24	16
17	.04				.28	.09					.21		17
18	.09		.02	.02		.21				.15	.02		18
19			.12		.17	.04		.02		.65	.12	.02	19
20	.04		.36		.02	.09		.30			.28		20
21	.75		.22							.06	.24		21
22			.20	.01				.08		.81	.14	.06	22
23	.34		.18				.01			.09	.35		23
24	.05		.04					.05	.02	.08	.13	.21	24
25	.08					.03				.02		.33	25
26	.15		.03			.05	.45	.28		.49	.04	.03	26
27	.08		.30	.31	.02		.37	.04	.32	.08		.95	27
28	.52	.32	.17				.17	.05	.75		.02	.14	28
29	.15	.41	.26			.21	.12	.02		.07	.05	.15	29
30	.23	X	.04			.03	.25			.01	.01	.13	30
31	.08	X	.36	X		X	.67		X	.03	X		31
TOTAL	3.68	2.74	3.11	1.93	.60	2.40	2.21	1.52	1.32	4.77	3.21	3.45	YEARS TOTAL
Days with ".01 in. or more.	21	14	25	13	85	16	10	15	6	23	22	19	30.94
Days with ".04 in. or more.	19	10	18	10	3	14	8	13	4	20	17	12	148



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Kilve
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground one ft. in
Ground Sea Level 150 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.26			Tr	.14		.05	.09	.22		.15	1
2		.16					.04			.10	.04	.34	2
3						Tr	.08	.65		.04		.13	3
4					.39	.03	.02	.36		.25		.91	4
5				.03	.89	.55	.22	.19		2.24	.44	.32	5
6	Tr. Snow	.08			.16			.21		.15	.02	.79	6
7					.38					.41	.60	.47	7
8		.02			.07	.10		.05		.05		.58	8
9	.10	.15		~~.03~~				.03		.01	.19	.45	9
10	.05			.04	.05					.03	.05	.30	10
11		.20 Snow			.32			.01		.04	.80	.07	11
12				.08		1.10					.20	.03	12
13	.04				.10	.02		Tr			.02	.01	13
14		.03 Snow			.14	.10						.09	14
15		.19 Snow				.14		.01			.59	.02	15
16								.08			.04		16
17	.12							.03		.11			17
18	.01									.19	.74		18
19		.01						.13		.03	.33	.03	19
20	.01		Tr					.04		.09	.08	.54	20
21	.01		.11				.05	.01			.05	.02	21
22		.01	.04			Tr	.01	.06			.67	.15	22
23					.06					.05	.35	.52	23
24			.02	.02				.01		.69	1.35	.28	24
25		.13 Snow	~~.07~~	.07						.01	.19	.04	25
26			.01 (dew)								.13	.05	26
27	.07			.10	.24		.01			.05	.68	.16	27
28	.20			.15			.54	.04	.04	.11	.71	.43	28
29	.05	X		.19		.12			.15	.29	.56	.34	29
30		X		.02		.17	.03		.19		.02	.08	30
31	.47	X		X		X	.16	.32	X		X	.01	31
TOTAL	1.13	1.24	.18	.70	2.74	2.47	1.16	2.28	.47	5.16	8.85	7.31	YEAR'S TOTAL 33.69
Days with .01 in. or more.	11	11	4	9	11	10	10	18	4	21	24	28	151
Days with .04 in. or more.	8	7	2	6	11	8	6	12	4	17	21	22	114

REGISTER OF RAINFALL IN 1930 .

Kept at **KILVE**
in the County of **Somerset**
Diameter of Funnel of Gauge **five** in.
Height of top of Gauge above Ground **one** ft. in.
,, Ground ,, Sea Level **150** ft.

*WD since 10/3/30 when
G. H. Hulse died. yes.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

26

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.22		.02		.13					.36	—	1
2		.01		.52		.17		.21	—	—	.16	—	2
3	.05	.25		.32			.04		—	.02	.10	—	3
4	.32	.22	.15	.85			.07	.51	—	.07	—	—	4
5	.02			.09			.03	.04	—	—	.05	.01	5
6					.14			.27	—	.27	—	—	6
7	.16				.06			.40	.29	.11	.06	—	7
8				.10					—	.47	.17	.08	8
9	.25						.02	.03	—	.07	—	.23	9
10	.66		.49	.48	.19				—	—	.04	—	10
11	.27		.14		.20				.70	—	—	.68	11
12	.24			.05		.02		.17	.20	.02	—	—	12
13	.08		.10	.02	.22	.09		.03	.05	.09	—	.13	13
14	.44	.02	.36	.23	.07		.10	.07	.25	.02	—	.10	14
15			.25	.27	.05				—	.03	—	.15	15
16			.41	.05			.46		.15	.48	.05	.64	16
17										.35	—	.36	17
18			.03		.27			.10	.29	.03	—	.01	18
19			.08		.09			.09	.75	.02	.09	.20	19
20			.03			.02	.18	.02	.62	.24	.40	.03	20
21				.10			.19	1.10	.26	.02	.09	—	21
22	.26					.02			—	.23	.32	—	22
23	.04			.12		.05		.61	.05	.39	.14	—	23
24	.29		.49	.22	.02	.07	.10		.07	—	.67	—	24
25		.09		.07		.03			.23	.14	.20	.14	25
26	.88	.07			.32				.02	—	.05	.02	26
27	.05								—	—	.17	.15	27
28	.03		.04			.02	.17		.05	.26	—	.05	28
29	.02	X	.05				.08		.04	.06	.58	.218	29
30	.01	X			.15		.03		.69	—	.48	.13	30
31	.60	X	.27	X	.12	X			X	.08	X	.31	31
TOTAL	4.71	.88	2.91	3.49	2.03	.49	1.47	3.65	4.61	3.83	3.82	4.17	31.36.16
Days with ".01 in. or more.	20	7	15	14	15	16	14	13	9	10	12	12	18
Days with ".04 in. or more.	16	5	12	12	14	14	13	12	4	5	11	11	15

FORM 1090 METEOROLOGICAL
(formerly B.R.O. Form A.1.)
Kept at Brook
in the County of Huish
by Miss A. M.

LANGPORT
HUISH EPISCOPY
SOMERSET

ORGANIZATION.
21st.....
Long.....
.....
ation.....
of Rain Gauge.....in.
Gauge above Ground.....ft.....in.
,, Sea Level.....ft.
result entered to the previous day.

IMPORTANT NOTE
If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instru
and particulars as to the British Rainfall Organization
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

1921 - 1927

Jan. 1, following.
03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	06				06						12	1
2	29	03	03					15	05		07	12	2
3	03							03		09	07	07	3
4	03	03	03			04		03		02	35		4
5	03							07			21		5
6			06	03				15			07		6
7	16		06		03			03				04	7
8	12		07		32						06		8
9	07		12		05								9
10			03		27				07				10
11	05		09	05				45	03			08	11
12	12		11		08			05	79	02			12
13	21		12					35	05			26	13
14			14	09			03	17	06	11			14
15	03		06		25		08	07	08			15	15
16			03	05	03						12		16
17	03		05	21				05			37		17
18	12		14	03				03	11				18
19	08		03	12						07			19
20			16	03								05	20
21										07	03		21
22								09			03		22
23	03			14						15	03	37	23
24	03									12			24
25	11	09										12	25
26	03	14	03			57	11					12	26
27	23		05			03	03				09	21	27
28					05						03	04	28
29			21				05				12	07	29
30	07		12		23		04	09				03	30
31	64							03				12	31
TOTAL	2.57	3.5	1.74	.72	1.36	.70	.34	1.84	1.24	1.65	1.65	1.98	15.14
Days with 01 in. or more	22	45	27	8	11	10	4	6	16	8	14	16	15.15
Days with 04 in. or more	14	28	15	6	9	8	4	11	7	6	11	14	102

FORM 1090 METEOROLOGICAL OFFICE, BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1921

Kept at Brooklands
in the County of Hants. Epsoth, Langport
by Miss A. M. Helway, Laureet.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	06				06		—	—			12	1
2	29	03	03					15	05		07	12	2
3	03	—	—					03		09	07	07	3
4	03	03	03			04		03		02	35	—	4
5	03	—	—					07			21	—	5
6	—		06	03	03			13			07	—	6
7	16		06		03			03			—	04	7
8	12		07		32			—			06	—	8
9	07		12		05			—				—	9
10	—		03		27			—	07			—	10
11	05		09	05	—			45	03			08	11
12	12		11	—	08			05	79	02		—	12
13	21		12	—	—			35	05	—		26	13
14	—		14	09	—		03	17	06	11		—	14
15	03		06	—	25		08	07	08			15	15
16	—		03	05	03			—	—		12		16
17	03		05	21				05	—		37		17
18	12		14	03				03	11		—		18
19	08		03	12						07	—		19
20			16	03						—	—	05	20
21										07	03	—	21
22								09		—	03	—	22
23	03			14						15	03	37	23
24	03									12	—	—	24
25	11	09									—	12	25
26	03	14	03			57	11				—	12	26
27	23		05			03	03				09	21	27
28	—		—		05		—				03	04	28
29	—		21		—		05				12	07	29
30	07		12		23		04	09			—	03	30
31	64							03				12	31
TOTAL	2.57	3.5	1.74	.72	1.36	.70	.34	1.84	1.24	.65	1.65	1.98	15.14
Days with .01 in. or more	22	5	27	8	11	10	4	6	16	8	14	16	15.15
Days with .04 in. or more	14	28	15	6	9	23	4	11	7	6	11	14	138

Kept at Brooklands
in the County of Hutch. Episcopi
by (Miss) A. M. H. H. H. H. H.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following:
0

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.03	.44	.66			.03	.01	.09	.22	.19	.09	1
2		.15	.15				.32	.05			.12		2
3	.03	.22	.12	.15	.03		.06	.15			.12	.03	3
4	.07	.09	.11	.39	.15		.05				.06		4
5	.03	.03	.12	.03	.05		.05	.13		.35	.05		5
6	.09		.12	.09			.95	.45		.10	.36		6
7	.22		.15	.03				.28	.03		.14		7
8	.05		.35	.27		.05	.22	.27			.17		8
9	.09		.05				.22				.08	.12	9
10	.16						.03				.03		10
11	.03						.05				.07		11
12	.03			.05	.12			.40					12
13				.21			.20		.44				13
14	.21			.34		.07							14
15				.07					.17				15
16	.35	.14		.12				.14					16
17	.03	.21		.17	.12				.03			.12	17
18	.03	.05			.06		.10	.05				.22	18
19	.15	.12			.03				.09			.12	19
20	.03	.05	.03						.05			.12	20
21	.22	.19										.03	21
22	.16	.03	.03				.22	.03			.03	.67	22
23		.03				.06	.55	.15	.03			.14	23
24	.03		.05			.03						.03	24
25	.12		.09		.05	.15		.12				.03	25
26	.15	.03		.12		.12			.22			.21	26
27		.12	.03	.15			.15		.03		.05	.03	27
28	.26	.53	.05	.03				.22	.06	.43	.03	.26	28
29	.39		.03			.15		.15				.11	29
30	.13		.05	.05		.05	.03			.03		.47	30
31	.88					.03		.55				.65	31
TOTAL	3.96	2.46	2.14	2.32	.61	.71	3.21	4.23	1.37	1.10	1.40	4.36	27.87
Days with .01 in. or more	25	17	16	18	8	8	16	16	11	5	14	18	172

REGISTER OF RAINFALL IN 1923.

Kept at Brooklands Heath & Spence
 in the County of Dorset, Somerset
 by Mr A. M. Kelway

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

1/5

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			15	05				16	32			03	1
2	05	09	15	05					05			15	2
3	12	05	19		05			02		30		03	3
4	05		06	03					24	50	10	09	4
5	03			05								12	5
6	42			03	12					15		14	6
7	77	31	05	09								03	7
8	05	44	05	28						20		02	8
9	06	03								03	25	03	9
10	18	70			03					03		03	10
11		11		31						22		05	11
12		03		21	05					77		03	12
13		31	35	03	05	03				41		03	13
14	03	22		18	07				05	12	35	03	14
15	05	03		03		03		28	52	03	10	05	15
16		14	03	19	25	32	05		03	02	19		16
17		06		54	22			05	07		17	04	17
18	03	42						09	35	05	30		18
19	03	25		12		05		03	09		05		19
20		05					08	04	21	12	05	03	20
21		11							05	19	03		21
22	46	18				03		08	03	18		03	22
23		35		03				58	05	09			23
24	03	31	25		32		15	05	11	15		12	24
25		14		05	03			04		03		17	25
26		35		17					12	31		22	26
27		05	03	06				05		30		31	27
28		31	14		09			11		15		12	28
29	05		32	24	05			46					29
30	03	X	15		05		12					09	30
31		X		X	03	X	03		X	16	X	05	31
TOTAL	1.98	5.04	1.77	2.61	1.41	4.6	3.3	1.98	2.29	1.5	2.39	2.6	4.6
Days with 01 in. or more	16	24	12	19	14	5	5	14	15	23	10	24	18
Days with 04 in. or more	10	22	10	13	11	2	5	13	12	18	9	15	18

FORM 1090 *only* **WD** AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

1856

Kept at Brooklands
in the County of Hush Episcopi
by Miss A. M. Kelway

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

42.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15		.03		.03	.21				.12	.16	.11	WVV 1
2	.03					.07	.04	.05			.37	.09	2
3	.16		.29		.12		.02						C 3
4	.21		.09			.03	.08	.15					4
5						.87		.03				.29	5
6		.11			.07		.03			.21		.03	6
7	.03				.03				.15	.31			7
8	.03				.05	.11			1.11	1.22			8
9	.12	.12							.07				9
10	.07	.02		.03		.12			.74		.04		10
11	.12	.05			.57	.45			.03	.10			11
12	.14	.05		.37	.47	.36			.03		.66		12
13	.25	.03		.15	.11	.09		.09	.03				13
14	.05			.37								.45	14
15								.03	.44			.12	15
16	.03	.09										.41	16
17	.22						.57			.20			17
18	.21				.07	.09	.41	.12	.03				18
19	.35				.29			.61		.20	.03	.03	19
20	.09						.06	.11	.12	.30			20
21	.05		.03		.35	.04	.57	.41	.22				21
22	.75				.07	.34	.03	.02	.03				22
23	.51		.32				.07	.32	.22			.04	23
24	.03		.07		.27				.03			.11	24
25	.25		.22	.12	.09				.41		.03	.12	25
26				.12			.72	.03	.31	.10	.26	.03	26
27				.07				.03	.03	.09	.53	.25	27
28				.46			.47	.19		.85		.12	28
29		.03	.03				.51	.12		.08	.25	.02	04 29
30		X		.04			.12	.03		.41	.38	.34	31 30
31	.03	X		X	.14	X	.19		X	.37	X	.11	11 31
TOTAL	3.88	.39	1.19	1.73	2.73	2.78	2.47	3.04	4.00	4.12	2.92	2.96	YEAR'S TOTAL 32.64
Days with .01 in. or more	23	7	9	9	13	12	13	18	17	14	10	17	164
Days with .04 in. or more	17	4	6	8	13	11	10	12	10	14	8	16	315

Section



for the entry of Daily Observations.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 192 .

Kept at 13 Brooklands Langportin the County of Somersetby A. M. Kelway (Miss)Diameter of Funnel of Gauge (Miss)Height of top of Gauge above Ground ft. in." Ground " Sea Level ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. For 956-21 June
May total low. To verify

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1 following.

105

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	42	15	03	03	04			09			08	11	1
2	54		06					25	05		45	04	2
3	05	01					15				37		3
4	09	02			32		03				39		4
5	03			15	03			16					5
6	03	29		51	23			14	03				6
7		05			42		09	06			45		7
8		02	03		35		04			03	12	16	8
9	17		03		04		21					12	9
10		03		07	32						15	09	10
11		03	03					04	03				11
12		39											12
13	03	42						51				03	13
14	04	12	11	12									14
15	09	21		29							05	09	15
16	04			85					09				16
17		15								22			17
18	03	03		12	05		03					03	18
19				12	32		03		11	03		68	19
20				12	03		03	88	12	56			20
21			03				62	31	61	25		04	21
22		05	03				02	37	22	38		14	22
23	03	25		09	10		03		42	41		29	23
24	04	03		02	12		02		03	06		03	24
25	22	32	03					36				12	25
26	35	55	09	09			12		23	18		08	26
27	12	25		12	20		21	41	09	14		05	27
28	04	03		05	(.05)		24					09	28
29	21				(.03)		05		03		03	19	29
30	03	X		09	(.03)		03				14	12	30
31		X		X	(.02)	X	33		X	15	X	29	31
TOTAL	2.603	3.5	4.7	1.92	2.96	None	2.3	3.79	3.2	2.4	2.2	3.2	7.4
Days with .01 in. or more.	20	21	10	15	14	-	17	13	13	11	10	20	16
Days with .04 in. or more.	14	14	3	13	12	-	10	13	9	9	9	16	12

(Signed).....

P.T.

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Brooklands - Langford - Rainfall 1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

The total of 2.96 for May 1925 seems low compared with neighbouring stations. The entries on the return are as follows; would you kindly verify that they are complete?

May 1.	.04
4	.32
5	.03
6	.23
7	.42
8	.35
9	.04
10	.32
18	.05
19	.32
20	.03
23	.10
24	.51
27	.20

21/4/26.

Adams
Supr.

REPLY.

Referring to the paper you have sent me. The rainfall for May 1925, is low for this part of Somerset. I sent it quite correct from the book I have. The rainfall measurements are always lower ^{for May} than any other part of Somerset, as we are flat here, & not near any hills.

May 22nd 1926.

A. M. Helias.

Adopted corrections as indicated on face of form 1090

R.S.B.
25.6.26.

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division.....

Section

A

for the entry of Daily Observations.

WW-
111
977
con.

FOR OFFICIAL USE.

1906

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Brooklands Hugh Episcopi
in the County of Lanarth, Somerset

by A. M. Melway (Miss)

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

cond. for WD

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

0

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05	15			11							03	1
2	55	05				83			75		100		2
3	03	02				32			04				3
4	06	22	09	05									4
5	05	15	16	03							17	09	5
6	05	06	03		15		22		04		09	21	6
7	09	07	03		03		51	06	03	11	22		7
8	03	02		43	25	12			05		22	07	8
9	03		03	09	03	06	03			11	42	03	9
10						22		16			12		10
11					14	11		05			34		11
12					25	69		15		09	05		12
13					35	38				14	05	03	13
14		03			03	19		12	09	03	26	03	14
15	04	16		15	05					65	03		15
16	15	05		11						45	15		16
17	15	22		32				17		03	15		17
18	15	45		03		36	14	05			58	03	18
19	25	15		15			66	03			15	04	19
20		03					29	03	03		46	03	20
21		03									22		21
22		03		25			03			35	05		22
23	03			04						59			23
24	14	03	03	09									24
25	03		05				31	03	20	25		03	25
26			02			03				25	19	05	26
27	09	05		05	05		06		25		12		27
28	09	05		02	03					25	03		28
29	25			09			09			68	04		29
30	05	X		19	14								30
31	09	X		X	15	X		15	X		X		31

TOTAL

Days with
01 in.
or more.

Days with
04 in.
or more.

YEARS TOTAL

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

1877

Kept at Brooklands Airport

in the County of Somerset

Diameter of Funnel of Gauge..... 6 in.

Height of top of Gauge above Ground..... ft. in.

„ Ground „ Sea Level ft.

647511/25
High value referred to
observer (see 647511/25)
WD
value
unavailable

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

43

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.12	.36	1.21			.03	.14		.16		.03	1
2	.03	.03	.11				3.35	.04		.05	.65		2
3	.03		.04	.28	.04					.11			3
4	.15		.07		.18	.07	.04						4
5	.03		.08	.07	.26		.33				.15	.03	5
6	.09		.59	.81			.07				.15		6
7	.09		.85	.91		.03		.25	1.77		.07		7
8	.03		.03	.12		.74	.03	.09					8
9	.03			.39	.17		.09	.05	.12			.03	9
10			.25		1.09		.22	.03	1.44			.15	10
11				.19				2.00	.08				11
12				.03				.05	.03	.04	.55		12
13	.07							.03	.03				13
14								.71	.35		.08	.55	14
15	.18			.32			.19	.05	.56			.03	15
16	.08				.30	1.65		.87	.28		.03		16
17					.50				.25	.14			17
18	.15		.08					.89	.27	.05	.03		18
19											.88		19
20		.87						.95			.22		20
21	.17						.25	.19			.48	.60	21
22	.12	.30	.03				.08	.32	.71	.14	.12	.55	22
23		.51	1.18					.18	.38	.89		.89	23
24		1.18	1.78					1.87			.61	.40	24
25		.21	.95				.05	.71	.03	.14			25
26		.58	.62						.78	.35		.44	26
27		1.35	.09				.64		.36	.03		.03	27
28		.18					.35			.42			28
29			.47						.08	.03	.44		29
30		X	.08				.03		.71	.03	.05		30
31		X	.06	X		X	.04		X	.45	X	.12	31
TOTAL	~~7.25~~	~~5.33~~	~~7.37~~	~~3.32~~	~~2.52~~	~~5.84~~	~~7.53~~	~~12.35~~	~~22.66~~	~~6.85~~	~~70.10~~		YEARS TOTAL
Days with .01 in. or more.	~~11~~	~~10~~	~~19~~	~~10~~	~~7~~	~~16~~	~~17~~	~~18~~	~~19~~	~~14~~	~~15~~	~~14~~	~~18.5~~
Days with .04 in. or more.													

RI

LANGPORT

GANIZATION.

Kept at Langport

in the County of Somerset

by E. Markham

SOMERSET

1921 - 1930

2°50'20" W. Greenwich
A.M.

Langport-West.

rain Gauge 5 in.

above Ground 1 ft. in.

Sea Level 50 ft.

entered to the previous day.

tested to add
at the end of
of rain gauges,
all Observers,
62, Camden

Jan. 1, following.

IMPORTANT NOTE
If an Observer prefers not
the reading at 9 a.m. on 1st
this paragraph. Full instruc
and particulars as to the
sent post-free on applicatio
Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27	.01	.03	-	-	-	-	.15	.02	-	.08	.10	1
2	.05	-	-	-	-	-	-	-	-	.10	.03	.05	2
3	.01	-	.01	-	-	.06	-	.03	-	.03	.10	-	3
4	.04	-	-	-	.03	-	-	-	-	-	.16	-	4
5	-	-	.03	-	.03	-	-	.20	-	-	.06	-	5
6	.16	-	.02	-	.03	-	-	.03	-	-	-	.03	6
7	.13	-	.02	-	.30	-	-	-	-	-	.04	-	7
8	.08	-	.13	-	.06	-	-	-	-	-	-	-	8
9	.01	-	.02	.05	.26	-	-	-	.08	-	-	-	9
10	.06	-	.08	.03	.01	-	-	.45	-	-	-	.03	10
11	.13	-	.03	-	.09	-	-	.04	1.01	.01	-	-	11
12	.15	-	.06	-	-	-	-	.32	.01	-	-	.23	12
13	-	-	.13	.10	-	-	.02	.38	.04	.11	.04	-	13
14	.03	-	.07	.01	.26	-	.12	.12	.05	-	-	.11	14
15	.01	-	.02	.06	.02	-	.03	-	-	-	.12	.01	15
16	.04	-	.09	.22	-	-	-	.05	-	-	.44	.01	16
17	.11	-	.10	.04	-	-	-	.03	.12	-	-	-	17
18	.09	-	.02	.07	-	-	-	-	.02	.07	-	-	18
19	-	-	.13	-	-	-	-	-	-	.04	.01	.03	19
20	-	-	.02	.01	-	-	-	-	-	.05	.02	-	20
21	-	-	-	.01	-	-	-	.06	-	.01	.02	-	21
22	.03	-	-	.11	-	-	-	-	-	.11	.03	.34	22
23	.01	-	-	.07	-	-	.03	-	-	.12	-	-	23
24	.11	.10	-	-	-	-	-	-	-	-	-	.16	24
25	.02	.11	.02	-	-	.67	.07	-	-	-	-	.06	25
26	.20	-	.03	-	.01	.02	.01	-	-	-	.06	.12	26
27	.01	-	-	-	.07	-	-	-	-	-	.05	.06	27
28	-	-	.18	-	-	-	.03	-	-	-	.09	.05	28
29	.06	X	.12	-	.20	-	-	.06	-	-	-	.02	29
30	.65	X	.01	-	-	-	-	.02	-	-	.15	.10	30
31	.05	X	-	X	.04	X	-	-	X	-	X	-	31
TOTAL	2.51	.22	1.37	.78	1.41	.75	.31	1.94	1.35	.65	1.80	1.51	YEARS TOTAL 14.60
Days with .01 in. or more	25	3	23	12	14	3	7	14	8	10	17	17	153
Days with .04 in. or more	17	2	10	8	8	2	2	10	4	7	12	11	93

REGISTER OF RAINFALL IN 192/.

Kept at Langport
 in the County of Somerset
 by O. Markant Page

Lat. 51° 2' 20" N Long. 2° 50' 20" W. Greenwich
 Time of Observation 9 A.M.
 Nearest Railway Station Langport-West.
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27	.01	.03	-	-	-	-	.15	.02	-	.08	.10	1
2	.05	-	-	-	-	-	-	-	-	.10	.03	.05	2
3	.01	-	.01	-	-	.06	-	.03	-	.03	.10	-	3
4	.04	-	-	-	.03	-	-	-	-	-	.16	-	4
5	-	-	.03	-	.03	-	-	.20	-	-	.06	-	5
6	.16	-	.02	-	.03	-	-	.03	-	-	-	.03	6
7	.13	-	.02	-	.30	-	-	-	-	-	.04	-	7
8	.08	-	.13	-	.06	-	-	-	-	-	-	-	8
9	.01	-	.02	.05	.26	-	-	-	.08	-	-	-	9
10	.06	-	.08	.03	.01	-	-	.45	-	-	-	.03	10
11	.13	-	.03	-	.09	-	-	.04	1.01	.01	-	-	11
12	.15	-	.06	-	-	-	-	.32	.01	-	-	.23	12
13	-	-	.13	.10	-	-	.02	.38	.04	.11	.04	-	13
14	.03	-	.07	.01	.26	-	.12	.12	.05	-	-	.11	14
15	.01	-	.02	.06	.02	-	.03	-	-	-	.12	.01	15
16	.04	-	.09	.22	-	-	-	.05	-	-	.44	.01	16
17	.11	-	.10	.04	-	-	-	.03	.12	-	-	-	17
18	.09	-	.02	.07	-	-	-	-	.02	.07	-	-	18
19	-	-	.13	-	-	-	-	-	-	.04	.01	.03	19
20	-	-	.02	.01	-	-	-	-	-	.05	.02	-	20
21	-	-	-	.01	-	-	-	.06	-	.01	.02	-	21
22	.03	-	-	.11	-	-	-	-	-	.11	.03	.34	22
23	.01	-	-	.07	-	-	.03	-	-	.12	-	-	23
24	.11	.10	-	-	-	-	-	-	-	-	-	.16	24
25	.02	.11	.02	-	-	.67	.07	-	-	-	-	.06	25
26	.20	-	.03	-	.01	.02	.01	-	-	-	.06	.12	26
27	.01	-	-	-	.07	-	-	-	-	-	.05	.06	27
28	-	-	.18	-	-	-	.03	-	-	-	.09	.05	28
29	.06	X	.12	-	.20	-	-	.06	-	-	-	.02	29
30	.65	X	.01	-	-	-	-	.02	-	-	.15	.10	30
31	.05	X	-	X	.04	X	-	-	X	-	X	-	31
TOTAL	2.51	.22	1.37	.78	1.41	.75	.31	1.94	1.35	.65	1.80	1.51	YEARS TOTAL 14.60
Days with .01 in. or more	25	3	23	12	14	3	7	14	8	10	17	17	153
Days with .04 in. or more	17	2	10	8	8	2	2	10	4	7	12	11	93

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

Kept at Langport
in the County of Somerset
by D. M. Page

Lat. 51° 2' Long. 2° 50' W. Greenwich
Time of Observation 9 A.M.
Nearest Railway Station Langport West
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 50 ft.

1911

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.11	.19	.04			.30	.04		.01	.13		1
2	.01	.17	.12	.28	.03		.07	.06			.14	.02	2
3	.01	.12	.11	.33	.13		.04	.13			.06		3
4		.03	.09	.02	.06		.03	.01		.35			4
5	.10		.09	.07			1.14	.14	.01	.13	.35		5
6	.19		.19	.04			.02	1.48	.03		.20		6
7	.04		.33	.28		.03	.14	.38	.01		.16	.05	7
8	.08		.04			.01	.22	.44			.10	.06	8
9	.13			.02			.03	.02			.03		9
10	.02						.07	.01			.08		10
11	.02			.03	.10								11
12				.22		.01	.01	.38	.44				12
13	.27			(.36)		.07	.23	.01	.05			.02	13
14	.02		.04	.08					.11		.02		14
15	.31	.11		.16			.02		.01				15
16		.19		.12	.07			.11			.02	.09	16
17		.07			.03		.07	.01			.20		17
18	.18	.13			.04			.04	.10		.10		18
19	.01	.03	.03		.01				.04		1.07		19
20	.22	.17									.05		20
21	.13	.03	.02				.19	.03	.02		.02	.65	21
22	.01	.03				.05	.01	.13	.01		.11		22
23	.02	.03		.04		.03	.06	.01			.02		23
24	.07		.04		.02	.15		.08			.05		24
25	.24	.01		.14		.09			.22		.17		25
26	.01	.11		.13		.01	.16		.16		.02		26
27	.36	.55	.03	.02				.23	.10		.04	.22	27
28	.50	.47	.04			.18		.17	.02		.11		28
29	.18	~~X~~	.04	.13		.05	.03	.01		.47		.44	29
30	.88	~~X~~	.02			(.02)		.64	.23	.04	.04	.61	30
31	.03	~~X~~	.87	~~X~~		~~X~~		.15	~~X~~	.23	~~X~~	.02	31
TOTAL	4.05	2.36	2.29	2.51	.49	.70	2.84	4.71	1.56	1.23	1.39	4.08	YEAR'S TOTAL 28.21
Days with .01 in. or more	27	17	17	19	9	12	19	24	16	6	14	20	200
Days with .04 in. or more	16	11	13	15	5	7	12	16	9	5	10	15	134

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.06	.67	.22					.01	.09	.19		.49	1
2	.08	.02	.07		.04			.03		.38		.11	2
3	.11		.02				.01		.23	.24	.02	.18	3
4				.02	.07					.03	.11	.15	4
5	.45		.02	.02	.06					.13	.04	.11	5
6	.68	.65	.06	.12			.08					.01	6
7	.03	.66	.02	.08					.03	.18		.15	7
8	.04	.07								.04	.13	.03	8
9	.16	.86			.02					.03			9
10	.03	.18		.35	.03		.05			.17			10
11		.02		.13	.08					.85			11
12		.26	.31	.03	.10	.02	.03			.42			12
13	.01	.26	.02	.20	.08			.04	.05	.17	.30		13
14		.02	.02	.06	.02			.07	.18	.03	.11		14
15		.10	.03	.18	.16	.34	.10		.11		.22		15
16		.06		.45	.35	.01		.01	.02	.01	.14	.04	16
17	.01	.40		.02	.02		.01	.08	.41	.04	.26		17
18		.27		.11		.02	.04		.06	.03	.04		18
19	.02	.03						.06	.18	.10	.03		19
20		.11					.05		.07	.21	.04		20
21		.15							.03	.16		.04	21
22		.45		.03				.06	.05	.10			22
23		.33	.30		.21		.11	.58	.13	.15		.13	23
24		.13	.01	.01				.01	.20	.02		.14	24
25		.34		.19		.01	.01	.04	.10	.27		.22	25
26		.08	.05	.06	.01			.02		.52			26
27		.30	.15	.02	.10		.02	.09		.07		.39	27
28	.01	.23	.25	.31	.07		.10	.16	.01				28
29	.02	X	.11	.02	.06		.12	.41	.03	.02		.09	29
30	.04	X		.01	.02		.03	.01	.01	.13	.01		30
31	.01	X	.02	X	.01	X	.11	.32	X	.01	X	.21	31
TOTAL	1.76	6.05	1.68	2.42	1.51	.40	.87	2.00	2.29	4.70	1.45	2.49	27.63
with in. more	16	25	17	21	19	5	15	17	19	28	13	16	211
with in. more	8	21	9	12	12	1	9	11	13	20	10	14	140

not for use

FOR OFFICIAL USE.

1855

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist. *Parrett*

Station No.

Kept at *Langport*
in the County of *Somerset*
by *Gerena M. Page*

Lat. *51° 2' 20"* Long. *2° 50' 20" W Greenwich*
Time of Observation *9 AM*
Nearest Railway Station *Langport West*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *8* ft. in.
" " " " Sea Level *50* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.05</i>				<i>.03</i>	<i>.15</i>	<i>.06</i>	<i>.12</i>			<i>.58</i>	<i>.09</i>	1 <i>WHR</i>
2	<i>.20</i>		<i>.14</i>		<i>.15</i>	<i>.01</i>	<i>.09</i>			<i>.02</i>	<i>.01</i>	<i>.02</i>	2 <i>WHR</i>
3	<i>.27</i>		<i>.17</i>		<i>.02</i>	<i>.12</i>	<i>.08</i>	<i>.19</i>					3
4	<i>.03</i>		<i>.01</i>	<i>.02</i>	<i>.01</i>	<i>.91</i>	<i>.01</i>	<i>.04</i>				<i>.31</i>	4
5			<i>.09</i>		<i>.04</i>	<i>.02</i>	<i>.06</i>			<i>.20</i>		<i>.06</i>	5
6			<i>.01</i>		<i>.06</i>		<i>.01</i>	<i>.08</i>	<i>.14</i>	<i>.31</i>			6
7	<i>.01</i>				<i>.08</i>	<i>.11</i>			<i>1.38</i>	<i>1.23</i>			7
8	<i>.12</i>	<i>.14</i>		<i>.04</i>	<i>.05</i>				<i>.09</i>	<i>.02</i>			8
9	<i>.06</i>	<i>.02</i>		<i>.03</i>	<i>.02</i>	<i>.15</i>	<i>.04</i>		<i>.41</i>	<i>.04</i>	<i>.08</i>		9
10	<i>.11</i>	<i>.09</i>			<i>.48</i>	<i>.45</i>			<i>.04</i>	<i>.07</i>	<i>.03</i>		10
11	<i>.09</i>	<i>.05</i>		<i>.36</i>	<i>.50</i>	<i>.34</i>			<i>.03</i>	<i>.04</i>	<i>.58</i>	<i>.02</i>	11
12	<i>.26</i>	<i>.02</i>		<i>.16</i>	<i>.09</i>	<i>.11</i>		<i>.08</i>	<i>.05</i>				12
13	<i>.05</i>			<i>.40</i>	<i>.01</i>				<i>.43</i>			<i>.42</i>	13
14				<i>.02</i>				<i>.06</i>	<i>.01</i>			<i>.15</i>	14
15	<i>.02</i>	<i>.15</i>						<i>.02</i>	<i>.01</i>			<i>.48</i>	15
16	<i>.21</i>							<i>.45</i>				<i>.02</i>	16
17	<i>.23</i>				<i>.10</i>	<i>.15</i>		<i>.19</i>	<i>.03</i>				17
18	<i>.33</i>	<i>.03</i>			<i>.82</i>		<i>.46</i>	<i>.53</i>		<i>.31</i>	<i>.03</i>		18
19	<i>.05</i>				<i>.06</i>		<i>.11</i>	<i>.12</i>	<i>.12</i>	<i>.05</i>			19
20	<i>.04</i>		<i>.06</i>		<i>.39</i>	<i>.08</i>	<i>.58</i>	<i>.24</i>	<i>.29</i>	<i>.22</i>			20
21	<i>.77</i>		<i>.01</i>		<i>.08</i>	<i>.41</i>	<i>.07</i>	<i>.05</i>	<i>.03</i>	<i>.38</i>			21
22	<i>.57</i>		<i>.34</i>		<i>.02</i>		<i>.26</i>	<i>.31</i>	<i>.21</i>			<i>.04</i>	22
23	<i>.01</i>		<i>.10</i>		<i>.44</i>		<i>.01</i>	<i>.06</i>	<i>.03</i>	<i>.01</i>		<i>.41</i>	23
24	<i>.26</i>	<i>.01</i>	<i>.19</i>	<i>.16</i>	<i>.13</i>			<i>.03</i>		<i>.02</i>	<i>.02</i>	<i>.11</i>	24
25	<i>.02</i>		<i>.02</i>	<i>.15</i>	<i>.03</i>		<i>.11</i>	<i>.03</i>	<i>.38</i>	<i>.11</i>	<i>.29</i>	<i>.10</i>	25
26		<i>.01</i>		<i>.10</i>				<i>.03</i>	<i>.06</i>	<i>.10</i>	<i>.63</i>	<i>.26</i>	26
27				<i>.56</i>			<i>.49</i>	<i>.38</i>		<i>.76</i>	<i>.02</i>	<i>.15</i>	27
28				<i>.01</i>			<i>.56</i>	<i>.08</i>		<i>.08</i>	<i>.27</i>	<i>.07</i>	28
29		<i>.02</i>		<i>.07</i>	<i>.02</i>		<i>.07</i>	<i>.05</i>	<i>.02</i>	<i>.46</i>	<i>.53</i>	<i>.21</i>	29
30		<i>X</i>		<i>.04</i>	<i>.18</i>		<i>.02</i>	<i>.25</i>	<i>.15</i>	<i>.42</i>	<i>.13</i>	<i>.11</i>	30 <i>932</i>
31		<i>X</i>		<i>X</i>	<i>.20</i>	<i>X</i>	<i>.01</i>	<i>.01</i>	<i>X</i>	<i>.18</i>	<i>X</i>	<i>.43</i>	31 <i>36.68</i>
TOTAL	<i>3.76</i>	<i>.54</i>	<i>1.14</i>	<i>2.12</i>	<i>4.01</i>	<i>3.01</i>	<i>3.10</i>	<i>3.40</i>	<i>3.91</i>	<i>5.03</i>	<i>3.20</i>	<i>3.46</i>	<i>36.69</i>
Days with ".01 in. or more.	<i>22</i>	<i>10</i>	<i>11</i>	<i>14</i>	<i>25</i>	<i>13</i>	<i>19</i>	<i>23</i>	<i>20</i>	<i>21</i>	<i>13</i>	<i>19</i>	<i>210</i>
Days with ".04 in. or more	<i>17</i>	<i>4</i>	<i>7</i>	<i>10</i>	<i>17</i>	<i>11</i>	<i>14</i>	<i>18</i>	<i>13</i>	<i>17</i>	<i>8</i>	<i>16</i>	<i>152</i>

Section



July 2 *Contd from Obs record.*
for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at *Langport*
in the County of *Somerset*

Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in." Ground " Sea Level *50* ft.

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56	-	.05	.01	.09	.06	-	.09	.05	.01	.46	.06	1
2	.08	.01	-	-	.03	-	~~.13~~	-	-	.02	.28	-	2
3	.11	.01	-	-	.28	-	.04	-	.02	-	.03	-	3
4	.05	-	-	.18	.05	-	-	.28	.06	-	.38	-	4
5	.04	.28	-	.50	.24	-	-	.19	-	-	-	-	5
6	.01	.05	-	-	.47	-	.35	.11	.02	-	.53	-	6
7	-	.10	.04	-	.37	-	.02	-	-	.07	.11	.17	7
8	.13	.01	.01	-	.08	-	.09	.23	-	-	-	.11	8
9	-	.02	-	.07	.39	-	.08	.02	.06	-	.10	.09	9
10	-	.02	.02	-	.01	-	-	.04	.02	-	-	-	10
11	-	.38	-	-	.04	-	-	.03	-	-	-	-	11
12	-	.41	-	.05	-	-	-	.41	-	.01	-	-	12
13	.04	.17	.13	.09	-	-	-	.01	-	.01	-	.08	13
14	.13	.14	.01	.31	-	-	-	-	-	-	-	-	14
15	.03	.02	-	.08	-	-	-	-	.14	-	-	.05	15
16	.01	.12	-	.01	-	-	-	-	-	.21	-	-	16
17	-	.02	-	-	.07	-	.02	-	.02	-	.08	-	17
18	-	-	-	.13	.25	-	.05	.06	.19	.04	-	.02	18
19	.01	-	-	.19	.02	-	.02	.50	<u>1.24</u>	.59	-	.71	19
20	-	-	-	.01	-	-	.01	.35	.57	.28	-	.05	20
21	-	.03	.03	-	.12	-	.70	.67	.22	.38	-	.26	21
22	.03	.23	-	.11	.04	-	.06	.01	.40	.41	-	.43	22
23	.02	.06	.04	.06	-	-	.05	.01	.04	.04	-	.05	23
24	.23	.31	.03	-	.12	-	.01	.45	-	.01	-	.11	24
25	.38	.47	.09	.08	.79	-	.13	.01	.26	.17	-	.05	25
26	.17	.24	-	.17	.28	-	.23	.43	.04	.15	-	.07	26
27	.07	.02	-	.03	.04	-	.16	.01	.02	.02	.01	.12	27
28	.15	.02	-	-	.03	-	.13	-	.02	-	-	.20	28
29	.03	X	-	.08	.07	-	.01	-	.03	-	.17	.16	29
30	-	X	-	.08	.04	-	.45	-	-	.15	-	.26	30
31	.14	X	.04	X	.01	X	~~.02~~	-	X	.06	X	.08	31
TOTAL	2.42	3.14	.49	2.24	3.93	.06	~~2.76~~	3.91	3.42	2.63	2.15	3.13	30.28
Days with ".01 in. or more.	21	23	11	19	24	1	21	20	19	18	10	20	207
Days with ".04 in. or more.	14	13	6	15	19	1	~~14~~	13	12	12	8	19	145

(Signed)

Verena Markant Page

I.P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Langport
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 50 ft.

Cons for Anish
Observer notified 8/1/27
f701659/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56	.10	-	-	.02	1.23	-	-	.63	-	.87	-	1
2	.07	.04	-	-	-	.17	.01	-	.13	-	.01	-	2
3	.11	.31	.10	.11	-	-	.02	-	.01	-	-	.01	3
4	.05	-	.18	-	-	-	-	-	-	-	.19	.07	4
5	.05	.08	.06	-	-	-	.24	-	.05	.15	.06	.22	5
6	.10	.09	.06	.06	.16	-	.54	.10	.03	.06	.32	-	6
7	.02	.02	.02	.73	.03	.18	.02	-	.09	-	.30	.02	7
8	-	.01	.04	.09	.22	.11	-	.03	.01	.13	1.51	-	8
9	-	-	.01	-	.03	.25	-	.29	-	.05	.11	-	9
10	.01	-	.01	-	.02	.12	.02	.10	-	.15	.35	-	10
11	-	-	-	-	.10	.73	-	.06	.01	.03	.02	-	11
12	-	-	-	-	.25	.23	-	-	-	.16	.05	-	12
13	-	.01	-	-	.38	.18	-	.16	.11	.04	.27	.01	13
14	.05	.16	-	.17	.03	.01	-	.01	.01	.59	.04	.01	14
15	.10	.06	-	.15	.07	-	-	.01	.01	.53	.16	-	15
16	.20	.13	-	.38	.03	-	-	.31	.01	.05	.15	-	16
17	.13	.48	-	.03	-	.44	1.45	.10	-	-	.59	.06	17
18	.26	.13	-	.18	-	.01	.59	.05	-	-	.15	.01	18
19	.04	.02	-	-	-	-	.31	.01	.05	-	.54	-	19
20	.02	-	-	.32	-	-	-	.05	-	-	.22	-	20
21	.05	.01	-	.09	-	-	.05	.01	-	.41	.03	-	21
22	.12	.01	-	-	-	-	-	-	-	.63	.01	-	22
23	.03	.02	.05	-	-	-	-	.01	-	-	-	-	23
24	.02	-	.04	-	-	.01	.30	.02	.18	.26	-	-	24
25	.06	-	.01	.09	-	-	-	.07	.06	.23	.15	.04	25
26	.02	.05	-	.02	.08	-	.08	-	.14	.02	.11	-	26
27	.10	.06	-	.09	.02	-	.01	-	.01	.27	.01	-	27
28	.30	-	-	-	-	-	.05	-	-	.76	.24	-	28
29	.08	X	-	.23	.15	-	.01	-	-	-	.06	-	29
30	.08	X	-	.14	.15	-	-	.14	-	-	.12	.01	30
31	.15	X	-	X	-	X	-	-	X	-	X	-	31
TOTAL	2.78	1.79	.58	2.88	1.68	3.67	3.70	1.53	1.54	4.52	6.64	.46	31.77
Days with .01 in. or more.	26	19	11	16	16	13	15	18	17	18	27	10	206
Days with .04 in. or more.	20	12	7	14	9	10	9	11	9	16	22	4	143
YEAR'S TOTAL													31.77

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

1875
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Loughport

in the County of Limerick

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	1.22	.06	.01			.92	.02		.02	.12		1
2	.01	.02	.01	.09	.05	.04	.02			.03			2
3	.13	.01	.04		.11		.11					.01	3
4	.01		.09	.04	.12	.02	.17				.10		4
5	.06	.01	.17	.36	.02	.03	.03				.11		5
6	.12		.35	.42		.05	.01	.13	.99		.02		6
7	.01	.09	.01	.06		.31		.11	.01				7
8				.15	.22	.01	.21	.08	.07			.05	8
9			.07	.03	.35		.08	.03	.63			.12	9
10	.01			.07	.01			.38	.10				10
11				.02			.02	.04	.03		.26		11
12	.04				.02			.22	.04				12
13	.07			.01				.16	.15	.04	.07	.23	13
14	.13			.11	.12		.14	.04	.92			.02	14
15	.02				.07			.36	.31		.02		15
16	.03				.22	.65		.02	.13	.04	.11		16
17	.13	.03	.03			.19		.41	.18	.03	.04		17
18						.11		.03	.01		.44		18
19		.34					.02	.45			1.07		19
20	.18	.03			.02	.02	.11	.05	.01		.17	.19	20
21	.09	.12	.03			.12	.04	.15	.38	.62	.04	.63	21
22	.04	.24	.51	.02		.06	.02	.08	.11	.71		.64	22
23	.02	.49	.23			.13		.04	.81		.20	.24	23
24	.05	.11	.38	.02			.03	.11	.02	.02	.03	.18	24
25	.08	.20	.23	.02		.24		.02	.32	.18	.01	.26	25
26	.20	.53	.05			.11	.30	.01	.18	.02		.05	26
27	.08	.09	.01		.18	.04	.17		.01	.27			27
28	1.49	.16	.24	.03		.08	.01		.10	.02	.16		28
29	.10	X	.04		.01	.07	.03		.28	.02	.03		29
30	.04	X	.02			.14	.03	.02	.07	.18	.01	.02	30
31	.23	X	.49	X		X	.11	.01	X		X	.15	31
TOTAL	3.39	3.69	3.06	1.46	1.52	2.42	2.58	2.97	5.86	2.20	3.01	3.09	YEARS TOTAL
Days with ".01 in. or more.	26	16	20	16	14	19	21	24	24	14	19	14	35.25
Days with ".04 in. or more.	18	11	14	8	9	15	11	16	18	7	13	10	227
													150

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Langport.

in the County of Somerset.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Ground Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.03	.04	.01				.01					1
2	.10	.10	.27	.08				.02			.05	.02	2
3	.01	.02	.04	.13			.26	.16			.15		3
4		.06		.01		.26		.01		.35	.10	.01	4
5	.06	.05	.14			.04			.06	1.12	.01	.01	5
6	.01	.01	.05	.03		.66			.02	.04	.01	.08	6
7		.01	.02	.05		.03		.06		.11		.03	7
8	.03			.09		.33	.05	.01	.03	.44			8
9	.10	.03		.11		.03		.04	.23	.19		.02	9
10		.22		.10		.02		.05	.01	.29	.23	.06	10
11		.02		.13				.02		.73	.12	.20	11
12	.12	.62	.02	.01		.02		.04		.03	.02	.03	12
13	.02	.01			.02	.30		.01		.01	.01		13
14		.19		.28	.02	.08		.07		.31	.15		14
15	.10	.02		.19		.03		.02	.01	.06	.21	.02	15
16	.01	.09	.06	.02	.08	.02				.16	.42	.17	16
17	.02			.08	.38	.10		.01		.01	.09	.01	17
18	.18		.02		.02	.04				.04	.03	.02	18
19	.01		.13		.08	.35		.01		.41	.04	.02	19
20	.12	.02	.36		.37	.03		.11		.01	.12		20
21	.52		.13	.02	.18					.02	.33		21
22	.02		.11					.15		.94	.11	.01	22
23	.28	.02	.08		.04			.01		.05	.11	.05	23
24	.05		.01					.05	.05	.02	.06	.09	24
25	.07		.07			.02		.04		.06	.04	.17	25
26	.11		.03		.02	.10	.07	.30		.61	.03	.11	26
27	.03		.07	.12		.01	.84	.23	.36	.29	.04	.83	27
28	.41	.05	.02		.03		.01	.07	.59	.02	.02	.10	28
29	.05	.40	.32			.10	.10	.03	.02	.05	.03	.02	29
30	.01	X	.06		.02	.05	.20				.01	.13	30
31	.07	X	.19	X		X	.26		X		X	.01	31
TOTAL	2.86	1.97	2.24	1.46	1.26	2.62	1.79	1.53	1.38	6.37	2.54	2.22	YEAR'S TOTAL
Days with ".01 in. or more.	26	19	22	17	12	21	8	24	10	26	26	24	235
Days with ".04 in. or more.	16	9	16	11	6	11	7	13	5	19	17	11	141

REGISTER OF RAINFALL IN 1929.

Kept at *Langport*
in the County of *Somerset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground */* ft. in.
,, Ground ,, Sea Level *50* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		<i>.23</i>			<i>.21</i>	<i>.07</i>		<i>.06</i>	<i>.02</i>	<i>.15</i>		<i>.06</i>	1
2		<i>.23</i>			<i>.01</i>	<i>.01</i>	<i>.11</i>			<i>.01</i>	<i>.01</i>	<i>.17</i>	2
3					<i>.19</i>	<i>.01</i>	<i>.04</i>	<i>.84</i>		<i>.02</i>		<i>.19</i>	3
4				<i>.11</i>			<i>.06</i>	<i>.32</i>		<i>.11</i>		<i>.61</i>	4
5		<i>.02</i>			<i>.39</i>	<i>.34</i>	<i>.41</i>	<i>.24</i>		<i>1.77</i>	<i>.76</i>	<i>.09</i>	5
6	<i>.01</i>	<i>.08</i>			<i>.16</i>	<i>.08</i>	<i>.01</i>	<i>.13</i>		<i>.02</i>		<i>.45</i>	6
7		<i>.02</i>			<i>.02</i>	<i>.03</i>		<i>.01</i>		<i>.42</i>	<i>.47</i>	<i>.30</i>	7
8		<i>.02</i>			<i>.05</i>			<i>.03</i>		<i>.25</i>		<i>.28</i>	8
9	<i>.11</i>	<i>.13</i>								<i>.02</i>	<i>.09</i>	<i>.29</i>	9
10	<i>.03</i>	<i>.12</i>		<i>.03</i>	<i>.11</i>			<i>.04</i>		<i>.01</i>	<i>.02</i>	<i>.10</i>	10
11					<i>.15</i>	<i>.01</i>				<i>.01</i>	<i>.34</i>	<i>.09</i>	11
12				<i>.07</i>	<i>.03</i>	<i>.71</i>					<i>.08</i>	<i>.05</i>	12
13	<i>.02</i>			<i>.03</i>	<i>.03</i>	<i>.14</i>						<i>.01</i>	13
14					<i>.08</i>	<i>.05</i>						<i>.15</i>	14
15		<i>.56</i>				<i>.08</i>					<i>.67</i>	<i>.01</i>	15
16											<i>.04</i>		16
17	<i>.05</i>							<i>.03</i>		<i>.01</i>			17
18								<i>.01</i>		<i>.11</i>	<i>.40</i>		18
19										<i>.01</i>	<i>.18</i>	<i>.03</i>	19
20			<i>.02</i>					<i>.04</i>	<i>.01</i>	<i>.09</i>	<i>.02</i>	<i>.31</i>	20
21	<i>.03</i>		<i>.14</i>				<i>.04</i>	<i>.01</i>			<i>.01</i>		21
22		<i>.05</i>	<i>.10</i>					<i>.05</i>		<i>.01</i>	<i>.55</i>	<i>.08</i>	22
23		<i>.01</i>		<i>.01</i>	<i>.06</i>		<i>.02</i>	<i>.01</i>		<i>.01</i>	<i>.57</i>	<i>.46</i>	23
24		<i>.01</i>	<i>.03</i>							<i>.57</i>	<i>.87</i>	<i>.35</i>	24
25		<i>.06</i>	<i>.04</i>	<i>.04</i>						<i>.01</i>	<i>.14</i>	<i>.01</i>	25
26				<i>.03</i>	<i>.01</i>					~~<i>.05</i>~~	<i>.01</i>	<i>.08</i>	26
27	<i>.06</i>			<i>.10</i>	<i>.25</i>		<i>.01</i>			<i>.08</i>	<i>.68</i>	<i>.14</i>	27
28	<i>.15</i>			<i>.06</i>			<i>.34</i>			<i>.02</i>	<i>.31</i>	<i>.23</i>	28
29	<i>.05</i>	<i>X</i>		<i>.43</i>	<i>.01</i>	<i>.07</i>	<i>.01</i>		<i>.15</i>	<i>.26</i>	<i>.55</i>	<i>.14</i>	29
30	<i>.02</i>	<i>X</i>		<i>.03</i>		<i>.26</i>	<i>.04</i>		<i>.21</i>		<i>.05</i>	<i>.26</i>	30
31	<i>.48</i>	<i>X</i>		<i>X</i>		<i>X</i>	<i>.11</i>	<i>.35</i>	<i>X</i>		<i>X</i>	<i>.03</i>	31
TOTAL	<i>1.01</i>	<i>1.54</i>	<i>.33</i>	<i>.94</i>	<i>1.76</i>	<i>1.86</i>	<i>1.20</i>	<i>2.17</i>	<i>.39</i>	<i>3.97</i>	<i>6.82</i>	<i>4.97</i>	<i>26.96</i>
Days with -or in. or more.	<i>11</i>	<i>13</i>	<i>5</i>	<i>11</i>	<i>16</i>	<i>13</i>	<i>12</i>	<i>15</i>	<i>4</i>	<i>22</i>	<i>22</i>	<i>27</i>	<i>171</i>
Days with -or in. or more.	<i>6</i>	<i>8</i>	<i>3</i>	<i>6</i>	<i>10</i>	<i>9</i>	<i>8</i>	<i>9</i>	<i>2</i>	<i>10</i>	<i>17</i>	<i>22</i>	<i>110</i>

Section

A

for the entry of Daily Observations.

2062
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Langport
in the County of Somerset
Diameter of Funnel of Gauge..... 5 in.
Height of top of Gauge above Ground..... 1 ft. in.
,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.13		.47		.01		.13		.04	.18		1
2	.01	.04		.12	.09		.08	.20		.01	.52		2
3	.03	.17		.42	.02		.01	.44		.11			3
4	.34	.09	.10	.02			.02	.04	.02	.10	.04		4
5	.01			.07	.10			.42		.11	.08		5
6	.01		.07		.02		.01	.24	.21	.07		.03	6
7	.11		.01					.09		.20	.18	.04	7
8	.02			.03				.02	.20	.19		.08	8
9	.18		.31	.23	.11	.01			.04	.01	.02		9
10	.35		.04		.19			.01	.03			.59	10
11	.15		.08	.11	.03				.15	.04		.04	11
12	.08			.07	.23	.02		.02	.26	.03		.07	12
13	.06		.06	.31	.10		.03		.02	.01	.01	.04	13
14	.46	.03	.11	.22	.04		.05	.02	.13			.15	14
15	.05		.38				.25			.51		.40	15
16	.01						.01		.10	.05	.04	.24	16
17			.01	.13	.03		.96	.06	.24	.03		.01	17
18			.01	.02	.07			.03	.50	.10	.08	.22	18
19			.10	.13	.03	.03	.08	.02	.33	.22	.42	.02	19
20			.03	.02			.10	.76	.32	.02	.16		20
21							.01	.09	.02	.03	.71		21
22	.13			.04		.04	~~.06~~	.33	.02	.25	.06		22
23	.07		.28	.09		.15	.06	.01	.02	.02	.34	.08	23
24	.24			.25						.06	.14	.13	24
25	.03	.08		.10	.14	.07	.03			.01	.04	.02	25
26	.64	.06			.13				.13		.33		26
27	.67	.01	.02				.01		.04	.06		.03	27
28	.06						.11		.04	.04	.65	.36	28
29	.03	X			.13		.07		.26	.01	.18	.08	29
30	.03	X	.25		.03	.01	.01			.02	.01	.15	30
31	.38	X	.02	X	.19	X			X	.20	X	.32	31
TOTAL	3.61	.61	1.88	2.85	1.68	.34	1.90	2.93	3.08	2.55	4.19	3.10	YEAR'S TOTAL 28.72
* Days with or in. or more.	26	8	17	19	18	8	18	18	21	28	20	21	222
* Days with .04 in. or more.	17	6	11	15	12	3	9	11	15	17	17	16	149

40-9999

*See Instruction 2 (f) on other side.

(Signed) Terence Markant Page [P.T.O.]

2074

FOR OFFICIAL USE.

1893 A

Kept at Council LANGPORT COUNCIL SCHOOL
in the County of S

Diameter of Funnel of G
Height of top of Gauge at
" Ground

1925-30

ated to read the instructions
ing in this form.
ould fill in section C

THE MORNIN

An observer who does n
following year in the sp

OUS DAY.

uary 1st of the

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62	-	.06	-	.05	.02	-	.16	.05	-	.48	.03	1
2	.04	-	-	-	.01	-	.15	-	-	-	.25	-	2
3	.10	.01	-	-	.33	-	.05	-	.01	-	-	-	3
4	.04	.01	-	.20	.05	-	-	.24	.01	-	.37	-	4
5	.03	.26	-	.53	.24	-	-	.14	.06	-	-	-	5
6	.01	.05	-	-	.43	-	.32	.1	-	-	.45	.03	6
7	-	.13	-	-	.39	-	-	-	.01	.05	.11	.19	7
8	.15	-	.02	-	.04	-	.11	.21	-	-	-	.13	8
9	-	.02	-	.04	.35	-	.06	.01	.05	-	.12	.10	9
10	-	.05	.02	-	-	-	-	.02	-	-	-	.01	10
11	-	.41	-	-	.03	-	-	.02	-	-	-	-	11
12	-	.44	-	.04	-	-	-	.44	-	-	-	-	12
13	.03	.13	.11	.11	-	-	-	.01	-	.01	-	.06	13
14	.14	.18	-	.24	-	-	-	-	-	-	.04	-	14
15	.03	-	-	.04	-	-	-	-	.11	-	-	.03	15
16	.01	.13	-	-	-	-	-	-	.01	-	-	-	16
17	-	.01	-	-	.05	-	.02	-	.01	-	-	-	17
18	-	-	-	.15	.29	-	.05	.02	.16	.04	-	.02	18
19	-	-	-	.15	.01	-	-	.80	1.27	.54	-	.64	19
20	-	-	.02	-	-	-	.01	.40	.61	.26	-	.06	20
21	-	.02	.01	-	-	-	.65	.46	-	.38	-	.22	21
22	.02	.24	-	.11	.14	-	.04	-	.44	.41	-	.31	22
23	.02	.02	.04	.03	.05	-	.03	-	.03	.04	-	.04	23
24	.22	.35	.05	.05	.08	-	-	.53	-	-	.01	.10	24
25	.33	.58	.11	.09	.95	-	.12	.01	.24	.15	-	.05	25
26	.14	.25	-	.08	.24	-	.21	.42	.04	.14	-	.09	26
27	.04	.02	-	.03	.05	-	.22	-	-	-	-	.11	27
28	.18	-	-	~~.14~~	.03	-	.04	-	.02	-	-	.21	28
29	.03	-	-	.04	.08	-	.06	-	-	-	.22	.22	29
30	-	X	-	.04	.02	-	.36	-	-	.15	.05	.29	30
31	.14	X	.05	X	.04	X	.09	-	X	.09	X	.02	31
TOTAL	2.35	3.34	.49	2.12	4.01	.02	2.62	3.99	3.16	2.29	2.10	2.96	YEARS TOTAL
Days with .01 in. or more.	20	20	10	14	23	1	18	14	14	12	10	22	184
Days with .04 in. or more.	12	13	6	15	18	-	15	11	11	11	9	16	136

(Signed) H. J. Jeffries

✓

Register of Rainfall in 1925.

Kept at Council Schools, Langport
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 52 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.62	-	.06	-	.05	.02	-	.16	.05	-	.48	.03	1
2	.04	-	-	-	.01	-	.15	-	-	-	.25	-	2
3	.10	.01	-	-	.33	-	.05	-	.01	-	-	-	3
4	.04	.01	-	.20	.05	-	-	.24	.01	-	.37	-	4
5	.03	.26	-	.53	.24	-	-	.14	.06	-	-	-	5
6	.01	.05	-	-	.43	-	.32	.1	-	-	.45	.03	6
7	-	.13	-	-	.39	-	-	-	.01	.05	.11	.19	7
8	.15	-	.02	-	.04	-	.11	.21	-	-	-	.13	8
9	-	.02	-	.04	.35	-	.06	.01	.05	-	.12	.10	9
10	-	.05	.02	-	-	-	-	.02	-	-	-	.01	10
11	-	.41	-	-	.03	-	-	.02	-	-	-	-	11
12	-	.44	-	.04	-	-	-	.44	-	-	-	-	12
13	.03	.13	.11	.11	-	-	-	.01	-	.01	-	.06	13
14	.14	.18	-	.24	-	-	-	-	-	-	.04	-	14
15	.03	-	-	.04	-	-	-	-	.11	-	-	.03	15
16	.01	.13	-	-	-	-	-	-	.01	-	-	-	16
17	-	.01	-	-	.05	-	.02	-	.01	-	-	-	17
18	-	-	-	.15	.29	-	.05	.02	.16	.04	-	.02	18
19	-	-	-	.15	.01	-	-	.80	1.27	.54	-	.64	19
20	-	-	.02	-	-	-	.01	.40	.61	.26	-	.06	20
21	-	.02	.01	-	-	-	.65	.46	-	.38	-	.22	21
22	.02	.24	-	.11	.14	-	.04	-	.44	.41	-	.31	22
23	.02	.02	.04	.03	.05	-	.03	-	.03	.04	-	.04	23
24	.22	.35	.05	.05	.08	-	-	.53	-	-	.01	.10	24
25	.33	.58	.11	.09	.95	-	.12	.01	.24	.15	-	.05	25
26	.14	.25	-	.08	.24	-	.21	.42	.04	.14	-	.09	26
27	.04	.02	-	.03	.05	-	.22	-	-	-	-	.11	27
28	.18	-	-	~~.14~~	.03	-	.04	-	.02	-	-	.21	28
29	.03	-	-	.04	.08	-	.06	-	-	-	.22	.22	29
30	-	X	-	.04	.02	-	.36	-	-	.15	.05	.29	30
31	.14	X	.05	X	.04	X	.09	-	X	.09	X	.02	31
TOTAL	2.35	3.34	.49	2.12	4.01	.02	2.62	3.99	3.16	2.29	2.10	2.96	YEARS TOTAL 29.45
Days with .01 in. or more.	20	20	10	14	23	1	18	14	14	12	10	22	184
Days with .04 in. or more.	12	13	6	15	18	-	15	11	20	11	9	16	136

(Signed)

A. G. Jeffries.

P.T.O.

REGISTER OF RAINFALL IN 1926.

Kept at Bouncil School, Langport
 in the County of Somerset
 Diameter of Funnel of Gauge.....5 in.
 Height of top of Gauge above Ground.....1 ft. — in.
 „ Ground „ Sea Level.....50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.59	.10	—	—	.02	.82	—	—	.69	—	.92	—	1
2	.10	.03	—	—	—	.32	—	—	.04	—	—	—	2
3	.09	.25	.10	.14	—	—	—	—	—	—	—	—	3
4	.04	.15	.15	—	—	—	.01	—	—	—	.25	.08	4
5	.06	.04	.05	—	.14	—	.16	—	.05	.12	.13	.18	5
6	.11	.08	.06	.06	.04	—	.53	—	.02	.08	.23	—	6
7	.03	.01	—	.53	.25	.14	.06	.10	.06	—	.19	—	7
8	—	—	.01	.06	.02	.04	.02	.03	—	.13	1.33	—	8
9	—	—	.03	—	—	.22	—	.30	—	.06	.09	—	9
10	—	—	—	—	.12	.13	—	.05	—	.08	.40	—	10
11	—	—	—	—	.23	.68	—	.19	.01	.02	.05	—	11
12	—	—	—	—	.39	.30	—	—	—	.14	.09	—	12
13	—	.06	—	—	—	.19	—	.15	.09	.02	.30	—	13
14	.02	.11	—	.18	.06	—	—	—	—	.31	.03	—	14
15	.11	.04	—	.10	.02	—	—	.01	—	.18	.18	—	15
16	.25	.18	—	.23	—	—	—	.31	.02	.02	.13	—	16
17	—	.43	—	.02	—	.44	1.44	.12	—	—	.54	—	17
18	.26	.14	—	.12	—	—	.65	.03	—	—	.13	—	18
19	.04	.01	—	.01	—	—	.30	—	.04	—	.53	—	19
20	.01	—	—	.25	—	—	—	.06	—	—	.14	—	20
21	.02	.01	—	.10	.04	—	.06	—	—	.30	.02	—	21
22	.15	—	—	.06	—	—	—	—	—	.61	—	—	22
23	.04	.01	.03	—	—	—	—	.02	—	.01	—	—	23
24	.01	—	.04	—	—	—	.31	.03	.18	.24	—	—	24
25	.08	—	.01	.06	—	—	—	.08	.10	.26	.16	.03	25
26	.01	—	—	.01	.04	—	.09	—	.13	—	.11	—	26
27	.09	.04	—	.09	.01	—	—	—	—	.21	.01	—	27
28	.26	—	—	.02	—	—	.05	—	—	.64	.16	—	28
29	.08	—	—	.18	.14	—	—	—	—	—	.03	—	29
30	.09	X	—	.09	.15	—	—	.14	—	—	.08	—	30
31	.18	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	2.42	1.42	.48	2.31	1.40	3.34	3.68	1.65	1.46	3.46	6.26	.29	YEARS TOTAL
Days with .01 in. or more.	24	14	9	19	15	10	12	15	12	18	25	3	149
Days with .04 in. or more.	18	X12	5	15	11	10	10	10	9	14	21	2	137

Please read the Notes and Instructions Overleaf.

H. G. Jefferies

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.
REGISTER OF RAINFALL IN 1927.

Kept at Langport Council School
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
Ground Sea Level 52 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Date.	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1	.02	<u>1.04</u>	.03				<u>1.10</u>	.01		.03	.23		1
2	.01		.01	.08	.03					.05	.01		2
3	.13	.01	.05		.09	.05	.07						3
4	.01		.11	.03	.11	.05	.15				.09		4
5	.05	.01	.18	.30	.01	.03	.06				.01	.01	5
6	.09		.43	<u>.36</u>		.02		.13	.76		.02	.01	6
7		.08		.06		.29	.05	.06				.01	7
8				.20	.16		.10	.06	.07			.03	8
9			.10		.35		.07	.02	.60			.10	9
10				.07				.66	.08				10
11				.02			.02	.03	.03		.15		11
12	.06							.06	.03		.02		12
13	.05	.01		.01				.25	.17	.01	.06	.20	13
14	.15	.01		.11	.11		.10	.04	<u>.87</u>		.02	.02	14
15	.01	.01			.03			.32	.20		.01		15
16	.03				.23	<u>.63</u>		.02	.13	.04	.09		16
17	.14		.01			.19		.34	.15	.05	.03		17
18						.12		.01	.01		.36		18
19		.31					.01	.40		.02	<u>.75</u>		19
20	.18	.02			.01	.01	.12	.07			.21	.19	20
21	.13	.12	.02			.10	.03	.12	.31	.53	.03	.64	21
22	.02	.19	.46	.01		.06		.10	.18	<u>.73</u>		<u>.73</u>	22
23	.01	.09	.27			.12		.02	.71		.22	.20	23
24	.05	.09	.37	.02		.06	.03	.11	.01	.02		.41	24
25	.10	.18	.23			.21		.01	.30	.20	.01	.21	25
26	.22	.51	.02			.07	.27		.17	.02		.02	26
27	.05	.08			.16	.02	.19			.13			27
28	<u>1.62</u>	.19	.20	.02		.07	.02		.08	.02	.18		28
29	.12		.04			.02	.02		.32	.03	.03		29
30	.02	X	.02			.15	.03		.13	.17	.02	.03	30
31	.16	X	<u>.47</u>	X		X	.11	.01	X		X	.12	31
TOTAL	3.44	2.95	3.02	1.29	1.29	2.27	2.55	2.88	5.31	2.23	2.55	2.93	YEARS TOTAL 32.71
Days with ".01 in. or more.	24	17	18	13	11	19	19	22	21	15	21	16	216
Days with ".04 in. or more.	16	11	12	7	4	14	12	14	17	8	10	9	137



REGISTER OF RAINFALL IN 1928.

Kept at Council School, Langport
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 52 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.52	.01	.01	.01	-	-	-	-	-	-	-	-	1
2	.01	.13	.35	.11	-	-	-	.02	-	-	.04	.04	2
3	.01	.01	.02	.15	-	-	.24	.16	-	-	.15	-	3
4	-	.12	.01	.01	-	.22	-	-	-	.30	.09	.01	4
5	.09	.04	.14	.03	-	.04	-	-	.07	<u>1.04</u>	-	.02	5
6	-	.01	.05	-	-	.65	-	-	-	.02	-	.08	6
7	.02	.01	.02	.05	-	.02	-	.08	-	.10	-	-	7
8	.01	.01	-	.09	-	.35	.06	-	.03	.35	-	-	8
9	.03	.02	-	.11	-	.03	-	.04	.53	.23	-	.04	9
10	.13	.25	-	.14	-	.04	-	.08	-	.30	.23	.06	10
11	-	.01	-	.11	-	.18	.01	.03	-	.69	.11	.14	11
12	.18	.61	.01	-	-	-	-	.05	-	-	.02	.03	12
13	-	.01	-	-	.01	.12	-	-	-	-	-	-	13
14	.02	.22	.01	.25	.02	.08	-	.10	-	.34	.23	-	14
15	.11	.01	.02	.15	-	.10	-	.01	-	.05	.22	.02	15
16	-	.13	.06	-	.04	-	-	-	-	.14	.44	.25	16
17	.02	-	-	.09	.38	.09	-	-	-	-	.06	-	17
18	.23	-	.04	.01	-	.03	-	-	-	.05	.03	.01	18
19	-	-	.16	-	.05	.40	-	.01	-	.55	.06	.02	19
20	.14	-	.44	-	.49	.01	-	.11	-	-	.14	-	20
21	.56	.01	.12	-	.16	.10	-	-	-	.01	.52	-	21
22	-	.01	.10	-	-	-	-	.03	-	.86	.14	.05	22
23	.42	.01	.10	-	.04	-	.02	-	-	.06	.12	.02	23
24	.04	.01	-	-	-	-	-	.10	.03	-	.05	.11	24
25	.08	-	.15	-	-	.02	-	.05	-	.06	.03	.09	25
26	.14	-	.02	-	.02	.12	.08	.34	-	.63	.06	.10	26
27	.03	-	.04	.12	-	.10	.94	.21	.18	.26	.04	.85	27
28	.49	.06	.14	-	.04	-	.09	.12	.63	-	.01	.09	28
29	.08	.33	.26	-	-	.13	.04	.04	-	.04	.02	.02	29
30	.01	X	.04	-	-	.04	.24	(24)	-	-	-	.10	30
31	.11	X	.10	X	-	X	.25	-	X	.01	X	-	31
TOTAL	3.51	2.03	2.59	1.43	1.25	2.84	2.00	1.61	1.47	6.12	2.84	2.18	YEAR'S TOTAL
Days with .01 in. or more.	24	22	24	15	10	21	10	18	6	21	22	21	214
Days with .04 in. or more.	15	9	16	11	7	16	8	13	4	18	14	13	147

H. G. Jefferies

Kept at Langport Cl School
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 32 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.22	-	-	.23	.07	-	.12	.01	.13	-	.07	I
2	-	.22	-	-	-	-	.12	Tr	-	.03	.01	.25	2
3	-	-	-	-	.01	.02	.05	.88	-	.02	-	.31	3
4	-	-	-	.12	.27	-	.05	.44	-	-	-	.81	4
5	-	-	-	-	.44	.31	.51	.26	-	2.04	.80	.08	5
6	Tr	.08	-	-	.28	.03	-	.06	-	Tr	.04	.62	6
7	Tr	-	-	-	.03	-	-	.04	-	.46	.51	.41	7
8	-	.01	-	-	.05	.01	-	.04	-	.23	-	.35	8
9	.10	.15	-	-	-	-	-	.05	-	.02	.11	.46	9
10	.02	-	-	.02	-	-	-	-	-	-	.02	.10	10
11	-	.04	-	-	.15	Tr	-	-	-	Tr	.40	.03	11
12	-	-	-	.06	.02	.74	-	Tr	-	-	.08	.09	12
13	.02	-	-	.04	.04	.06	-	-	-	-	-	Tr	13
14	-	Tr	-	-	.08	.06	-	-	-	-	-	.16	14
15	.01	.29	-	-	-	.13	-	Tr	-	-	.43	.03	15
16	Tr	-	-	-	-	-	-	.02	-	-	.02	-	16
17	.05	-	-	-	-	-	-	.04	-	.01	-	.02	17
18	.01	-	-	-	-	-	-	-	-	.09	.53	-	18
19	-	-	-	-	-	-	-	-	Tr	-	.26	.02	19
20	.03	-	-	-	-	-	-	.03	-	.01	.01	.45	20
21	.01	-	.14	-	-	-	.03	Tr	.01	-	Tr	Tr	21
22	-	.04	.10	-	-	Tr	-	.05	-	Tr	.61	.09	22
23	-	.01	.01	-	.08	-	-	-	-	.01	.43	.55	23
24	-	-	.04	-	-	-	-	-	-	.04	1.08	.47	24
25	-	.07	.01	.03	-	-	-	-	-	-	.11	.02	25
26	-	-	-	.02	.01	-	-	-	-	-	.03	.10	26
27	.05	-	-	.12	.27	-	Tr	-	-	.08	.68	.17	27
28	.19	-	-	.03	-	-	.40	-	Tr	.02	.40	.27	28
29	.04	-	-	.35	-	.06	-	-	.15	.26	.64	.17	29
30	.02	×	-	.03	-	.26	.04	-	.21	-	.03	.30	30
31	.63	×	-	×	-	×	.13	.40	×	-	×	.04	31
TOTAL	1.18	1.13	.30	.82	1.96	1.75	1.33	2.43	.38	4.25	7.53	6.44	YEAR'S TOTAL 29.50
Days with .01 in. or more.	.13	10	5	10	14	11	8	13	4	15	22	24	152
Days with .04 in. or more.	6	8	3	5	10	8	7	11	2	8	10	22	106

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Council School, Langport
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level 52 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.04	.12	-	.48	-	-	-	.11	-	.01	.15	-	I
2	.1	.02	-	.11	.12	-	.02	.20	-	Jr	.46	-	2
3	.04	.20	Jr	.41	-	-	Jr	.42	-	.15	-	-	3
4	.35	.04	.10	.04	Jr	-	-	Jr	-	.10	-	-	4
5	Jr	Jr	Jr	-	.10	-	-	.28	Jr	.14	.02	-	5
6	Jr	-	.07	-	Jr	-	-	.35	.21	.14	-	.04	6
7	.12	-	Jr	-	Jr	-	-	.20	Jr	.23	.20	-	7
8	Jr	-	-	.04	-	-	-	Jr	.17	.15	-	.07	8
9	.21	-	.29	.25	.11	Jr	-	-	.06	-	Jr	-	9
10	.44	-	.05	-	.16	Jr	-	-	.06	-	-	.70	10
II	.24	-	.04	.05	.02	Jr	-	-	-	.02	-	.04	II
12	.10	-	-	.12	.34	-	-	.02	Jr	.01	-	.04	12
13	.08	-	.06	.24	.12	-	.03	.01	.31	-	-	.04	13
14	.48	.02	.11	.19	.04	-	.07	-	Jr	-	Jr	.15	14
15	.04	-	.40	-	.01	-	.30	Jr	-	.52	.05	.40	15
16	Jr	-	-	-	-	-	-	-	.20	.06	-	.24	16
17	Jr	-	-	.09	Jr	-	.81	.03	.30	.05	-	-	17
18	-	-	.02	Jr	.08	-	Jr	Jr	.40	.10	.04	.23	18
19	-	-	-	.10	.02	.04	.03	.01	.65	.21	.46	Jr	19
20	-	-	.01	.02	-	-	.12	.85	.44	Jr	.17	-	20
21	-	-	.02	-	-	-	.02	.10	.02	.05	.60	-	21
22	.14	-	-	.04	-	.02	-	.35	.01	.29	.15	Jr	22
23	.04	-	.23	.05	-	.18	.07	-	.02	-	.28	.04	23
24	.30	-	Jr	.22	-	-	-	-	-	.05	.25	.15	24
25	.04	-	-	.08	.11	.05	.01	-	.05	-	.03	.04	25
26	.54	.05	-	-	.03	-	-	-	.05	-	.36	.04	26
27	.04	Jr	-	-	-	-	-	Jr	.01	.05	-	Jr	27
28	.08	-	.04	-	-	-	.04	-	.03	.04	.50	.36	28
29	.02	x	Jr	-	.03	-	.06	-	.27	-	.12	.04	29
30	.04	x	.14	-	.04	.02	-	-	-	-	-	.15	30
31	.44	x	.04	x	.18	x	-	-	x	.20	x	.40	31
TOTAL	4.03	.48	1.65	2.56	1.46	.36	1.61	2.43	3.26	2.57	3.87	3.35	YEAR'S TOTAL 28.13
* Days with or in. or more.	21	6	15	14	16	5	12	13	18	20	16	18	177
* Days with .04 in. or more.	20	4	12	16	11	3	7	9	13	14	14	18	144

LITTON.
SHERBORNE RES

Kept at Litton

in the County of S.

by J. A. McPherson

1921-1930.

IMPORTANT NOT

If an Observer prefers not to enter the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

in Gauge _____ in.
ve Ground _____ ft. _____ in.
Sea Level _____ ft.
entered to the previous day.

ested to add

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	64		11					39	17		15	26	1
2	22				06			03		11	21	11	2
3	02		22			04		12		07	29		3
4	26		01		05			16			22		4
5			03		08			56			44		5
6	22		10		24			02				07	6
7	19		01		40			08			09		7
8	17		08		13								8
9			03	01	20				08				9
10	39		11					35	05			02	10
11	39		22		37				1.24				11
12	30		13		01	01		07	36			21	12
13	05		48	34			16	01	26	21			13
14			08		17		09	01	06		04	24	14
15			07	06			09				15		15
16	14		15	50				23			20	04	16
17	36		26	06					42				17
18	08		08	01						14			18
19			30							10		19	19
20			01							01	01	08	20
21	03							43			07		21
22	15		05	19			08	03		25		48	22
23	02			15			11			33		02	23
24	06	09										25	24
25		27	05			26	23					14	25
26	27		05				02					40	26
27	02		04	04		04		04				13	27
28			41	05	18		09				19	16	28
29	08	X	07		62							05	29
30	72	X			03						23	10	30
31	06	X			23			01				01	31
TOTAL	4.83	36	3.15	1.41	2.77	.35	.87	2.54	2.64	1.22	2.29	2.96	25.39
Days with 01 in. or more	23	2	25	10	14	4	6	16	8	8	13	19	130
Days with 04 in. or more	19	2	20	6	12	3	7	10	8	7	12	16	124

REGISTER OF RAINFALL IN 1921.....

Kept at Sutton
in the County of Somerset
by J. A. McPherson

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	64		11					39	17		15	26	1
2	22				06			03		11	21	11	2
3	02		22			04		12		07	29		3
4	26		01		05			16			22		4
5			03		08			56			44		5
6	22		10		24			02				07	6
7	19		01		40			08			09		7
8	17		08		13								8
9			03	01	20				08				9
10	39		11					35	05			02	10
11	39		22		37				1.24				11
12	30		13		01	01		07	36			21	12
13	05		48	34			16	01	26	21			13
14			08		17		09	01	06		04	24	14
15			07	06			09				15		15
16	14		15	50				23			20	04	16
17	36		26	06					42				17
18	08		08	01						14			18
19			30							10		19	19
20			01							01	01	08	20
21	03							43			07		21
22	15		05	19			08	03		25		48	22
23	02			15			11			33		02	23
24	06	09										25	24
25		27	05			26	23					14	25
26	27		05				02					40	26
27	02		04	04		04		04				13	27
28			41	05	18		09				19	16	28
29	08	X	07		62							05	29
30	72	X			03						23	10	30
31	06	X			23			01				01	31
TOTAL	4.83	36	3.15	1.41	2.77	.35	.87	2.54	2.64	1.22	2.29	2.96	25.39
Days with "01 in. or more	23	2	25	10	14	4	6	16	8	8	15	19	158
Days with "04 in. or more	19	2	20	6	12	3	7	10	8	7	12	16	124

212

1810

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1). REGISTER OF RAINFALL IN 1922.....

Kept at Silton
in the County of Somerset
by J. A. McPherson

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1. following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		37	43				98		05	02	54		1
2	01	85	28	31	03		32				06	02	2
3		14	62	58	16		03	25			08		3
4		10	31		16		05			36			4
5	05		18	13			147			36	89		5
6	07		23	02			23	80			54		6
7	21		51	25		16	46	13			07	03	7
8	16		03				42	32			06		8
9	16		01				20	04			06		9
10											20		10
11				04								02	11
12				72				58	96			05	12
13	53			46		13	52		03				13
14		08	01	04					14				14
15	85	52		23			02						15
16		27		20	43			38	07			35	16
17		23			15		13		02			26	17
18	36	09			09		01	01	09			17	18
19		28	08						95			102	19
20	27	41										04	20
21	25	13	05	02			14					65	21
22		45				42	19	30	04			32	22
23		22		07	02		10		07			07	23
24	13		21	07	02	96		13				01	24
25	30	12		43		35			21			42	25
26	12	31		01		02	11	04	06		17		26
27	30	107	08	17		04		28	02		02	71	27
28	26	65	03			25		14				36	28
29		X		02		12	15			68		81	29
30	87	X	09			04		74	39	02	16	69	30
31	03	X	100	X		X	07	03	X	27	X		31
TOTAL	493	629	415	377	106	249	560	417	310	171	285	600	YEAR'S TOTAL 4612
Days with "01 in. or more	18	18	17	18	8	10	19	15	14	6	12	18	173
Days with "04 in. or more	16	18	13	14	5	9	16	13	11	4	11	14	144

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Litton Sherborne Reservoir

in the County of Somerset

by J. A. M. Pherson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	21	63	29						01	09		1.08	1
2	29	38	12	33	07			02		31	04	11	2
3	11	05	05				01		20	43	06	26	3
4				06					08		50	23	4
5	80		02		18					06	11	03	5
6	32	87	24	18						02			6
7	08	95	05	02						27		67	7
8	22	22	03			07				22	20	02	8
9	30	1.15				06							9
10	02	88		24	18	02				21		05	10
11		08		43	02					53			11
12		13	38	10	17	01				87	38		12
13	07	12	02	23	08				06	04	1.66		13
14			03	02	09			17	77	02	16		14
15		16	04	24	19	36			01	06	65	03	15
16		36		01	03		04	06	01		54	01	16
17	03	65			02		35	11	69	06	27		17
18	03	25		11		06		73	40	09			18
19	04						12	03	88	22	05		19
20		23			13				10	33			20
21		17				03		62	02	22		03	21
22		46			11			20	18	17		07	22
23	05	30	28		08		25	82	19	25		10	23
24		08		52	16		03	01	37	17		13	24
25		51		53		06	07	23	16	47		88	25
26		23		03	15	10				42		27	26
27		99	23		16		17	1.25		17		48	27
28		14	14	14	07		30	22	04	08		01	28
29		X		13	09		10	80		03		15	29
30	05	X			02	02	34	03		27		08	30
31	14	X		X		X	40	09	X		X	16	31
TOTAL	2.76	9.96	1.92	3.32	2.00	.79	2.18	5.39	4.17	6.08	4.62	4.85	48.04
Days with 01 in. or more	16	24	14	17	19	10	12	16	17	27	12	21	205
Days with 04 in. or more	13	24	10	13	15	6	10	12	13	24	12	15	167

H.M.B.

JNO A. MCPHERSON,
ENGINEER.

BRISTOL WATERWORKS COMPANY,

TELEPHONE AVENUE,

BRISTOL.

Enc:

METEOROLOGICAL
— OFFICE —
12 APR 1924

April 11th 1924

Dear Sir,

I am in receipt of your letter of the
10th instant, and regret that the Observations of
Rainfall were omitted for the month indicated.

placed in Cards
I enclose filled up form for February
1923 for Litton, Sherborne Reservoir.

Yours faithfully,

J. A. McPherson

To
The Superintendent,
British Rainfall Organization,
Air Ministry,

SOUTH KENSINGTON, S.W.1.

REGISTER OF RAINFALL IN 1924.

Kept at Silton, Sherborne Reservoir
in the County of Somerset
by J. A. McPherson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			02		03	10	12	28			120	35	1
2	09		41		39		37			05	02	06	2
3	14		10		02	19	32	19					3
4					02	29	04	10	03			43	4
5			13				23	04	02	20		13	5
6					07		04	12	04	48			6
7	03	09			28	11	03		30	135			7
8	15	01			01				34	07			8
9	18	11		09	07	16			03	05			9
10	15			16	77	69			26	07	07		10
11	48			57	78	131			06	09	33		11
12	22			29	14	16		23	13		03		12
13	17			105					62			35	13
14				02				35				23	14
15		25							13			58	15
16	22							49	07				16
17	28				12	24	91	48	14				17
18	118				45			25		10		06	18
19	08				07		04	14	21	17			19
20	08		05		45		48	06	46	42			20
21	48		04		15	54		30	05	82			21
22	46		78		02			102	52			16	22
23			35	02	53		08	26	19			41	23
24	61	08	16	33	40				08		05	17	24
25			01	38			24	05	19	18	46	06	25
26				45			02		32	13	68	52	26
27		03		103			100			79	04	50	27
28		03					52	32		26	28	33	28
29		03		55	02		23	25	04	129	57	36	29
30		X		46	27			09	13	65	26	39	30
31		X		X	108	X	07	11	X	08	X	71	31
TOTAL	500	63	205	540	609	379	474	513	436	725	399	580	5428
Days with 01 in. or more	17	8	10	13	22	10	17	20	23	19	12	18	189
Days with 04 in. or more	16	4	5	11	16	10	15	20	20	19	10	18	266

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1798

Register of Rainfall in 1925.

Kept at Litter

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

„ Ground „ Sea Level 340 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>1.03</u>	—	<u>.01</u>	—	—	—	—	<u>.04</u>	<u>.07</u>	—	<u>.66</u>	<u>.02</u>	1
2	<u>.36</u>	<u>.17</u>	—	<u>.03</u>	—	—	<u>.41</u>	—	—	—	<u>.76</u>	—	2
3	<u>.15</u>	<u>.21</u>	—	—	<u>.48</u>	—	<u>.06</u>	<u>.09</u>	—	—	<u>.07</u>	—	3
4	<u>.22</u>	—	—	<u>.24</u>	<u>.19</u>	—	—	<u>.07</u>	—	—	<u>.36</u>	—	4
5	<u>.10</u>	<u>.43</u>	—	<u>.94</u>	<u>.27</u>	—	—	<u>.26</u>	<u>.37</u>	—	<u>.03</u>	—	5
6	—	<u>.05</u>	—	—	<u>.40</u>	—	<u>.43</u>	—	—	—	<u>.74</u>	—	6
7	—	<u>.65</u>	—	<u>.08</u>	<u>.57</u>	—	—	—	—	—	<u>.23</u>	<u>.22</u>	7
8	<u>.27</u>	—	<u>.04</u>	—	<u>.25</u>	—	<u>.02</u>	<u>.62</u>	<u>.04</u>	—	—	<u>.36</u>	8
9	—	<u>.06</u>	—	<u>.10</u>	<u>.18</u>	—	<u>.02</u>	—	<u>.25</u>	—	—	<u>.11</u>	9
10	—	<u>.27</u>	<u>.03</u>	—	—	—	—	<u>.18</u>	<u>.05</u>	—	—	—	10
11	—	<u>.46</u>	—	—	<u>.06</u>	—	—	<u>.08</u>	—	—	—	—	11
12	<u>.02</u>	<u>.58</u>	—	—	—	—	—	<u>1.43</u>	—	—	—	—	12
13	<u>.04</u>	<u>.21</u>	<u>.08</u>	<u>.10</u>	—	—	—	—	—	—	—	—	13
14	<u>.32</u>	<u>.30</u>	—	<u>.48</u>	—	—	—	—	—	—	<u>.06</u>	—	14
15	<u>.04</u>	—	—	<u>.08</u>	—	—	—	—	<u>.15</u>	<u>.08</u>	—	—	15
16	<u>.03</u>	<u>.06</u>	—	<u>.01</u>	—	—	—	—	—	<u>.26</u>	—	—	16
17	—	—	—	<u>.01</u>	—	—	<u>.11</u>	—	—	<u>.03</u>	—	—	17
18	—	—	—	<u>.14</u>	<u>1.30</u>	—	<u>.03</u>	—	<u>.12</u>	<u>.04</u>	—	<u>.06</u>	18
19	—	—	—	<u>.02</u>	—	—	<u>.03</u>	<u>.33</u>	<u>1.37</u>	<u>1.17</u>	—	<u>.85</u>	19
20	—	—	<u>.13</u>	—	—	—	<u>.07</u>	<u>.62</u>	<u>.50</u>	<u>.74</u>	—	<u>.05</u>	20
21	—	—	<u>.01</u>	—	—	—	<u>.38</u>	<u>.34</u>	<u>.19</u>	<u>.44</u>	—	<u>.30</u>	21
22	<u>.03</u>	<u>.38</u>	—	<u>.25</u>	<u>.06</u>	—	<u>.11</u>	<u>.14</u>	<u>.81</u>	<u>.97</u>	—	<u>.94</u>	22
23	<u>.07</u>	—	<u>.03</u>	<u>.15</u>	—	—	<u>.07</u>	<u>.02</u>	<u>.01</u>	<u>.26</u>	—	<u>.07</u>	23
24	<u>.34</u>	<u>.48</u>	—	<u>.03</u>	<u>.11</u>	—	—	—	—	<u>.13</u>	<u>.05</u>	<u>.22</u>	24
25	<u>.43</u>	<u>1.31</u>	<u>.12</u>	—	<u>.12</u>	—	<u>.02</u>	—	<u>.39</u>	<u>.15</u>	—	<u>.15</u>	25
26	<u>.21</u>	<u>.43</u>	—	<u>.02</u>	<u>.49</u>	—	<u>1.25</u>	<u>.43</u>	—	<u>.54</u>	—	<u>.22</u>	26
27	<u>.04</u>	<u>.49</u>	—	—	<u>.16</u>	—	<u>1.27</u>	—	—	<u>.15</u>	—	<u>.30</u>	27
28	<u>.23</u>	<u>.11</u>	—	—	<u>.20</u>	—	—	—	—	<u>.26</u>	—	<u>.86</u>	28
29	<u>.55</u>	~~X~~	—	<u>.09</u>	<u>.66</u>	—	<u>.15</u>	—	<u>.03</u>	—	<u>.22</u>	<u>.43</u>	29
30	—	~~X~~	<u>.03</u>	<u>.01</u>	<u>.04</u>	—	<u>.33</u>	—	—	<u>.14</u>	<u>.20</u>	<u>.13</u>	30
31	<u>.20</u>	~~X~~	<u>.11</u>	~~X~~	<u>.02</u>	~~X~~	<u>.04</u>	—	~~X~~	—	~~X~~	<u>.10</u>	31
TOTAL	<u>4.68</u>	<u>6.65</u>	<u>.59</u>	<u>2.78</u>	<u>5.56</u>	<u>NH</u>	<u>4.80</u>	<u>4.65</u>	<u>4.36</u>	<u>5.36</u>	<u>3.38</u>	<u>5.39</u>	<u>48.20</u>
Days with ".01 in. or more.	<u>20</u>	<u>18</u>	<u>10</u>	<u>18</u>	<u>18</u>	—	<u>18</u>	<u>14</u>	<u>14</u>	<u>15</u>	<u>11</u>	<u>18</u>	<u>174</u>
Days with ".04 in. or more.	<u>17</u>	<u>18</u>	<u>5</u>	<u>11</u>	<u>17</u>	—	<u>13</u>	<u>13</u>	<u>12</u>	<u>14</u>	<u>10</u>	<u>17</u>	<u>147</u>

(Signed)..... [Signature] [P.T.O.]

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Lilton

in the County of Somerset

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....— ft. 11 in.

„ Ground „ Sea Level.....240 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>1.81</u>	<u>.13</u>	<u>.01</u>	—	<u>.08</u>	<u>.80</u>	—	—	<u>.05</u>	—	<u>1.31</u>	—	1
2	<u>.37</u>	<u>.05</u>	—	—	—	<u>.14</u>	—	—	<u>.09</u>	—	—	—	2
3	<u>.28</u>	<u>.11</u>	<u>.38</u>	—	—	—	—	—	—	—	—	—	3
4	<u>.12</u>	<u>.17</u>	<u>.10</u>	<u>.17</u>	—	—	<u>.02</u>	—	—	—	<u>.51</u>	<u>.09</u>	4
5	<u>.10</u>	<u>.17</u>	<u>.06</u>	—	<u>.34</u>	—	<u>.62</u>	—	<u>.52</u>	<u>.03</u>	<u>.23</u>	<u>.19</u>	5
6	<u>.30</u>	<u>.04</u>	—	—	<u>.04</u>	—	<u>.56</u>	<u>.08</u>	<u>.33</u>	<u>.11</u>	<u>.35</u>	—	6
7	<u>.07</u>	<u>.02</u>	—	<u>.15</u>	<u>.11</u>	<u>.12</u>	—	—	<u>.25</u>	—	<u>.15</u>	<u>.05</u>	7
8	—	<u>.04</u>	<u>.26</u>	<u>.17</u>	<u>.04</u>	<u>.07</u>	<u>.03</u>	<u>.13</u>	—	<u>.30</u>	<u>1.56</u>	—	8
9	—	—	<u>.08</u>	—	—	<u>.34</u>	—	<u>.65</u>	—	<u>.03</u>	<u>.16</u>	—	9
10	—	—	—	—	<u>.47</u>	<u>.20</u>	<u>.06</u>	<u>.25</u>	—	<u>.06</u>	<u>.64</u>	—	10
11	—	—	—	—	<u>.26</u>	<u>.74</u>	—	<u>.08</u>	<u>.15</u>	<u>.12</u>	—	—	11
12	—	—	—	—	<u>.49</u>	<u>.14</u>	—	<u>.02</u>	<u>.05</u>	<u>.91</u>	<u>.22</u>	—	12
13	—	—	—	—	—	<u>.06</u>	—	<u>.36</u>	<u>.14</u>	<u>.63</u>	<u>.50</u>	<u>.05</u>	13
14	<u>.06</u>	<u>.42</u>	—	<u>.66</u>	<u>.12</u>	<u>.07</u>	—	<u>.06</u>	—	<u>.62</u>	<u>.10</u>	<u>.15</u>	14
15	<u>.10</u>	<u>.11</u>	—	<u>.44</u>	<u>.01</u>	—	—	<u>.06</u>	<u>.12</u>	<u>.35</u>	<u>.26</u>	—	15
16	<u>.12</u>	<u>.34</u>	—	<u>.46</u>	—	—	—	<u>.08</u>	—	—	<u>.28</u>	—	16
17	<u>.15</u>	<u>.89</u>	—	<u>.02</u>	—	<u>.44</u>	<u>1.47</u>	—	—	—	<u>.42</u>	—	17
18	<u>.34</u>	<u>.11</u>	—	<u>.13</u>	—	—	<u>1.50</u>	<u>.29</u>	—	—	<u>.36</u>	<u>.04</u>	18
19	—	<u>.08</u>	—	<u>.07</u>	—	—	<u>.25</u>	<u>.05</u>	<u>.02</u>	—	<u>.56</u>	—	19
20	—	—	—	<u>.30</u>	—	—	—	<u>.49</u>	—	—	<u>.18</u>	—	20
21	<u>.41</u>	—	—	<u>.02</u>	<u>.03</u>	—	<u>.17</u>	<u>.10</u>	—	<u>.45</u>	<u>.07</u>	—	21
22	<u>.94</u>	<u>.04</u>	—	<u>.08</u>	—	—	—	—	—	<u>.43</u>	—	—	22
23	<u>.11</u>	—	<u>.03</u>	<u>.01</u>	—	—	—	<u>.04</u>	—	—	—	—	23
24	<u>.07</u>	—	<u>.05</u>	—	<u>.02</u>	<u>.03</u>	<u>.15</u>	—	—	<u>.55</u>	—	—	24
25	<u>.28</u>	—	—	<u>.32</u>	—	—	—	—	<u>.03</u>	<u>.44</u>	<u>.27</u>	<u>.07</u>	25
26	—	—	<u>.02</u>	—	<u>.12</u>	—	<u>.08</u>	—	<u>.42</u>	—	<u>.30</u>	—	26
27	<u>.31</u>	<u>.10</u>	<u>.34</u>	<u>.11</u>	<u>.16</u>	—	<u>.07</u>	—	<u>.13</u>	<u>.31</u>	—	—	27
28	<u>.32</u>	—	—	<u>.22</u>	<u>.02</u>	—	<u>.17</u>	—	—	<u>.92</u>	<u>.61</u>	<u>.01</u>	28
29	<u>.26</u>	~~X~~	—	<u>.12</u>	<u>.20</u>	—	<u>.01</u>	—	—	—	<u>.11</u>	—	29
30	<u>.15</u>	~~X~~	—	<u>.12</u>	<u>.26</u>	—	—	<u>.15</u>	—	—	<u>.12</u>	—	30
31	<u>.32</u>	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	—	~~X~~	—	31
TOTAL	<u>6.99</u>	<u>2.82</u>	<u>1.33</u>	<u>3.57</u>	<u>2.77</u>	<u>3.15</u>	<u>5.16</u>	<u>2.89</u>	<u>2.30</u>	<u>6.26</u>	<u>9.27</u>	<u>.85</u>	YEARS TOTAL <u>47.06</u>
Days with .01 in. or more.	<u>22</u>	<u>16</u>	<u>10</u>	<u>18</u>	<u>11</u>	<u>12</u>	<u>14</u>	<u>16</u>	<u>13</u>	<u>16</u>	<u>23</u>	<u>8</u>	<u>185</u>
Days with .04 in. or more.	<u>22</u>	<u>15</u>	<u>7</u>	<u>15</u>	<u>13</u>	<u>11</u>	<u>11</u>	<u>15</u>	<u>11</u>	<u>14</u>	<u>23</u>	<u>7</u>	<u>164</u>

REGISTER OF RAINFALL IN 1927.

Kept at Litton
in the County of Somerset
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level 344.0 ft.

* ~~1.65 of this quantity fell in 30 minutes (3.30 pm)~~
* This quantity fell in approx 1½ hours. *note.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	98	22	—	—	—	78	05	—	37	1.18	—	1
2	—	—	11	16	16	—	—	—	—	11	04	—	2
3	13	—	12	—	08	04	20	—	—	—	03	—	3
4	09	—	16	23	03	36	09	—	—	—	06	03	4
5	11	26	32	11	—	11	06	—	—	—	77	—	5
6	13	—	11	39	—	—	04	05	73	—	12	—	6
7	01	12	17	15	—	39	27	18	—	—	—	—	7
8	—	—	05	16	—	—	55	28	19	—	—	—	8
9	—	—	05	—	17	—	07	47	62	—	—	24	9
10	—	—	—	05	—	—	—	10	08	—	—	—	10
11	04	—	—	04	—	—	2.12	25	—	—	05	—	11
12	22	—	—	—	02	—	11	76	—	—	—	—	12
13	48	—	—	06	—	06	03	25	27	14	04	32	13
14	05	—	—	12	08	—	04	27	1.22	—	01	11	14
15	02	—	—	—	25	—	—	41	1.41	—	03	—	15
16	—	—	—	—	46	82	—	—	38	—	03	—	16
17	26	—	15	—	—	13	—	65	24	—	—	—	17
18	—	—	—	—	—	74	—	12	10	03	61	—	18
19	—	35	02	—	—	—	10	39	—	07	64	—	19
20	18	08	—	—	09	07	18	25	05	—	32	25	20
21	15	37	—	—	02	07	19	62	27	82	08	68	21
22	21	31	75	15	—	30	02	98	22	65	—	82	22
23	—	46	29	—	—	57	—	08	72	—	53	12	23
24	12	12	79	04	—	—	06	48	38	25	—	50	24
25	16	32	25	01	—	28	—	—	—	22	—	48	25
26	23	1.14	05	—	—	02	39	—	29	03	—	03	26
27	03	15	—	—	08	05	42	—	—	61	—	—	27
28	1.73	25	19	—	—	06	—	—	17	03	31	—	28
29	06	X	18	—	—	10	06	—	52	—	05	—	29
30	04	X	09	—	—	24	22	02	11	17	03	—	30
31	40	X	48	X	04	X	11	—	X	—	X	27	31
TOTAL	491	491	491	200	1.48	4.41	6.12	666	7.97	3.50	4.93	3.85	YEARS TOTAL 55.98
Days with "01 in. or more.	23	13	20	13	12	18	22	20	19	13	19	12	204
Days with "04 in. or more.	20	13	19	12	9	17	20	19	19	10	14	10	182

Section **A**

for the entry of Daily Observations.

1846
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Lilton
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft. 11 in.
„ Ground „ Sea Level 7140 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.34	—	—	—	—	—	—	—	—	—	—	—	1
2	.15	.49	.27	.14	—	—	.02	.01	—	—	.05	—	2
3	—	.08	—	.58	—	—	.18	.15	—	—	.14	—	3
4	.14	.57	—	.02	—	.02	—	—	—	.42	.13	—	4
5	.22	.10	.08	.08	.24	.01	.12	—	.13	.66	—	—	5
6	.05	—	.02	—	—	.54	—	—	—	—	—	.14	6
7	.22	.19	.03	.02	—	.29	—	.15	—	.09	—	—	7
8	—	.24	—	.04	—	.58	.03	—	.05	.32	—	—	8
9	.26	.02	—	.17	—	.10	—	.01	.10	.66	—	.05	9
10	.24	.43	—	.03	—	.09	—	.10	—	.35	.28	.07	10
11	.03	—	.06	.03	—	—	—	.02	—	.44	.11	.31	11
12	1.26	.64	—	—	—	—	—	.30	—	—	.10	.02	12
13	—	.04	—	—	.02	.29	—	—	—	—	—	—	13
14	.40	.52	—	.39	.01	.09	—	.02	—	.71	.33	—	14
15	.18	.16	—	.06	—	—	—	—	—	.03	.55	.02	15
16	—	.17	.15	—	.02	—	—	—	—	.18	.41	.50	16
17	—	—	—	—	.27	.02	—	—	—	—	.05	—	17
18	.42	—	.01	—	.01	—	—	—	—	.44	.17	.02	18
19	—	—	.09	—	.01	—	—	.69	—	.68	.10	—	19
20	.57	—	.42	—	.31	—	—	.42	—	—	.17	—	20
21	.91	—	.35	—	.10	.05	—	.29	—	.01	.82	.04	21
22	—	—	.12	—	—	—	—	.03	—	.45	.79	.05	22
23	.71	—	.17	.01	.13	—	—	—	—	.33	.33	—	23
24	.12	—	—	—	—	—	—	.04	.17	.11	.09	.24	24
25	.20	—	.08	—	—	.08	—	—	—	.12	.01	1.20	25
26	.19	—	.10	—	.04	.11	.23	.37	—	1.28	—	.02	26
27	.04	—	.04	.12	—	—	1.23	.48	.19	.30	—	1.20	27
28	1.16	.20	.60	—	.02	.01	.02	.12	1.08	—	—	.14	28
29	.20	—	1.24	—	—	.22	—	.85	—	.19	—	.23	29
30	.10	×	.10	—	—	.01	.80	—	—	.02	—	.19	30
31	.64	×	.31	×	—	×	.86	—	×	—	×	—	31
TOTAL	9.75	3.85	4.24	1.69	1.18	2.51	3.49	4.05	1.72	7.79	4.63	4.44	449.34
Days with 01 in. or more.	24	14	19	13	12	14	9	17	6	21	18	17	126
Days with 04 in. or more.	23	13	16	8	6	14	6	12	6	18	17	13	149

Kept at Lilton
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.58	—	—	.06	.06	—	—	.11	1.09	—	.05	1
2	—	.19	—	—	—	.07	.08	—	—	.22	.02	.46	2
3	—	—	—	—	.08	.03	.04	2.31	—	.10	—	.26	3
4	.02	—	—	.10	.62	—	—	.15	1	.02	—	.65	4
5	—	—	—	—	.89	.31	.54	.46	—	2.35	1.06	.49	5
6	.03	—	—	—	.24	.04	—	.09	—	.30	.12	.89	6
7	.06	—	—	—	.08	—	—	.01	—	.46	.66	.65	7
8	—	.02	—	—	.02	.06	—	.05	—	.11	—	.74	8
9	.09	.10	—	—	—	—	—	.03	—	.01	.28	.76	9
10	.03	—	—	.07	.04	—	—	.01	—	.03	.19	.56	10
11	—	.61	—	.02	.20	—	—	—	—	.01	1.17	.06	11
12	—	—	—	.10	—	.30	—	—	—	—	.11	—	12
13	.02	—	—	.05	.10	.11	—	.04	—	—	—	.15	13
14	—	—	—	—	.19	.44	—	—	—	—	—	.25	14
15	—	.25	—	—	.01	.12	—	—	—	—	.52	—	15
16	—	—	—	—	—	—	—	.03	—	—	—	—	16
17	.09	—	—	—	—	—	—	.38	—	.15	—	—	17
18	—	—	—	—	—	—	—	.08	.01	.09	1.25	—	18
19	—	—	—	—	—	—	—	—	.09	.01	.44	.04	19
20	—	—	—	—	—	—	—	.04	—	.61	—	.54	20
21	.06	—	.15	—	—	—	.02	.10	—	—	.01	—	21
22	.01	—	—	—	—	—	—	.19	—	—	.44	—	22
23	—	.01	—	—	.02	—	—	—	—	.20	.58	.46	23
24	—	—	—	—	—	—	—	.01	—	.76	1.19	.48	24
25	—	.07	.83	.02	—	—	—	—	—	—	.10	.10	25
26	—	.04	—	—	.05	—	—	—	—	—	.29	.54	26
27	—	—	—	.16	.04	—	—	—	—	.12	1.12	.31	27
28	.35	—	—	.14	—	—	.44	.19	—	.50	.81	.84	28
29	.17	X	—	.31	—	.01	—	—	.19	.16	.83	.27	29
30	—	X	—	.01	—	.09	.12	—	.39	—	.07	.10	30
31	.87	X	—	X	—	X	.94	.23	X	—	X	.09	31
TOTAL	1.80.	1.87	.18	.98	2.64	1.64	2.18	4.40	.79	7.30.	11.26	9.74	44.78
Days with or in. or more.	12.	9	2	10	15	12	7	18	5	20	21	24	155
Days with .04 in. or more.	7	7	1	7	12	10	6	13	4	15	19	24	125

Section

A

for the entry of Daily Observations.

1959
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Liton.
in the County of Somerset.
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. — in.
,, Ground ,, Sea Level 340 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.46	.39	-	.36	-	-	-	.10	-	-	.63	-	I
2	.03	-	.01	.10	.03	-	.05	.27	-	-	.50	-	2
3	.14	.20	-	.64	.06	-	-	.80	-	.15	-	-	3
4	.49	.02	.04	.12	-	-	-	-	.02	.44	-	-	4
5	-	-	-	-	.08	-	-	.47	-	.22	-	-	5
6	-	-	.17	-	.08	-	-	3.07	.30	-	-	.06	6
7	.38	.01	-	-	-	-	-	.04	-	.44	.36	.10	7
8	-	-	-	.15	.09	-	-	.01	.09	.42	-	.24	8
9	.48	-	.48	.21	.09	.01	-	-	.02	.02	.05	-	9
10	.87	-	.12	-	.40	.01	-	.16	-	-	-	1.00	10
II	.15	-	-	.12	.02	-	.17	.08	-	.08	-	.20	II
12	.29	-	-	-	.09	-	-	-	-	.01	-	.11	12
13	.05	-	.08	.08	.06	-	.20	.13	.32	-	-	.17	13
14	.54	.06	.48	.10	-	-	.03	-	.02	-	-	.01	14
15	-	-	.38	-	-	-	.73	.03	-	.32	.26	.47	15
16	-	-	-	-	-	-	.21	-	.13	.06	-	.17	16
17	-	-	-	.13	.05	-	.13	.07	.77	.13	-	.02	17
18	-	-	.05	-	.10	-	.04	.18	.35	.12	.22	.10	18
19	-	-	.03	.14	-	.20	.02	.26	.74	.27	.51	-	19
20	-	-	-	.07	-	-	.45	1.01	.83	-	.35	-	20
21	-	-	-	-	-	.01	.03	.05	.01	.22	.65	-	21
22	.75	-	-	.02	-	.01	-	.37	.05	.32	.22	-	22
23	.11	-	.18	.03	.01	.18	.19	.07	.09	-	.38	.02	23
24	.55	-	-	.28	.01	-	-	-	.45	.03	.44	.09	24
25	.03	.04	.01	.05	.47	-	.06	-	.03	.04	.32	.27	25
26	.68	.04	-	-	.18	-	.14	-	.12	-	.10	.20	26
27	.10	-	.03	-	-	-	.21	-	.06	.04	-	.05	27
28	.11	-	.14	-	-	-	.30	-	-	.03	.94	.59	28
29	.04	X	-	-	.03	-	.30	-	.32	.30	.27	.10	29
30	-	X	.22	-	.06	.12	.02	-	-	.11	-	.52	30
31	.32	X	.03	X	.21	X	-	-	X	.16	X	.19	31
TOTAL	6.57	.76	2.45	2.60	2.12	.54	3.28	7.17	4.72	3.93	6.20	4.68	45.02
*Days with "or in. or more.	20	7	16	16	19	7	18	18	19	22	16	21	199
*Days with "04 in. or more.	18	5	11	14	14	3	14	16	14	18	16	18	161

40-9999

*See Instruction 2 (f) on other side

(Signed)

[Signature]

R.T.O.

RECORD

LONG Ashton

RESEARCH STATION

METEOROLOGICAL ORGANIZATION.

N 1921.

Lat. $53^{\circ} 40'$ Long. $2^{\circ} 40'$

Elevation 9.4 m.

Way Station Flag Houston

Funnel of Rain Gauge 1.2 in.

of Gauge above Ground 8 ft. 8 in.

" " Sea Level 102 ft.

the result entered to the previous day.

earnestly requested to add
vided for it at the end of
nd placing of rain gauges,
s for Rainfall Observers,"
Organization, 62, Camden

Jan. 1, following.

Kept at The Research
in the County of Lon
by W. H. Heild.

IMPORTANT NOTE.

If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructions
and particulars as to the B
sent post-free on application
Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.48	trace	0.10	—	—	—	—	0.40	0.30	—	0.19	0.30	1
2	0.21	trace	trace	—	0.06	—	—	0.04	trace	0.27	0.23	0.09	2
3	trace	—	0.08	—	—	0.03	—	0.29	—	0.18	0.29	—	3
4	0.28	—	trace	—	0.09	—	—	0.25	—	trace	0.25	—	4
5	trace	—	0.01	—	0.02	—	—	0.35	—	—	0.31	trace	5
6	0.17	—	0.09	—	0.19	—	—	0.02	—	—	0.03	0.02	6
7	0.09	—	—	—	0.41	—	—	0.07	—	—	0.09	trace	7
8	0.02	—	0.05	—	0.26	—	—	—	—	—	—	—	8
9	trace	trace	—	0.08	0.27	—	—	—	0.03	—	—	—	9
10	0.17	—	0.02	0.02	—	—	—	0.34	1.75	trace	—	0.05	10
11	0.23	trace	0.05	—	0.08	—	—	—	1.51	—	trace	—	11
12	0.45	—	0.04	—	trace	0.01	—	0.16	0.64	—	—	0.20	12
13	0.01	trace	0.25	0.23	trace	—	—	trace	0.28	0.08	trace	trace	13
14	trace	—	0.15	0.02	0.23	—	0.21	0.01	0.14	trace	trace	0.20	14
15	—	—	0.02	0.02	—	—	0.05	trace	trace	trace	0.06	0.02	15
16	0.08	—	0.08	0.48	—	—	—	0.60	—	—	0.27	0.03	16
17	0.21	—	0.11	0.03	—	—	—	—	0.24	—	—	trace	17
18	0.04	—	0.28	0.01	—	—	—	—	—	0.16	—	0.02	18
19	trace	—	0.21	—	trace	trace	—	—	—	0.35	—	0.12	19
20	trace	trace	0.01	—	—	—	—	—	trace	0.01	0.03	0.04	20
21	0.01	—	trace	0.01	—	—	—	0.21	—	trace	0.04	0.05	21
22	0.02	—	0.10	0.03	—	—	0.24	0.70	—	0.37	0.02	0.50	22
23	trace	—	—	0.10	—	—	0.03	trace	—	0.26	—	0.02	23
24	0.13	0.15	—	—	—	—	0.01	—	—	—	—	0.13	24
25	0.05	0.12	0.09	—	—	0.20	0.25	—	—	—	—	0.08	25
26	0.08	—	trace	—	—	—	0.05	0.08	—	—	—	0.43	26
27	0.02	trace	0.01	—	—	—	0.12	0.08	—	trace	trace	0.09	27
28	—	—	0.33	—	—	—	0.05	0.01	—	—	0.14	0.07	28
29	0.17	—	0.10	—	—	—	—	0.06	—	—	—	0.04	29
30	0.66	X	—	—	0.05	—	0.01	—	—	trace	0.42	0.16	30
31	0.09	X	—	X	0.02	X	—	trace	X	trace	X	trace	31
TOTAL	3.67	0.27	2.18	1.03	2.12	0.24	1.02	3.07	4.89	1.68	2.37	2.66	YEAR'S TOTAL
Days with 0.1 in. or more	22	2	21	11	13	3	10	17	8	8	14	21	150
Days with 0.4 in. or more	17	2	16	4	11	1	7	14	7	7	11	16	113

REGISTER OF RAINFALL IN 1921.

Kept at The Research Station
Long Ashton
in the County of (Bristol)
by W. H. Reild, Somerset

Lat. 51° 26' Long. 2° 40'
Time of Observation 9.4 a.m.
Nearest Railway Station Flap Bourton
Diameter of Funnel of Rain Gauge 12 in.
Height of top of Gauge above Ground 2 ft. 8 in.
" " " " Sea Level 162 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.48	trace	0.10	—	—	—	—	0.40	0.30	—	0.19	0.30	1
2	0.21	trace	trace	—	0.06	—	—	0.04	trace	0.27	0.23	0.09	2
3	trace	—	0.08	—	—	0.03	—	0.29	—	0.18	0.29	—	3
4	0.28	—	trace	—	0.09	—	—	0.25	—	trace	0.25	—	4
5	trace	—	0.01	—	0.02	—	—	0.35	—	—	0.31	trace	5
6	0.17	—	0.09	—	0.19	—	—	0.02	—	—	0.03	0.02	6
7	0.09	—	—	—	0.41	—	—	0.07	—	—	0.09	trace	7
8	0.02	—	0.05	—	0.26	—	—	—	—	—	—	—	8
9	trace	trace	—	0.08	0.27	—	—	—	0.03	—	—	—	9
10	0.17	—	0.02	0.02	—	—	—	0.34	1.25	trace	—	0.05	10
11	0.23	trace	0.05	—	0.08	—	—	—	1.51	—	trace	—	11
12	0.45	—	0.04	—	trace	0.01	—	0.16	0.64	—	—	0.20	12
13	0.01	trace	0.25	0.23	trace	—	—	trace	0.28	0.08	trace	trace	13
14	trace	—	0.15	0.02	0.23	—	0.21	0.01	0.14	trace	trace	0.20	14
15	—	—	0.02	0.02	—	—	0.05	trace	trace	trace	0.06	0.02	15
16	0.08	—	0.08	0.48	—	—	—	0.60	—	—	0.27	0.03	16
17	0.21	—	0.11	0.03	—	—	—	—	0.24	—	—	trace	17
18	0.04	—	0.28	0.01	~~trace~~	—	—	—	—	0.16	—	0.02	18
19	trace	—	0.21	—	trace	trace	—	—	—	0.35	—	0.12	19
20	trace	trace	0.01	—	—	—	—	—	trace	0.01	0.03	0.04	20
21	0.01	—	trace	0.01	—	—	—	0.21	—	trace	0.04	0.05	21
22	0.02	—	0.10	0.03	—	—	0.24	0.70	—	0.37	0.02	0.50	22
23	trace	—	—	0.10	—	—	0.03	trace	—	0.26	—	0.02	23
24	0.13	0.15	—	—	~~trace~~	—	0.01	—	—	—	—	0.13	24
25	0.05	0.12	0.09	—	trace	0.20	0.25	—	—	—	—	0.08	25
26	0.08	—	trace	—	—	—	0.05	0.08	—	—	—	0.43	26
27	0.02	trace	0.01	—	~~0.18~~	—	0.12	0.08	—	trace	trace	0.09	27
28	—	—	0.33	—	~~0.26~~	—	0.05	0.01	—	—	0.14	0.07	28
29	0.17	—	0.10	—	~~0.26~~	—	—	0.06	—	—	—	0.04	29
30	0.66	X	—	—	0.05	—	0.01	—	—	trace	0.42	0.16	30
31	0.09	X	—	X	0.02	X	—	trace	X	trace	X	trace	31
TOTAL	3.67	0.27	2.18	1.03	2.12	0.24	1.02	3.07	4.89	1.68	2.37	2.66	YEAR'S TOTAL 25.20
Days with 0.1 in. or more	22	2	21	11	13	3	10	17	8	8	14	21	150
Days with 0.4 in. or more	17	2	16	4	11	1	7	14	7	7	11	16	113

REGISTER OF RAINFALL IN 1921

Kept at Long Ashton MO
in the County of Somerset
by J. E. Haultby for the Agr. Research Stn.

Lat. 51° 26' Long 2° 40' W
Time of Observation 9h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.48	-	0.10	-	-	-	-	0.40	0.30	-	0.19	0.30	1
2	0.21	-	-	-	0.06	-	-	0.04	-	0.27	0.23	0.09	2
3	-	-	0.08	-	-	0.03	-	0.29	-	0.18	0.29	-	3
4	0.28	-	-	-	0.09	-	-	0.25	-	-	0.25	-	4
5	-	-	0.01	-	0.02	-	-	0.35	-	-	0.31	-	5
6	0.17	-	0.09	-	0.19	-	-	0.02	-	-	0.03	0.02	6
7	0.09	-	-	-	0.41	-	-	0.07	-	-	0.09	-	7
8	0.02	-	0.05	-	0.26	-	-	-	-	-	-	-	8
9	-	-	-	0.08	0.27	-	-	-	0.03	-	-	-	9
10	0.17	-	0.02	0.02	-	-	-	0.34	1.75	-	-	0.05	10
11	0.23	-	0.05	-	0.08	-	-	-	1.51	-	-	-	11
12	0.45	-	0.04	-	-	0.01	-	0.16	0.64	-	-	0.20	12
13	0.01	-	0.25	0.23	-	-	-	-	0.28	0.08	-	-	13
14	-	-	0.15	0.02	0.23	-	0.21	0.01	0.14	-	-	0.20	14
15	-	-	0.02	0.02	-	-	0.05	-	-	-	0.06	0.02	15
16	0.08	-	0.08	0.48	-	-	-	0.60	-	-	0.27	0.03	16
17	0.21	-	0.11	0.03	-	-	-	-	0.24	-	-	-	17
18	0.04	-	0.28	0.01	-	-	-	-	-	0.16	-	0.02	18
19	-	-	0.21	-	-	-	-	-	-	0.35	-	0.12	19
20	-	-	0.01	-	-	-	-	-	-	0.01	0.03	0.04	20
21	0.01	-	-	0.01	-	-	-	0.21	-	-	0.04	0.05	21
22	0.02	-	0.10	0.03	-	-	0.24	0.10	-	0.37	0.02	0.50	22
23	-	-	-	0.10	-	-	0.03	-	-	0.26	-	0.02	23
24	0.13	0.15	-	-	-	-	0.01	-	-	-	-	0.13	24
25	0.05	0.12	0.09	-	-	0.20	0.25	-	-	-	-	0.08	25
26	0.08	-	-	-	-	-	0.05	0.08	-	-	-	0.43	26
27	0.02	-	0.01	-	-	-	0.12	0.08	-	-	-	0.09	27
28	-	-	0.33	-	0.18	-	0.05	0.01	-	-	0.14	0.07	28
29	0.17	-	0.10	-	0.26	-	-	0.06	-	-	-	0.04	29
30	0.66	X	-	-	0.05	-	0.01	-	-	-	0.42	0.16	30
31	0.09	X	-	X	0.02	X	-	-	X	-	X	-	31
TOTAL	3.67	0.27	2.18	1.03	2.12	0.24	1.02	3.07	4.89	168	237	266	25.20
Days with 0.1 in. or more	22	2	21	11	13	3	8	17	8	8	14	21	149
Days with 0.4 in. or more	17	2	16	4	11	1	5	14	7	7	11	16	113

METEOROLOGICAL OFFICE, AIR MINISTRY,

SOUTH KENSINGTON, LONDON, S.W. 7.



METEOROLOGICAL
OFFICE
19 MAY 1922

QUERY FORM.

On examination of the return of observations made at

Long Ashton July

1921

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

On the Monthly Return for July 1921 no rain is given for either the 14th or 15th. The weather remark for the 14th is "Dull and threatening" and that for the 15th is "T 5.30 and 9.30 a.m. 8-9 a.m. and between 10-12."

At Clifton College .15 in. fell on the 14th, and .04 in. on the 15th.

Will you kindly say whether there was no rain at Long Ashton on these days, or whether the amounts have inadvertently been omitted.

Cap.
4/5/22

REPLY.

14th. .21

15th. .05

The above readings
were inadvertently
omitted.

W. H. Heild.

For use at M.O.

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in this Office.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....
4. " " " " noted for communication to
Forecast Service.....
5. " " " " directly in Forecast Service.....

Lat. 51° 26' Long. 2° 40' W
Time of Observation 9h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____
Height of top of Gauge above Ground _____
" " " Sea Level _____

Height of top of Gauge above Ground.....ft.....in.
 " " " " Sea Level 162 ft.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.03	0.21	0.40	Trace	0.15	0.01	0.62	-	Trace	0.01	0.18	Trace	1
2	-	0.32	0.06	0.10	0.05	-	0.27	0.14	-	-	0.07	Trace	2
3	0.01	0.12	0.77	0.66	0.18	-	0.04	0.50	Trace	-	0.03	-	3
4	0.01	0.14	0.21	Trace	0.13	-	0.04	Trace	-	0.24	-	-	4
5	0.03	-	0.25	0.28	-	-	1.21	-	-	0.19	0.44	-	5
6	0.08	-	0.12	0.01	-	-	0.29	0.65	-	Trace	0.18	-	6
7	0.13	-	0.52	0.16	-	0.10	0.19	0.32	-	-	0.14	0.01	7
8	0.11	-	0.01	-	-	-	0.44	0.42	Trace	Trace	0.03	0.03	8
9	0.09	-	0.01	Trace	-	-	0.01	0.01	-	-	0.02	-	9
10	0.01	-	-	-	-	Trace	-	Trace	-	Trace	0.33	-	10
11	-	-	-	0.05	Trace	-	-	Trace	-	-	-	-	11
12	-	-	-	0.41	-	0.21	-	0.37	0.58	-	0.01	-	12
13	0.31	-	-	0.39	-	0.08	0.22	-	0.15	-	-	-	13
14	0.01	-	0.01	0.04	-	-	-	-	0.07	-	Trace	-	14
15	0.43	0.36	-	0.20	-	-	0.01	-	-	-	Trace	0.03	15
16	0.01	0.34	-	0.18	0.32	-	Trace	0.35	0.16	-	-	0.14	16
17	-	0.18	-	Trace	0.16	-	0.10	-	-	-	-	0.11	17
18	0.37	0.02	-	-	0.02	-	0.01	-	0.10	-	-	0.12	18
19	-	0.17	0.04	-	0.01	-	-	-	0.85	Trace	-	1.32	19
20	0.09	0.17	0.03	-	-	0.01	-	-	-	Trace	-	0.01	20
21	0.05	0.11	-	0.01	-	0.04	0.13	0.02	-	-	0.01	0.74	21
22	-	0.41	-	-	0.01	0.12	0.11	0.19	0.01	0.01	0.02	0.31	22
23	-	0.13	-	0.02	0.02	-	0.11	-	0.10	-	0.01	0.01	23
24	0.09	-	0.05	0.09	Trace	0.51	-	0.10	-	-	-	0.06	24
25	0.16	0.05	0.01	0.25	-	0.16	-	-	0.18	-	-	0.17	25
26	0.09	0.45	-	0.01	-	0.01	0.06	-	0.08	-	0.11	0.04	26
27	0.27	0.92	0.02	0.16	-	0.07	-	0.23	0.02	Trace	0.02	0.43	27
28	0.19	0.44	0.01	-	-	0.22	-	0.06	Trace	-	-	0.20	28
29	-	-	-	0.15	-	0.31	0.30	-	-	0.72	Trace	0.80	29
30	0.45	~~X~~	0.14	0.02	-	Trace	0.02	0.67	0.37	0.02	0.06	0.55	30
31	0.01	~~X~~	0.79	~~X~~	-	~~X~~	0.29	0.01	~~X~~	0.50	~~X~~	0.01	31
TOTAL	3.23	4.54	3.45	3.19	1.05	1.89	4.47	4.04	2.67	1.69	1.66	5.09	YEAR'S TOTAL 36.97
Days with "01 in. or more	23	17	18	19	10	13	20	15	12	7	16	19	189
Days with "04 in. or more	15	16	11	14	6	10	16	12	10	4	8	13	135

REGISTER OF RAINFALL IN 1923.

AIR MINISTRY.

Kept at Long Ashton
in the County of Somerset
by W. H. Heild.

Lat. 51°26' Long. 2°40'
Time of Observation 9 a.m.
Nearest Railway Station Fray Bourton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 162 ft.

1867
5 MAR 1924

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.68	.18	—	trace	—	—	.01	.03	.08	.01	.46	1
2	.24	.47	.13	.14	.07	—	trace	trace	—	.09	.03	.02	2
3	.06	trace	.02	trace	—	.01	.04	—	.13	.34	.01	.07	3
4	trace	trace	—	.08	.02	.01	—	—	trace	.01	.42	.11	4
5	.63	—	.01	.12	.22	—	—	—	—	.03	.21	.02	5
6	.17	.30	.16	.08	—	—	trace	trace	trace	—	—	.01	6
7	.10	.60	.04	.07	—	—	trace	—	—	.24	trace	.36	7
8	.20	.09	.01	—	—	trace	—	—	—	.19	.15	.01	8
9	.18	.62	—	trace	trace	.05	—	—	—	trace	trace	trace	9
10	trace	.41	—	.15	.13	—	trace	trace	—	.25	trace	.07	10
11	trace	.05	—	.30	.01	—	—	—	—	.12	trace	trace	11
12	—	.15	.24	.13	.54	.03	—	—	—	.33	.13	.01	12
13	.01	.16	trace	.14	.03	—	.07	trace	.05	.01	1.44	.01	13
14	trace	—	.01	.01	.17	trace	trace	.02	.43	trace	.09	trace	14
15	trace	.12	.02	.16	.04	.32	.04	—	—	.03	.34	—	15
16	.02	.15	—	.02	.01	—	.13	.02	.02	trace	.26	trace	16
17	trace	.66	—	—	.03	trace	.03	.32	.54	.06	.02	—	17
18	.01	.19	—	.12	.03	.03	—	.03	.01	.08	.03	—	18
19	.02	.01	—	trace	—	—	.15	.02	.73	.19	.04	—	19
20	—	.19	—	—	.06	—	—	.02	.08	.25	trace	—	20
21	—	.35	—	—	trace	.02	—	.70	.01	.57	—	.03	21
22	.02	.39	trace	—	.05	—	—	.04	.07	.12	.01	.11	22
23	.01	.22	.18	—	.11	—	.15	.51	.14	.42	trace	.07	23
24	trace	.03	—	.19	.05	—	.03	trace	.27	.24	—	.05	24
25	—	.42	—	.53	.02	.01	.16	.07	.11	.32	—	.47	25
26	—	.23	.01	.04	.04	—	—	.57	trace	.33	—	.26	26
27	—	.42	.14	—	.13	—	.10	.38	—	trace	—	.20	27
28	trace	.21	.16	.11	.05	—	.30	.13	.07	.08	trace	.02	28
29	trace	—	trace	.30	.07	—	.03	.43	trace	.03	—	.17	29
30	.02	X	.01	.01	—	.03	.80	.22	trace	.24	—	.03	30
31	.17	X	—	X	—	X	.32	.25	X	trace	X	.19	31
TOTAL	1.92	7.12	1.34	2.70	1.88	0.51	2.35	3.74	2.69	4.77	3.19	2.75	349.6
Days with '01 in. or more	16	24	15	19	21	8	14	X	15	25	15	22	212
Days with '04 in. or more	9	22	8	16	14	2	11	11	11	20	9	13	146

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Long Ashton
in the County of Somerset
by M. H. Heild.

Lat. 51° 16' Long. 2° 40'
Time of Observation 9 a.m.
Nearest Railway Station Exeter Bampton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 8 ft.
" " " " Sea Level 162 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	trace	.04	trace	.03	.23	.15	.29	—	trace	1.10	.44	RRW
2	.17	—	.33	—	.16	trace	.42	.01	—	.04	trace	.03	WSP
3	.14	—	.12	—	.02	.19	.39	.24	—	trace	trace	—	C 3
4	trace	—	.01	trace	.01	.17	.61	.10	.07	trace	trace	.26	4
5	—	—	.07	—	—	—	.14	.07	.01	.18	—	.47	5
6	—	—	trace	—	.12	trace	.03	.08	.05	.49	—	trace	6
7	.02	—	—	—	.07	.15	—	—	.49	1.71	—	trace	7
8	.16	.13	—	trace	.02	—	.01	—	.22	.03	—	trace	8
9	.20	.02	trace	.02	trace	.22	—	—	—	.01	.05	—	9
10	.18	.20	—	.13	.28	.48	—	—	.04	.04	.01	.06	10
11	.65	—	—	.38	.45	1.46	—	.36	.05	.01	.30	trace	11
12	.13	—	—	.16	.10	.59	trace	.18	.12	trace	trace	—	12
13	.07	—	—	—	.01	trace	—	.01	.58	trace	.01	.40	13
14	trace	—	—	.84	—	—	—	.09	.04	trace	—	.11	14
15	—	.14	—	trace	.05	—	trace	trace	.09	—	—	.21	15
16	.21	—	—	—	—	—	—	.43	.05	—	—	trace	16
17	.16	trace	—	—	trace	.63	1.10	.56	.11	—	—	trace	17
18	.92	.07	—	—	.32	—	.01	.03	trace	.12	.02	.01	18
19	.11	—	—	—	.06	.01	.04	.67	.12	.07	—	—	19
20	.32	—	.02	—	.31	—	.45	.26	.30	.43	—	trace	20
21	.38	—	.05	—	.02	.28	.01	1.35	.14	.95	.01	—	21
22	.43	—	.54	—	—	—	—	.28	.36	—	—	.07	22
23	—	—	.49	—	.48	.02	.04	.21	.18	—	—	.38	23
24	.37	.09	.03	.15	.50	—	—	—	.16	—	.01	.12	24
25	—	—	.10	.11	trace	—	.26	.02	.28	.07	.40	.04	25
26	—	—	—	.41	—	—	.01	.01	.03	.12	.52	1.13	26
27	—	.01	—	.47	—	—	.90	.01	.56	.09	.70	—	27
28	—	trace	—	—	—	—	.42	.14	—	.10	.11	.23	28
29	trace	.02	—	.31	.33	.02	—	.27	.02	1.14	.54	.32	29
30	—	X	—	.03	.25	—	.02	.08	.13	.26	.10	.72	30
31	—	X	—	X	.73	X	—	.04	X	.05	X	.47	31
TOTAL	4.63	0.68	1.80	2.98	4.32	4.45	5.01	5.79	3.64	6.38	3.27	6.12	49.07
Days with .01 in. or more	✓18	✓8	✓11	✓11	✓21	✓13	✓18	✓25	✓23	✓19	✓14	✓19	200
Days with .04 in. or more	✓16	✓5	✓8	✓9	✓14	✓10	✓12	✓19	✓20	✓16	✓9	✓16	155

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

County No. _____
River Dist. _____
Station No. _____

Kept at Long Ashton 1925.

in the County of Somerset.

by W. H. Reild.

Lat. 51°26' Long. 2°40'

Time of Observation 9 a.m.

Nearest Railway Station Felix Rounton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 8 ft.

" " " " Sea Level 162 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	—	—	—	.01	.03	—	.12	.04	—	.34	—	1
2	.21	.26	—	.01	trace	—	.48	trace	—	trace	.76	—	2
3	.14	.12	—	—	.49	—	.14	.31	—	—	.03	—	3
4	.29	trace	—	.10	.22	—	—	.28	.02	—	.19	—	4
5	.13	.43	—	.44	.10	—	—	.20	.36	trace	.09	—	5
6	.01	.07	—	—	.15	—	.35	.02	—	—	.50	—	6
7	—	.18	—	—	.44	—	—	—	—	—	.22	.07	7
8	.16	.01	.03	—	.11	—	.06	.30	—	—	—	.51	8
9	—	.06	—	.04	.29	—	.01	.02	.05	—	—	.17	9
10	trace	.13	.02	.01	—	—	—	.19	.01	—	—	trace	10
11	trace	.60	—	—	.07	—	—	.01	—	—	—	—	11
12	trace	.35	—	.01	—	—	trace (dew)	.66	—	.01	—	—	12
13	trace	.04	.08	.04	—	—	—	—	—	—	—	trace	13
14	.33	.12	trace	.34	—	—	—	—	—	trace	.02	—	14
15	.02	—	—	.13	—	—	—	—	.16	.15	—	—	15
16	.01	.12	—	—	—	—	—	—	—	.30	—	.005	16
17	—	trace	—	—	.05	—	.17	—	—	trace	—	—	17
18	—	.02	—	.13	1.35	—	—	—	.14	.02	—	—	18
19	—	.03	—	.08	trace	—	trace	—	1.12	.82	—	.56	19
20	—	—	.13	—	—	—	.03	.11	.15	.49	—	.02	20
21	—	.03	—	—	—	—	.32	.22	.20	.32	—	—	21
22	.01	—	—	.17	.05	—	.15	.13	.73	.54	—	.63	22
23	.07	.15	trace	.05	.06	—	.03	—	.01	.32	—	.08	23
24	.31	.33	.02	.03	.01	—	—	—	.03	.14	.02	.25	24
25	.22	.76	.18	—	.01	—	.19	—	.19	.09	—	.09	25
26	.13	.16	—	.01	.59	—	.58	.01	—	.29	—	.33	26
27	.06	.56	—	.01	.21	—	.32	.42	.02	.05	—	.15	27
28	.12	.12	—	.01	.22	—	trace	—	.04	.05	.02	.81	28
29	.25	—	—	.15	.47	—	.18	—	.01	—	.05	.74	29
30	.02	X	—	.03	trace	—	.44	—	trace	.12	.14	.12	30
31	.08	X	.14	X	—	X	trace	trace	X	.03	X	.02	31
TOTAL	3.27	4.65	0.60	1.79	4.90	.03	3.45	3.00	3.28	3.74	2.38	4.55	35.64
Days with "01 in. or more.	20	22	7	19	19	1	15	15	17	16	12	15	354.45
Days with "04 in. or more.	15	18	4	11	14	—	12	11	11	13	8	13	178.19
													905
													YEAR'S TOTAL

P.T.O.

REGISTER OF RAINFALL.

INSTRUCTIONS.

1. Advice as to the selection of the site for a raingauge, particulars of the gauge recommended for use and other information is to be obtained from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from the Director, Meteorological Office, Air Ministry, Edinburgh.

Form 1093. 1812
AIR MINISTRY.
METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.
KINGSWAY, LONDON, W.C.2,
OR
METEOROLOGICAL OFFICE,
10, ROTHESAY PLACE, EDINBURGH.

RAINFALL IN 1925...

NOTE—Records taken in millimetres should be entered on Form 1094.

At... *Long Ashton*

In the County of... *Somerset*

Rain Gauge { Diameter of Funnel.....in.
Height { Above Ground.....ft.....in.
of Top { Above Sea Level.....ft.

PLEASE FILL IN.

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with	
	Inches.	Inches.	'01 in. or more	'04 in. or more
JAN. 183.1	3.27	0.45	1	20 15
FEB. 118.1	4.65	0.76	25	22 18
MAR. 15.2	0.60	0.18	25	7 4
APR. 45.5	1.79	0.44	5	19 11
MAY 124.5	4.90	1.35	18	19 16
JUNE 0.8	0.03	0.03	1	1 0
JULY 87.6	3.45	0.58	26	15 13
AUG. 76.2	3.00	0.66	12	15 11
SEPT. 83.3	3.28	1.12	19	14 11
OCT. 95.0	3.74	0.82	19	16 13
NOV. 60.5	2.38	0.76	2	12 8
DEC. 115.7	4.55	0.81	28	16 13
Total 905.5	35.64	905.3	199	132

Signature.....

Titles.....

[Please fill in the other side also.]

be observed:

preferably at 9 a.m., Greenwich Mean Time. The measurement is to be taken on January 1st is the rainfall for the 24 hours following 9 a.m. on January 2nd.

When there has been no precipitation the entry should be "00". The entry "trace" or "tr" is to be made in the two following cases,

if water in the gauge and the observer knows that this is not the result of a leak of the can after emptying the rainwater out of it at a previous time of measurement, or if the observer is reasonably certain that there has actually been precipitation since the observer knows that the precipitation has been in the form of dew or wet

his own observation that some rain (or other form of precipitation such as hail) has fallen since the preceding observation, and yet finds no water in the gauge. In dry, warm weather, without the gauge being even damp, the small amount of rain before it got into the receiving can.

An entry '005 is not to be made in the register. The entry '005 is to show the limit between the amounts which are rounded up or down.

For one day or more, the days covered by the next reading should be shown. The reading on the morning of the 18th day of the month

morning of the 19th was '14 in.

The addition should always be done a second time as a check. The total has already been found in another copy of the register.

The entry 'more' includes all the days with any rain except those for which the entry

is made. During the month the spaces for the number of days with rain should be

underlined.

Below the names and addresses of any observers whose records (it is recommended that they should be sent to the Office previously.

For example $\frac{1}{2}$ inch in 20 minutes or 1 inch in 1 hour) the following details

beginning of the measured rainfall?

ending and end of this rainfall?

NOTES.

Hyde

Gardener

Maxwell Court

Laird

Louise

records, & would most likely

let you have them if written.

W. H. Laid.

M.O. 7

-4 JAN 1926

LONDON:

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:
Adastral House, Kingsway, London, W.C.2; 28, Abingdon Street, London, S.W.1;
York Street, Manchester; 1, St. Andrew's Crescent Cardiff;
or 120, George Street, Edinburgh;
or through any Bookseller.

1924.

Price 2d. net.

Printed under the authority of His Majesty's Stationery Office by JAS. TRUSCOTT & SON, LTD., Suffolk Lane, Cannon Street, E.C.

(*651) Wt. 16658-11112 10 000. 12/24. T.S. 128.

Section **A** for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1926.

Kept at *Long Ashton*
in the County of *Somerset*

Diameter of Funnel of Gauge.....*8* in.
Height of top of Gauge above Ground.....ft. *8* in.
" Ground " Sea Level.....*162* ft.

Cor is agree with MWR

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.29</i>	<i>.05</i>	—	—	<i>.08</i>	<i>.34</i>	—	—	<i>.20</i>	—	<i>.67</i>	—	1
2	<i>.22</i>	<i>.05</i>	—	—	—	<i>.04</i>	—	—	<i>.08</i>	—	<i>.13</i>	<i>T⁰⁰⁵</i>	2
3	<i>.08</i>	<i>.11</i>	<i>.09</i>	—	—	—	—	—	—	—	—	<i>.025</i>	3
4	<i>.23</i>	<i>.06</i>	<i>.01</i>	<i>T⁰⁰⁵</i>	—	—	<i>.025</i>	—	—	—	<i>.69</i>	<i>.07</i>	4
5	<i>.10</i>	<i>.06</i>	<i>.035</i>	—	<i>.20</i>	<i>T⁰⁰⁵</i>	<i>.48</i>	—	<i>.70</i>	<i>.08</i>	<i>.15</i>	<i>.17</i>	5
6	<i>.16</i>	<i>.03</i>	—	<i>.02</i>	<i>.02</i>	—	<i>.46</i>	<i>.05</i>	<i>.10</i>	<i>.02</i>	<i>.36</i>	<i>T⁰⁰⁵</i>	6
7	—	<i>.02</i>	—	<i>.11</i>	<i>.27</i>	<i>.08</i>	—	—	<i>.08</i>	<i>.04</i>	<i>.21</i>	<i>.06</i>	7
8	—	<i>.01</i>	<i>.28</i>	<i>.16</i>	<i>.07</i>	<i>.02</i>	<i>.05</i>	<i>.31</i>	—	<i>.30</i>	<i>1.26</i>	<i>T⁰⁰⁵</i>	8
9	—	—	<i>T⁰⁰⁵</i>	—	—	<i>.23</i>	—	<i>1.06</i>	—	—	<i>.12</i>	—	9
10	—	—	—	—	<i>.21</i>	<i>.07</i>	<i>.02</i>	<i>.24</i>	—	<i>.04</i>	<i>.49</i>	—	10
11	—	—	—	—	<i>.34</i>	<i>.34</i>	—	—	<i>.24</i>	<i>.10</i>	<i>.04</i>	—	11
12	—	—	—	—	<i>.35</i>	<i>.01</i>	—	<i>.02</i>	<i>T⁰⁰⁵</i>	<i>1.01</i>	<i>.30</i>	<i>.01</i>	12
13	—	<i>T⁰⁰⁵</i>	—	—	<i>.015</i>	<i>.03</i>	—	<i>.23</i>	<i>.11</i>	<i>.31</i>	<i>.52</i>	<i>.02</i>	13
14	<i>.08</i>	<i>.22</i>	—	<i>.41</i>	<i>.16</i>	<i>.13</i>	—	—	<i>.04</i>	<i>.53</i>	<i>.23</i>	<i>.09</i>	14
15	<i>.09</i>	<i>.19</i>	—	<i>.12</i>	<i>T⁰⁰⁵</i>	—	—	<i>.23</i>	<i>.06</i>	<i>.47</i>	<i>.32</i>	—	15
16	<i>.16</i>	<i>.20</i>	—	<i>.51</i>	—	—	—	<i>.01</i>	<i>.07</i>	—	<i>.09</i>	<i>.01</i>	16
17	<i>.08</i>	<i>.62</i>	—	<i>.05</i>	—	<i>.46</i>	<i>.17</i>	<i>.05</i>	—	—	<i>.40</i>	<i>.03</i>	17
18	<i>.12</i>	<i>.06</i>	—	<i>.40</i>	—	—	<i>.01</i>	—	—	—	<i>.18</i>	<i>.01</i>	18
19	<i>.02</i>	<i>.02</i>	—	<i>T⁰⁰⁵</i>	—	<i>T⁰⁰⁵</i>	<i>.14</i>	<i>.16</i>	<i>.03</i>	—	<i>.26</i>	<i>T⁰⁰⁵</i>	19
20	—	<i>.015</i>	—	<i>.23</i>	—	<i>.05</i>	—	<i>.24</i>	—	—	<i>.31</i>	—	20
21	<i>.06</i>	<i>T⁰⁰⁵</i>	—	<i>.04</i>	—	—	<i>.07</i>	<i>.03</i>	—	<i>.24</i>	<i>.22</i>	—	21
22	<i>.55</i>	<i>.025</i>	—	<i>.10</i>	—	<i>.01</i>	—	—	—	<i>.20</i>	<i>.02</i>	—	22
23	<i>.19</i>	<i>.01</i>	<i>.015</i>	—	<i>T⁰⁰⁵</i>	—	—	<i>.01</i>	<i>.01</i>	—	<i>.01</i>	—	23
24	<i>.05</i>	—	<i>.015</i>	—	—	—	<i>.39</i>	<i>.13</i>	<i>.035</i>	<i>.58</i>	<i>.01</i>	—	24
25	<i>.26</i>	—	—	<i>.28</i>	—	—	—	—	<i>.03</i>	<i>.12</i>	<i>.12</i>	<i>.035</i>	25
26	—	—	—	<i>T⁰⁰⁵</i>	<i>.07</i>	—	<i>.07</i>	—	<i>.15</i>	—	<i>.37</i>	—	26
27	<i>.23</i>	<i>.05</i>	<i>.23</i>	<i>.08</i>	<i>.15</i>	—	<i>.04</i>	—	<i>.08</i>	<i>.34</i>	<i>.40</i>	—	27
28	<i>.17</i>	—	—	<i>.04</i>	<i>.03</i>	—	<i>.31</i>	—	—	<i>.73</i>	<i>.40</i>	—	28
29	<i>.19</i>	<i>X</i>	—	<i>.08</i>	<i>.20</i>	—	<i>.06</i>	—	—	—	<i>.05</i>	—	29
30	<i>.10</i>	<i>X</i>	—	<i>.26</i>	<i>.55</i>	—	—	<i>.11</i>	—	—	<i>.09</i>	<i>.01</i>	30
31	<i>.13</i>	<i>X</i>	—	<i>X</i>	<i>.01</i>	<i>X</i>	—	—	<i>X</i>	—	<i>X</i>	—	31
TOTAL	<i>5.06</i>	<i>1.98</i>	<i>0.675</i>	<i>2.905</i>	<i>2.825</i>	<i>1.8X</i>	<i>2.29</i>	<i>2.65</i>	<i>2.05</i>	<i>5.14</i>	<i>8.04</i>	<i>0.5X</i>	YEARS TOTAL <i>35.91</i>
Days with ".01 in. or more.	<i>22</i>	<i>18</i>	<i>88</i>	<i>19</i>	<i>18</i>	<i>15</i>	<i>14</i>	<i>14</i>	<i>12</i>	<i>14</i>	<i>28</i>	<i>12</i>	<i>207</i>
Days with ".04 in. or more.	<i>21</i>	<i>11</i>	<i>3</i>	<i>14</i>	<i>12</i>	<i>9</i>	<i>11</i>	<i>10</i>	<i>12</i>	<i>14</i>	<i>25</i>	<i>4</i>	<i>146</i>

Please read the Notes and Instructions Overleaf.

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1927.

Kept at Long Ashton

in the County of Som

by _____

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.96									.59		1
2													2
3													3
4													4
5				.52									5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14									1.81				14
15													15
16						.75							16
17					.36			.57					17
18													18
19													19
20													20
21													21
22			.35										22
23													23
24													24
25												.80	25
26													26
27													27
28	1.31												28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	3.33	3.41	3.01	1.49	1.13	3.45	5.27	4.41	6.65	2.87	3.21	3.27	YEAR'S TOTAL 41.58
Days with .01 in. or more.	25	17	25	13	13	20	20	19	24	18	24	14	232
Days with .04 in. or more	15	15	15	8	6	13	15	15	18	12	12	10	154
	84.6	86.6	76.5	37.8	28.7	87.6	133.9	111.9	168.9	72.9	81.7	83.1	1054.2

[Handwritten signature]

Kept at Longport
in the County of Longport
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 8 ft. 8 in.
" Ground " Sea Level 162 ft.

g m r

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.96	.04	—	—	—	.68	Trace	—	.18	.59	—	1
2	.02	—	.03	.15	.025	—	—	—	—	.05	.005	—	2
3	.04	.06	.15	.01	.07	—	.14	—	—	—	.08	—	3
4	.02	.05	.14	.06	.03	—	.09	—	—	.005	.03	—	4
5	.07	.11	.20	.52	—	.08	.10	—	—	.005	.32	.005	5
6	.02	—	.29	.16	—	.035	.02	.03	.42	—	.19	—	6
7	.005	.10	.03	.14	—	.10	.43	.05	—	—	—	—	7
8	.02	—	.18	.08	—	—	—	.18	.14	—	.005	.01	8
9	—	—	—	—	.16	—	—	.14	.45	.005	—	.07	9
10	.005	—	.01	.06	—	.005	—	—	.31	—	—	—	10
11	.03	—	.01	.03	—	—	.62	.15	.005	—	.01	—	11
12	.21	—	—	—	.02	—	.04	.22	.03	—	—	—	12
13	.14	—	—	.03	—	.01	.58	.56	.10	.14	.04	.28	13
14	.03	.02	—	.09	.11	—	.02	.31	1.81	—	.02	.12	14
15	.005	.005	.01	—	.30	—	—	.53	.44	—	.13	.02	15
16	.01	—	—	—	—	.25	—	.01	.66	—	.01	—	16
17	.14	—	.06	—	.36	.39	—	.57	.15	—	.005	—	17
18	—	—	.01	.005	—	.61	—	.10	.14	.37	.46	—	18
19	—	.26	.02	—	—	.20	.14	.47	.01	.07	.53	—	19
20	.16	.16	—	—	.005	.08	.18	.06	.01	.02	.22	.27	20
21	.04	.06	.01	—	.005	.025	.14	.35	.24	.51	.05	.54	21
22	.08	.15	.35	.12	—	.27	Trace	.28	.28	.23	—	.44	22
23	.01	.32	.17	—	—	.40	.01	.005	.56	—	.23	.13	23
24	.17	.06	.26	.02	—	.035	.03	.36	.09	.07	.005	.31	24
25	.17	.36	.14	—	—	.10	—	—	.005	.10	.01	.80	25
26	.11	.44	.02	.01	.005	.02	.55	—	.22	.11	.005	—	26
27	.02	.05	.03	—	.04	.05	.81	—	.005	.44	—	—	27
28	1.31	.23	.13	.005	—	.035	.005	—	.26	.005	.24	—	28
29	.05	X	.34	—	—	.07	Trace	—	.25	.02	.01	—	29
30	.07	X	.06	—	.005	.18	.06	.03	.06	.04	.02	.02	30
31	.31	X	.30	X	—	X	.42	—	X	—	X	.23	31
TOTAL	3.325	3.37	3.01	1.49	1.135	3.49	5.265	4.405	6.645	2.87	3.165	3.275	44.445
Days with ".01 in. or more.	X25	14	25	13	9	19	20	19	24	18	24	13	225
Days with ".04 in. or more.	X15	15	15	8	6	17	15	15	18	12	12	10	158
YEARS TOTAL													

M. H. Reild. Use this



FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.Kept at LONG ASHTONin the County of Somerset

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5										1.17			5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14								.68					14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22											.63		22
23													23
24													24
25												1.06	25
26							.85						26
27													27
28									.54				28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	6.28	3.69	2.86	1.39	1.11	2.87	3.17	3.15	1.18	7.26	3.76	3.75	YEARS TOTAL
Days with ".01 in. or more.	29	18	22	15	10	18	12	17	8	22	20	20	211
Days with ".04 in. or more.	22	11	14	8	6	12	11	12	6	18	17	11	148

Kept at LONG ASHTON
 in the County of Somerset BRISTOL
 Diameter of Funnel of Gauge 8 in.
 Height of top of Gauge above Ground 8 ft.
 „ Ground „ Sea Level 162 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.95	trace	.01	—	—	—	—	—	—	—	.03	—	1
2	.06	.30	.24	.05	—	—	.04	—	—	—	.12	—	2
3	.02	.01	—	.36	—	—	.12	.05	—	—	.18	trace	3
4	.12	.27	—	.01	—	.02	.04	—	—	.33	.15	.02	4
5	.23	.15	.06	.03	.19	.01	.13	—	.09	1.17	trace	—	5
6	.01	—	.04	—	.02	.66	—	—	.05	—	—	.07	6
7	.14	.30	.01	.01	—	.40	—	.15	—	.10	—	—	7
8	.02	.09	—	.01	—	.25	.13	—	.04	.32	—	.01	8
9	.03	trace	.01	.12	—	.29	—	—	—	.17	trace	—	9
10	.35	.42	—	.05	—	.15	—	.03	.01	.26	.11	.04	10
11	.01	—	.04	.03	—	—	—	.02	—	.43	.13	.28	11
12	.71	.45	—	—	—	—	—	.08	—	—	.10	.02	12
13	—	.01	—	.03	—	.41	—	.15	—	—	—	—	13
14	.14	.51	.01	.36	—	.17	—	.68	—	.51	.36	—	14
15	.20	.64	—	.03	—	.02	—	—	—	.02	.49	—	15
16	trace	.22	.20	—	.05	.01	—	—	—	.12	.32	.45	16
17	.04	trace	.01	—	.14	—	—	—	—	.02	—	—	17
18	.33	—	—	—	—	.05	—	—	—	.61	.05	—	18
19	—	trace	.03	—	.03	—	—	.08	—	.86	.19	.02	19
20	.24	—	.30	.05	.25	.01	—	.65	—	—	.07	.03	20
21	.68	.01	.37	.04	trace	.02	—	.03	—	—	.52	trace	21
22	trace	—	.08	—	—	—	—	.08	—	.70	.63	.12	22
23	.32	—	.08	—	.36	—	.02	—	—	.25	.20	—	23
24	.12	—	—	—	—	—	—	.03	—	.13	.05	.20	24
25	.17	—	.10	—	—	.06	—	trace	.20	trace	.05	1.06	25
26	.18	—	.02	—	.06	.08	.85	.38	—	.87	trace	.01	26
27	.04	—	.03	.21	—	trace	.44	.09	.24	.34	—	.85	27
28	.71	—	.19	—	—	—	.05	.33	.54	—	—	.21	28
29	.07	.29	.67	—	—	.21	.26	.32	—	.20	—	.17	29
30	.06	×	.07	—	—	.05	.26	—	.01	.14	—	.18	30
31	.32	×	.29	×	—	×	.83	—	×	trace	×	—	31
TOTAL	6.32	3.67	2.86	1.39	1.10	2.87	3.17	3.15	1.18	7.25	3.75	3.74	40.45
Days with .01 in. or more.	27	14	22	15	8	18	12	16	8	20	18	17	195
Days with .04 in. or more.	22	11	14	8	6	12	11	12	6	18	17	11	148

THE RESEARCH STATION.

REGISTER OF RAINFALL IN 1929.

Kept at LONG ASHTON
in the County of Somerset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 8 ft.
Ground Sea Level 162 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.45	—	trace	.06	.10	—	trace	trace	.68	.01	.16	I
2	—	.25	—	—	—	.26	trace	—	—	.38	.02	.28	2
3	—	—	—	—	.01	.18	.28	1.84	trace	.09	—	.19	3
4	—	—	—	.13	.93	—	.02	.11	.01	.02	trace	.86	4
5	—	—	—	—	.85	.30	.33	.20	.01	2.32	.86	.52	5
6	.03	.01	—	—	.10	.14	trace	.50	trace	.36	.10	.77	6
7	.01	—	—	—	.02	—	—	—	—	.29	.38	.45	7
8	—	—	—	.01	trace	—	—	.02	trace	.27	.01	.77	8
9	.11	.12	—	—	—	—	—	—	—	—	.14	.47	9
10	.04	—	—	.02	.01	—	—	.06	—	.10	.10	.23	10
II	—	.42	—	trace	.24	trace	—	.04	—	.01	1.70	.12	II
12	—	—	—	.13	trace	.58	—	trace	—	—	.02	.03	12
13	.02	—	—	.04	.06	.10	—	.01	—	—	.01	.17	13
14	—	—	—	—	.04	.36	—	—	—	—	—	.23	14
15	—	.13	—	—	.02	.14	—	.02	—	—	.49	.01	15
16	—	—	—	—	—	—	—	.04	—	.02	trace	.01	16
17	.06	—	.01	trace	—	—	—	.24	—	.61	trace	.01	17
18	.01	—	trace	—	—	—	—	.13	—	.07	.69	—	18
19	.01	—	—	—	—	—	—	—	.24	—	.23	.03	19
20	.01	—	.02	—	—	—	—	.04	—	.35	.02	.47	20
21	.01	—	.42	—	—	—	.10	.08	—	trace	trace	.01	21
22	.01	—	.01	.02	trace	trace	.04	.13	—	.01	.51	.03	22
23	—	.01	trace	—	.04	—	trace	trace	—	.02	.73	.39	23
24	—	—	.05	—	trace	—	—	trace	—	.89	.98	.38	24
25	—	.02	.04	.01	—	.01	—	—	trace	.03	.09	.06	25
26	—	.02	—	.02	.05	—	—	—	—	trace	.69	.29	26
27	—	—	—	.10	.05	—	.02	—	—	.02	.75	.27	27
28	.21	—	—	.20	—	—	.39	.11	—	.16	.59	.51	28
29	.05	—	—	.19	—	—	—	.01	.10	.06	.75	.33	29
30	trace	X	—	.03	—	.05	.11	—	.38	trace	.05	.02	30
31	.57	X	—	X	—	X	.55	.30	X	—	X	.01	31
TOTAL	1.15	1.41	0.55	0.90	2.48	2.22	1.84	3.88	0.74	6.76	9.92	8.08	39.93
Days with ".01 in. or more.	14	9	6	12	14	11	9	18	5	21	24	30	173
Days with ".04 in. or more.	6	5	3	6	10	10	7	14	3	14	18	21	117

FOR OFFICIAL USE

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1930

in the County of

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level 162 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2											.95		2
3		.22		.46									3
4													4
5													5
6													6
7													7
8													8
9													9
10	.73				.22							.67	10
II													II
12													12
13													13
14													14
15			.51				.61						15
16													16
17													17
18								.95					18
19									.95				19
20													20
21													21
22													22
23													23
24						1.15							24
25													25
26													26
27													27
28													28
29										.46			29
30		X											30
31		X		X		X			X		X		31
TOTAL	5.33	0.55	2.22	2.70	1.45	1.98	2.38	5.17	4.24	3.89	4.82	3.73	YEAR'S TOTAL
Days with or in. or more.	25	8	20	17	20	10	21	19	22	23	18	22	225
Days with .04 in. or more.	17	4	12	13	12	6	12	13	17	18	15	17	156
40-9999	135.4	14.0	56.4	68.6	36.8	50.3	60.5	131.3	107.7	98.8	122.4	94.7	976.9

2066

FOR OFFICIAL USE.

ORGANIZATION.

1887 A

Kept at **MAR MARTOCK VICARAGE**
in the County of

Diameter of Funnel of
Height of top of Gauge
" Ground

1925-30

requested to read the instructions
filling in this form.
should fill in section C

THE MORN

VIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.70		.06	.02	.05	.08		.02	.10		.75		1
2	.09	.01		.09	.		.20				.36		2
3	.12	.03			.18		.03				.02		3
4	.07			.25	.09			.20			.16		4
5	.03	.30		.60	.23			.22	.13		.01		5
6		.08			.43		.22	.09			.52		6
7		.13	.08		.50					.08	.07	.30	7
8	.20		.03		.07		.04	.28				.14	8
9		.02	.02	.09	.37		.06	.01	.04		.07	.10	9
10		.02			.03			.01	.01				10
11		.41						.01					11
12	.02	.55						.22					12
13	.05	.18	.22	.12						.02		.10	13
14	.28	.31		.21							.11		14
15	.05	.02		.09					.14			.04	15
16										.26			16
17	.01			.01	.15				.08				17
18		.02		.10	.20		.03		.16	.06		.03	18
19	.01			.18			.03	.76	1.29	.45		.46	19
20			.06		.01			.03	.50	.40		.05	20
21		.03					.57	.44	.24	.37		.23	21
22	.05	.35		.08	.14		.03		.60	.67		.47	22
23	.07	.15	.09		.02				.02	.06	.01	.05	23
24	.27	.26		.07	.06			.34		.10		.15	24
25	.62	.57	.09	.05	.31		.22		.24	.17		.03	25
26	.12	.27		.07	.33		.23	.20	.03	.29		.07	26
27	.05	.04			.11		.13			.05		.12	27
28	.17	.03			.16		.10					.15	28
29	.02	X		.02	.09				.02		.11	.26	29
30	.12	X		.47	.11		.38			.15	.05	.26	30
31	.09	X	.03	X	.02	X	.10		X	.02	X	.04	31 79°
TOTAL	3.21	3.78	.68	2.52	3.66	.08	2.37	2.83	3.55	3.15	2.24	3.05	YEARS TOTAL 31.12.
Days with .01 in. or more.	22	21	9	17	22	1	15	14	15	15	12	19	182
Days with .04 in. or more.	17	13	6	14	18	1	11	9	10	13	9	17	138

(Signed)

K. Saunders

P.T.O.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at MARTOCK VICARAGEin the County of SOMERSET.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 9 ft. in.,, Ground ,, Sea Level 60.5 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.70		.06	.02	.05	.08		.02	.10		.75		1
2	.09	.01		.09	.		.20				.36		2
3	.12	.03			.18		.03				.02		3
4	.07			.25	.09			.20			.16		4
5	.03	.30		.60	.23			.22	.13		.01		5
6		.08			.43		.22	.09			.52		6
7		.13	.08		.50					.08	.07	.30	7
8	.20		.03		.07		.04	.28				.14	8
9		.02	.02	.09	.37		.06	.01	.04		.07	.10	9
10		.02			.03			.01	.01				10
11		.41						.01					11
12	.02	.55						.22					12
13	.05	.18	.22	.12						.02		.10	13
14	.28	.31		.21							.11		14
15	.05	.02		.09					.14			.04	15
16										.26			16
17	.01			.01	.15				.03				17
18		.02		.10	.20		.03		.16	.06		.03	18
19	.01			.18			.03	.76	1.29	.45		.46	19
20			.06		.01			.03	.50	.40		.05	20
21		.03					.57	.44	.24	.37		.23	21
22	.05	.35		.08	.14		.03		.60	.67		.47	22
23	.07	.15	.09		.02				.02	.06	.01	.05	23
24	.27	.26		.07	.06			.34		.10		.15	24
25	.62	.57	.09	.05	.31		.22		.24	.17		.03	25
26	.12	.27		.07	.33		.23	.20	.03	.29		.07	26
27	.05	.04			.11		.13			.05		.12	27
28	.17	.03			.16		.10					.15	28
29	.02	X		.02	.09				.02		.11	.26	29
30	.12	X		.47	.11		.38			.15	.05	.26	30
31	.09	X	.03	X	.02	X	.10		X	.02	X	.04	31
TOTAL	3.21	3.78	.68	2.52	3.66	.08	2.37	2.83	3.55	3.15	2.24	3.05	31.790
Days with .01 in. or more.	22	21	9	17	22	1	15	14	15	15	12	19	182
Days with .04 in. or more.	17	13	6	14	18	1	11	9	10	13	9	17	138

(Signed)

A. K. Hunter

[P.T.O.]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at Marloek Vicarage.in the County of Somerset.Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 9 ft. in." Ground " Sea Level 60.5 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>68</u>	<u>26</u>			<u>02</u>	<u>81</u>			<u>25</u>		<u>82</u>		1
2	<u>12</u>	<u>03</u>				<u>23</u>			<u>10</u>			<u>02</u>	2
3	<u>16</u>	<u>26</u>	<u>13</u>										3
4	<u>07</u>	<u>15</u>	<u>25</u>	<u>19</u>							<u>35</u>	<u>12</u>	4
5	<u>03</u>	<u>11</u>	<u>04</u>		<u>29</u>		<u>22</u>			<u>08</u>		<u>21</u>	5
6	<u>12</u>	<u>33</u>	<u>04</u>	<u>11</u>	<u>01</u>		<u>42</u>	<u>14</u>	<u>17</u>	<u>15</u>	<u>31</u>		6
7	<u>05</u>	<u>04</u>		<u>36</u>	<u>52</u>	<u>13</u>			<u>03</u>		<u>40</u>		7
8		<u>01</u>		<u>03</u>	<u>02</u>	<u>12</u>	<u>04</u>	<u>04</u>		<u>10</u>	<u>1.22</u>	<u>02</u>	8
9			<u>05</u>			<u>32</u>		<u>13</u>		<u>06</u>	<u>20</u>		9
10					<u>08</u>	<u>32</u>	<u>01</u>	<u>24</u>		<u>07</u>	<u>67</u>		10
11					<u>22</u>	<u>16</u>		<u>05</u>	<u>01</u>				11
12					<u>16</u>	<u>10</u>				<u>16</u>	<u>16</u>	<u>01</u>	12
13						<u>18</u>		<u>05</u>	<u>05</u>	<u>02</u>	<u>29</u>	<u>01</u>	13
14	<u>05</u>	<u>13</u>		<u>29</u>	<u>04</u>					<u>55</u>	<u>05</u>		14
15	<u>05</u>	<u>02</u>		<u>21</u>						<u>35</u>	<u>07</u>		15
16	<u>22</u>	<u>20</u>		<u>21</u>	<u>02</u>			<u>06</u>		<u>06</u>	<u>11</u>		16
17	<u>14</u>	<u>39</u>		<u>10</u>		<u>39</u>	<u>2.18</u>				<u>86</u>	<u>11</u>	17
18	<u>23</u>	<u>19</u>		<u>12</u>			<u>1.25</u>	<u>14</u>			<u>27</u>		18
19	<u>01</u>	<u>02</u>			<u>03</u>		<u>19</u>	<u>02</u>	<u>06</u>		<u>68</u>	<u>01</u>	19
20			<u>tr.</u>	<u>27</u>				<u>07</u>			<u>15</u>		20
21	<u>05</u>	<u>03</u>		<u>09</u>	<u>25</u>		<u>05</u>			<u>55</u>	<u>02</u>		21
22	<u>12</u>			<u>08</u>						<u>55</u>			22
23	<u>05</u>		<u>08</u>						<u>01</u>				23
24			<u>04</u>			<u>01</u>	<u>03</u>			<u>28</u>			24
25	<u>09</u>		<u>03</u>	<u>06</u>			<u>03</u>		<u>04</u>	<u>22</u>	<u>18</u>	<u>02</u>	25
26	<u>02</u>	<u>06</u>			<u>16</u>		<u>05</u>		<u>15</u>		<u>12</u>		26
27	<u>17</u>	<u>03</u>		<u>06</u>	<u>02</u>					<u>17</u>			27
28	<u>35</u>						<u>06</u>			<u>61</u>	<u>45</u>		28
29	<u>09</u>			<u>17</u>	<u>09</u>						<u>09</u>		29
30	<u>10</u>	<u>X</u>		<u>10</u>	<u>21</u>			<u>14</u>			<u>11</u>		30
31	<u>24</u>	<u>X</u>		<u>X</u>	<u>01</u>	<u>X</u>			<u>X</u>		<u>X</u>		31
TOTAL	<u>3.21</u>	<u>2.17</u>	<u>66</u>	<u>2.45</u>	<u>2.15</u>	<u>2.69</u>	<u>4.53</u>	<u>1.08</u>	<u>87</u>	<u>3.98</u>	<u>7.58</u>	<u>53</u>	YEARS TOTAL
Days with .01 in. or more.	<u>23</u>	<u>17</u>	<u>8</u>	<u>16</u>	<u>17</u>	<u>10</u>	<u>12</u>	<u>11</u>	<u>10</u>	<u>16</u>	<u>22</u>	<u>96</u>	<u>171</u>
Days with .04 in. or more.	<u>20</u>	<u>11</u>	<u>7</u>	<u>15</u>	<u>10</u>	<u>9</u>	<u>9</u>	<u>10</u>	<u>67</u>	<u>15</u>	<u>22</u>	<u>3</u>	<u>147</u>

(Signed)

A. J. Saunders

R.T.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at *Marlock Vicarage.*
in the County of *Somerset.*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *9* ft.
Ground Sea Level *60.95* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	1.42	04				1.09	08		04	16		1
2				10	03		19			04			2
3	21		09		12		25						3
4	02		07	05	12		11				09		4
5	04	02	25	25		01					16		5
6	10		37	46		02	24	22	81		01		6
7		12		09		27	37	11					7
8				28	14		15	11	6			05	8
9			01		33			10	61	01	01	16	9
10			39	02					03				10
11				01					05		24		11
12	06							40	02				12
13	05							24	14	01	06	23	13
14	08			08	06		11	30	69				14
15	02	03			01			32	15				15
16					21	64			15	01	11		16
17	16		02			08		40	09		03		17
18						22		01	02		36		18
19		29					02	41		01	79		19
20	19	06			04	03	12	13			35	37	20
21	01	19	04			11	01	34	30	66	03	85	21
22	09	25	67			06		05	15	50		70	22
23	02	53	18			10			78		21	16	23
24	08	09	35	04		03	06	21	02			50	24
25	16	23	21	01		15			12	05		22	25
26	30	66	10			26	25		14	01		10	26
27	03	16	02		21	13	32			26			27
28	2.03	31	22	04		12			13		20		28
29	07		03			03			37	02			29
30	01	X					02		05	17	01		30
31	11	X	56	X		X	10		X		X	16	31
TOTAL	3.86	4.36	3.62	1.43	1.27	2.26	3.41	3.43	4.88	1.86	2.82	3.50	YEAR'S TOTAL 36.70
Days with "01 in. or more.	22	14	18	12	10	16	16	16	21	14	16	11	186
Days with "04 in. or more.	15	12	14	9	8	11	13	15	17	8	11	11	144

Please read the Notes and Instructions Overleaf.

A

for the entry of Daily Observations.

1942
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928

Kept at Marlock Vi carage

in the County of Somerset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....9.....in.

Ground „ Sea Level 60.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	62												1
2	16	17	28	06			02	01			01		2
3		03	01	16			21	36			14		3
4		09		01		13				31	15		4
5	04	06	07	18		03			03	62		06	5
6			03			60				02	01		6
7				05				05		05		03	7
8		02		10		37	13		09	35			8
9	01			16		06		03	29	21		04	9
10	15	25		10		01		05		33	26	06	10
11	01			11		21		03		55	06		11
12	19	60		14				15		03	01	16	12
13						12		03					13
14	03	15	01	26		22		08		20	36		14
15	07			24						06	24	02	15
16		07	03		01	02				12	27	32	16
17	01		01	06	40	04		01			07		17
18	20		03			06				14	04	01	18
19			19		55	21				73	09	01	19
20	11		31		18			05		01	18		20
21	66		15	07	13					05	76		21
22			14							65	11	05	22
23	25		11		04					22	16		23
24	05							11	09		07	13	24
25	07		09					01		16	05	30	25
26	15				01	13	06	25		110		12	26
27	01		03	06		14	62	02	25	12	06	69	27
28	40	08	14		04				65			08	28
29	11		11			07	08			09	02	07	29
30	02	X	03			06	29					09	30
31	09	X	09	X		X	17		X		X		31
TOTAL	3.41	1.82	1.86	1.76	1.36	2.48	1.48	1.24	1.40	6.12	3.12	2.22	YEARS TOTAL
Days with "01 in. or more.	22	11	19	15	8	17	8	15	6	22	21	17	181
Days with "04 in. or more.	16	9	11	14	6	14	6	9	5	19	17	13	139

REGISTER OF RAINFALL IN 1929.

Kept at Marlock
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
" Ground " Sea Level 60.5 ft.

REV. G. W. SAUNDERS
MARTOCK VICARAGE
SOMERSET.
Year is 1925

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		26			29	08		01		19		10	1
2		22					13			13		34	2
3							06	53		53		19	3
4				12	25	02	08	11		02		80	4
5			12		63	34	38	28		1.66	80	13	5
6		06						03			02	67	6
7		~~06~~			01	10		04		63	39	38	7
8	09	01			12	06		02		18		29	8
9		11						02		01	12	44	9
10	05			06	10							12	10
11					13						50	08	11
12				10		81					01	16	12
13				05	06	08							13
14					09	06						21	14
15		19				05					55	01	15
16								03			02		16
17	07									04			17
18	04									19	66		18
19									01		39		19
20								08		14		56	20
21			12										21
22		06	11				03	08			59	06	22
23				02	23					01	61	46	23
24			05							79	1.23	76	24
25				04							20	02	25
26		06		03	02						02	10	26
27				03	17					10	64	19	27
28	31			07			39			03	27	32	28
29	06			34		05			16	29	38	14	29
30	05	×		03		26	03		18		06	11	30
31	67	×		×		×	16	25	×		×	02	31
TOTAL	1.34	.97	.40	.89	2.10	1.91	1.21	1.48	.35	4.41	7.46	6.65	YEAR'S TOTAL 29.18
Days with "01 in. or more.	8	8	4	11	12	11	8	12	3	15	19	25	136
Days with "04 in. or more.	8	7	4	7	10	10	6	7	2	11	15	22	109

REGISTER OF RAINFALL IN 1930

Kept at *Marlborough Vicarage*
in the County of *Somerset*Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *9* ft. *9* in.
Ground Sea Level *60.5* ft.*Rev. G. W. Saunders.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	07	20		42	.			12		.	18		1
2		01		10	06		08	37		02	28		2
3	04	16		38	.			43		09	.		3
4	49	15	11	01	.			.		08	.		4
5				81	09			61		09	08		5
6			08		02			21	10	03	.	03	6
7	15				.			22	.	25	17	06	7
8				01	.			04	24	01	.	12	8
9	26		26	12	12			.	10	.	01		9
10	52		06		09			.	26	05	.	52	10
11	15		08	07	.			.	.	.	.	07	11
12	10			05	19			02	.	.	.	08	12
13	03		21	24	15		05	03	21	.	.	07	13
14	46	03	15	27	01		02	.	02	02	.	07	14
15	28		30		.		40	01	.	46	03	36	15
16					.			.	22	04	.	21	16
17				08	.		15	06	37	04	.		17
18				.	08		.	.	47	05	05	21	18
19				15	02		01	07	46	20	51	01	19
20			02	08	.		24	1.03	24	04	30	.	20
21			03	.	.		.	.	04	06	34	.	21
22	32			03	.	05	.	31	.	26	14	.	22
23	05		23	03	.	13	09	.	03	03	49	01	23
24	44			26	.	.	.	.	.	10	19	14	24
25	04			12	19	15	01		04	.	05	13	25
26	81	23			12		01		06	.	37	09	26
27	09				.		.		06	11	01	04	27
28	04		05		.		.		09	01	63	35	28
29	04				05		20		24	.	22	09	29
30	04	×	21		06	12	.		.	01	01	05	30
31	58	×	03	×	28	×	.		×	20	×	33	31
TOTAL	4.97	78	1.82	3.23	1.53	45	1.24	3.53	3.15	22.5	4.05	3.04	30.06
Days with or in.	21	6	14	18	15	4	11	14	18	23	19	21	184
Days with or more.	20	4	11	14	11	4	7	11	16	16	15	18	147

Kept at Weymouth Spring
in the County of Somerset
by Weymouth R. C. Col

MILVERTON
SPRING GROVE
SOMERSET

IMPORTANT NOTE.—Re
previous day. If an Observer pre
to add the reading at 9 a.m. on 1st
this paragraph. Full instructions
particulars as to the British Rainf
on application to THE SUPERINTEN
Kingsway, London, W.C. 2, or to T

Re

Weymouth
gauge 5 in.
ound 1 ft. in.
Level 449 ft.
the result entered to the
y requested
the end of
gauges, and
nt post-free
r Ministry,
Edinburgh.

Jan. 1, following.

1922 - 30

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.15	.30	.41	0	0	.81	.02	.03	0	.21	0	1
2	.03	.70	.14	.45	.03	0	.07	.12	0	0	.23	0	2
3	.08	.45	.38	.24	.11	0	.11	.20	0	0	.07	0	3
4	.05	.06	.26	0	.21	0	0	0	0	.44	0	0	4
5	.05	0	.23	.15	0	0	<u>1.15</u>	.12	0	.19	.53	0	5
6	.02	0	.31	.06	0	0	.07	.80	0	0	.34	0	6
7	.08	0	.34	.47	0	0	.27	.05	0	0	.21	0	7
8	.16	0	.07	.11	0	.06	.47	.64	0	0	.05	(.02)	8
9	.21	0	0	0	0	0	.03	0	0	0	.07	0	9
10	.02	0	0	0	0	0	.08	0	0	0	.26	0	10
11	.04	0	0	.04	.16	0	0	0	0	0	0	0	11
12	0	0	0	.40	0	.01	.01	.45	.54	0	0	.02	12
13	.33	0	0	.52	0	0	.20	0	.03	0	0	.02	13
14	.03	0	0	.12	0	0	.14	0	.15	0	0	0	14
15	.52	.15	0	.27	0	0	.04	0	0	0	0	.01	15
16	.03	.22	0	.36	.32	.01	0	.14	.05	0	0	.16	16
17	.03	.18	0	0	.18	0	.11	0	0	0	0	.36	17
18	.42	.06	0	0	.03	0	0	.05	.03	0	0	.21	18
19	.02	.08	.08	0	0	0	0	0	.45	0	0	<u>1.48</u>	19
20	.21	.45	.02	0	0	0	0	0	0	0	0	.16	20
21	.03	.10	0	0	0	0	.24	.03	0	0	.03	.90	21
22	0	.13	0	0	0	.04	0	.07	.01	0	0	.25	22
23	.04	.24	0	.06	.03	0	.03	0	.5	0	0	.13	23
24	.06	0	.11	.02	.02	.27	0	.07	0	0	0	.05	24
25	.17	.08	.02	.30	0	.16	0	0	.25	0	0	.38	25
26	.01	.33	.01	.05	0	.02	.04	0	.28	0	0	.05	26
27	.21	.70	.02	.02	0	.01	0	.38	.14	0	0	.35	27
28	.20	.73	.01	.03	0	.10	0	.15	.28	~~40~~	0	.22	28
29	.14	X	.02	.10	0	.02	.04	0	0	.41	0	.73	29
30	.73	X	0	X	0	X	0	.26	.28	.02	.06	.56	30
31	0	X	.50	X	0	X	.03	.06	X	.36	X	0	31
TOTAL	4.05	4.86	2.87	4.21	1.09	.75	4.04	3.66	2.67	1.42	2.06	6.16	YEAR'S TOTAL
Days with 01 in. or more	24	17	17	20	9	10	14	17	14	5	11	19	37.84
Days with 04 in. or more	14	17	11	16	5	4	15	15	10	4	10	15	141.23

REGISTER OF RAINFALL IN 1922.

Kept at ~~Spring Grove~~ MILVERTONin the County of Somersetby Wyn R. C. Colwell

Lat. _____ Long. _____

Time of Observation 9 amNearest Railway Station MilvertonDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. _____ in." " " " Sea Level 449 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.15	.30	.41	0	0	.81	.02	.03	0	.21	0	1
2	.03	.70	.14	.45	.03	0	.07	.12	0	0	.23	0	2
3	.08	.45	.38	.24	.11	0	.11	.20	0	0	.07	0	3
4	.05	.06	.26	0	.21	0	0	0	0	.44	0	0	4
5	.05	0	.23	.15	0	0	<u>1.15</u>	.12	0	.19	.53	0	5
6	.02	0	.81	.06	0	0	.87	.80	0	0	.34	0	6
7	.08	0	.39	.47	0	0	.27	.05	0	0	.21	0	7
8	.16	0	.07	.11	0	.06	.47	.64	0	0	.05	(.02)	8
9	.21	0	0	0	0	0	.03	0	0	0	.07	0	9
10	.02	0	0	0	0	0	.08	0	0	0	.26	0	10
11	.04	0	0	.04	.16	0	0	0	0	0	0	0	11
12	0	0	0	.40	0	.01	.01	.45	.54	0	0	.02	12
13	.33	0	0	.52	0	0	.20	0	.03	0	0	.02	13
14	.03	0	0	.12	0	0	.14	0	.15	0	0	0	14
15	.52	.15	0	.27	0	0	.04	0	0	0	0	.01	15
16	.03	.22	0	.36	.32	.01	0	.14	.05	0	0	.16	16
17	.03	.18	0	0	.18	0	.11	0	0	0	0	.36	17
18	.42	.06	0	0	.03	0	0	.05	.03	0	0	.21	18
19	.02	.08	.08	0	0	0	0	0	.45	0	0	<u>1.48</u>	19
20	.21	.45	.02	0	0	0	0	0	0	0	0	.16	20
21	.03	.10	0	0	0	0	.29	.03	0	0	.03	.90	21
22	0	.13	0	0	0	.04	0	.07	.01	0	0	.25	22
23	.04	.29	0	.06	.03	0	.03	0	.5	0	0	.13	23
24	.05	0	.11	.02	.02	.27	0	.07	0	0	0	.05	24
25	.17	.08	.02	.30	0	.16	0	0	.25	0	0	.38	25
26	.01	.33	.01	.05	0	.02	.04	0	.28	0	0	.05	26
27	.21	.70	.02	.02	0	.01	0	.38	.14	0	0	.35	27
28	.20	.73	.01	.03	0	.10	0	.15	.28	~~40~~	0	.22	28
29	.19		.02	.10	0	.02	.04	0	0	.41	0	.73	29
30	.73	X	0	0	0	0	0	.26	.28	.02	.06	.56	30
31	0	X	.50	X	0	X	.03	.06	X	.36	X	0	31
TOTAL	4.05	4.86	2.87	4.21	1.04	.75	4.04	3.66	2.67	1.42	2.06	6.16	YEAR'S TOTAL
Days with 01 in. or more	248	17	17	20	9	410	19	17	14	5	11	19	37.84
Days with 04 in. or more	19	17	11	16	5	4	15	15	10	4	10	15	144.33

AIR MINISTRY.

Form 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Spring Grove - Milverton
in the County of Somerset
by Wm. R. E. Colvill

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Milverton
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 444 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	34	30	0	0	0	0	02	20	10	06	61	1
2	24	14	06	0	03	0	0	01	0	24	03	10	2
3	18	0	02	0	0	01	01	0	22	14	05	26	3
4	0	0	0	03	02	0	0	0	0	02	15	04	4
5	65	0	02	01	05	0	0	0	0	04	17	03	5
6	45	85	18	11	0	0	07	0	0	02	03	02	6
7	06	115	04	02	0	0	0	0	0	14	06	30	7
8	09	02	0	01	0	0	0	0	0	16	18	03	8
9	28	84	0	02	0	02	0	0	0	07	08	0	9
10	04	34	0	24	04	0	14	0	0	35	0	08	10
11	0	04	0	06	10	0	0	0	0	44	0	0	11
12	02	19	27	0	15	05	0	0	0	48	12	02	12
13	0	33	0	18	07	0	06	0	13	17	47	0	13
14	0	03	0	04	14	01	104	10	34	04	15	03	14
15	0	15	0	11	13	57	10	0	05	0	36	0	15
16	0	16	03	65	12	10	02	06	0	02	44	03	16
17	02	48	0	0	0	01	10	30	63	06	54	02	17
18	0	34	0	07	0	0	0	0	22	05	10	0	18
19	06	02	0	01	03	0	06	01	20	06	07	0	19
20	02	14	0	0	03	0	0	01	18	34	04	0	20
21	03	27	0	0	0	0	0	04	03	28	0	01	21
22	0	47	0	05	02	0	0	16	14	13	08	04	22
23	02	31	05	0	06	0	07	65	08	30	0	14	23
24	0	24	0	20	03	0	0	07	40	06	0	15	24
25	0	50	0	27	02	0	0	17	08	114	0	63	25
26	0	38	0	05	15	0	0	06	0	66	0	38	26
27	02	102	25	0	17	0	07	33	0	04	01	22	27
28	0	20	15	14	07	0	18	30	0	0	02	04	28
29	04	1	09	07	04	0	04	38	03	02	0	16	29
30	02	X	0	02	32	0	23	03	02	13	0	0	30
31	20	X	0	X	0	X	23	25	X	0	X	19	31
TOTAL	251	400	146	245	183	67	247	285	299	630	368	357	3988
Days with 01 in. or more	14	25	12	21	21	6	15	18	16	24	20	23	224
Days with 04 in. or more	12	22	4	14	14	2	13	13	13	24	16	15	164

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Spring Grove, Silverton
in the County of Devon
by Major R. L. Colborne

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Silverton
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2	0	6	0	2	5	16	25	0	0	1.28	44	1 RVV
2	6	0	12	0	4	20	25	0	0	0	0	2	2 1008
3	14	0	17	0	21	5	12	14	0	0	0	0	3 ~~1008~~
4	1	0	0	4	6	66	2	3	0	0	0	24	4
5	0	0	19	0	0	0	37	2	0	26	0	3	5
6	0	0	0	0	2	0	0	11	44	24	0	0	6
7	3	0	0	0	26	15	0	0	92	118	0	0	7
8	16	12	0	4	3	0	7	0	72	3	0	0	8
9	41	2	0	0	10	23	0	0	21	2	12	3	9
10	28	16	0	5	41	38	0	0	0	6	7	0	10
11	38	2	0	7	35	48	0	1	7	0	13	0	11
12	18	2	0	7	11	57	0	15	13	0	0	3	12
13	7	0	0	12	0	0	0	0	56	0	0	30	13
14	2	0	0	0	3	0	0	13	0	0	0	26	14
15	3	0	0	0	0	0	1	8	14	0	0	28	15
16	20	0	0	0	0	0	0	44	3	0	0	0	16
17	26	0	0	0	8	4	61	24	3	21	0	0	17
18	28	1	0	0	20	0	0	55	0	6	1	5	18
19	11	0	0	0	5	0	23	16	15	38	0	2	19
20	7	0	0	0	16	10	13	9	48	34	0	0	20
21	26	0	3	0	12	13	2	8	7	0	0	0	21
22	55	0	61	0	7	0	0	44	25	0	0	24	22
23	3	0	37	1	49	0	6	4	15	0	0	43	23
24	24	12	12	11	17	0	0	6	26	3	1	14	24
25	1	0	6	9	1	0	15	2	24	32	36	22	25
26	2	0	3	16	0	0	1	6	1	4	61	60	26
27	0	1	0	84	0	0	61	2	0	62	0	34	27
28	0	3	0	0	0	0	73	42	0	11	24	20	28
29	0	7	0	23	1	1	0	14	20	71	66	26	29
30	1	X	0	0	7	0	2	20	15	30	70	23	30
31	0	X	0	X	24	X	0	2	X	21	X	48	31
TOTAL	4.52	.60	1.73	3.83	1.55	3.60	4.76	3.48	5.40	5.43	4.59	5.67	1213 YEAR'S TOTAL
Days with ".01 in. or more.	25	10	9	12	23	13	17	25	21	19	11	20	47.76
Days with ".04 in. or more	16	4	8	11	18	12	12	14	18	16	9	16	205 159

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Kept at **Spring Grove MILVERTON**
in the County of **SOMERSET**

Register of Rainfall in 1925.

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. in.
" Ground " Sea Level **449** ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	100	—	3	—	—	2	—	5	3	—	81	—	1
2	31	7	—	3	—	—	35	—	—	—	65	—	2
3	8	10	—	—	30	—	7	—	1	—	3	—	3
4	20	—	—	25	24	—	—	10	—	—	26	—	4
5	6	32	—	55	32	—	—	25	35	—	—	—	5
6	—	15	1	—	50	—	30	6	—	—	50	—	6
7	—	36	5	—	32	—	—	4	—	—	6	16	7
8	20	5	2	—	8	—	8	45	1	—	—	33	8
9	—	6	—	15	12	—	12	1	5	—	5	20	9
10	—	7	5	12	—	—	—	20	2	—	—	2	10
11	—	64	—	—	5	—	—	6	—	—	—	—	11
12	—	42	—	—	—	—	—	44	—	—	—	—	12
13	4	—	15	8	—	—	—	—	—	—	—	3	13
14	17	10	—	31	—	—	—	—	—	—	—	—	14
15	1	—	—	16	—	—	—	—	25	—	—	—	15
16	3	10	—	—	—	—	—	—	—	51	—	7	16
17	1	—	—	—	8	—	8	—	3	1	—	—	17
18	—	—	—	23	61	—	11	17	23	6	—	6	18
19	—	3	—	12	—	—	—	11	118	76	—	70	19
20	—	—	1	—	—	—	—	105	42	62	—	—	20
21	—	17	7	—	—	—	36	14	64	23	—	15	21
22	4	20	—	11	6	—	3	—	98	108	—	42	22
23	3	4	5	8	14	4	2	7	3	14	—	41	23
24	25	27	—	—	24	—	—	1	—	10	—	21	24
25	80	81	24	—	—	—	11	—	20	11	—	6	25
26	51	45	—	2	70	—	47	46	—	40	—	9	26
27	10	3	—	1	5	—	35	1	—	5	—	45	27
28	25	7	—	—	4	—	10	1	4	3	—	60	28
29	24	—	—	8	23	—	5	—	2	2	24	54	29
30	6	X	1	18	2	—	50	—	—	25	5	31	30
31	32	X	10	X	—	X	—	—	X	1	X	11	31
TOTAL	4.76	4.51	.79	2.48	4.10	.06	3.10	3.69	4.53	4.38	2.65	5.00	YEARS TOTAL
Days with .01 in. or more.	21	21	12	16	18	2	16	19	17	16	9	21	40.05
Days with .04 in. or more.	17	19	7	13	17	1	14	15	10	12	8	18	188

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at *Spring Grove, Milverton*
in the County of *Somerset*

Major R.C. Coldwell

Diameter of Funnel of Gauge.....*5* in.
Height of top of Gauge above Ground.....*1* ft..... in.
„ Ground „ Sea Level.....*444* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>34</i>	<i>11</i>	<i>0</i>	<i>0</i>	<i>3</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>51</i>	<i>0</i>	<i>123</i>	<i>0</i>	1
2	<i>32</i>	<i>4</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>43</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>7</i>	<i>4</i>	2
3	<i>25</i>	<i>26</i>	<i>22</i>	<i>1</i>	<i>0</i>	<i>25</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>15</i>	3
4	<i>20</i>	<i>13</i>	<i>23</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>44</i>	<i>13</i>	4
5	<i>13</i>	<i>30</i>	<i>4</i>	<i>0</i>	<i>21</i>	<i>0</i>	<i>35</i>	<i>0</i>	<i>24</i>	<i>4</i>	<i>16</i>	<i>0</i>	5
6	<i>25</i>	<i>4</i>	<i>5</i>	<i>7</i>	<i>0</i>	<i>0</i>	<i>24</i>	<i>3</i>	<i>20</i>	<i>23</i>	<i>24</i>	<i>1</i>	6
7	<i>11</i>	<i>4</i>	<i>2</i>	<i>30</i>	<i>17</i>	<i>14</i>	<i>0</i>	<i>0</i>	<i>10</i>	<i>0</i>	<i>31</i>	<i>0</i>	7
8	<i>0</i>	<i>6</i>	<i>4</i>	<i>4</i>	<i>10</i>	<i>3</i>	<i>3</i>	<i>10</i>	<i>3</i>	<i>32</i>	<i>203</i>	<i>0</i>	8
9	<i>0</i>	<i>0</i>	<i>2</i>	<i>0</i>	<i>0</i>	<i>35</i>	<i>4</i>	<i>44</i>	<i>0</i>	<i>5</i>	<i>34</i>	<i>0</i>	9
10	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>16</i>	<i>17</i>	<i>4</i>	<i>3</i>	<i>0</i>	<i>2</i>	<i>53</i>	<i>0</i>	10
11	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>36</i>	<i>44</i>	<i>5</i>	<i>34</i>	<i>6</i>	<i>6</i>	<i>0</i>	<i>0</i>	11
12	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>20</i>	<i>11</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>45</i>	<i>14</i>	<i>4</i>	12
13	<i>0</i>	<i>4</i>	<i>0</i>	<i>0</i>	<i>4</i>	<i>14</i>	<i>0</i>	<i>10</i>	<i>10</i>	<i>14</i>	<i>41</i>	<i>0</i>	13
14	<i>7</i>	<i>24</i>	<i>0</i>	<i>45</i>	<i>2</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>2</i>	<i>44</i>	<i>4</i>	<i>1</i>	14
15	<i>6</i>	<i>7</i>	<i>0</i>	<i>14</i>	<i>10</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>70</i>	<i>23</i>	<i>0</i>	15
16	<i>24</i>	<i>15</i>	<i>0</i>	<i>26</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>13</i>	<i>3</i>	<i>6</i>	<i>22</i>	<i>0</i>	16
17	<i>22</i>	<i>80</i>	<i>0</i>	<i>5</i>	<i>0</i>	<i>34</i>	<i>14</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>60</i>	<i>10</i>	17
18	<i>34</i>	<i>11</i>	<i>0</i>	<i>31</i>	<i>0</i>	<i>0</i>	<i>5</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>22</i>	<i>1</i>	18
19	<i>4</i>	<i>4</i>	<i>0</i>	<i>6</i>	<i>0</i>	<i>0</i>	<i>26</i>	<i>6</i>	<i>14</i>	<i>0</i>	<i>51</i>	<i>1</i>	19
20	<i>0</i>	<i>2</i>	<i>0</i>	<i>34</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>26</i>	<i>0</i>	<i>0</i>	<i>3</i>	<i>0</i>	20
21	<i>21</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>51</i>	<i>0</i>	<i>11</i>	<i>11</i>	<i>0</i>	<i>5</i>	<i>24</i>	<i>0</i>	21
22	<i>56</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>2</i>	<i>0</i>	<i>3</i>	<i>3</i>	<i>0</i>	22
23	<i>12</i>	<i>3</i>	<i>5</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>4</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	23
24	<i>8</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>0</i>	<i>11</i>	<i>1</i>	<i>0</i>	<i>54</i>	<i>0</i>	<i>4</i>	24
25	<i>17</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>14</i>	<i>0</i>	<i>3</i>	<i>34</i>	<i>5</i>	<i>0</i>	25
26	<i>6</i>	<i>0</i>	<i>0</i>	<i>6</i>	<i>12</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>24</i>	<i>0</i>	<i>12</i>	<i>0</i>	26
27	<i>12</i>	<i>6</i>	<i>4</i>	<i>0</i>	<i>12</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>52</i>	<i>0</i>	<i>0</i>	27
28	<i>22</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>4</i>	<i>0</i>	<i>3</i>	<i>0</i>	<i>0</i>	<i>61</i>	<i>77</i>	<i>0</i>	28
29	<i>20</i>	<i>0</i>	<i>0</i>	<i>14</i>	<i>16</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>15</i>	<i>0</i>	29
30	<i>10</i>	<i>X</i>	<i>0</i>	<i>16</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>11</i>	<i>0</i>	<i>0</i>	<i>17</i>	<i>0</i>	30
31	<i>14</i>	<i>X</i>	<i>0</i>	<i>X</i>	<i>0</i>	<i>X</i>	<i>0</i>	<i>0</i>	<i>X</i>	<i>0</i>	<i>X</i>	<i>0</i>	31
TOTAL	<i>564</i>	<i>259</i>	<i>81</i>	<i>257</i>	<i>225</i>	<i>279</i>	<i>169</i>	<i>82</i>	<i>174</i>	<i>478</i>	<i>448</i>	<i>54</i>	YEARS TOTAL <i>3674</i>
Days with 01 in. or more.	<i>24</i>	<i>18</i>	<i>9</i>	<i>14</i>	<i>16</i>	<i>10</i>	<i>13</i>	<i>14</i>	<i>12</i>	<i>17</i>	<i>26</i>	<i>10</i>	<i>181</i>
Days with 04 in. or more.	<i>24</i>	<i>16</i>	<i>7</i>	<i>13</i>	<i>X</i>	<i>8</i>	<i>11</i>	<i>10</i>	<i>4</i>	<i>15</i>	<i>23</i>	<i>6</i>	<i>150</i>

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

1873
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Spring Grove, Milverton
in the County of Somerset

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....in.
" Ground " Sea Level.....449 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	9	122	6	0	0	0	44	0	0	20	60	0	1
2	2	2	5	15	3	0	0	0	0	13	3	0	2
3	14	4	14	0	24	5	12	0	0	0	4	6	3
4	10	1	23	10	7	0	26	0	0	0	22	1	4
5	9	11	37	44	0	10	12	0	0	0	25	1	5
6	16	1	34	42	0	1	12	13	72	0	8	2	6
7	2	12	8	4	0	14	5	2	1	0	0	3	7
8	1	0	8	23	0	0	9	30	12	0	0	17	8
9	0	0	22	0	8	0	1	4	54	0	0	0	9
10	1	0	20	2	0	0	0	0	15	0	0	0	10
11	4	0	0	1	0	0	5	11	0	0	20	0	11
12	26	0	0	0	0	0	0	14	11	0	0	31	12
13	24	2	0	2	0	0	0	14	102	0	6	3	13
14	17	0	0	13	2	0	0	10	74	0	0	0	14
15	18	1	0	0	26	0	0	23	23	0	0	0	15
16	10	3	0	0	14	87	0	0	21	0	7	0	16
17	25	0	14	0	0	14	0	50	0	0	12	0	17
18	0	0	2	0	0	25	0	0	10	0	46	0	18
19	0	30	0	0	0	0	21	20	0	3	43	0	19
20	20	2	0	0	4	4	8	15	12	0	52	33	20
21	14	16	6	0	0	0	5	32	50	45	13	47	21
22	17	32	53	9	0	17	0	21	34	24	2	76	22
23	2	48	46	2	0	34	2	0	104	0	32	18	23
24	25	4	73	14	0	2	9	5	14	12	0	60	24
25	15	24	44	3	0	21	3	0	13	31	1	14	25
26	21	67	8	0	0	3	53	0	10	4	0	74	26
27	10	7	1	0	0	0	31	0	0	44	2	74	27
28	140	14	15	1	1	9	0	0	45	3	32	0	28
29	17	X	16	0	0	4	7	0	32	4	2	0	29
30	16	X	0	0	0	0	17	9	10	14	0	0	30
31	21	X	65	X	0	X	1	0	X	0	X	23	31
TOTAL	4'99	4'14	5'24	1'91	'93	2'60	2'83	2'82	7'35	2'73	4'22	3'54	YEARS TOTAL
Days with '01 in. or more.	24	20	22	15	9	15	20	16	21	12	20	17	215
Days with '04 in. or more.	23	13	20	9	6	12	16	15	20	10	16	12	174

R. L. Colman

Section **A**

for the entry of Daily Observations.

1946
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at *Spring Grove, Milverton*
in the County of *Somerset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *4* in.
Ground Sea Level *449* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	75	9	0	0	0	0	0	0	0	0	4	0	1
2	0	16	18	11	0	0	1	0	0	0	7	1	2
3	0	3	2	27	0	0	16	8	0	0	20	0	3
4	7	40	0	4	6	11	0	0	0	41	23	2	4
5	25	3	7	4	0	9	4	0	6	0	9	1	5
6	5	0	5	0	0	39	0	0	0	8	2	11	6
7	7	10	8	1	0	15	0	11	0	17	0	3	7
8	4	9	0	12	0	26	1	0	5	48	0	0	8
9	3	1	0	21	0	30	0	0	12	41	0	0	9
10	24	40	0	5	0	0	0	15	0	34	22	14	10
11	2	2	1	2	0	0	0	19	0	41	4	8	11
12	60	80	2	0	0	3	0	0	0	5	12	3	12
13	3	2	3	5	0	30	0	1	0	0	2	0	13
14	11	28	10	47	0	8	0	11	0	55	28	0	14
15	16	27	5	16	2	25	0	0	0	6	44	1	15
16	0	19	25	0	25	0	0	0	0	12	84	40	16
17	2	1	2	0	24	9	0	0	0	0	15	2	17
18	20	0	5	1	0	4	0	0	0	21	7	3	18
19	2	0	20	0	1	0	0	3	0	56	15	3	19
20	22	0	27	3	17	4	0	23	0	0	27	0	20
21	68	0	31	7	2	4	0	1	0	0	59	10	21
22	0	0	13	0	0	0	0	3	0	86	39	0	22
23	29	0	18	0	0	0	0	0	0	19	40	3	23
24	11	0	0	0	0	0	0	9	6	15	28	22	24
25	10	0	0	0	0	7	0	0	0	22	6	39	25
26	18	0	5	0	1	5	23	40	0	80	20	25	26
27	3	0	3	15	0	3	56	38	52	19	5	120	27
28	74	28	26	0	0	0	2	15	80	1	0	27	28
29	6	38	58	0	0	21	3	5	0	10	7	8	29
30	4	X	16	0	1	4	36	0	0	0	0	38	30
31	33	X	38	X	0	X	71	0	X	3	X	0	31
TOTAL	544	384	358	175	79	254	213	202	161	640	534	384	3931
Days with "01 in. or more.	27	18	24	16	9	19	9	15	6	22	25	21	211
Days with "04 in. or more.	21	12	18	12	4	17	5	11	8	20	23	12	161

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at *Spring Grove, Milverton*
in the County of *Somerset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *449* ft.

1 day
Regd. for 2015

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0	28	0	0	0	5	0	0	0	32	0	28	I
2	0	17	0	0	7	4	5	0	0	5	2	32	2
3	0	0	0	0	7	10	4	20	4	1	0	26	3
4	0	0	0	6	42	0	0	54	0	21	0	117	4
5	0	3	0	0	43	48	100	33	0	305	39	26	5
6	0	22	0	0	11	5	0	13	0	14	0	80	6
7	0	0	0	0	16	8	0	0	0	46	27	75	7
8	0	5	0	1	5	5	0	4	0	3	0	43	8
9	14	9	0	0	0	0	0	0	0	0	32	47	9
10	3	0	0	3	5	0	0	2	0	1	6	34	10
II	0	10	0	0	30	4	0	0	0	2	146	20	II
12	0	0	0	7	0	40	0	0	0	1	10	10	12
13	3	0	0	1	12	5	0	0	0	0	0	11	13
14	0	0	0	0	19	19	0	0	0	0	8	24	14
15	0	27	0	0	1	15	0	2	0	0	51	2	15
16	0	0	0	0	0	0	0	0	0	0	4	0	16
17	3	0	0	0	0	0	0	5	0	6	0	0	17
18	1	0	0	0	0	0	0	0	0	18	107	0	18
19	0	0	0	0	0	0	0	0	4	2	49	4	19
20	0	0	2	0	0	0	0	9	0	27	6	60	20
21	4	0	30	0	0	0	9	5	0	0	7	0	21
22	0	4	0	0	0	0	1	7	0	1	86	10	22
23	0	2	0	2	10	0	0	0	0	9	61	57	23
24	0	9	1	0	0	0	0	2	0	78	124	44	24
25	0	0	0	18	0	0	0	0	0	3	9	12	25
26	0	5	0	4	0	0	0	0	0	0	20	17	26
27	0	0	0	10	12	0	0	0	0	8	92	28	27
28	23	0	0	2	0	0	45	0	0	27	74	36	28
29	6	0	0	15	0	3	0	0	4	56	62	30	29
30	2	X	0	3	0	28	11	0	40	0	0	18	30
31	67	X	0	X	0	X	46	28	X	0	X	3	31
TOTAL	126	141	23	76	307	239	226	364	52	676	1027	944	YEAR'S TOTAL
Days with or in. or more.	10	12	3	12	14	14	8	13	3	22	22	27	160
Days with or in. or more.	5	10	1	6	13	13	7	10	3	14	21	25	128

Section



for the entry of Daily Observations.

2060
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Spring Grove, Milverton
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 449 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	22	16	0	0	0	18	0	20	0	0	59	0	I
2	3	0	0	24	0	0	0	15	0	3	43	4	2
3	10	34	0	34	0	0	0	33	2	2	0	0	3
4	78	16	6	3	0	0	5	0	0	14	0	1	4
5	0	0	4	6	0	0	7	16	0	35	23	0	5
6	0	0	27	0	4	0	13	42	14	4	1	6	6
7	17	0	0	0	0	0	0	2	3	32	26	2	7
8	2	0	0	13	0	0	0	4	17	33	1	15	8
9	33	0	54	52	9	1	0	3	2	40	3	0	9
10	80	0	2	0	20	1	0	9	68	4	0	84	10
11	22	0	10	7	13	1	0	3	2	0	0	17	11
12	27	0	1	4	23	0	0	7	9	0	0	10	12
13	9	0	11	16	13	0	5	6	57	6	0	15	13
14	42	4	16	41	9	0	0	0	0	74	1	17	14
15	2	0	25	0	13	0	34	0	26	10	26	66	15
16	1	0	1	6	5	0	2	0	3	6	2	24	16
17	0	0	4	0	2	23	15	6	56	8	0	2	17
18	0	0	0	2	3	0	0	4	57	7	15	19	18
19	0	0	8	17	1	7	30	0	115	27	74	2	19
20	1	0	0	7	0	2	35	100	89	5	31	0	20
21	0	0	2	0	0	8	2	2	1	14	95	0	21
22	44	0	0	6	0	0	0	56	2	24	15	0	22
23	4	0	62	8	0	24	5	0	6	15	38	5	23
24	40	0	0	11	0	3	0	0	3	5	37	13	24
25	2	0	0	0	22	0	6	0	9	0	46	24	25
26	73	25	0	0	16	0	4	0	5	0	35	10	26
27	6	3	2	0	0	0	3	0	2	5	0	39	27
28	10	0	8	0	5	0	51	0	34	6	77	4	28
29	7	X	0	0	13	0	25	0	5	23	16	12	29
30	2	X	30	0	4	0	0	0	0	2	2	32	30
31	62	X	2	X	14	X	0	0	X	33	X	63	31
TOTAL	615	103	281	262	179	88	247	328	592	450	666	444	4305
* Days with "or in. or more.	25	6	19	17	14	10	16	17	24	26	22	24	224
* Days with "04 in. or more.	14	5	14	15	14	5	13	13	15	24	16	20	172

40-9999

*See Instruction 2 (f) on other side.

(Signed) R. L. Colverson [P.T.O.]

Adouglas Barron. Esq.
P.T.O.
Surveyor U.D.C

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Blenheim Gardens, Minceland
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level (about) 45 ft.

New record

Feb 854737/28

2100

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	.07	—	—	—	—	—	—	—	—	.01	—	1
2	.04	.35	.32	.05	—	—	.03	—	—	—	.17	—	2
3	—	.02	—	.16	—	—	.11	—	—	—	.12	.02	3
4	—	.32	.05	.10	—	—	—	—	—	.15	.09	.02	4
5	.09	.05	.10	.21	—	.03	—	—	.06	.23	.02	.29	5
6	—	—	.02	—	—	.57	—	—	—	—	.01	.13	6
7	—	—	.03	—	—	.19	—	.10	.02	.11	—	.08	7
8	.01	.08	—	.05	—	—	.02	—	.03	.10	—	.01	8
9	—	—	—	.12	—	—	—	—	.05	.18	—	.12	9
10	.40	.49	—	—	—	.08	—	.01	—	.20	.10	.07	10
11	—	—	—	.02	—	—	—	.09	—	.45	.01	.05	11
12	.71	.49	^{Snow} .40	—	—	—	—	.06	—	.02	.05	.04	12
13	.04	—	—	—	—	.25	—	.03	—	—	.01	—	13
14	.07	.34	.12	.35	—	.12	—	.15	—	.34	.35	—	14
15	.17	.09	—	.05	—	—	—	.06	—	.07	.31	—	15
16	—	.11	.05	—	.11	—	—	.02	—	.06	.46	.31	16
17	.02	—	—	—	.31	.17	—	—	—	—	.09	—	17
18	—	—	.03	.01	—	.15	—	—	—	.35	.06	.02	18
19	.14	—	.12	—	.25	.09	—	.04	—	.65	.16	.02	19
20	.72	—	.16	—	.38	.07	—	.15	—	.03	.18	—	20
21	.54	—	.27	—	—	—	—	—	—	.07	.12	—	21
22	—	—	.10	.01	—	—	—	.01	—	.59	.34	.09	22
23	.30	—	.09	—	—	—	—	—	—	.10	.49	.01	23
24	.11	—	.10	—	—	—	—	.16	.14	.10	.20	.25	24
25	.22	—	—	—	—	.03	—	.34	—	.10	.01	.54	25
26	.15	—	.03	—	.03	.21	.68	.17	—	.45	.06	.07	26
27	.01	—	.22	.28	—	—	.23	.18	.21	.04	.09	1.37	27
28	.39	.26	.10	—	—	—	.20	.10	.64	.01	.01	.28	28
29	.04	.31	.27	—	—	.15	.07	.02	—	.14	.08	.29	29
30	.10	×	.08	—	—	—	.17	—	—	.05	—	.16	30
31	.16	×	.32	×	—	×	.76	—	×	.05	×	—	31
TOTAL	4.48	2.98	2.98	1.41	1.08	2.11	2.27	1.69	1.15	4.64	3.60	4.84	YEAR'S TOTAL
Days with .01 in. or more.	22	13	21	12	5	13	9	17	7	25	26	22	192
Days with .04 in. or more.	19	12	17	9	4	12	7	12	5	22	19	16	154.

REGISTER OF RAINFALL IN 19 29..

Kept at Blenheim Gardens, Minehead.
in the County of Somerset.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 10 in.
Ground Sea Level ft.

circ DI. sent 3.2.'30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.08	-	.01	.23	.05	-	.01	.02	.5	-	.24	I
2	7	.04	7	-	-	-	.04	-	-	.17	.05	.28	2
3	-	-	-	.02	7	-	-	.74	-	.04	-	.08	3
4	-	-	-	.02	.6	-	.06	.19	-	.04	-	1.17	4
5	-	.02	-	-	.67	.55	.22	.09	-	2.96	.37	.23	5
6	.01	.2	-	-	-	-	-	.07	-	.24	.03	1.16	6
7	-	-	-	-	.17	-	-	-	-	.14	.32	.89	7
8	-	-	-	-	-	-	-	.03	-	.05	-	.77	8
9	.05	.09	-	-	-	-	-	-	-	.06	.28	.94	9
10	.03	-	-	.02	.01	-	-	-	-	.06	.12	.49	10
11	-	.14	-	.02	.28	-	-	-	-	.07	1.86	.17	11
12	-	-	-	-	-	.75	-	-	.09	-	.35	.03	12
13	.05	-	-	.1	.17	.72	-	-	-	-	-	.07	13
14	-	.21	-	-	.07	.05	-	-	-	-	-	.06	14
15	-	-	-	-	-	.08	-	.02	-	-	.58	-	15
16	-	-	-	-	-	-	-	.17	-	-	.11	-	16
17	.09	-	-	-	-	-	-	.21	-	-	-	-	17
18	-	-	-	-	-	-	-	.01	-	.1	.98	.02	18
19	-	-	-	-	-	-	-	-	-	.28	.4	-	19
20	-	-	-	-	-	-	-	.07	-	.02	.01	.59	20
21	-	-	.29	-	-	-	.06	-	-	.18	.1	.01	21
22	.01	-	-	-	-	-	.02	.03	-	-	.66	.09	22
23	-	-	-	-	.09	-	.12	-	-	.07	.37	.46	23
24	-	-	-	-	-	-	-	-	-	.19	1.30	.23	24
25	-	.15	-	.08	-	-	-	-	-	.63	.12	.14	25
26	-	-	-	.01	-	-	-	-	-	.03	.1	.12	26
27	.04	-	-	.05	.22	-	.04	-	-	-	.54	.26	27
28	.08	-	-	.04	-	-	.58	.01	-	.02	.53	.99	28
29	.04	-	-	.08	-	.13	-	-	-	.12	.3	.49	29
30	.01	×	-	.06	-	.2	.06	-	.35	.37	.04	.08	30
31	.55	×	-	×	-	×	.21	.07	×	.04	×	-	31
TOTAL	11	8	1	12	10	8	10	14	3	23	23	26	149
Days with or in.	7	7	1	6	9	8	9	8	2	21	21	23	123
Days with or more.	.96	.93	.29	.51	2.51	2.53	1.41	1.42	.40	6.38	9.52	10.03	38.05

Kept at BLENHEIM GARDENS MINEHEAD
in the County of SOMERSET
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
,, Ground ,, Sea Level — ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.14	—	.40	—	.39	—	.22	—	.04	.34	—	1
2	.01	.06	—	.15	.03	—	.05	.11	—	.01	.45	—	2
3	.20	.32	—	.56	—	—	.03	.28	—	.15	—	—	3
4	.53	.25	.07	.08	.03	—	—	—	—	.20	—	—	4
5	.09	—	—	—	.02	—	—	.38	—	.30	.03	—	5
6	—	—	.37	—	.08	—	—	.11	.22	.43	.01	.06	6
7	.13	—	—	—	—	—	—	.04	.04	.24	.23	.12	7
8	.02	—	—	.15	—	—	—	—	.20	—	—	.38	8
9	.32	—	.53	1.02	.05	—	—	—	.01	.03	.06	—	9
10	.93	—	.13	—	.13	—	—	.01	.33	—	—	.58	10
11	.28	—	.07	.02	—	—	.03	.15	—	.07	—	.25	11
12	.24	—	.03	.02	.25	—	—	.08	—	.10	—	.12	12
13	.08	—	.03	.22	.06	—	.06	.13	.15	.03	—	.20	13
14	.53	—	.24	.12	.03	—	.07	—	.10	.04	—	.23	14
15	—	—	.13	.01	—	—	.29	—	.18	.29	.19	.42	15
16	—	—	—	—	—	—	—	—	.21	—	—	.25	16
17	—	—	.04	.03	—	—	—	.07	.38	.05	—	.01	17
18	—	—	.03	—	.11	—	—	.05	.38	—	.05	.33	18
19	—	—	.30	—	—	—	.06	.12	.61	.05	.41	.03	19
20	—	—	—	.14	—	—	.65	.79	.54	.07	.08	—	20
21	—	—	.05	—	—	—	—	.01	.02	—	.14	—	21
22	.39	—	—	.08	—	.05	—	.33	—	.50	.32	—	22
23	.09	—	.28	.05	—	—	.04	—	.13	.03	.53	.03	23
24	.17	—	—	.09	.05	.17	—	—	.09	.18	.35	.12	24
25	—	.06	—	—	.18	—	.05	—	.30	—	.10	.13	25
26	.82	.02	.01	—	.04	—	—	—	—	.08	.05	.18	26
27	.01	—	.01	—	—	—	.14	—	.03	.09	—	.05	27
28	.03	—	.10	—	—	—	.19	—	—	.09	.44	.52	28
29	—	X	—	—	.05	—	.04	—	.53	—	.50	.07	29
30	.02	X	.27	—	.11	—	—	—	—	.20	—	.53	30
31	.52	X	.02	X	.04	X	—	—	X	.26	X	.33	31
TOTAL	5.45	.85	2.71	3.14	1.26	.61	1.70	2.88	4.43	3.46	1.26	4.94	35.71
* Days with or in. or more.	5 ²¹	1 ⁶	6 ¹⁹	4 ¹⁶	4 ¹⁶	7 ³	2 ¹³	2 ¹⁶	3 ¹⁹	5 ²⁴	2 ¹⁸	3 ²²	37 ¹⁹³
* Days with .04 in. or more.	16	5	13	12	12	3	11	14	16	19	16	19	156

Section

A

for the entry of D

2101

AIR MINIST

Form 1090.

REGIMINEHEAD, THE PARKS

1969B
FOR OFFICIAL USE.

ANIZATION.

28.

Som/4

Kept at 30 THE PARK

in the County of SOM

Diameter of Funnel of Gauge.....

Height of top of Gauge above Gro

Ground Sea

THE MORNING MEA

DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								TRACE	—	—	.01	—	1
2								—	—	—	.14	TRACE	2
3								TRACE.	—	—	.11	.02	3
4								—	—	.16	.06	TRACE	4
5								—	.06	.23	.01	.01	5
6								TRACE	—	.02	.01	.25	6
7								.10	.01	.10	—	.12	7
8								—	.03	.11	—	.09	8
9								.01	.05	.18	—	TRACE	9
10								.09	TRACE	.21	.10	.13	10
11								.06	—	.46	.01	.09	11
12								.04	—	.01	.06	.03	12
13								.17	—	—	.01	TRACE	13
14								.05	—	.38	.37	—	14
15								.04	—	.08	.27	.01	15
16								—	—	.06	.43	.29	16
17								—	—	—	.08	—	17
18								—	—	.34	.05	.02	18
19								.04	—	.64	.15	.01	19
20								.18	—	.03	.14	TRACE	20
21								.01	.01	.08	.09	TRACE	21
22								.01	—	.59	.25	.09	22
23								TRACE	—	.10	.30	TRACE	23
24								.16	.20	.11	.17	.24	24
25								.47	—	.09	TRACE	.57	25
26								.19	—	.45	.07	.07	26
27								.16	.31	.03	.09	1.37	27
28								.08	.64	.01	TRACE	.26	28
29								.02	—	.15	.09	.27	29
30		X						—	—	.105	TRACE	.17	30
31		X		X		X	.73	—	X	.06	X	—	31
TOTAL							2	1.88	1.31	4.73	3.10	3.81	YEARS TOTAL
Days with .01 in. or more.								18	8	26	24	20	76.
Days with .04 in. or more.								14	5	21	19	14	73

Kept at 30 THE PARKS MINEHEAD ✓
in the County of SOMERSET
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" Ground " Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								TRACE	—	—	.01	—	1
2								—	—	—	.14	TRACE	2
3								TRACE	—	—	.11	.02	3
4								—	—	.16	.06	TRACE	4
5								—	.06	.23	.01	.01	5
6								TRACE	—	.02	.01	.25	6
7								.10	.01	.10	—	.12	7
8								—	.03	.11	—	.09	8
9								.01	.05	.18	—	TRACE	9
10								.09	TRACE	.21	.10	.13	10
11								.06	—	.46	.01	.09	11
12								.04	—	.01	.06	.03	12
13								.17	—	—	.01	TRACE	13
14								.05	—	.38	.37	—	14
15								.04	—	.08	.27	.01	15
16								—	—	.06	.43	.29	16
17								—	—	—	.08	—	17
18								—	—	.34	.05	.02	18
19								.04	—	.64	.15	.01	19
20								.18	—	.03	.17	TRACE	20
21								.01	.01	.08	.09	TRACE	21
22								.01	—	.59	.25	.09	22
23								TRACE	—	.10	.30	TRACE	23
24								.16	.20	.11	.17	.24	24
25								.47	—	.09	TRACE	.57	25
26								.19	—	.45	.07	.07	26
27								.16	.31	.03	.09	1.37	27
28								.08	.64	.01	TRACE	.26	28
29								.02	—	.15	.09	.27	29
30		X						—	—	105	TRACE	.17	30
31		X		X		X	.73	—	X	.06	X	—	31
TOTAL							2	1.88	1.31	4.73	3.10	3.81	YEARS TOTAL 14.83.
Days with .01 in. or more.								18	8	26	24	20	76.
Days with .04 in. or more.								14	5	21	19	14	73

REGISTER OF RAINFALL IN 1929.

Kept at **THE PARKS, MINEHEAD**
in the County of **SOMERSET**
Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **0** in.
Ground Sea Level **90** ft.

*Let's to Minehead
over sheltering land 18A
from a standard
gauge 854737/28*
Binet's Low

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.07	—	.01	.18	.05	—	.01	.03	.49	—	.23	1
2	—	.03	—	—	—	TRACE	.04	TRACE	—	.19	.06	.29	2
3	—	TRACE	—	.02	—	—	TRACE	.78	—	.02	—	.07	3
4	—	—	—	.03	.56	—	.11	.21	—	.09	—	1.00	4
5	—	.01	—	—	.64	.54	.16	.09	—	2.28	.38	.25	5
6	.01	.23	—	—	TRACE	.01	—	—	—	.20	.04	.84	6
7	—	TRACE	—	—	.12	—	—	—	—	.35	.29	.69	7
8	—	TRACE	—	—	—	.02	—	.03	—	.16	TRACE	.54	8
9	.03	.08	—	—	—	—	—	—	—	.08	.29	.86	9
10	.03	—	—	.02	.01	—	—	TRACE	—	.05	.11	.41	10
11	TRACE	.15(SNOW)	—	—	.28	—	—	—	—	.05	1.70	.14	11
12	—	—	—	.14	TRACE	.75	—	—	.11	—	.33	.02	12
13	.06	—	—	.01	.15	.11	—	TRACE	—	—	—	.06	13
14	TRACE	.18(SNOW)	—	—	.06	.07	—	—	—	—	—	.06	14
15	TRACE	.15(SNOW)	—	—	—	.07	—	.05	—	—	.58	—	15
16	TRACE	—	—	TRACE	—	—	—	.14	—	—	.19	—	16
17	.06	.01	TRACE	—	—	—	—	—	—	.09	.92	TRACE	17
18	TRACE	—	—	—	—	—	—	.21	—	.24	—	—	18
19	—	—	—	—	—	—	—	—	—	.04	.40	.02	19
20	—	—	—	—	—	—	—	.07	—	.18	.01	.57	20
21	TRACE	—	.27	—	TRACE	—	.07	—	TRACE	—	.09	.03	21
22	—	TRACE	TRACE	—	—	TRACE	.03	—	—	.08	.66	.09	22
23	—	—	—	TRACE	.09	—	—	.04	—	.07	.37	.46	23
24	—	—	—	—	—	—	—	TRACE	—	.62	1.25	.22	24
25	—	.15(SNOW)	—	.08	—	—	—	—	—	.04	.11	.10	25
26	—	.02(SNOW)	—	.01	—	—	—	—	—	—	.08	.11	26
27	.03	—	—	.08	.22	—	.05	—	—	.02	.57	.27	27
28	.06	—	—	.03	—	—	.50	—	—	.12	.50	.71	28
29	.03	—	—	.09	—	.15	TRACE	.03	TRACE	.38	.26	.42	29
30	TRACE	X	—	.05	—	.24	.07	—	.35	—	.05	.08	30
31	.53	X	—	X	—	X	.20	.07	X	—	X	TRACE	31
TOTAL	.84	1.08	.27	.57	2.31	2.01	1.23	1.73	.49	5.84	9.24	8.54	YEAR'S TOTAL
Days with ".01 in. or more.	9	11	1	12	19	10	9	12	3	22	23	26	138
Days with ".04 in. or more.	4	7	—	5	9	9	9	10	2	20	22	26	123

REGISTER OF RAINFALL IN 1930 .

Kept at 30 THE PARKS MINEHEAD
in the County of SOMERSET.

Diameter of Funnel of Gauge. 5 in.
Height of top of Gauge above Ground. 1 ft. 0 in.
Ground Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.03	.16	—	.40	—	—	—	.22	—	.04	.41	TRACE	I
2	TRACE	.05	—	.16	.04	—	TRACE	.05	—	.03	.39	TRACE	2
3	.16	.30	—	.59	—	—	.07	.26	—	.16	—	—	3
4	.47	.27	.06	.05	.02	—	—	—	.01	TRACE	.04	—	4
5	.07	TRACE	TRACE	TRACE	.03	—	—	.39	TRACE	.48	.02	—	5
6	TRACE	—	.37	—	.10	—	—	.13	.23	.34	.04	.07	6
7	.11	TRACE	—	—	—	—	TRACE	.05	TRACE	.22	.22	.22	7
8	.02	—	—	.15	—	—	—	TRACE	.21	.12	TRACE	.21	8
9	.29	—	.54	.83	.06	—	—	TRACE	TRACE	.04	.06	—	9
10	.83	—	.12	—	.15	TRACE	—	.02	.32	—	—	.57	10
11	.25	—	.06	.01	—	TRACE	.05	.10	TRACE	.15	—	.23	11
12	.21	—	.04	—	.25	TRACE	—	.09	.25	.03	—	.12	12
13	.05	—	.03	.35	.07	—	.07	.13	.01	.04	—	.20	13
14	.48	—	.26		.03	—	.08	—		.05	—	.20	14
15	TRACE	TRACE	.43	.01	—	—	.82	TRACE	.32	.31	.19	.45	15
16	—	—	—	—	—	—	TRACE	TRACE	.09	TRACE	—	.22	16
17	—	—	.04	.02	.08	—	TRACE	.08	.38	.05	—	.08	17
18	—	—	.03	—	.04	TRACE	—	.05	.40	.07	.02	.19	18
19	—	—	.30	.03	TRACE	.02	.32	.11	.61	.08	.43	.02	19
20	—	—	—	.13	TRACE	.01	.48	.74	.46	.05	.11	—	20
21	TRACE	—	.04	—	—	.05	.03	TRACE	.05	.50	.22	—	21
22	.40	—	.46	.10	TRACE	.17	TRACE	.32	TRACE	.04	.20	—	22
23	.09	—	TRACE	.03	—	—	—	—	.09	.16	.55	.03	23
24	.15	—	—	.01	.06	.01	TRACE	—	.34	.08	.25	.14	24
25	TRACE	.06	—	—	.23	—	.05	—	.02	.09	.10	.20	25
26	.80	.03	.01	.01		—	—	—	—	.02	.05	.09	26
27	.01	—	.01	—	—	—	.11	—	.04	.18	—	.05	27
28	.01	—	.09	—	—	—	.17	—	TRACE	.27	.45	.55	28
29	TRACE	—	—	—	.12	—	.04	TRACE	—	—	.53	.06	29
30	.01	×	.26	—	.02	—	—	—	.49	—	TRACE	.67	30
31	.48	×	.01	×	.05	×	—	—	×	—	×	.14	31
TOTAL	4.92	.87	2.86	2.91	1.35	.26	1.79	2.77	4.33	3.54	4.28	4.71	YEAR'S TOTAL 34.59
Days with ".01 in. or more.	20	6	18	16	16	5	12	15	18	25	49	22	192
Days with ".04 in. or more.	15	5	13	9	12	2	11	14	15	21	16	20	153

Kept at Dymore

in the County of

by D. Norton

1921 - 1930

IMPORTANT NOTI

If an Observer prefers not to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

entered to the previous day.

sted to add

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.64		.07					.28	.14		.11	.26	1
2	.16			.02				.20		.09	.24	.10	2
3	.01		.12		.01	.06		.21		.13	.30		3
4	.21		.01					.14			.21		4
5					.05			.51			.43		5
6	.18		.10		.10			.05			.02	.04	6
7	.21				.38						.08		7
8	.13		.06		.08								8
9			.02	.02	.02				.06			.01	9
10	.30		.14		.22			.47	.01				10
11	.31		.17		.12				1.26				11
12	.33		.14					.09	.40			.19	12
13	.05		.37					.23	.11	.02			13
14			.08	.17	(1.4)		.07	.03	.04			.16	14
15			.12	.05	.08		.15				.08	.01	15
16	.07		.13	.32				.10			.24	.02	16
17	.24		.24	.12					.48			.01	17
18	.06		.05							.19		.03	18
19			.20							.07		.14	19
20			.02								.04	.14	20
21	.02			.01						.05	.03		21
22	.10			.08			.02			.19		.32	22
23							.12					.02	23
24	.04	.06	.03									.16	24
25		.26				.28	.19						25
26	.21		.01			.09		.01				.44	26
27			.02	.03		.06	.06					.14	27
28			.35	.02	.05	.07	.07	.01			.13		28
29	.15		.05		.44			.08				.06	29
30	.66	X			.17		.03				.20	.06	30
31	.14	X		X		X			X		X		31
TOTAL	4.22	.32	2.49	.84	1.87	.43	.71	2.18	2.62	.83	2.13	2.31	YEAR'S TOTAL 20.95
Days with .01 in. or more	21	2	22	10	13	3	8	13	8	7	14	19	140
Days with .04 in. or more	19	2	16	5	11	3	6	10	7	7	11	13	110

REGISTER OF RAINFALL IN 1921/.

Kept at Dymabore Middlemen Nortonin the County of Lincolnby D. Arthur Bullard

Lat. _____ Long. _____

Time of Observation 9 a.m.Nearest Railway Station Middlemen NortonDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. in." " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.64		.07					.28	.14		.11	.26	1
2	.16			.02				.20		.09	.24	.10	2
3	.01		.12		.01	.06		.21		.13	.30		3
4	.21		.01					.14			.21		4
5					.05			.51			.43		5
6	.18		.10		.10			.05			.02	.04	6
7	.21				.38						^{snow} .08		7
8	.13		.06		.08								8
9			.02	.02	.02				.06			.01	9
10	.30		.14		.22			.47	.01				10
11	.31		.17		.12				~~1.26~~				11
12	.33		.14					.09	.40			.19	12
13	.05		.37						.23	.11	.02		13
14			.08	.17	(1.5)		.07	.03	.04			.16	14
15			.12	.05	.08		.15				.08	.01	15
16	.07		.12	.32				.10			.24	.02	16
17	.24		.24	.12					.48			.01	17
18	.06		.05							.19		.03	18
19			.20							.07		.14	19
20			.02								.04	.14	20
21	.02			.01						.05	.03		21
22	.10			.08			.02			.19		.32	22
23							.12					.02	23
24	.04	.06	.03									.16	24
25		.26				.28	.19						25
26	.21		.01			.09		.01				.44	26
27			.02	.03		.06	.06					.14	27
28			.35	.02	.05	.07	.07	.01			.13		28
29	.15		.05		.44			.08				.06	29
30	.66	X			.17		.03				.20	.06	30
31	.14	X		X		X			X		X		31
TOTAL	4.22	.32	2.49	.84	1.87	.43	.71	2.18	2.62	.83	2.13	2.31	YEAR'S TOTAL 20.95
Days with .01 in. or more	21	2	22	10	13	3	8	13	8	7	14	19	140
Days with .04 in. or more	19	2	16	5	11	3	6	10	7	7	11	13	110

REGISTER OF RAINFALL IN 1922.

Kept at Dyuboroin the County of Somersetby D. Bullard

Lat. _____ Long. _____

Time of Observation 9 amNearest Railway Station Midsomer NortonDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. _____ in." " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.26	.15	.01	.02		.81				.08		1
2		.66	.17	.26	.03		.24	.04			.04		2
3		.14	.46	.33	.08			.19	.03				3
4		.06	.24		.15		.08			.27			4
5	.10		.17	.12		.09	1.49			.36	.65		5
6	.11						.11	.84			.49		6
7	.15		.48	.21			.24	.16		.02	.07		7
8	.11		.04				.34	.15			.06	.05	8
9	.12						.10				.02		9
10										.01	.22		10
11				.04									11
12				.60			.01	.81	.46				12
13	.33			.53		.16	.18		.14				13
14		.04	.02	.04					.15				14
15	.64	.41		.10	.27		.03				.01		15
16		.23			↓			.36				.28	16
17		.18			.16		.09					.29	17
18	.20	.06	.08		.07		.05		.05			.11	18
19		.25							.60			.95	19
20		.31										.64	20
21	.22	.07	.01	.06			.08	.02				.23	21
22	.32	.36					.11	.18				.03	22
23		.19		.03		.32	.08		.06				23
24	.19		.08			.83		.05	.18				24
25	.20	.09		.35		.19	.02		.14			.48	25
26	.10	.33						.02			.11		26
27	.21	.71	.09	.26		.01		.22	.02			.50	27
28	.27	.49	.02	.03		.25		.18			.01	.37	28
29	.01			.08		.09	.14	.83		.46		.53	29
30	.72		.08	.02		.01			.29		.13	.56	30
31	.07		.76					.09		.63			31
TOTAL	4.09	4.84	2.85	3.07	.78	1.95	4.20	4.14	2.45	1.75	1.89	5.05	YEAR'S TOTAL 37.06
Days with .01 in. or more	19	18	15	17	7	9	18	15	11	6	12	13	160
Days with .04 in. or more	17	18	12	13	5	7	15	13	9	4	9	12	134

AIR MINISTRY.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Dymore, Ludlow, Shropshire
in the County of Shropshire
by D. Bullard

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.44	.21		.02				.01	.12	.01	.75	1
2	.21	.21	.08	.07	.05					.16		.11	2
3	.08		.12	.01		.01			.11	.41	.05	.16	3
4				.02					.04	.01	.41	.32	4
5	.70	.01		.02	.32					.04	.05	.04	5
6	.23	.74	.22	.10								.01	6
7	.03	.90	.04							.16		.49	7
8	.15	.11	.03			.02				.15	.15	.03	8
9	.28	1.03				.04						.01	9
10	.01	.68		.22	.09		.14			.18			10
11		.07		.50	.03					.66			11
12	.01	.13	.30	.17	.05					.96	.26		12
13		.12		.24	.05				.10		1.59		13
14				.05				.15	.63	.03	.11	.01	14
15		.12		.08	.29	.34	.02			.02	.60		15
16		.27			.03			.02	.01		.38	.01	16
17	.01	.59				.01	.11	.58	.53	.05	.31		17
18		.25		.12				.11	.22	.04			18
19	.07				.06	.03	.08		.61	.18	.02		19
20		.18							.07	.17			20
21		.11						.20	.02	.24		.02	21
22		.43			.04			.47	.13	.16		.08	22
23	.01	.23			.05		.24	.94	.11	.25		.10	23
24		.09	.27	.40	.12			.02	.23	.09		.09	24
25		.45		.42	.02		.05	.18	.19	.60		.72	25
26		.25		.03	.01					.56		.29	26
27		.76	.17		.14		.12	1.07		.04			27
28		.07	.08		.05		.17	.13		.04		.30	28
29	.04			.12	.07		.05	.67		.02		.06	29
30	.01	X	.01		.02		.20	.01		.28		.13	30
31	.08	X	.05	X		X	.33	.12	X		X	.23	31
TOTAL	2.04	8.24	1.58	2.57	1.51	.45	1.51	4.47	3.01	5.62	3.94	3.96	YEAR'S TOTAL
Days with 01 in. or more	16	24	12	16	19	6	11	14	15	26	12	21	38.90
Days with 04 in. or more	10	23	10	12	13	2	10	11	12	22	10	15	192.15

AIR MINISTRY. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. REGISTER OF RAINFALL IN 1924.

Kept at Dymboro' Midsummer Norton
in the County of Somerset
by O. Arthur Bulleid

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Midsummer Norton (Bridgwater)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.01	.09	.07	.18	-		1.00	.43	WVV 1
2	.06		.4		.41		.22	.01	-	.04	.02	.02	WVB 2
3	.13		.51		.02	.26	.22	.15	-				G 3
4			.03		.04	.35	.03	.03	.03			.30	4
5					.02		.17	.03		.19		.06	5
6					.05		.04		.02	.61			6
7	.05				.34	.07	.01		.39	1.47			7
8	.10	.03		.01	.01				.20	.05			8
9	.13	.01		.03	.06	.11			.07	.02	.01		9
10	.18	.07		.07	.71	.67			.04	.10	.03		10
11	.39			.40	.72	.50			.14	.04	.28		11
12	.22			.18	.11	.13		.29	.14				12
13	.14			.93	-				.54		.01	.33	13
14								.18				.18	14
15		.17						.04	.11			.58	15
16	.16							.36	.05				16
17	.20				.07	.09	.86	.47	.07				17
18	.79	.02			.69			.07		.06		.04	18
19	.12				.12		.04	.06	.15	.24			19
20	.04		.09		.36		.34	.04	.03	.45			20
21	.32		.02		.21	.34		.15	.38	.45			21
22	.41		.68					.90	.64			.04	22
23			.24		.54		.07	.08	.16			.62	23
24	.52		.09	.22	.21				.03		.03	.18	24
25	.01		.04	.22			.24	.02	.26	.13	.34	.05	25
26				.31			.06	.03	.09	.14	.79	.61	26
27				.95			.73	.02		.73	.03	.43	27
28		.08					.58	.16		.18	.27	.29	28
29				.31	.02		.17	.16	.03	.79	.33	.50	29
30		X		.36	.33		.04	.12	.18	.60	.26	.39	30
31		X		X	.46	X	.02	.07	X	.07	X	.64	31
TOTAL	3.97	.38	1.70	3.99	5.51	2.61	3.91	3.62	3.78	6.36	3.40	5.69	1141 m31
Days with 01 in. or more	18	6	9	12	22	10	18	23	22	19	13	18	44.92
Days with 04 in. or more	17	3	7	10	17	10	15	17	17	12	8	17	44.72
													190
													156

Nov. 30. Cor^d by our? at^{ms}. Obs^r agrees. W. M. J.

FOR OFFICIAL USE.

1796

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

County No.

River Dist.

Station No.

Kept at Dymboro Midsummer Norton
in the County of Somerset
by Arthur Bullard

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.23				.05				.04		.71		1
2	.43	.08					.25	.09			.54		2
3	.13	.16			.35		.04	.02			.05		3
4	.13			.22	.08				.03		.27		4
5	.05	.42		.88	.17			.20	.23		.01		5
6	.01	.04			.31		.35	.01	.01		.51		6
7		.45		.14	.60						.16	.20	7
8		.10	.05		.05		.06	.45	.01			.24	8
9	.31			.11	.16				.14			.07	9
10		.22	.02		.02			.16					10
11		.46			.03			.02					11
12	.01	.49						.85		.01			12
13	.02	.13	.10	.03									13
14	.36	.32		.33							.04		14
15	.03			.07					.07	.04			15
16	.02	.04								.21			16
17		.01		.01	.01		.08		.04	.02			17
18				.33	1.48		.03		.09	.03			18
19					.01		.03	.06	1.40	.94		.72	19
20							.02	.45	.59	.50			20
21							.43	.29	.15	.36			21
22	.03	.29		.23	.01		.13	.19	.83	.86		.96	22
23			.09	.12	.10		.07		.07	.11		.02	23
24	.45	.36			.05					.05	.02	.24	24
25	.38	1.10	.06		.08		.11		.20	.06		.14	25
26	.17	.34		.10	.42		1.02	.39	.01	.32		.22	26
27	.05	.45			.18		1.20		.01	.03	.04	.19	27
28	.23	.07			.04				.02	.17		.91	28
29	.47				.56		.08		.01	.13	.15	.56	29
30	.01	X	.01		.03		.32				.20	.25	30
31	.21	X	.12	X	.02	X	.02		X	.07	X	.04	31
TOTAL	4.73	5.53	4.5	2.57	4.81	-	4.24	3.18	3.95	3.91	2.50	4.76	YEAR'S TOTAL
Days with '01 in. or more.	22	19	7	12	23	0	17	13	19	17	12	15	176
Days with '04 in. or more.	15	18	5	10	16	0	13	10	12	13	10	14	136

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

Midsummer Norton1925

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

A comparison of your rainfall return with those of neighbouring stations suggests that an omission has occurred on November 30 as shown below.

Radstock 23 inch

Midsummer Norton Dymboro -

- do - Island House 22

If you have no reason to the contrary we would recommend that .20 inch be adopted making the total for the month 2.70 inches. The total for the year is not in agreement with the sum of the monthly totals.

The correct total appears to be 40.63 inches which (if the above suggestion is adopted) will become 40.83 inches.

We should be glad of your comments on the above points.

A. B. Carter
2.7.26.

REPLY.

4.7.26 -

Please allow return as suggested

A. W. Bullard

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 7.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division

Register of Rainfall in 1926.

Kept at Dymore, Midlemer North
in the County of Somerset
Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground Same ft. formerly
Ground Sea Level ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.54	.15			.05	.46					.94		1
2	.30					.16			.02		.06	.01	2
3	.22	.18	.34						.04			.05	3
4	.20	.12	.06	.57							.62	.04	4
5	.11	.17	.09		.45		.45		.30	.02	.12	.21	5
6	.25	.04		.02	.06		.44			.05	.48		6
7	.02	.03		.18	.16	.10		.06	.23	.35	.23	.05	7
8		.02	.16	.14		.02		.10			1.28		8
9			.10			.46	.01	.36		.03	.06		9
10					.42	.37		.56		.01	.62		10
11					.37	1.01	.01	.06	.16	.10	.03		11
12					.40	.08		.02	.02	.66	.23	.01	12
13					.18	.04		.32	.14	.48	.45		13
14		.38		.76		.04			.01	.62	.06		14
15	<i>sum</i> .22	.07		.10					.03	.31	.24	.05	15
16	<i>sum</i> .16	.29		.66				.09			.13		16
17		.72		.01		.38	.83	.15			.52	.01	17
18	.35	.06		.11			1.58	.04			.37		18
19	<i>x</i>	.05		.10			.25	.02			.31		19
20	<i>✓</i>			.27		.01		.35	.01		.39		20
21	.83			.09			.12	.13		.43	.07		21
22	<i>x</i>	.01		.06						.19	.01		22
23	.10							.01					23
24			.04				.16			.49		.04	24
25				.41						.25	.20	.03	25
26			.22		.14		.40	.32			.33		26
27	<i>x</i>	.10		.09	.16		.03	.03		.29			27
28	<i>x</i>			.09	.02		.14			.73	.44		28
29	<i>x</i>			.19	.13						.19		29
30	<i>x</i>	<i>x</i>			.46			.16			.15		30
31	.30	<i>x</i>		<i>x</i>		<i>x</i>			<i>x</i>		<i>x</i>		31
TOTAL	5.44	2.39	1.01	3.85	3.00	3.13	4.42	2.78	.96	5.01	8.53	.50	YEAR'S TOTAL 41.02
Days with 01 in. or more.	20	15	7	17	13	12	12	17	10	16	26	10	175
Days with 04 in. or more.	18	12	7	15	12	10	9	13	5	13	24	6	144



REGISTER OF RAINFALL IN 1927.

1775

Kept at Midsomer Norton
 in the County of Somerset
 Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 „ Ground „ Sea Level.....ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	1.02	.19				.85	.07		.36	.74		1
2			.10	.13	.11						.02		2
3	.10		.12		.02	.02	.12				.01	.02	3
4	.01		.17	.12	.08	.14	.11	.01			.18		4
5	.10	.02	.32	.31		.06	.04	.01			.64		5
6	.10		.30	.36			.05	.07	.50		.08		6
7	.03		.17	.15		.39	.27	.15			.01		7
8			.06	.18			.20	.18	.10				8
9			.01	.01	.11		.10	.14	.79			.16	9
10	.01	.24		.02			1.83	.03	.03				10
11	.02			.05			.05	.19					11
12	.19							.98					12
13	.36			.06		.18	.14	.19	.17	.10		.28	13
14	.05			.19	.03		.04	.26	1.20		.05		14
15					.28			.35	.81		.01		15
16					.25	.62		.05	.39		.02		16
17	.24		.10		-	.25		.52	.19				17
18						.43		.01	.05		.57		18
19		.35			.08		.12	.30	.01	.10	.56		19
20	.18	.11			.02	.14	.10	.16	.01		.31	x	20
21	.07	.22					.16	.42	.28	.49	.05	x .91	21
22	.17	.39	.65	.07		.21	.01	.06	.13	.54		.71	22
23		.41	.20			.45	.01		.64			.09	23
24	.08	.14	.91	.02		.02	.17	.22	.24	.13		.39	24
25	.10	.28	.35			.17		.01		.33		x	25
26		1.08	.06			.07	.28		.29	.01		x 1.40	26
27	.02	.11	.05		.04	.02	.24			.61			27
28	1.86	.24	.10			.09	.01		.15	.01	x		28
29			.14			.08	.02		.52	.02	.27		29
30		X	.09			.20	.06	.02	.03	.21	.03		30
31	.25	X	.38	X		X	.03	.01	X		X	x .24	31
TOTAL	3.99	4.61	4.47	1.67	1.05	3.57	5.01	4.40	6.53	2.91	3.55	3.20	44.96
Days with ".01 in. or more.	20	13	20	13	10	19	24	24	20	12	16	11	202
Days with ".04 in. or more.	15	12	19	10	7	16	19	17	16	9	10	10	160
YEARS TOTAL													

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

1844
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Dymboro, midsummer Norton
in the County of Somerset

Diameter of Funnel of Gauge Same as before in.
Height of top of Gauge above Ground 11 ft 6 in in.
" Ground " Sea Level 25 ft 6 in ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.96	.01	.03	.16			.04						1
2	.18	.40	.26	.08							.14		2
3	.01	.05	.	.40			.19				.16		3
4	.06	.42	.	.03		.08				.45	.		4
5	.15	.10	.11		.63	.06			.09	.26	.		5
6	.02	.	.05		.01	.56		.14				.09	6
7	.14	.13	.03	.03		.01				.09			7
8	.	.17	.	.05		.53			.05	.39			8
9	.18	.01	.	.13		.14			.13	.44		.02	9
10	.35	.44	.	.04		.13		.10		.32	.18	.05	10
11	.	.	.09	.03				.02		.37	.06	.26	11
12	1.24	.44	.					.25		.	.05	.02	12
13	.	.05	.	.03		.45		.02			.01		13
14	.24	.48	.	.32	.01	.07		.09		.47	.39		14
15	↑	.18	.	.04		.01				.02	.39		15
16	.15	.32	.10			.				.10	.39	.36	16
17	.01				.42	.01				.01	.03	.02	17
18	.38				.02	.02				.27	.18	.02	18
19	.				.02	.07		.44		.50	.14		19
20	.34				.26			.24		.	.16		20
21	.74		.97		.14	.02		.20			.79		21
22			.97		.13			.02		.49	.67		22
23	.49		.10					.03		.28	.38	.06	23
24	.10							.01	.34	.03	.16	.23	24
25	.20		.03			.02		.04		.15	.01	1.49	25
26	.16		.16			.10	.28	.23		1.10	.	.13	26
27	.02			.14			.77	.92	.13	.25		.13	27
28	.81		.41				.03	.43	.67			.10	28
29	.16	.21	.87			.19		.60		.14	.01	.22	29
30	.08	X	.09				.53					.16	30
31	.42	X	.26	X		X	.63		X	.01	X		31
TOTAL	7.59	3.41	3.56	1.38	1.64	2.47	2.27	3.78	1.41	6.14	4.30	3.93	YEARS TOTAL 42.08
Days with '01 in. or more.	25	15	16	13	9	17	7	17	6	21	19	16	181
Days with '04 in. or more.	21	13	13	9	5	11	6	12	6	17	15	12	140

Section **A** for the entry of Daily Observations.

1898
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Dymborne Midsummer Norton
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 3.50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.35			.04	.04	.11						1
2							.10		.07	.86	.01	.07	2
3					.08	.04	.37	1.36		.06		.39	3
4				.09	.68	.03		.34		.10		.18	4
5					.67	.36	.28	.32		2.28	.79	.64	5
6		.02			.26	.07		.16		.19	.08	.35	6
7								.03		.55	.48	.73	7
8	.07					.01		.04		.10		.81	8
9		.08						.01		.01	.23	.72	9
10	.10							.01		.01	.11	.57	10
11				.03	.19			.03		.01	1.11	.03	11
12		.47		.01		.34					.06		12
13	.08	show		.16	.09	.05						.12	13
14				.07	.22	.21						.21	14
15						.11					.72		15
16								.05			.01		16
17	.07							.22		.01			17
18								.20		.15	1.11		18
19									.05	.04	.46		19
20								.05		.01		.56	20
21		.10	.15				.02	.15		.46		.01	21
22							.02				.58		22
23	.05				.05					.03	.38	.53	23
24								.01		.83	1.19	.50	24
25			.02	.03							.11	.06	25
26											.18	.40	26
27				.17				.05		.09	.93	.25	27
28	.25			.11						.33	.45	.69	28
29	.13			.21			.37		.08	.17	.46	.29	29
30	.01	X		.03		.01	.07		.41		.07	.09	30
31	.75	X		X		X	1.08	.18	X		X	.01	31
TOTAL	1.51	1.02	.17	.91	2.28	1.27	2.42	3.21	.61	6.29	9.52	8.94	YEARS TOTAL 38.15
Days with .01 in. or more.	9	5	2	10	9	11	9	17	4	20	21	24	141
Days with .04 in. or more.	8	4	1	6	9	8	7	12	4	14	19	21	113

REGISTER OF RAINFALL IN 1930 .

Kept at Dymbaro - Midsomer Norton
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
,, Ground ,, Sea Level 350 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.40		.16				.09			.59		I
2	.08	.02		.10	.03		.03	.30			.38		2
3	.08	.15		.60				.45		.20			3
4	.25	.02		.03	.14			.01	.02	.33			4
5					.09			.46		.14			5
6	.02		.10		.06			2.13	.23	.10		.01	6
7	.24							.11		.25	.30	.12	7
8				.09					.05	.30		.19	8
9	.43		.40	.15	.03				.07	.02	.04		9
10	.88		.08		.11	.01		.23			~~.77~~	.77	10
11	.15			.07	.41		.18	.09		.05		.17	11
12	.23			.03	.03							.19	12
13	.05		.09	.04	.08		.11	.13	.23			.13	13
14	.47	.05	.35	.10	.06		.04		.05	.01			14
15			.25				.56			.35	.18	.46	15
16					.01		.03		.11	.03		.14	16
17			.01	.13	.02		.12	.08	.52	.09		.03	17
18			.03	.01	.07		.05	.23	.36	.08	.16	.15	18
19				.17	.01	.17	.01	.07	1.07	.22	.46		19
20				.07	.08		.43	.89	.88	.01	.20		20
21							.04	.13	.01	.10	.97		21
22	.70		.07	.02	.03	.08	-	.28	.05	.29	.12		22
23	~~.70~~ .11		.11		.02	.28	.27		.07		.33	.01	23
24	.463			.23	.01		.03		.43	.05	.49	.09	24
25	~~.422~~		.01	.05	.15				.03	.04	.09	~~.11~~ .22	25
26	.82				.11		.08		.11	.01	.16	.22	26
27	.12		.02				.16		.12	.12		.04	27
28	.09		.15				.17		.01	.01	.90	.53	28
29	.06				.03		.65		.31	.17	.34	.07	29
30	.01	X	.04		.05	.12				.06		.40	30
31	.35	X	.08	X	.26	X	.05		X	.18	X	.24	31
TOTAL	6.14	.64	1.73	2.05	1.89	.66	3.01	5.68	4.73	3.20	5.71	4.18	YEAR'S TOTAL 39.63
Days with or in. or more.	21	5	15	17	23	5	18	16	20	25	16	20	201
Days with or in. or more.	19	3	10	13	13	4	14	15	16	19	16	17	159

Midsomer Norton

1966

(C.E. School)

MIDSOMER NORTON

1898 A

v/fm/1

Rainfall

C.E. SENIOR SCHOOL

Observations re

1929 - 30

School,

Midsomer

Diameter of Gauge 5" Height from Ground $3\frac{1}{2}$ "
Height above Sea Level 310 ft.

	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
1.	-	.45	-	-	.08	.03	.11	.03	-	.76	.01	.38
2.	-	.20	-	-	-	-	.11	-	-	.26	-	.08
3.	-	-	-	.10	.17	.03	-	1.25	-	.05	-	.21
4.	-	-	-	-	-	-	-	-	-	.07	.11	-
5.	-	-	-	-	.67	.36	.30	.06	-	2.17	.46	.35
6.	-	.02	-	-	.72	-	-	-	-	.26	-	.60
7.	-	-	-	-	.26	-	.30	.32	-	.56	-	.80
8.	-	-	-	.04	-	.04	-	.05	-	.12	.21	.21
9.	.18	-	-	-	-	-	-	-	-	.01	.12	.48
10.	.06	-	-	.02	-	-	-	-	-	.02	-	.38
11.	-	.45	-	.18	.19	-	-	.10	-	.02	1.10	.05
12.	-	-	-	.05	-	.55	-	-	-	-	.05	-
13.	.02	-	-	-	.08	.05	-	.23	-	-	1.17	.10
14.	-	-	-	-	.25	.21	-	.25	-	-	-	.26
15.	.05	.20	-	-	.01	-	-	-	-	-	.75	.01
16.	-	-	-	-	-	.10	-	.02	-	.14	-	-
17.	.02	-	-	-	-	-	-	-	-	.05	-	-
18.	.02	-	-	-	-	.20	-	-	-	.01	-	-
19.	.01	-	-	-	-	-	-	-	.03	.45	.97	.02
20.	-	-	-	-	-	.20	-	.03	.03	-	-	.55
21.	.05	-	.15	-	-	-	.02	1.02	-	-	-	-
22.	.01	-	-	.05	-	-	.35	-	-	.02	.69	.02
23.	-	-	-	-	.05	-	-	1.50	-	.87	.22	.52
24.	-	.12	-	-	-	-	-	-	-	-	1.13	.31
25.	-	.06	.04	.03	-	-	-	-	-	.08	.09	.23
26.	-	.05	.50	-	.01	.10	-	-	-	-	.18	.39
27.	-	-	-	.17	.05	-	-	-	-	.31	.91	.23
28.	.25	-	-	.08	-	-	-	-	-	.17	.72	.65
29.	.16	x	-	.21	-	.01	-	-	-	-	.50	.28
30.	.02	x	-	-	-	-	-	-	.35	-	.05	.10
31.	.89	x	-	x	-	x	.32	.18	x	-	x	.02
Monthly Totals.	1.74	2.54	0.19	0.94	2.63	1.78	1.51	2.26	0.41	6.40	9.44	6.43
Total for Year to date.	1.74	4.28	4.47	5.41	8.04	9.82	11.33	17.59	18.00	24.40	33.84	40.27
Number of Rainy Days	13	8	2	11	12	11	7	18	3	20	19	24
Highest Fall in 24 Hrs. on	.89	.60	.15	.21	.72	.55	.35	1.25	.35	2.17	1.17	.65
	31st.	25th.	21st.	29th.	6th.	12th.	22nd.	3rd-8th.	30th.	5th.	13th.	28th.

Rain-days (over .04 ins) 7 7 2 8 11 8 6 10 1 15 18 20 = 113

Total for 1929 40.27 inches on 143 Rain days.

J Poyner Esq

Headmaster

Mid Somerset
(C.E. School)

15 JAN 1930

1898 A

v/fomer/1

Rainfall for 1929

Feb. Aug. Dec
adjusted by ady pher
more informal

Observations recorded at C of E Senior School,
Midsomer Norton, Somerset

Diameter of Gauge 5" Height from Ground $3\frac{1}{2}$ "
Height above Sea Level 310 ft.

	Jan	Feb	Mar	Apr	May	June	July	Aug	Sept	Oct	Nov	Dec
1.	-	.45	-	-	.08	.03	.11	.03	-	.76	.01	.38
2.	-	.20	-	-	-	-	.11	-	-	.26	-	.08
3.	-	-	-	.10	.17	.03	-	1.25	-	.05	-	.21
4.	-	-	-	-	-	-	-	-	-	.07	.11	-
5.	-	-	-	-	.67	.36	.30	.06	-	2.14	.46	.35
6.	-	.02	-	-	.72	-	-	-	-	.26	-	.60
7.	-	-	-	-	.26	-	.30	.32	-	.56	-	.80
8.	-	-	-	.04	-	.04	-	1.25	-	.12	.21	.27
9.	.18	-	-	-	-	-	-	-	-	.01	.12	.48
10.	.06	-	-	.02	-	-	-	-	-	.02	-	.38
11.	-	.45	-	.18	.19	-	-	.10	-	.02	1.10	.05
12.	-	-	-	.05	-	.55	-	-	-	-	.05	-
13.	.02	-	-	-	.08	.05	-	.23	-	-	1.17	.10
14.	-	-	-	-	.25	.21	-	.25	-	-	-	.26
15.	.05	.20	-	-	.01	-	-	-	-	-	.75	.01
16.	-	-	-	-	-	.10	-	.02	-	.14	-	-
17.	.02	-	-	-	-	-	-	-	-	.05	-	-
18.	.02	-	-	-	-	.20	-	-	-	.01	-	-
19.	.01	-	-	-	-	-	-	-	.03	.45	.97	.02
20.	-	-	-	-	-	.20	-	.03	.03	-	-	.55
21.	.05	-	.15	-	-	-	.02	1.04	-	-	-	-
22.	.01	-	-	.05	-	-	.35	-	-	.02	.69	.02
23.	-	-	-	-	.05	-	-	1.50	-	.87	.22	.52
24.	-	.12	-	-	-	-	-	-	-	-	1.13	.31
25.	-	.06	.04	.03	-	-	-	-	-	.08	.09	.23
26.	-	.05	-	.01	.10	-	-	-	-	-	.18	.39
27.	-	-	-	.17	.05	-	-	-	-	.31	.91	.23
28.	.25	-	-	.08	-	-	-	-	-	.17	.72	.65
29.	.16	x	-	.21	-	.01	-	-	-	-	.50	.28
30.	.02	x	-	-	-	-	-	-	.35	-	.05	.10
31.	.89	1.55	-	x	-	x	.32	.18	x	-	x	.02
Monthly Totals.	1.74	2.54	0.19	0.94	2.63	1.78	1.51	2.66	0.41	6.40	9.44	6.43
Total for Year to date.	1.74	4.28	4.47	5.41	8.04	9.82	11.33	14.59	18.00	24.40	33.84	40.27
Number of Rainy Days	13	8	2	11	12	11	7	18	3	20	19	24
Highest Fall in 24 Hrs. on	.89	.60	.15	.21	.72	.55	.35	1.25	.35	2.17	1.17	.65
	31st.	25th.	21st.	24th.	6th.	12th.	22nd.	3rd.	30th.	5th.	13th.	28th.

Rain-days (over .04 in) 7 7 2 8 11 8 6 10 9 1 15 18 20 = 113

Total for 1929 40.27 inches on 143 Rain days.

J Poyner Eng

Headmaster

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at C. & E. SENIOR SCHOOL, MIDSOMER, NORTON
 in the County of SOMERSET

Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 7½ ft.,, Ground ,, Sea Level 310 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.31	.44	—	.15	—	—	—	.08	—	—	.53	—	I
2	.02	.04	.07	.09	.03	—	.03	.31	—	—	.33	—	2
3	.13	.18	—	.67	.14	—	—	.45	.03	.21	—	—	3
4	.23	.03	—	.05	—	—	—	—	—	.30	—	—	4
5	.02	—	—	—	.08	—	—	.68	—	.14	—	—	5
6	—	.01	—	—	.06	—	—	1.65	.27	.09	—	.01	6
7	.23	—	—	—	—	—	—	.05	—	.08	.27	.09	7
8	.01	—	—	.34	.04	—	—	—	.09	.25	.05	.22	8
9	.41	—	—	.15	.12	—	—	—	.05	.02	.04	—	9
10	.79	—	.09	—	.41	—	—	—	—	.02	—	.83	10
11	.11	—	.03	.07	—	—	.15	.11	—	.08	—	.20	11
12	.18	—	—	.01	.08	—	—	.06	.05	—	—	.19	12
13	.08	.04	.10	.03	.06	—	.10	—	.22	—	—	.15	13
14	.51	—	—	.09	—	—	.02	.11	.02	.01	—	—	14
15	—	—	.63	—	.01	—	.152	—	.06	.22	.18	.47	15
16	—	—	—	—	—	—	.03	Er.	.06	.03	—	.17	16
17	—	—	.02	—	.30	—	.13	—	.51	.09	—	.01	17
18	—	—	.04	.12	.06	—	.05	.01	.59	.08	.21	.17	18
19	—	—	.02	.02	.01	.17	.10	.25	.97	.21	.47	—	19
20	—	—	—	.17	.07	—	.34	.06	.69	.01	.20	—	20
21	—	—	—	.08	—	.02	—	.91	.01	.11	.98	—	21
22	.57	—	.01	—	.02	.05	.03	.13	.05	.28	.12	—	22
23	.03	—	.12	.04	.03	.23	Er.	.29	.06	—	.38	.01	23
24	.72	—	—	.03	.01	—	.27	.04	.31	.05	.40	.11	24
25	.03	—	.02	.24	.13	—	Er.	—	.03	.05	.10	.27	25
26	.96	.05	.01	.05	.08	—	.04	—	.12	.01	.18	.23	26
27	.13	.08	.03	—	—	—	.03	—	.13	.13	—	.05	27
28	.09	—	.13	—	—	—	.29	—	.01	.01	1.36	.57	28
29	.05	X	—	—	.04	—	.18	—	.33	.17	.10	.09	29
30	.02	X	.06	—	.06	.15	.62	—	—	.07	—	.46	30
31	.42	X	.10	X	.29	X	.06	—	X	—	X	.24	31
TOTAL	6.05	.87	1.48	2.40	2.13	.62	2.99	5.19	4.66	2.72	5.90	4.57	39.55
* Days with or in. or more.	23	8	16	18	22	5	18	16	22	25	17	20	210
* Days with .04 in. or more.	17	6	9	14	17	4	13	15	17	18	17	17	164

40-9999

*See Instruction 2 (f) on other side.

(Signed)

J. J. J. J.

[P.T.O.]

REG.

MONKTON COMBE

21...

9 a.m.
Monkton Combe.Rain Gauge 5 in.
above Ground 1 ft. 7 in.
Sea Level 180 ft.

entered to the previous day.

requested to add
at the end of

Jan. 1, following.

IMPORTANT NOTE.—R

If an Observer prefers not to do
the reading at 9 a.m. on 1st Jan
this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges,
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	56		10					15	08			36	1
2	14							12		07			2
3			03					02		12	32		3
4	16				35			15			33		4
5								24			27		5
6	29		14					09					6
7	14				50			07			15		7
8	04				10								8
9				05	13								9
10	33		25					69	15				10
11	21		14		14				159				11
12	26		15		15			11	23			37	12
13	11		40	20					19	20	05	13	13
14			07		26		11		04				14
15			11								08		15
16	10		08	32				09			26		16
17	09		24	17					16				17
18			11							21		05	18
19			15							11		06	19
20			04							06			20
21				03							06		21
22	10		03	05						42		33	22
23							07			24			23
24	11	13										20	24
25		23	05			31	16						25
26	13											33	26
27							08	02				10	27
28			25		27		16				16	09	28
29	15		11		44			07					29
30	55						07				27	10	30
31					25								31
TOTAL	347	36	245	82	259	031	65	182	244	143	195	212	YEAR'S TOTAL 2041
Days with 01 in. or more	17	2	18	6	10	1	6	12	7	8	10	11	108
Days with 04 in. or more	17	2	16	5	10	1	6	10	7	8	10	11	103

REGISTER OF RAINFALL IN 1921.

Kept at CROSSWAYS, MONKTON COMBE
in the County of Somerset BATH.
by Maurice J. Lipscomb.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Monkton Combe.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.56		.10					.15	.08			.36	1
2	.14							.12		.07			2
3			.03					.02		.12	.32		3
4	.16				.35			.15			.33		4
5								.24			.27		5
6	.29		.14					.09					6
7	.14				.50			.07			.15		7
8	.04				.10								8
9				.05	.13								9
10	.33		.25					.69	.15				10
11	.21		.14		.14				1.59				11
12	.26		.15		.15			.11	.23			.87	12
13	.11		.40	.20					.19	.20	.05	.13	13
14			.07		.26		.11		.04				14
15			.11								.08		15
16	.10		.08	.32				.09			.26		16
17	.09		.24	.17					.16				17
18			.11							.21		.05	18
19			.15							.11		.06	19
20			.04							.06			20
21				.03							.06		21
22	.10		.03	.05						.42		.33	22
23							.07			.24			23
24	.11	.13										.20	24
25		.23	.05			.31	.16						25
26	.13											.33	26
27							.08	.02				.10	27
28			.25		.27		.16				.16	.09	28
29	.15		.11		.44			.07					29
30	.55	X					.07				.27	.10	30
31		X		X	.25	X			X		X		31
TOTAL	3.47	.36	2.45	.82	2.59	0.31	.65	1.82	2.44	1.43	1.95	2.12	YEAR'S TOTAL
Days with ".01 in. or more	17	2	18	6	10	1	6	12	7	8	10	11	20.41
Days with ".04 in. or more	17	2	16	5	10	1	6	10	4	8	10	11	10.35

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1.) REGISTER OF RAINFALL IN 1922.

Kept at CROSSWAYS, MONKTON COMBE
in the County of Somerset
by Maurice J. Lipscomb.
BATH.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Monkton Combe.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.09		.07		.61		.02		.28		1
2		.30	.05				.27				.07		2
3		.60	.22	.95	.16		.04	.23					3
4		.34	.43		.10					.23			4
5	.18		.24				1.46			.29	.56		5
6	.20		.18				.37	1.58	.03				6
7	.13		.36	.32			.40	.27			.24		7
8	.11						.25	.66				.22	8
9	.14			.11				.09					9
10											.22		10
11				.04									11
12				.48				.36	.47				12
13	.23			.63		.30	.28		.15				13
14				.04					.14				14
15	.62	.50											15
16		.23		.21	.15			.25	.04			.15	16
17		.11			.37		.11					.24	17
18	.22	.06			.68				.13			.09	18
19		.10	.10						.50			.74	19
20	.19	.20											20
21	.43	.06		.13			.19					.72	21
22		.23				.21	.26	.26				.18	22
23		.16		.05					.07				23
24			.08	.04		.43		.06					24
25		.08		.23		.20			.14			.27	25
26		.35							.08			.03	26
27	.13	.71	.25	.19				.20				.41	27
28	.28	.40	.08	.09		.21		.36				.17	28
29						.07	.10			.67		.55	29
30	.87	~~X~~						.54	.30	.66		.54	30
31		~~X~~	1.00	~~X~~		~~X~~		.03	~~X~~	.47	~~X~~		31
TOTAL	3.73	4.43	3.08	3.51	.93	1.42	4.34	4.89	2.07	1.72	1.37	4.31	YEAR'S TOTAL
Days with ".01 in. or more	13	16	12	14	6	6	12	13	12	5	5	13	35.80
Days with ".04 in. or more	13	16	12	14	6	6	12	12	10	5	5	12	123

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at CROSSWAYS, MONKTON COMBE,
BATH.
in the County of Somerset.
by Maurice J. Lipscomb.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Monkton Combe.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>09</u>	<u>55</u>	<u>20</u>						<u>06</u>	<u>16</u>		<u>65</u>	1
2	<u>23</u>	<u>25</u>	<u>10</u>	<u>10</u>	<u>08</u>					<u>31</u>			2
3			<u>20</u>						<u>15</u>	<u>44</u>	<u>06</u>	<u>11</u>	3
4											<u>34</u>	<u>22</u>	4
5	<u>57</u>				<u>36</u>					<u>05</u>	<u>08</u>		5
6	<u>38</u>	<u>30</u>	<u>13</u>	<u>18</u>						<u>04</u>			6
7	<u>07</u>	<u>96</u>	<u>16</u>	<u>05</u>						<u>24</u>		<u>39</u>	7
8	<u>23</u>									<u>19</u>	<u>11</u>		8
9	<u>28</u>	<u>72</u>											9
10		<u>46</u>		<u>11</u>	<u>10</u>	<u>09</u>				<u>20</u>			10
11		<u>05</u>					<u>11</u>			<u>1.05</u>			11
12		<u>27</u>	<u>28</u>	<u>52</u>	<u>28</u>					<u>43</u>			12
13		<u>20</u>		<u>27</u>	<u>13</u>						<u>1.29</u>		13
14					<u>06</u>			<u>21</u>	<u>68</u>		<u>30</u>		14
15		<u>13</u>	<u>04</u>	<u>21</u>	<u>15</u>	<u>35</u>					<u>31</u>		15
16		<u>19</u>		<u>08</u>							<u>29</u>		16
17		<u>59</u>			<u>08</u>		<u>25</u>	<u>28</u>	<u>37</u>	<u>09</u>	<u>07</u>		17
18	<u>05</u>	<u>18</u>		<u>12</u>				<u>12</u>	<u>03</u>				18
19		<u>03</u>							<u>67</u>	<u>20</u>			19
20		<u>21</u>					<u>07</u>		<u>22</u>	<u>28</u>			20
21		<u>15</u>						<u>34</u>		<u>35</u>			21
22		<u>30</u>			<u>14</u>			<u>09</u>	<u>09</u>	<u>20</u>			22
23		<u>19</u>	<u>30</u>		<u>07</u>		<u>09</u>	<u>66</u>	<u>17</u>	<u>20</u>			23
24		<u>12</u>		<u>15</u>					<u>25</u>	<u>12</u>			24
25		<u>40</u>		<u>28</u>		<u>17</u>	<u>06</u>	<u>09</u>	<u>24</u>	<u>42</u>		<u>98</u>	25
26		<u>18</u>		<u>03</u>		<u>08</u>		<u>08</u>		<u>60</u>		<u>46</u>	26
27		<u>18</u>	<u>18</u>		<u>20</u>		<u>10</u>	<u>27</u>		<u>08</u>		<u>18</u>	27
28		<u>10</u>	<u>07</u>	<u>07</u>	<u>07</u>		<u>13</u>	<u>21</u>		<u>02</u>			28
29	<u>10</u>	<u>X</u>		<u>10</u>	<u>10</u>		<u>06</u>	<u>85</u>		<u>04</u>			29
30		<u>X</u>				<u>04</u>	<u>16</u>	<u>03</u>		<u>19</u>		<u>36</u>	30
31	<u>12</u>	<u>X</u>		<u>X</u>		<u>X</u>	<u>45</u>	<u>04</u>	<u>X</u>		<u>X</u>	<u>30</u>	31
TOTAL	<u>2.12</u>	<u>6.71</u>	<u>1.66</u>	<u>2.27</u>	<u>1.82</u>	<u>.73</u>	<u>1.48</u>	<u>3.27</u>	<u>2.93</u>	<u>5.90</u>	<u>2.85</u>	<u>3.65</u>	YEAR'S TOTAL
Days with 0.1 in. or more	<u>10</u>	<u>23</u>	<u>10</u>	<u>14</u>	<u>13</u>	<u>5</u>	<u>10</u>	<u>13</u>	<u>11</u>	<u>23</u>	<u>9</u>	<u>9</u>	<u>150</u>
Days with 0.4 in. or more	<u>10</u>	<u>22</u>	<u>10</u>	<u>13</u>	<u>13</u>	<u>5</u>	<u>10</u>	<u>12</u>	<u>10</u>	<u>22</u>	<u>9</u>	<u>9</u>	<u>145</u>

REGISTER OF RAINFALL IN 1921.

Kept at CROSSWAYS, MONKTON COMBE.
in the County of Somerset.
by Maurice J. Lipscomb.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Monkton Combe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 180 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						.18		.12			.84	.23	REV 1
2	.11		.29		.27	.07	.26			.07	.03		WA 2
3					.04	.23	.15	.24					C 3
4						.39		.10	.07			.25	ST 4
5			.16				.15			.15		.25	5
6					.10			.14		.44			6
7	.13				.19	.09			.35	1.25			7
8									.11	.09			8
9					.22	.15			.10				9
10	.48	.10		.16	.56	.55				.08			10
11	.35			.46	.61	.32		.04	.03	.08	.40		11
12	.15			.16	.17	.18		.15	.17				12
13	.12			.80					.50			.38	13
14								.13				.13	14
15									.04			.47	15
16								.20	.06				16
17	.35				.07	.09	1.03	.18	.12				17
18	.45				.35			.15		.17	.05		18
19	.20				.12		.03	.05	.10	.07			19
20	.18				.35		.32	.15	.36	.47			20
21	.75				.31	.38		.24	.02	.44			21
22	.54		.59					.44	.33			.24	22
23			.31		.47			.24	.10			.35	23
24	.44		.08	.15	.22				.16			.31	24
25			.07	.13			.30	.07	.41	.10	.27	.06	25
26				.24			.03	.05	.25	.20	.73	.86	26
27				.65			.83			.75	.03	.44	27
28							.67	.16		.13	.27	.11	28
29		.13		.44	.38		.10	.16		.75	.20	.39	29
30		X		.31	.20			.07	.37	.31	.24	.24	30
31		X		X	.63	X		.05	X	.06	X	.48	31
TOTAL	4.25	.23	1.50	3.50	5.26	2.63	3.87	3.13	3.65	5.61	3.06	5.20	106.4 m YEAR'S TOTAL 41.89
Days with 01 in. or more	13	2	6	10	18	11	11	21	19	18	10	16	149
Days with 04 in. or more	13	2	6	10	18	11	9	21	17	18	8	16	

Not used daily

VJ - 603

FOR OFFICIAL USE.

1805

AIR MINISTRY.
FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1925.

County No. _____
River Dist. _____
Station No. _____

Kept at CROSSWAYS, MONKTON COMBE
in the County of Somerset.
by Maurice J. Liphcomb.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Monkton Combe.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 180 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	1.02		.16			.02		.02			.38		1
2	.41	.16					.64		.03		.46		2
3	.17	.17			.39		.02						3
4	.17			.13	.06						.28		4
5	.06	.31		.88	.10			.24	.44				5
6		.05			.20		.44	.04			.48		6
7		.16	.03		.68						.32	.19	7
8	.25				.11			.53	.11			.20	8
9		.09			.11		.07		.31			.11	9
10		.09			.05			.20					10
11		.46											11
12		.50						.34					12
13		.17	.16	.14									13
14	.31	.37		.34									14
15				.07					.06				15
16	.03	.02								.35			16
17							.09		.05				17
18				.30	.93			.03					18
19				.03					1.56	1.06		.86	19
20							.21		.46	.36		.03	20
21		.06					.48	.18	.11	.30		.34	21
22		.24		.14			.28		.63	.60		.40	22
23	.10		.11	.09	.12		.08	.10	.10	.32		.20	23
24	.22	.35		.03	.08			.12	.03	.07	.09	*	24
25	.25	.78		.10	.23		.07		.16	.05		.49	25
26	.12	.37		.08	.47		.74	.41		.30		.17	26
27		.67		.04	.17		.58					.19	27
28	.15	.06		.03	.06				.04			.59	28
29	.20				.54		.17				.11	.62	29
30		X		.16			.32			.16	.24	.17	30
31	.12	X	.15	X		X			X	.06	X	.07	31 946
TOTAL	3.58	5.08	.61	2.56	4.30	.02	4.19	2.21	4.09	3.63	2.36	4.63	37.26
Days with ".01 in. or more.	15	19	5	15	16	1	14	11	14	11	8	15	144
Days with ".01 in. or more	14	16	4	12	16	0	13	9	12	11	8	15	132

Maurice J. Liphcomb. ✓

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1815

Register of Rainfall in 1926.

Kept at Crossways, Monkton Combe, Bath.
in the County of Somerset.

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" Ground " Sea Level 210 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.24	.12			.05	.44					.69		1
2	.19					.14			.17		.05		2
3	.17	.08	.33	.12									3
4	.27	.12		.44							.57		4
5	.10	.15	.08		.34		.86		.35	.05	.15	.31	5
6	.12	.05			.07		.36	.08	.09		.39		6
7		.13		.31	.30	.12			.18		.26	.08	7
8			.16	.15		.08	.06	.15		.43	1.21		8
9						.43		.31					9
10					.28	.30		.35			.87		10
11					.38	.73			.10	.16			11
12					.25	.11				.35	.18		12
13					.05			.40	.12	.35	.45		13
14		.34		.53	.81					.54	.14		14
15		.06								.31	.21		15
16		.30		.68				.08			.16		16
17		.63				.49					.42		17
18	.63	.06		.08			.37	.12			.24		18
19											.39		19
20		.04		.32		.05		.31			.18		20
21				.22			.30			.25	.05		21
22	.28										.13		22
23	.10												23
24	.12						.27	.07	.09	.36			24
25	.13			.40						.20	.17	.17	25
26					.23		.12		.12		.32		26
27	.17	.10	.73	.17	.08				.10	.51			27
28	.20			.05			.29			.50	.30		28
29	.12			.07	.11		.08				.12		29
30		X		.19	.34						.12		30
31	.22	X		X		X			X		X		31
TOTAL	4.06	2.18	1.30	3.73	3.29	2.89	2.71	1.87	1.32	4.01	7.77	.56	YEAR'S TOTAL 35.69
Days with ".1 in. or more.	15	13	4	13	13	10	9	9	9	12	24	3	134
Days with ".04 in. or more.	15	13	4	13	13	10	9	9	9	12	24	3	134

(Signed) MAURICE J. LIPSCOMB

A**REGISTER OF RAINFALL IN 1927.**

1782

Kept at CROSSWAYS, MONKTON COMBE
in the County of Somerset BATHDiameter of Funnel of Gauge.....6 in.
Height of top of Gauge above Ground.....1 ft..... in.
" Ground " Sea Level 2-10 ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.50	.15				.54	.10		.23	.35		1
2			.07	.15						.11			2
3	.09		.08			.08	.18						3
4			.11	.09	.35		.10						4
5	.13	.13	.24	.59		.05					.51		5
6			.22	.44				.14	.58		.04		6
7		.16	.03	.11		.27	.27	.04					7
8	.04		.03	.09			.04	.31	.10			.17	8
9			.02	.03	.16			.12	.67				9
10			.21					.10	.05				10
11			.03	.14			.30	.13					11
12			.02				.04	.45					12
13	.28			.05			.39	.16	.29	.07		.32	13
14	.08						.06	.31	1.33				14
15					.26			.28	1.05				15
16					.15	.54			.27			.07	16
17	.35		.11			.25		.75	.16				17
18						.59			.06	.08	.68		18
19		.43				.17	.11	.29		.07	.84		19
20	.25	.17				.05	.30	.33			.22		20
21		.18				.05	.11	.25	.41	.55	.06	.90	21
22	.21	.25	.71	.20		.24		.45	.09	.59		.63	22
23		.44	.10			.40		.04	.61		.25	.13	23
24	.17	.07	.69				.04	.14	.10			.37	24
25	.07	.44	.16			.22		.07		.26		.25	25
26		.70				.10	.26		.13			.22	26
27	.25	.12			.11	.10				.53			27
28	1.90	.28	.18			.08	.32				.25		28
29	.05	X	.13			.41			.50		.10		29
30		X	.06			.31	.10			.18			30
31	.29	X	.25	X		X	.13		X		X		31
TOTAL	4.16	4.87	3.60	1.89	1.03	3.91	3.29	4.46	6.40	2.67	3.30	3.06	YEARS TOTAL
Days with ".01 in. or more.	14	13	21	10	5	17	17	19	16	10	10	9	179.14
Days with ".04 in. or more.	14	13	16	9	5	17	17	19	16	10	10	9	155

Please read the Notes and Instructions Overleaf.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at CROSSWAYS, MONKTON COMBE, BATH

in the County of Somerset.

Diameter of Funnel of Gauge.....6 in.

Height of top of Gauge above Ground.....1 ft. in.

“ Ground “ Sea Level.....2 10 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>1.05</u>												1
2		.33	.26	.15			.04	.04			.24		2
3	.04			.28			.17	.07			.16		3
4		.27								.29	.06		4
5	.17	.10	.10		<u>1.12</u>	.14	.12		.05	.16			5
6			.03			.59							6
7	.14		.04					.08		.06			7
8		.12				.58	.06		.12	.32			8
9	.10			.28		.15			.20	.28			9
10	.20	.44				.04		.03		.15	.15		10
11				.07						.22	.05	.59	11
12	.60	<u>.49</u>	.08					.36				.63	12
13		.04			.06	<u>.62</u>							13
14	.20	.43		<u>.43⁽⁵⁾</u>		.07		.08		.45	.37		14
15	.10	.18				.15				.04	.33		15
16		.20								.06	.29	.34	16
17	.07				.20								17
18	.33									.24	.08		18
19						.50		.10		.65			19
20	.28		.55	.10	.54			.28			.33		20
21	.60		.35		.08	.06		.08			.87		21
22			.28							.42	.45		22
23	.35		.13		.32					.23	.35		23
24	.07								.29		.05	.28	24
25	.20							.35		.13		<u>1.05</u>	25
26	.13					.14	.19			<u>.92</u>			26
27			.14	.18			.85	.82	.11	.18		1.00	27
28	.54						.04	.48	<u>.84</u>			.19	28
29	.12	.27	<u>.72</u>			.10		.47		.16			29
30		X	.20				.50					.35	30
31	.33	X	.32	X		X	.68		X		X		31
TOTAL	5.62	2.87	3.20	1.49	2.32	3.14	2.65	3.24	1.61	4.96	3.78	3.83	YEARS TOTAL
Days with ".01 in. or more.	20	11	13	7	6	12	9	13	6	18	14	8	137
Days with ".04 in. or more.	20	11	12	7	6	12	9	12	6	18	14	7	134

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at CROSSWAYS, MONKTON COMBE

in the County of Somerset BATH

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. - in.

" Ground " Sea Level 210 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.19			.12	.12			.12	.54			1
2		.19				.05	.11			.10		.50	2
3						.09	.23	.99				.20	3
4				.11	.41		.05	.16		.27		.64	4
5					.45	.36	.44	.25		1.80	.67	.26	5
6					.21	.05		.08		.25	.06	.74	6
7					.02					.50	.35	.65	7
8										.28		.60	8
9		.20								.03	.18	.63	9
10				.07						.03	.14	.29	10
11					.17						1.10	.17	11
12				.19		.10						.03	12
13				.07	.10	.14						.03	13
14					.20	.11						.23	14
15						.12					.67		15
16													16
17								.25		.18			17
18								.05		.04	.70		18
19		.28									.44		19
20								.09		.48		.47	20
21			.32				.09	.07					21
22								.11			.76		22
23					.03						.33	.45	23
24										.90	1.20	.64	24
25			.05								.08	.05	25
26											.25	.27	26
27				.18	.11					.09	.95	.22	27
28	.68			.13			.47	.10		.12	.45	.58	28
29	.17			.10					.26	.05	.35	.18	29
30		X				.14	.05		.25		.06	.04	30
31	.65	X		X		X	.56	.32	X		X	.03	31
TOTAL	1.50	.86	.37	.85	1.82	1.28	2.00	2.47	.63	5.66	8.74	7.90	YEAR'S TOTAL 34.08
Days with 0.1 in. or more.	3	4	2	7	10	10	8	11	3	16	18	23	115
Days with 0.4 in. or more.	3	4	2	7	8	10	8	11	3	14	18	20	102

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at CROSSWAYS, MONKTON COMBE
in the County of Somerset. BATH.

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft 4 in.
,, Ground ,, Sea Level 210 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.15	.25		.05				.26			.37		I
2		.07	.04					.61			.53		2
3	.15	.23		.51				.38		.25			3
4	.40		.06		.15					.29			4
5					.15			.50		.34			5
6			.12		.12			.74	.15	.07			6
7	.29							.03		.18	.14	.34	7
8				.23					.07	.31		.16	8
9	.29		.30	.09	.14				.02				9
10	.88				.19			.17				.74	10
11	.10		.06	.08			.12			.09		.21	11
12	.17				.05							.14	12
13	.05			.14	.19		.09	.17	.47			.06	13
14	.46	.08	.63	.10									14
15			.50				.43			.18	.27	.44	15
16							.12		.18				16
17				.10				.05	.47			.16	17
18				.07	.14	.08		.18	.35	.13	.12	.24	18
19			.08	.15				.17	.80	.26	.43		19
20				.07			.48	.69	.54		.11		20
21					.05			.08		.05	.25		21
22	.40					.09	.09	.29	.13	.36	.19		22
23	.11		.18	.07		.19	.34	.04			.35		23
24	.48			.20		.04			.31	.07	.44	.17	24
25	.05	.13			.20				.03	.07	.12	.16	25
26	.73				.11		.03				.13	.22	26
27			.03				.08		.18	.20			27
28	.10		.18				.14		.06		.87	.29	28
29							.40		.32	.23	.19		29
30		X			.04	.06	.27					.40	30
31	.29	X	.10	X	.30	X			X	.19	X	.31	31
TOTAL	5.10	.76	2.28	1.86	1.83	.46	2.59	4.36	4.08	3.28	5.01	4.04	35.65
*Days with or in. or more.	17	5	12	13	13	5	12	15	15	17	15	15	154
*Days with .04 in. or more.	17	5	11	13	13	5	11	14	14	17	15	15	150

40-9999

*See Instruction 2 (f) on other side.

(Signed) Maurice J. Lipscomb

P.T.O.

1981
MONKTON COMBE
MONKSWOLD

1771
5 FEB 1925
Combe
5 in.
1 ft. 6 in.
level 450 ft.

Kept at Monkton Combe
in the County of Somerset
by Mr. H. G. Fox

Rain should be measured daily.
An Observer who prefers not to continue on January 1st of the following year.
Full instructions for the method of observation are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.
Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04			.15	.06	.10	.01		.82	.23	1
2	.10		.31		.30	.09	.20			.06	.02	.03	2
3	.09		.03		.05	.22	.14	.26		.03			3
4			.03			.36	.03	.10	.05			.20	4
5			.07					.04	.03	.10		.29	5
6					.15		.12	.12	.05	.44			6
7	.02				.13	.09			.33	1.24			7
8	.10	.03							.10	.17			8
9	.15	.04			.62	.11			.07				9
10	.17	.03				.50			.03	.10	.07		10
11	.23			.54	.56	.32				.08	.33		11
12	.18			.20	.15	.18		.22	.10				12
13	.12								.50		.02	.40	13
14				.56				.11	.02			.09	14
15		.03							.03			.39	15
16	.11							.15	.05				16
17	.15				.08	.09	.89	.20	.13				17
18	.50				.30			.13		.15	.03	.04	18
19	.16				.13			.05	.09	.06			19
20	.13		.07		.52		.35	.10	.34	.37			20
21	.69		.02		.23	.31	.03	.24	.30	.48			21
22	.49		.41					.41					22
23			.27		.42		.03	.12	.09			.35	23
24	.44		.12	.11	.24				.16			.26	24
25			.07	.09			.27	.07	.37	.10	.26	.05	25
26				.21			.03	.04	.28	.21	.71	.58	26
27				.56			.75	.01		.71	.04	.46	27
28		.14					.59	.14		.14	.23	.13	28
29				.46	.34		.15	.16	.03	.70	.15	.28	29
30		X		.31	.20			.07	.34	.34	.21	.29	30
31	.03	X		X	.75	X	.01	.05	X	.05	X	.47	31
TOTAL	3.86	.27	1.44	3.04	5.17	2.42	3.65	2.89	3.50	5.54	2.89	4.54	34.21
Days with .01 in. or more	18	5	11	9	17	11	15	22	23	19	12	17	179
Days with .04 in. or more	16	2	8	9	17	11	10	21	17	18	9	16	154

REGISTER OF RAINFALL IN 1924

Kept at Monkton Combe, (Monkswood)
in the County of Somerset
by Mr. W. G. Lock

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Monkton Combe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 450 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.04			.15	.06	.10	.01		.82	.23	1
2	.10		.31		.30	.09	.20			.06	.02	.03	2
3	.09		.03		.05	.22	.14	.26		.03			3
4			.03			.36	.03	.10	.05			.20	4
5			.07					.04	.03	.10		.29	5
6					.15		.12	.12	.05	.44			6
7	.02				.13	.09			.33	1.24			7
8	.10	.03							.10	.17			8
9	.15	.04			.62	.11			.07				9
10	.17	.03				.50			.03	.10	.07		10
11	.23			.54	.56	.32				.08	.33		11
12	.18			.20	.15	.18		.22	.10				12
13	.12								.50		.02	.40	13
14				.56				.11	.02			.09	14
15		.03							.03			.39	15
16	.11							.15	.05				16
17	.15				.08	.09	.89	.20	.13				17
18	.50				.30			.13		.15	.03	.04	18
19	.16				.13			.05	.09	.06			19
20	.13		.07		.52		.35	.10	.34	.37			20
21	.69		.02		.13	.31	.03	.24	.30	.48			21
22	.49		.41					.41					22
23			.27		.42		.03	.12	.09			.35	23
24	.44		.12	.11	.24				.16			.26	24
25			.07	.09			.27	.07	.37	.10	.26	.05	25
26				.21			.03	.04	.28	.22	.71	.58	26
27				.56			.75	.01		.71	.04	.46	27
28		.14					.59	.14		.14	.23	.13	28
29				.46	.34		.15	.16	.03	.70	.15	.28	29
30		X		.31	.20			.07	.34	.34	.21	.29	30
31	.03	X		X	.75	X	.01	.05	X	.05	X	.47	31
TOTAL	3.86	.27	1.44	3.04	5.17	2.42	3.65	2.89	3.50	5.54	2.89	4.54	34.21
Days with 0.1 in. or more	18	5	11	9	17	11	15	22	23	19	12	17	179
Days with 0.4 in. or more	16	2	8	9	17	11	10	21	17	18	9	16	154

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1810

Register of Rainfall in 1925.

Kept at Monkswood, Monkton Combe
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" Ground " Sea Level 450 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	95	-	15	-	-	01	-	03	03	-	30	-	1
2	45	15	-	04	-	-	72	-	-	-	42	03	2
3	19	16	-	-	31	-	02	-	-	-	02	-	3
4	19	-	-	07	05	-	-	07	03	-	23	-	4
5	06	31	-	70	07	-	-	21	40	-	-	-	5
6	-	07	-	05	19	-	43	05	-	-	41	-	6
7	-	15	03	-	63	-	-	-	-	-	34	14	7
8	22	02	04	-	03	-	03	48	05	-	-	20	8
9	-	08	04	04	08	-	05	-	30	-	-	11	9
10	-	08	-	-	09	-	-	21	-	-	-	-	10
11	-	36	-	-	02	-	-	03	-	-	-	-	11
12	-	41	-	-	-	-	-	33	-	-	-	-	12
13	-	15	14	07	-	-	-	-	-	-	-	-	13
14	29	27	-	34	-	-	-	-	-	-	05	-	14
15	04	-	-	08	-	-	-	-	-	32	-	-	15
16	-	03	-	-	-	-	-	-	-	05	-	-	16
17	-	-	-	02	02	-	09	-	09	-	-	-	17
18	-	04	-	33	88	-	03	03	-	-	-	-	18
19	-	-	-	04	-	-	-	-	170	90	-	71	19
20	-	-	09	-	-	-	12	05	33	-	-	-	20
21	-	03	-	-	-	-	43	16	11	25	-	-	21
22	05	20	-	15	-	-	26	-	65	45	-	78	22
23	08	01	-	09	15	-	08	-	04	27	-	05	23
24	21	20	04	03	02	-	-	21	02	11	03	22	24
25	22	71	-	04	47	-	10	-	16	04	-	16	25
26	10	22	04	05	33	-	56	39	-	25	-	17	26
27	05	60	-	08	20	-	59	02	-	04	-	19	27
28	08	07	-	-	04	-	-	-	04	02	06	55	28
29	27	X	-	-	44	-	17	-	-	-	-	47	29
30	03	X	-	25	-	-	30	-	-	12	28	23	30
31	14	X	11	X	02	X	04	-	X	04	X	08	31
TOTAL	3.62	4.32	.68	2.47	4.04	01	4.02	2.27	3.62	3.19	2.14	4.09	YEARS TOTAL
Days with "01 in. or more.	18	22	9	18	19	1	17	14	14	14	10	16	172
Days with "04 in. or more.	17	18	8	16	14	-	14	10	11	13	8	15	144

2 days

(Signed)

W. J. Lock

[P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Monkleigh Conde, Bath
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1-08	09	02	-	07	38	-	-	05	-	60	-	1
2	10	02	-	-	-	18	-	-	15	-	05	02	2
3	21	08	30	10	-	-	-	-	-	-	-	04	3
4	28	08	10	49	-	-	07	-	-	-	46	04	4
5	10	18	08	-	33	-	76	-	36	04	13	24	5
6	15	04	02	08	05	-	37	07	10	-	45	02	6
7	02	14	13	19	35	15	-	-	18	-	22	08	7
8	-	02	06	16	-	03	06	15	-	40	1-17	-	8
9	-	-	-	-	-	34	-	26	-	02	-	-	9
10	-	-	-	-	27	35	02	32	-	03	74	-	10
11	-	-	-	-	37	68	-	02	09	15	-	-	11
12	-	-	-	-	27	11	-	-	-	58	11	03	12
13	-	-	-	-	06	03	-	40	13	35	44	02	13
14	07	26	-	40	1-01	03	-	02	02	52	18	04	14
15	11	12	-	14	02	-	-	-	03	32	21	-	15
16	12	32	-	52	-	-	-	04	02	-	13	-	16
17	12	61	-	02	-	40	23	02	-	-	38	05	17
18	21	07	-	09	-	-	14	10	-	-	24	01	18
19	-	05	-	-	-	01	12	-	-	-	27	-	19
20	03	-	-	28	-	05	-	18	-	-	24	-	20
21	-	-	-	17	-	-	12	05	-	25	05	01	21
22	23	-	-	03	-	-	-	-	-	07	09	-	22
23	09	03	-	-	-	-	-	04	-	-	-	-	23
24	08	-	-	-	-	-	22	02	04	30	-	-	24
25	19	-	-	35	-	-	-	-	02	19	16	08	25
26	-	02	-	04	20	-	15	-	14	-	33	-	26
27	13	10	64	13	07	-	02	-	12	26	-	-	27
28	17	-	-	05	02	-	32	-	-	70	29	-	28
29	15	X	-	08	09	-	08	-	-	-	13	-	29
30	14	X	-	21	30	-	-	02	-	-	12	-	30
31	16	X	-	X	-	X	-	02	X	-	X	-	31
TOTAL	3.94	2.23	1.35	3.53	3.48	27.4	26.8	1.73	1.45	4.18	7.19	6.8	35.18
Days with 01 in. or more.	22	17	8	19	15	13	14	16	14	15	24	13	190
Days with 04 in. or more.	20	13	6	17	13	9	12	10	10	13	24	7	154

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

1787
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Monkswood, Wootton Bassett
in the County of Somerset

Diameter of Funnel of Gauge..... 5 in.

Height of top of Gauge above Ground..... ft. in.

Ground Sea Level..... 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03	1.19	15	-	-	-	65	12	-	21	32	-	1
2	-	-	07	13	03	-	-	-	-	12	02	-	2
3	07	03	06	02	03	07	12	-	-	-	03	03	3
4	03	-	12	09	26	-	10	-	-	-	03	-	4
5	11	11	24	59	-	05	03	-	-	-	46	02	5
6	03	-	25	40	-	-	03	13	62	-	05	-	6
7	02	16	03	13	-	27	20	04	-	-	-	-	7
8	02	-	03	09	-	-	05	23	12	-	-	-	8
9	-	-	03	02	15	-	05	23	62	-	-	10	9
10	02	-	12	05	-	-	-	11	07	-	-	-	10
11	02	-	02	11	-	-	23	12	-	-	-	-	11
12	09	-	03	02	-	-	05	45	-	-	-	-	12
13	19	-	-	08	-	02	38	16	28	04	07	27	13
14	11	-	-	18	04	-	07	28	1.24	02	-	08	14
15	02	-	-	-	22	-	-	28	1.08	-	04	-	15
16	02	-	-	-	17	45	-	05	25	-	03	-	16
17	30	-	12	-	-	18	-	59	14	-	02	-	17
18	-	-	02	-	-	55	-	-	07	-	48	-	18
19	-	39	02	-	-	19	08	32	03	09	80	-	19
20	23	19	-	-	03	06	35	21	02	08	22	27	20
21	04	11	-	-	-	07	15	30	36	45	08	47	21
22	19	22	42	09	-	24	-	47	15	65	01	56	22
23	03	34	20	-	-	32	-	04	58	-	22	14	23
24	04	10	58	05	-	09	05	14	09	07	-	26	24
25	11	31	16	03	-	26	-	07	-	19	03	47	25
26	16	71	04	-	-	16	21	-	14	02	02	03	26
27	06	11	03	-	10	09	30	-	-	50	-	-	27
28	1.60	20	12	-	-	09	-	-	11	02	24	-	28
29	05	X	27	-	-	34	02	-	35	03	07	-	29
30	02	X	10	-	02	24	10	-	02	17	06	02	30
31	28	X	20	X	-	X	11	-	X	-	X	16	31
TOTAL	3.87	4.17	3.43	2.08	1.05	3.74	3.33	4.34	6.34	2.66	3.30	2.88	YEARS TOTAL
Days with "01 in. or more.	26	14	25	16	10	19	21	20	20	15	21	14	221
Days with "04 in. or more.	16	13	17	12	6	18	18	20	17	11	13	10	171

W. E. Lock

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Monkswood - Monkton Combe
in the County of SomersetDiameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
„ Ground „ Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	52	-	01	02	-	-	-	02	-	-	-	-	1
2	16	32	21	05	-	-	05	03	-	-	23	01	2
3	03	02	-	35	01	-	19	11	-	-	20	-	3
4	05	20	-	03	-	04	-	-	-	-	09	02	4
5	13	16	10	05	70	04	14	-	07	25	01	-	5
6	02	-	03	-	03	53	-	-	02	20	-	10	6
7	15	08	05	04	-	03	-	09	-	01	-	01	7
8	-	13	-	04	-	56	08	-	10	07	-	-	8
9	10	02	-	11	-	12	-	02	19	41	-	03	9
10	21	47	-	03	-	05	-	04	02	33	15	06	10
11	-	-	08	07	-	01	-	02	-	25	05	36	11
12	53	47	-	-	-	-	-	42	-	23	05	05	12
13	-	05	-	02	09	68	-	02	-	03	-	-	13
14	19	46	-	38	-	07	-	08	-	-	33	-	14
15	10	25	02	04	-	12	-	-	-	41	23	02	15
16	-	23	05	-	05	01	-	-	-	04	34	30	16
17	03	02	02	-	21	-	-	-	-	07	-	-	17
18	35	-	-	-	03	04	-	-	-	03	09	04	18
19	02	-	05	-	01	43	-	10	-	23	08	05	19
20	18	-	42	10	38	03	-	28	-	50	15	-	20
21	59	-	30	-	07	04	-	12	03	-	79	02	21
22	-	-	24	-	01	-	-	05	-	39	42	08	22
23	21	-	12	02	29	-	-	-	-	19	41	01	23
24	16	-	10	-	-	-	-	01	19	08	08	16	24
25	22	-	02	-	-	02	-	03	-	05	04	1.03	25
26	13	-	08	-	03	12	21	24	-	82	04	05	26
27	02	-	04	18	-	-	79	94	10	22	-	84	27
28	44	-	16	-	05	02	06	33	80	02	02	19	28
29	11	21	59	-	-	12	02	45	02	18	03	15	29
30	-	X	15	-	-	03	45	01	-	02	-	19	30
31	34	X	30	X	-	X	62	-	X	01	X	01	31
TOTAL	4.99	3.09	3.14	1.53	1.96	3.11	2.61	3.41	1.54	5.04	3.83	3.78	YEAR'S TOTAL 38.03
Days with "01 in. or more.	25	15	22	16	14	21	10	21	10	25	21	23	223
Days with "04 in. or more.	20	12	17	11	8	14	9	13	6	19	18	15	162

Section **A** for the entry of Daily Observations.

1912
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Monkswood, Monkton Combe
in the County of Somerset

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....1 ft.....in.
" Ground " Sea Level.....450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	(20)	-	-	10	12	-	01	10	50	-	05	1
2	-	18	-	-	-	06	10	-	-	08	01	30	2
3	-	-	-	-	05	12	16	(89)	-	09	-	15	3
4	02	-	-	10	33	-	05	14	-	26	-	30	4
5	-	-	-	-	(44)	(35)	43	22	-	(1.57)	55	31	5
6	04	-	-	-	33	05	01	10	-	25	10	65	6
7	03	-	-	-	02	-	02	01	-	45	34	50	7
8	-	-	-	-	02	01	-	01	-	28	01	57	8
9	19	19	-	-	-	-	-	-	-	03	16	(73)	9
10	07	-	-	06	02	-	-	01	-	03	14	29	10
11	-	10	-	03	12	-	-	02	-	01	(91)	20	11
12	-	-	-	13	02	14	-	-	-	-	02	03	12
13	04	-	-	08	06	08	-	03	-	-	-	06	13
14	-	-	-	-	21	10	-	-	-	-	-	21	14
15	08	13	-	-	03	11	-	-	-	-	55	02	15
16	-	-	-	-	-	-	-	05	-	01	01	-	16
17	05	-	-	-	-	-	-	20	-	18	-	-	17
18	02	-	-	-	-	-	-	08	01	04	55	-	18
19	-	-	-	-	-	-	-	01	08	01	36	03	19
20	-	-	-	-	-	-	-	09	-	41	01	32	20
21	04	-	(17)	-	-	-	02	07	-	01	-	01	21
22	01	03	-	-	-	02	11	11	-	-	52	-	22
23	-	04	-	01	04	-	-	-	-	02	45	43	23
24	-	-	03	-	-	-	-	01	-	82	85	45	24
25	-	09	03	02	-	-	-	-	-	01	05	06	25
26	-	03	-	03	07	-	-	01	-	-	25	27	26
27	-	-	-	10	04	-	-	16	-	06	72	18	27
28	14	-	-	(16)	-	-	44	01	-	16	48	44	28
29	20	X	-	15	-	-	-	-	18	05	26	19	29
30	02	X	-	-	-	13	06	-	(21)	-	08	04	30
31	(45)	X	-	X	-	X	(61)	37	X	-	X	02	31
TOTAL	1.40	.99	.23	.87	1.90	1.29	2.01	2.61	.58	5.33	7.38	6.81	YEARS TOTAL 31.40
Days with "01 in. or more.	15	9	3	11	16	12	11	22	5	23	23	27	177
Days with "04 in. or more.	10	7	1	7	11	10	8	12	4	15	18	22	125

Please read the Notes and Instructions Overleaf.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Monkton Combe, Bath
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level 450 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	18	24	-	06	-	03	-	15	-	-	29	-	I
2	-	15	04	06	04	-	01	54	-	-	65	01	2
3	15	21	-	36	15	-	-	36	-	23	-	-	3
4	29	04	07	04	03	-	-	01	01	31	-	-	4
5	-	-	-	01	14	-	-	86	-	34	-	-	5
6	02	-	10	-	12	-	-	65	17	08	-	03	6
7	25	03	-	-	-	-	-	03	02	19	15	32	7
8	-	-	-	16	-	-	-	02	07	35	01	14	8
9	26	-	26	11	16	-	-	-	05	03	04	-	9
10	76	-	04	-	20	-	-	16	-	03	-	49	10
II	10	-	04	08	08	-	12	06	-	07	-	24	II
12	18	-	02	02	16	-	-	01	-	02	-	13	12
13	04	-	10	16	06	-	10	09	34	-	-	08	13
14	45	06	47	14	02	-	04	-	07	-	-	-	14
15	02	04	40	05	02	-	34	-	01	17	28	36	15
16	-	-	02	-	-	-	13	-	17	03	-	11	16
17	01	-	-	06	05	-	02	06	41	08	-	01	17
18	-	-	01	05	10	08	02	16	16	07	10	24	18
19	-	-	06	15	01	-	02	15	78	23	36	02	19
20	-	-	-	08	01	-	36	61	60	04	14	-	20
21	-	-	03	01	-	-	09	07	02	04	54	-	21
22	32	-	-	03	05	08	03	27	13	36	32	-	22
23	09	-	14	04	03	15	33	06	09	01	25	01	23
24	42	-	-	22	02	05	-	-	21	08	41	11	24
25	06	09	03	03	14	-	01	-	03	05	13	15	25
26	74	03	-	-	08	-	03	-	10	01	13	20	26
27	06	-	02	-	-	-	12	-	12	18	01	03	27
28	07	-	17	-	-	-	13	-	-	02	85	25	28
29	05	X	-	-	-	-	41	-	33	23	22	06	29
30	01	X	03	-	09	10	27	-	-	02	01	34	30
31	15	X	05	X	24	X	-	-	X	19	X	25	31
TOTAL	4.68	.89	2.10	1.92	2.00	.49	2.58	4.02	3.89	3.46	4.89	3.58	34.50
*Days with or in. or more.	23	9	20	21	23	6	19	19	21	27	19	22	229
*Days with .04 in. or more.	19	9	13	16	16	5	12	15	16	19	16	16	170

Kept at Pumping
in the County of

1975.
MIDFORD P. S.

Diameter of Funnel of Gauge.
Height of top of Gauge above G
,, Ground ,, S

1929-30

THE MORNING ME

Y.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I										.51	—	.70	I
2										.05	TR.	.38	2
3										.07	—	.19	3
4										.13	—	.53	4
5										1.76	.59	.28	5
6										.21	.70	.72	6
7										.49	.35	.58	7
8										.25	—	.49	8
9										TR.	.15	.76	9
10										.01	.14	.28	10
11										—	.68	.15	11
12										—	TR.	.01	12
13										—	—	.04	13
14										—	—	.18	14
15										—	.66	.02	15
16										—	TR	—	16
17										.18	—	—	17
18										.03	.59	—	18
19										—	.38	—	19
20										.03	TR	.47	20
21										.04	TR.	—	21
22										—	.58	TR	22
23										—	.47	.43	23
24										—	1.09	.58	24
25										TR.	.04	.06	25
26										—	.26	.24	26
27										.50	.82	.16	27
28										.11	.53	.48	28
29										.30	.28	.16	29
30		X								—	.70	.03	30
31		X		X		X			X	—	X	.02	31
TOTAL										5.03	9.01	7.94	TOTAL
Days with ".01 in. or more.										16	18	25	59
Days with ".04 in. or more.										13	18	21	52.

REGISTER OF RAINFALL IN 1929.

Kept at Pumping Station Midford
in the County of Somerset

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....0.....in.
Ground Sea Level 124.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I										.51	—	.70	I
2										.05	TR.	.38	2
3										.07	—	.19	3
4										.13	—	.53	4
5										1.76	.59	.28	5
6										.21	.70	.72	6
7										.49	.35	.58	7
8										.25	—	.49	8
9										TR.	.15	.76	9
10										.01	.14	.28	10
11										—	.68	.15	11
12										—	TR.	.01	12
13										—	—	.04	13
14										—	—	.18	14
15										—	.66	.02	15
16										—	TR	—	16
17										.18	—	—	17
18										.03	.59	—	18
19										—	.38	—	19
20										.03	TR	.47	20
21										.04	TR.	—	21
22										—	.58	TR	22
23										—	.47	.43	23
24										—	1.09	.58	24
25										TR.	.04	.06	25
26										—	.26	.24	26
27										.50	.82	.16	27
28										.11	.53	.48	28
29										.30	.28	.16	29
30		X								—	.70	.03	30
31		X		X		X			X	—	X	.02	31
TOTAL										5.03	9.01	7.94	TOTAL
Days with ".01 in. or more.										16	18	25	59
Days with ".04 in. or more.										13	18	21	52.

REGISTER OF RAINFALL IN 1930.

Kept at Pumping Station Midford
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1' ft 0" in.
,, Ground ,, Sea Level 134.5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.16	.24	—	.05	—	.03	—	.12	—	—	.33	—	I
2	—	.19	.03	.06	.03	—	—	.56 ⁵⁶ ~~12~~	—	—	.47	—	2
3	.14	.22	—	.43	.13	—	—	.34 ³⁴ ~~56~~	—	.22	—	—	3
4	.33	.02	.06	.04	.01	~~13~~	—	~~34~~ ^{TR}	TR	.29	—	—	4
5	—	—	—	—	.13	—	—	.58 ⁵⁸ ~~FR~~	FR	.24	—	—	5
6	.01	—	.11	—	.11	—	—	.56 ⁵⁶ ~~58~~	.75 ¹⁵	.07	—	TR	6
7	.23	—	—	—	—	—	—	.01 ⁰¹ ~~56~~	~~75~~	.16	.12	.31	7
8	—	—	—	.12	—	—	—	~~01~~ ⁰¹ ~~56~~	.07	.28	TR	.13	8
9	.24	—	.27	.10	.11	—	—	.01 ⁰¹ ~~51~~	.02 ⁰²	.01	.03	—	9
10	.82	—	.04	—	.17	—	—	.02 ⁰²	—	—	—	.71	10
II	.09	—	.03	.08	.04	—	.11	.02 ⁰²	—	.06	—	.22	II
12	.17	—	TR	—	.03	—	—	—	—	.01	—	.10	12
13	.02	—	.07	.16	—	—	.08	.10 ¹⁰	.12 ¹²	—	—	.07	13
14	.44	.05	.53	.14	.02	—	.01	—	.06 ⁰⁶	~~06~~	—	—	14
15	—	—	.35	.04	—	—	.37	—	TR	.15	.24	.46	15
16	—	—	TR	—	.02	—	.09	—	.14	.02	—	.16	16
17	—	.03	—	.04	.08	—	.01	.04	.44	.07	—	—	17
18	—	—	—	.04	—	—	—	.17	.20	.05	.11	.23	18
19	—	—	.05	.16	—	.07	TR	.09	.87	.21	.42	—	19
20	—	—	—	.08	—	—	.36	.74	.52	.01	.10	—	20
21	TR	—	.02	—	.01	—	.05	—	.02	.03	.58	—	21
22	.35	—	—	.01	.14	.06	.02	.28	.10	.33	.28	—	22
23	.06	—	.14	.03	—	.14	.31	.04	.08	—	.36	—	23
24	.42	—	—	.22	.02	.02	—	—	.09	.04	.46	.10	24
25	.06	.10	—	.02	.11	—	TR	—	.02	.03	.42	.16	25
26	.82	.02	—	—	.10	—	.01	—	.10	—	.11	.19	26
27	.06	—	TR	—	—	—	.10	—	.05	.14	—	.02	27
28	.07	—	.19	—	—	—	.11	—	.04	.01	.82	.26	28
29	.04	—	—	—	—	—	.32	—	.32	.20	.22	.06	29
30	TR	×	.04	—	.07	.06	.29	—	—	.02	—	.36	30
31	.27	×	.05	×	.21	×	0	—	×	.18	×	.27	31
TOTAL	4.80	.87	1.98	1.82	1.54	.38	2.24	3.78	4.41	2.83	4.77	3.81	YEAR'S TOTAL 33.23
*Days with or in. or more.	20	8.	15.	18.	19.	6.	15.	17.	19.	24.	16.	17.	194
*Days with .04 in. or more.	18	5.	12.	15.	12.	4.	11.	14.	16.	16.	15.	16.	154

Kept at Hatch,
in the County of
by J.

THE MO

An observer who do
following year in th

"HATCHFORD"
"MINE HEAD"
SOMERSET

1925

County No.
Organization. River Dist.
25. Station No.

3.30
3.30 a.m. (about)
mine head
Rain Gauge 5 in.
above Ground — ft. 14 in.
Sea Level 50 ft.

PREVIOUS DAY.
January 1st of the

Jan. 1, following.

Date	Jan. in.	Feb. in.								Oct. in.	Nov. in.	Dec. in.	Date
1	1.60	—								—	.48	—	1
2	.44	—								—	.41	—	2
3	.34	.0								—	.05	—	3
4	.19	—	—	.18	.19	—	.02	.15	—	—	.12	—	4
5	.18	.36	—	.48	.18	—	—	.23	.15	—	—	—	5
6	—	.23	.03	.05	.34	—	.43	—	—	—	.54	—	6
7	—	.24	—	—	.15	—	—	—	.03	—	.39	.10	7
8	.10	—	.05	—	.10	—	.04	.21	.07	—	—	.33	8
9	—	.14	—	.07	.21	—	.17	—	.11	—	.26	.03	9
10	—	.07	—	—	—	—	—	—	—	—	—	—	10
11	—	1.23	—	—	.02	—	—	.03	.01	—	—	—	11
12	—	.27	—	—	—	—	—	.22	—	—	—	.02	12
13	.05	.04	.31	.04	—	—	—	—	—	.01	—	.03	13
14	.27	.13	—	.23	—	—	—	—	—	—	—	—	14
15	.03	—	—	.14	—	—	—	—	.22	.01	—	.07	15
16	—	.10	—	—	—	—	—	—	—	.29	—	.02	16
17	—	.10	—	—	.12	—	.04	—	—	.03	—	.50	17
18	—	.07	—	.07	.25	—	.04	.22	1.43	.09	—	.06	18
19	—	.03	—	.10	—	—	.03	.05	.77	.77	—	.58	19
20	—	—	.09	—	—	—	—	.74	.22	.31	—	.06	20
21	—	.15	—	—	.05	—	.47	.13	1.02	.11	—	.16	21
22	.05	.28	—	.12	.09	—	.11	—	.65	.65	—	.35	22
23	.02	.07	.07	.12	.07	.05	.02	.13	.05	.26	—	.09	23
24	.29	.59	.03	.11	.12	—	.02	—	—	.07	.03	.13	24
25	.42	.82	.06	—	.19	—	.16	.04	.21	.16	—	.05	25
26	.23	.55	—	—	.64	—	.30	.28	—	.14	—	.13	26
27	.13	.05	—	.02	.11	—	.39	.01	—	.03	.02	.11	27
28	.15	.18	—	—	.13	—	.02	—	.06	.03	—	.54	28
29	.15	X	—	.19	.26	—	.18	—	.03	.05	.39	.91	29
30	—	X	—	.09	.02	—	.48	—	—	.03	.39	.24	30
31	.31	X	.09	X	—	X	.04	—	X	—	X	.11	31
TOTAL	4.95	5.78	.90	2.01	3.44	.09	2.99	3.63	3.78	3.04	2.69	4.00	YEAR'S TOTAL
Days with '01 in. or more.	18	22	10	15	21	2	19	16	18	17	11	21	37.30
Days with '04 in. or more	16	21	7	14	18	2	13	13	13	11	9	16	190

H

✓

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1925.

Kept at Hatchford, Minehead
 in the County of Somerset
 by J. H. Collins

Lat. 51.10 Long. 3.30
 Time of Observation 9.30 a.m. (about)
 Nearest Railway Station Minehead
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground — ft. 4 in.
 " " " " Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.60	—	.02	—	—	.04	—	.03	.11	—	.48	—	1
2	.44	—	—	—	—	—	—	—	—	—	.41	—	2
3	.34	.08	—	—	.18	—	.03	.23	.03	—	.05	—	3
4	.19	—	—	.18	.19	—	.02	.15	—	—	.12	—	4
5	.18	.36	—	.48	.18	—	—	.23	.15	—	—	—	5
6	—	.23	.03	.05	.34	—	.43	—	—	—	.54	—	6
7	—	.24	—	—	.15	—	—	—	.03	—	.39	.10	7
8	.10	—	.05	—	.10	—	.04	.21	.07	—	—	.33	8
9	—	.14	—	.07	.21	—	.17	—	.11	—	.26	.03	9
10	—	~~1.23~~	.15	—	.02	—	—	.93	.03	—	—	.02	10
11	—	1.23	—	—	.02	—	—	.03	.01	—	—	—	11
12	—	.27	—	—	—	—	—	.22	—	—	—	.02	12
13	.05	.04	.31	.04	—	—	—	—	—	.01	—	.03	13
14	.27	.13	—	.23	—	—	—	—	—	—	—	—	14
15	.03	—	—	.14	—	—	—	—	.22	.01	—	.07	15
16	—	.10	—	—	—	—	—	—	—	.29	—	.02	16
17	—	.10	—	—	.12	—	.04	—	—	.03	—	~~.50~~	17
18	—	.07	—	.07	.25	—	.04	.22	1.43	.09	—	~~.06~~	18
19	—	.03	—	.10	—	—	.03	.05	~~1.43~~	.77	—	~~.50~~	19
20	—	—	.09	—	—	—	—	.74	.22	.31	—	.06	20
21	—	.15	—	—	.05	—	.47	.13	1.02	.11	—	.16	21
22	.05	.28	—	.12	.09	—	.11	—	~~1.02~~	.65	—	.35	22
23	.02	.07	.07	.12	.07	.05	.02	.13	.05	.26	—	.09	23
24	.29	.59	.03	.11	.12	—	.02	—	—	.07	.03	.13	24
25	.42	.82	.06	—	.19	—	.16	.04	.21	.16	—	.05	25
26	.23	.55	—	—	.64	—	.30	.28	—	.14	—	.13	26
27	.13	.05	—	.02	.11	—	.39	.01	—	.03	.02	.11	27
28	.15	.18	—	—	.13	—	.02	—	.06	.03	—	.54	28
29	.15	X	—	.19	.26	—	.18	—	.03	.05	.39	.91	29
30	—	X	—	.09	.02	—	.48	—	—	.03	~~.39~~	.24	30
31	.31	X	.09	X	—	X	.04	—	X	—	X	.11	31
TOTAL	4.95	5.78	.90	2.01	3.44	.09	2.99	3.63	3.78	3.04	2.69	4.00	YEAR'S TOTAL
Days with .01 in. or more.	18	22	10	15	21	2	19	16	18	17	11	21	190
Days with .04 in. or more	16	21	7	14	18	2	13	13	13	11	9	16	153

949

FORM A. 1. METEOROLOGICAL
REGISTRATION

MINEHEAD

ORGANIZATION.

1835

NORTHFIELD ROAD

SOMERSET

Kept at Minehead

in the County of Som

by W. J. Langdon

1921 - 1922

3.29 W

2.22

500 yds

Rain Gauge 5 in.

Above Ground 1 ft. in.

Sea Level 45 ft.

entered to the previous day.

requested to add

at the end of

Jan. 1, following.

IMPORTANT NOTE.—R

If an Observer prefers not to c

the reading at 9 a.m. on 1st Ja

this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges,

and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"

sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden

Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	38	-	08	-	-	-	-	28	-	-	20	34	1
2	17	-	-	-	-	-	-	11	-	20	04	05	2
3	-	-	05	-	03	-	-	-	-	19	59	-	3
4	26	-	-	-	02	-	-	06	-	-	09	-	4
5	-	-	09	-	16	-	-	22	-	-	25	-	5
6	16	-	-	-	08	-	-	02	-	-	01	-	6
7	06	-	03	-	19	-	-	-	-	-	03	-	7
8	04	-	-	-	41	-	-	-	-	-	-	-	8
9	-	-	-	07	03	-	-	03	10	-	-	-	9
10	35	-	08	-	40	03	-	08	32	04	-	09	10
11	13	-	20	-	14	-	-	-	1.31	-	-	-	11
12	27	-	12	-	-	-	-	30	09	-	-	22	12
13	-	-	36	27	-	-	09	13	06	15	20	-	13
14	05	-	20	-	15	-	04	-	04	-	-	22	14
15	-	-	12	03	-	-	04	-	-	-	12	-	15
16	19	-	05	52	-	-	14	16	-	-	11	03	16
17	13	-	65	16	-	-	-	-	14	-	-	-	17
18	08	-	05	-	-	-	-	-	01	15	-	-	18
19	-	-	04	-	-	-	-	-	-	27	-	13	19
20	-	-	07	-	-	-	-	-	-	-	03	-	20
21	-	-	-	-	-	-	-	-	-	-	08	64	21
22	-	-	03	08	-	-	-	-	-	26	-	62	22
23	08	-	22	02	-	-	-	-	-	10	-	-	23
24	12	16	-	-	-	-	04	-	-	-	-	25	24
25	02	03	05	-	-	33	15	-	-	-	-	04	25
26	26	-	03	-	02	02	02	-	-	-	14	40	26
27	04	-	-	-	-	-	04	-	-	-	05	24	27
28	-	-	37	30	10	-	29	-	-	-	02	06	28
29	09	26	14	-	18	-	-	08	-	-	-	02	29
30	23	X	-	03	04	-	-	-	-	-	15	10	30
31	08	X	-	X	-	X	-	-	X	-	X	01	31
TOTAL	328	18	7.91	1.48	1.92	38	85	1.47	2.07	1.36	2.11	2.86	YEAR'S TOTAL
Days with 01 in. or more	21	2	17	9	14	3	9	11	8	8	16	17	19.87
Days with 04 in. or more	20	1	14	6	10	1	8	9	7	8	12	14	135

REGISTER OF RAINFALL IN 192/.

Kept at Minchew
 in the County of Somerset
 by W. J. Lang

Lat. 51.21 N Long. 3.27 W
 Time of Observation 10.20
 Nearest Railway Station 500 yds
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 65 ft.

1835
 SEP 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	-	.08	-	-	-	-	.28	-	-	.20	.34	1
2	.17	-	-	-	-	-	-	.11	-	.20	.04	.05	2
3	-	-	.05	-	.03	-	-	-	-	.19	.59	-	3
4	.26	-	-	-	.02	-	-	.06	-	-	.09	-	4
5	-	-	.09	-	.16	-	-	.22	-	-	.25	-	5
6	.16	-	-	-	.08	-	-	.02	-	-	.01	-	6
7	.06	-	.03	-	.19	-	-	-	-	-	.03	-	7
8	.04	-	-	-	.41	-	-	-	-	-	-	-	8
9	-	-	-	.07	.03	-	-	.03	.10	-	-	-	9
10	.35	-	.08	-	.40	.03	-	.08	.32	.04	-	.09	10
11	.13	-	.20	-	.14	-	-	-	1.31	-	-	-	11
12	.27	-	.45	-	-	-	-	.30	.09	-	-	.22	12
13	-	-	.36	.27	-	-	.09	.13	.06	.15	.20	-	13
14	.05	-	.20	-	.15	-	.04	-	.04	-	-	.22	14
15	-	-	.12	.03	-	-	.04	-	-	-	.12	-	15
16	.19	-	.05	.52	-	-	.14	.16	-	-	.11	.03	16
17	.13	-	.65	.16	-	-	-	-	.14	-	-	-	17
18	.08	-	.05	-	-	-	-	-	.01	.15	-	-	18
19	-	-	.04	-	-	-	-	-	-	.27	-	.13	19
20	-	-	.07	-	-	-	-	-	-	-	.03	-	20
21	-	-	-	-	-	-	-	-	-	-	.08	.04	21
22	-	-	.03	.08	-	-	-	-	-	.26	-	.62	22
23	.08	-	.22	.02	-	-	-	-	-	.10	-	-	23
24	.12	.16	-	-	-	-	.04	-	-	-	-	.25	24
25	.02	.03	.05	-	-	.33	.15	-	-	-	-	.04	25
26	.26	-	.03	-	.02	.02	.02	-	-	-	.14	.40	26
27	.04	-	-	-	-	-	.04	-	-	-	.05	.24	27
28	-	-	.37	.30	.10	-	.29	-	-	-	.02	.06	28
29	.09	~~.14~~	.14	-	.18	-	-	.08	-	-	-	.02	29
30	.23	~~X~~	-	.03	.04	-	-	-	-	-	.15	.10	30
31	.08	~~X~~	-	~~X~~	-	~~X~~	-	-	~~X~~	-	~~X~~	.01	31
TOTAL	3.28	.18	1.94	1.48	1.92	.38	.85	1.47	2.07	1.36	2.11	2.86	YEAR'S TOTAL
Days with .01 in. or more	21	2	17	9	14	3	9	11	8	8	16	17	185
Days with .04 in. or more	20	1	14	6	10	1	8	9	7	8	12	14	110

REGISTER OF RAINFALL IN 1922

Kept at Eden Lodge, Minehead
in the County of Somerset
by W. J. Lamborn

Lat. 51° 21' Long. 3° 29' W
Time of Observation 10 am
Nearest Railway Station Minehead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 95 ft.

1936
FORM A.
BRITISH RAINFALL
Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.14	.05	.34	-	-	.30	.16	.15	-	.10	-	1
2	.03	.30	.04	.62	.12	-	.09	.03	-	-	.24	-	2
3	.03	.28	.33	.17	.22	-	.07	.30	-	.26	.04	-	3
4	.03	.19	.29	-	.18	-	-	-	-	.42	.18	-	4
5	.02	-	.26	.15	-	-	.82	.35	-	-	.46	-	5
6	.07	-	.37	.04	-	-	.09	.43	-	-	.32	-	6
7	.06	-	.32	.42	-	.01	.15	.19	-	.02	.21	.02	7
8	.11	-	.13	.04	-	-	.22	1.08	-	-	.02	-	8
9	.24	-	.02	-	-	-	-	-	-	-	.07	.16	9
10	.04	-	-	-	-	-	.02	-	-	-	.10	-	10
11	.03	-	-	-	.03	-	-	.01	-	-	-	-	11
12	-	-	-	.15	-	.09	.03	.26	.40	-	-	-	12
13	.07	-	-	.82	-	-	.10	-	-	-	-	-	13
14	.02	.02	.04	.10	-	-	-	-	.05	-	-	-	14
15	.48	.06	-	.55	-	-	-	-	-	-	-	.04	15
16	-	.13	-	.15	.22	-	-	.14	.03	-	-	-	16
17	.10	.25	-	-	.11	-	.06	.09	-	-	-	.50	17
18	.35	.06	-	-	-	-	-	.04	.04	-	-	.16	18
19	.01	.10	.11	-	-	-	-	-	.12	-	-	1.89	19
20	.20	.30	-	-	-	-	-	-	-	-	-	.19	20
21	.02	.23	-	.06	-	-	.07	-	-	-	.03	1.53	21
22	-	.13	-	-	.10	.14	.08	.05	.03	.02	-	.11	22
23	-	.09	-	.12	.09	-	.06	-	-	-	-	.31	23
24	.12	-	.03	.04	-	.16	-	.09	-	-	-	.28	24
25	.06	.19	-	.17	-	.05	-	-	.15	-	-	.10	25
26	-	.20	.01	.08	-	-	.04	.02	.40	-	-	.33	26
27	.30	.79	-	.07	-	-	-	.27	.12	-	.02	.26	27
28	.19	.90	.05	-	-	.24	-	.24	.05	-	-	.09	28
29	.15	X	.06	-	-	-	.01	-	.04	.34	-	.80	29
30	.33	X	-	-	-	-	-	.36	.41	.06	.08	.15	30
31	.08	X	.92	X	-	X	-	.19	X	.75	X	-	31
Total	3.23	4.36	3.03	4.09	1.07	.69	2.21	4.23	1.99	1.87	1.84	6.57	35.18
Rain Days.	26	18	16	18	8	6	16	19	13	7	13	17	17 1/2
	18	17	13	18	7	5	13	16	11	5	10	16	149

ISLAND HOUSE

.92/...

Long.

tion. of Rain Gauge in.

ge above Ground ft. in.

Sea Level ft.

result entered to the previous day.

7 requested to add
or it at the end of
cing of rain gauges,
Rainfall Observers,
ation, 62, Camden

Jan. 1, following.

.01

is form.

Kept at Isla

in the County o

by G. G.

MIDSOMER NORTON

SOMERSET

1921 - 1929

IMPORTANT

If an Observer p
the reading at 9 a
this paragraph. F
and particulars as
sent post-free on
Square, London, N

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.64	.06											1
2	.16												2
3	.01	.11			.07		.16						3
4	.24	.02	.03				.13						4
5		.01	.03				.47						5
6	.14	.10	.08										6
7	.26	.08	.35				.05						7
8	.10		.15										8
9		.02	.17				.07						9
10	.30	.07	.08				.48	.02				.02	10
11	.15	.25	.13				1.22						11
12	.48	.17					.07	.25					12
13	.08	.38					.05	.26	.13	.03			13
14		.08	.20	.15		.02	.04	.05					14
15		.11	.08	.12		.23							15
16	.06	.11	.14				.11				.10		16
17	.22	.22	.31								.25	.18	16
18	.06	.07											17
19		.21											17
20	.02			.02									18
21	.02						.01						18
22	.09		.02			.02							19
23		.02	.08			.14							19
24	.04	.05	.04										20
25		.29			.29	.19							20
26	.22	.05											21
27		.03	.05		.09	.08							21
28		.37				.04	.02						22
29		.06	.48				.10						22
30	.81		.02			.03							23
31	.17			.21									23
TOTAL	4.27	.36	2.63	.94	2.04	.45	.78	2.21	2.52	1.21	2.29	2.37	YEAR'S TOTAL
Days with .01 in. or more	21	3	22	9	14	3	8	14	9	8	15	19	145.
Days with .04 in. or more	18	2	17	7	11	3	5	12	8	8	11	14	116

REGISTER OF RAINFALL IN 1921

Kept at Island Home
Midsomer Norton
in the County of Somerset
by D. G. S. Pollard

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

.01

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.64	.02						.29	.13		.13	.26	1
2	.16		.09		.04			.23		.10	.25	.13	2
3	.01		.11			.07		.16		.14	.18		3
4	.24		.02		.03			.13			.34		4
5			.01		.03			.47			.43		5
6	.14		.10		.08						.03	.05	6
7	.26		.08		.35			.05			.10		7
8	.10				.15								8
9			.02		.17				.07				9
10	.30		.07		.08			.48	.02			.02	10
11	.15		.25		.13				1.22				11
12	.48		.17					.07	.25			.20	12
13	.08		.38					.05	.26	.13	.03		13
14			.08	.20	.15		.02	.04	.05				14
15			.11	.08	.12		.23				.10		15
16	.06		.11	.14				.11			.25	.18	16
17	.22		.22	.31					.47			.02	17
18	.06		.07						.05	.21		.02	18
19			.21							.07		.12	19
20	.02				.02					.09	.04	.03	20
21	.02							.01			.03	.02	21
22	.09			.02			.02			.18		.30	22
23			.02	.08			.14			.29			23
24	.04	.05		.04								.07	24
25		.29				.29	.19					.20	25
26	.22		.05									.31	26
27			.03	.05		.09	.08					.07	27
28			.37				.07	.02			.15	.21	28
29			.06		.48			.10			.02	.08	29
30	.81	~~X~~		.02			.03				.21	.08	30
31	.17	~~X~~		~~X~~	.21	~~X~~			~~X~~		~~X~~		31
TOTAL	4.27	.36	2.63	.94	2.04	.45	.78	2.21	2.52	1.21	2.29	2.37	YEAR'S TOTAL 22.07
Days with .01 in. or more	21	3	22	9	14	3	8	14	9	8	15	19	145
Days with .04 in. or more	18	2	17	7	11	3	5	12	8	8	11	14	116

REGISTER OF RAINFALL IN 192__.

Kept at Island House
Widcombe
in the County of Somerset
by S. G. S. Pollard

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

10

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.27	.20	.28	.05		.80	.03	.04	.01	.43	.02	1
2		.72	.16	.41	.03		.28				.05		2
3	.04	.16	.43		.09			.19			.05		3
4		.10	.20		.16		.10			.31			4
5	.05		.26	.14			1.43			.42	.63		5
6	.12		.18				.13	.92			.50		6
7	.13		.40	.24			.24	.18			.08	.01	7
8	.14		.01				.33	.16		.02	.06		8
9	.02		.03			.09	.11	.10			.02		9
10								.02					10
11				.05								.02	11
12	.29			.61				.38	.71				12
13				.50			.20		.18				13
14		.02	.03	.08			.01		.16				14
15	.57	.41		.11		.16	.02		.13				15
16		.25		.18	.26			.33	.05			.30	16
17		.19			.26		.10					.29	17
18	.18	.05	.07		.08		.06		.03			.14	18
19	.02	.27							.56			.91	19
20	.15	.29										.04	20
21	.37	.09	.03	.03			.08	.02				.55	21
22	.02	.31				.33	.11	.20			.03	.26	22
23	.07	.18		.04			.08		.07			.03	23
24	.08		.11	.03	.02	.84		.04				.06	24
25	.28	.08		.30		.19	.02	.03	.18			.51	25
26	.16	.34				.03	.05		.11		.12		26
27	.23	.65	.11	.28				.23	.05	.02	.02	.50	27
28	.25	.41	.02	.05		.22		.15				.26	28
29	.02		.11			.13	.10			.43		.52	29
30	.63	X	.07					.88	.27	.08	.14	.56	30
31	.22	X	.78	X		X		.08	X	.25	X		31
TOTAL	4.06	4.79	3.09	3.44	.95	1.99	4.25	3.94	2.54	1.54	2.13	4.98	YEAR'S TOTAL
Days with ".01 in. or more	23	18	17	17	8	8	19	17	13	8	12	17	177
Days with ".04 in. or more	18	17	12	15	6	7	16	13	12	5	9	13	143

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Iland House
in the County of Middlesex
by D. F. S. Pollard

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

01

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10	37	19						03	13		69	1
2	30	24	08	08	08					15		10	2
3	09		09	02		02	03		12	43	08	14	3
4									04		38	36	4
5	72		01	05	38					06	08	15	5
6	23	73	22	12									6
7	02	66	07							14		46	7
8	17	28	08	03		03				15	17		8
9	26	86					18						9
10	03	74		24	13	05				19			10
11	02	08		44	04					56		05	11
12		15	32	18	17	02				1.05			12
13		12		23	06				10	06	1.83		13
14				04				16	63	04	06		14
15		12	08		31	33	02				51		15
16		25			05	01		02		01	48	05	16
17		49		14	02		14	57	52	07	39		17
18	05	32				03		17	28			04	18
19	04	01					10		62				19
20	05	19			10		~~10~~		09	23			20
21		14				02		33	02	25		09	21
22		42			05			20	10	13			22
23	02	23	29		08		23	82	17	29		10	23
24		11		45	13		01	23	24	10		12	24
25		48	18	26	03	11	03	18		58		66	25
26		25	09	05	05	03		1.07	01	46		29	26
27		74			12		14	75		15		30	27
28	02	09	01	08	06		17	62		06			28
29				07			06			01		05	29
30		X			02		21	03		24		19	30
31	08	X	05	X		X	34	11	X		X	26	31
TOTAL	2.2	8.04	1.76	2.78	1.88	6.5	1.66	4.66	2.97	5.57	3.98	4.13	YEAR'S TOTAL
Days with 01 in. or more	16	24	14	16	18	10	13	14	14	24	9	18	190
Days with 04 in. or more	11	23	12	14	15	3	9	12	11	22	9	18	159

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist.

Station No.

Kept at *Midsomer Norton*.

in the County of *Somerset*.

by *D. G. S. Pollard. J. P.*

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					.02	.11	.07	.16			.90	.43	<i>RUV</i>
2	.06		.29		.46		.20	.03		.21	.28	.03	<i>2 C</i>
3	.13		.08			.28	.24	.13		.04			<i>3 C</i>
4			.12		.02	.36	.03	.02				.27	<i>4 Wot</i>
5					.04		.18	.12	.02	.22		.06	5
6					.06	.11	.06		.04	.58			6
7	.05				.33	.09			.39	<u>1.27</u>			7
8	.08	.05	.03		.02				.15	.21			8
9	.07	.02	.05		.02				.09	.02			9
10	.24	.16	.13		.73	.65		.16	.05	.10	.05		10
11	.37		.34		.77	.52			.02	.06	.28		11
12			.23		.12	.12							12
13	.17		.79				.01		.58			.31	13
14								.14				.15	14
15								.04	.10				15
16	.18	.06						.34	.05				16
17	.16				.08	.11	.85	.44	.06			.58	17
18	.84				.49	.11		.09		.09			18
19	.16				.18			.07	.12	.17		.05	19
20	.04		.04		.37		.39	.04	.35	.43			20
21	.30		.03		.69	.32		.15	.21	.43			21
22	.44		.49		.01			.84	.61				22
23	.49		.35		.43		.07	.08	.14			.60	23
24		.06	.14	.20	.30				.02		.02		24
25			.07	.28			.24	.03	.24	.12	.40	.06	25
26				.26			.08	.03	.14	.18	.72	.56	26
27				.92			.63			.74	.03	.32	27
28					.03			.14		.17	.25	.22	28
29				.26	.08		.23	.12	.04	.68	.28	.32	29
30		X		.41	.34			.15	.24	.58	.31	.36	30
31		X		X	.44	X	.06	.07	X	.08	X	.59	31
TOTAL	3.78	.35	3.18	~~2.33~~	5.45	~~2.70~~	3.34	3.39	~~3.66~~	6.38	3.52	4.91	YEAR'S TOTAL
Days with ".01 in. or more.	16	5	15	6	22	11	15	22	21	20	11	16	109 24
Days with ".04 in. or more.	16	4	13	6	16	10	13	18	18	19	9	15	180

Corr for Arith. } Observer notified
Get corr by ams rln. } See f No 680067/26.
See ext from ams rln. } + signs 9.2.26

W. J. J. W

FOR OFFICIAL USE.

1795

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1925.

Kept at Island House, hudsoner North

Lat. _____ Long. _____

in the County of Somerset

by Dr. G. S. Pollard

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1925	Jan.	Feb.	Mar.	ap.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
1	1.08				.01			.10			.68		
2	.35	.07		.02			.26				.48		
3	.16	.13			.32		.06	.01			.07	.04	
4	.12	.01		.15	.19						.31	.02	
5	.05	.34		.83	.08			.10			.03	.18	
6		.04			.33		.35	.14			.42	.04	
7		.41	.01	.15	.49						.21		
8	.30	.01	.05		.14		.03	.41					
9		.13	.02	.11	.18		.04					.15	
10		.17			.04			.11					
11		.14			.04							.02	
12		.32						.84					
13	.02	.44	.09	.04									
14	.29	.31		.25							.06		
15	.06			.11									
16	.02	.02										.15	
17				.07	.04		.09		.06			.04	
18		.04		.24	1.52		.01		.22				
19		.02			.04		.05	.15	.02			1.51	
20								.38	.15			.61	
21		.02	.08		.04		.43	.29	.95			.46	
22	.04	.28		.19	.05		.15	.25	.45	.02		.88	
23	.10		.02	.09	.07		.03		.37			.16	
24	.32	.31		.05	.09				.37			.04	
25	.37	.91	.07				.06		.06			.19	
26	.19	.34		.11	.27		.91	.33	.30			.02	
27	.05	.37			.32		1.30		.03				
28	.19	.07			.04				.17	.02	.02		
29	.40			.04	.47		.10			.19	.01		
30	.01		.01		.04		.28	.02	.12	.04			
31	.18		.10				.09		.09	.22			
	4.30	4.87					4.24		3.81		4.24		(4.75)
	3.30	4.90	.45	2.45	4.81		4.54	3.13	3.06	2.75	4.23		1011
	20	23	9	15	22		17	13	15	13	18		(5)
	17	18	5	14	21		14	11	13	10	13		(4)

Total for Year (39.80)
RAIN DAYS (180)
WET DAYS (150)

1795

Station No.

" " " " Sea Level ft.

Records taken in Millimetres should be entered on Form 1091.

10 13 84
Total for Year (39.80)
RAIN DAYS (180)
WET DAYS (150),

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Island House Ludmoor Horton
in the County of Somerset.

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

07

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.54	.25			.04	.46			.05		.82		1
2	.30	.08				.23			.06		.15	.02	2
3	.22	.24	.30									.05	3
4	.20	.10	.11	.60							.48	.07	4
5	.11	.20	.09		.42		.43		.28	.03	.18	.21	5
6	.25	.05			.04		.48	.07	.24		.49		6
7	.02	.05		.10	.18	.09			.24		.18		7
8		.04	.10	.22					.02	.26	1.36		8
9			.11			.44				.12	.05		9
10					.45	.33				.02	.65		10
11					.40	1.15			.17	.09	.05		11
12					.38	.10		.03		.61	.15	.02	12
13		.28			.04	.02		.28		.53	.54		13
14		.25		.61	.18	.05			.02	.57	.08	.07	14
15	.22	.14							.04		.21		15
16	.16	.26		.81				.16			.12		16
17		.76		.02			.34	.02			.46	.02	17
18	.35	.15		.03	.07	.34	2.45	.22	.05		.04	.02	18
19	.60	.04		.08			.25	.03			.25		19
20	.02	.05		.27		.02		.33		.39	.47		20
21	.14			.11	.27		.15	.15		.24	.08		21
22	.09		.03	.10						.15	.02		22
23	.07												23
24	.25		.04	.30			.17			.45		.03	24
25	.24							.02		.29	.22	.05	25
26				.07				.15	.33		.32		26
27	.19	.11	.22	.06			.05		.05	.15	.01	.01	27
28	.25			.18			.13			.86	.35		28
29	.23			.10	.03		.04				.22		29
30	.25	X		.12	.53						.16		30
31		X		X		X			X		X		31
TOTAL	5.70	3.05	1.00	3.78	3.03	3.23	4.49	1.46	1.55	4.76	8.11	.57	YEAR'S TOTAL 40.73
Days with 01 in. or more.	21	14	8	17	13	11	210	241	12	15	27	11	173
Days with 04 in. or more.	19	17	7	15	12	9	10	207	10	13	25	5	162

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

1774
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Island House, Midcombe Norton
in the County of Somerset

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ „ Ground „ „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

92

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		1.02	.18				.85	.06		.36	.68		1
2			.10	.13	.10					.06	.03		2
3	.11	.05	.08		.03	.03	.12				.01	.03	3
4	.03	.06	.18	.12		.20	.12				.18		4
5	.08		.33	.29		.06	.08				.64		5
6	.13	.15	.32	.32			.05	.08	.52		.11		6
7	.02		.17	.20		.36	.29	.15				.02	7
8	.01		.08	.20			.12	.17	.10		.03		8
9			.01	.05	.14		.08	.12	.78			.16	9
10	.02			.06	.01			.05	.17				10
11					.03		2.11	.17					11
12	.19						.06	1.07					12
13	.39			.03		.35	.15	.17	.14	.10	.08	.25	13
14	.06			.22			.06	.25	1.17			.13	14
15		.03			.14			.29	.78		.02		15
16					.33	.64		.06	.29	.03	.03		16
17	.25		.11			.27		.53	.16				17
18			.01			.38		.01	.06		.42		18
19		.25				.02	.13	.25	.02	.09	.64		19
20	.17	.18				.06	.12	.23			.31	.26	20
21	.05	.21				.12	.20	.45	.26	.45	.04	.65	21
22	.21	.37	.49	.09		.20		.35	.19	.57		.69	22
23	.01	.37	.34			.35	.03	.10	.69		.36		23
24	.04	.25	.82			.16	.19	.17	.26	.12			24
25	.10	.22	.39			.16		.06		.31	.11	.40	25
26	.24	1.03	.06			.08	.22	.02	.31	.03		.27	26
27	.02	.23	.05		.10	.04	.03			.50			27
28	1.32	.21	.07			.10	.25		.05	.05	.05		28
29	.10		.19			.08	.01		.62	.04			29
30	.04	X	.06			.21	.06			.21			30
31	.24	X	.33	X		X	.05		X		X	.10	31
TOTAL	3.84	4.63	4.37	1.71	.88	3.87	5.38	4.81	6.60	2.92	3.77	2.96	YEAR'S TOTAL 45.74
Days with ".01 in. or more.	23	15	21	11	8	20	23	22	18	14	17	11	203
Days with ".04 in. or more.	14	14	19	10	5	18	20	20	14	12	12	9	173



FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Iland House, Midsomer Norton
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 5 ft.
" " Ground " Sea Level 5 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.92	.02	.04	.10									1
2	.27	.42		.06			.04				.17		2
3	.02	.04	.27	.39			.19				.16		3
4	.06	.25		.04		.02		.16		.46	.19		4
5	.15	.23			.69	.05	.10			.24			5
6	.06		.12	.04		.59			.11	.01		.10	6
7	.02	.11	.06	.06					.02	.11			7
8	.11	.15	.04	.04		.49	.04	.15		.40			8
9	.07			.06		.13		.01	.07	.41			9
10	.36	.43		.08					.15	.31	.16	.05	10
11			.02	.09		.03		.03	.01	.38	.06	.22	11
12	1.65	.37	.08					.04		.02		.05	12
13		.10				.41		.28			.06		13
14	.23	.42		.09		.09		.03		.41	.32		14
15	.16	.15		.26		.02		.10		.03	.31		15
16		.28		.11	.04					.11	.46	.33	16
17	.36		.11		.41	.02					.06		17
18					.04	.03				.26	.16	.03	18
19	.02		.10		.03	.07				.40	.15		19
20	.36		.51		.27			.45			.10		20
21	.74		.25			.03		.24	.01	.03	.80		21
22	.41		.15					.22		.50	.62	.67	22
23	.09		.10		.19					.25	.38		23
24	.26		.04		.03			.02		.03	.12		24
25	.11		.04			.05		.03	.35	.11		1.24	25
26	.16		.10		.04	.12	.16	.04		1.01		.07	26
27			.11	.05			.76	.23		.30		1.04	27
28	.74		.25			.02	.05	.81	.14			.13	28
29	.20	.21	.92			.18		.40	.80	.15		.23	29
30	.09	X	.09			.05	.55	.54	.03				30
31	.39	X	.26	X		X			X		X		31
TOTAL	8.01	3.18	3.66	1.47	1.74	2.40	1.89	3.78	1.69	5.93	4.28	4.16	42.19
Days with .01 in. or more.	26	14	21	14	9	18	8	18	10	22	17	12	189
Days with .04 in. or more.	23	13	20	14	7	11	8	13	6	17	17	11	160

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at Island House, Ludlow, Shropshire
in the County of Shropshire

Diameter of Funnel of Gauge 3 in.
Height of top of Gauge above Ground 3 ft. in.
Ground 3 Sea Level 3 ft.

Nov + Dec estimated from previous station (Dymchurch)
Observed
estimated from
10 A
1897
File 680067/26
cl 1296
File 680067/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.
.18

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.36			.08	.05			.10	.69			I
2		.16				.04	.12			.10	.02		2
3					.09	.04	.21	1.25					3
4				.11	.67		.18	.31		.09			4
5					.59	.34	.27	.32		2.02	.79	.64	5
6	.05	.03			.26	.07		.16		.20	.08	.35	6
7								.05		.56	.48	.73	7
8	.12							.06		.12		.81	8
9		.10						.03		.02	.23	.73	9
10				.03				.02		.03	.11	.72	10
11		.20		.05	.16			.04			1.11	.57	11
12				.16	.05	.34					.06	.03	12
13				.09		.08							13
14					.26	.19						.12	14
15	.11	.18			.03	.12					.72	.07	15
16	.05							.05			.01		16
17								.20		.15			17
18								.22		.05	1.11		18
19										.02	.46		19
20								.07		.45			20
21			.14					.15					21
22							.04	.22			.58		22
23					.06						.38		23
24								.02		.91	1.19		24
25				.04							.11		25
26				.02	.07						.18		26
27				.06	.11						.93		27
28	.19		.04	.23			.33	.06		.38	.45		28
29	.14			.23					.10	.15	.46		29
30		x				.13	.09		.28		.07		30
31	.64	x		x		x	.96	.19	x		x		31
TOTAL	1.30	1.03	.18	1.02	2.43	1.40	2.20	3.42	.48	5.94	9.53	(8.80)	YEAR'S TOTAL (37.60)
Days with .01 in. or more.	7	6	2	10	12	10	8	18	3	16	21		
Days with .04 in. or more.	7	5	2	8	11	10	8	15	3	13	19		

Kept at CPA
in the County of _____
by 2.

THE MO

An observer who c
following year in t

NAILSEA*
THE LAWN
SOMERSET

1924

OFFICIAL USE.

1831

County No. _____
ORGANIZATION. River Dist. _____
Station No. _____
124.
MAR 1925
MAR 1925
Rain Gauge _____ in.
above Ground _____ ft. _____ in.
Sea Level _____ ft.

PREVIOUS DAY.

January 1st of the

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1													1 WVV
2	21									04		05	2 WS
3	15												3
4					05	21	40	03				27	4
5			13		18	21	04	03	15			39	5
6					16		12		45				6
7						18			172				7
8	20						06		45	16			8
9		19				20			10	07			9
10	41	15		22	26	29			09		05		10
11	58			34	39	109					27		11
12	16			20	14	14		32	02				12
13	12			73		23			09			33	13
14								12	73			15	14
15		10			17		02		13			08	15
16	20							42	07				16
17	16						94	54	16				17
18	80	04			35			02		15			18
19	22				17		07	111	12	05			19
20	18		07		33		55	18	29	33			20
21	52				06	23	19	85	03				21
22	47		57						33			07	22
23			27		38			48	20			37	23
24	37	05		11	65			20	36				24
25				12			30		26	21		10	25
26				40					07	54	88	90	26
27				45			90			16	08	74	27
28								04		80	06	17	28
29				26	33		76	14	39	61	25		29
30		X		08	22			41	16		05	51	30
31		X		X	75	X			X	07	X	57	31
TOTAL	475	55	198	291	464	298	524	561	371	529	304	522	YEAR'S TOTAL
Days with 01 in. or more.	15	5	6	10	17	10	14	18	19	15	8	16	1166
Days with 01 in. or more.	15	5	6	10	17	10	13	16	17	15	8	16	45.90

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Walsall
in the County of Somerset
by E. Armstrong

Lat. _____ Long. 1° 07' 30" W
Time of Observation 08.00
Nearest Railway Station Walsall
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft. _____ in.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			09		05	23	11	25			104	27	1 WVV
2	21		85		18		39			04		05	2 WS
3	15					18	34	(34)					3
4					05	21	40	03				27	4
5			13			18	21	04	03	15		39	5
6					16			12		45			6
7						18				172			7
8	20						06		45	16			8
9		19				20			10	07			9
10	41	15		22	26	29			09		05		10
11	58			34	39	109					27		11
12	16			20	14	14		32	02				12
13	12			73		23			09			33	13
14								12	73			15	14
15		10			17		02		13			08	15
16	20							42	07				16
17	16						94	54	16				17
18	80	04			35			02		15			18
19	22				17		07	111	12	05			19
20	18		07		33		55	18	29	33			20
21	52				06	23	19	85	03				21
22	47		57						33			07	22
23			27		38			48	20			37	23
24	37	05		11	65			20	36				24
25				12			30		26	21		10	25
26				40					07	54	88	90	26
27				45			90			16	08	74	27
28								04		80	06	17	28
29				26	33		76	14		39	61	25	29
30		X		08	22			41	16		05	51	30
31		X		X	75	X			X	07	X	57	31
TOTAL	475	55	198	291	464	298	524	561	371	529	304	522	YEAR'S TOTAL
Days with 0.1 in. or more.	15	5	6	10	17	10	14	18	19	15	8	16	1166
Days with 0.1 in. or more.	15	5	6	10	17	10	13	16	17	15	8	16	45.90

NEMPNETT
WEST TOWN

Diameter of Funnel of Gauge	
Height of top of Gauge above	
" Ground "	

THE MORNING

An observer who does not climb out of the space of the following year in the space of

Record

FOR OFFICIAL USE.

NIZATION.

1858

to read the instructions
in this form.

ould fill in section C

IS DAY.

ary 1st of the

Jan. 1, following.

1925-1930

(Signed)

[P.T.O.]

Section

A

for the entry

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

1858

Kept at West Town Nempnett

in the County of Somerset

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 263 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						·02							1
2		·20	—								·93		2
3								·45					3
4					·48								4
5	1·75									—			5
6				·72			1·04						6
7									·35			·14	7
8													8
9		1·10				—					1·33		9
10			—					1·55					10
11					1·29								11
12	·15									—			12
13				·17			·04						13
14									·31			·46	14
15													15
16		1·35	·09			—					·03		16
17													17
18					1·36			1·15					18
19	·24									1·38			19
20				·54			·21	2·61					20
21									1·83			·86	21
22													22
23			·07			—					—		23
24		·55						·32					24
25					·48								25
26	·77									2·75			26
27				·36			2·17						27
28		1·73							1·15			2·06	28
29													29
30		X	·04	·16		—			·04		·30		30
31	·57	X	·17	X	1·41	X	·75	·52	X	·27	X	·63	31
TOTAL	3·48	4·93	·37	1·95	5·02	·02	4·21	6·60	3·68	4·10	2·59	4·15	41·49
Days with ·01 in. or more.													
Days with ·04 in. or more.													
Taken Weekly													
YEARS TOTAL													

(Signed) J. A. McPherson P.T.O.

Section **A**

for the entry of Daily Observations.

1838
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at West Town
in the County of Somerset

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level 263 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1								—					1
2					—								2
3	.15									.30			3
4				.38			.96						4
5								—				—	5
6						.36							6
7		1.17	1.40								1.59		7
8								.32					8
9					.41								9
10	.18												10
11				1.15			1.44			.11			11
12							1.29		1.12			.17	12
13						.35							13
14		—									.06		14
15			.04					1.61					15
16					.69								16
17	.80												17
18				.11			.05				.09		18
19									2.98			.35	19
20						1.89							20
21		.66	.12								1.54		21
22								2.44					22
23					.09								23
24	.67									1.97			24
25				.10			.55						25
26									1.65			2.45	26
27						.98							27
28		2.03	1.47								.57		28
29		X						.44					29
30		X		—	.14	.28			.67		.02		30
31	1.95	X	.97	X	—	X	1.67	.05	X	.92	X	.27	31
TOTAL	3.75	3.86	4.00	1.74	1.33	3.86	5.96	4.86	6.42	3.28	3.78	3.24	YEAR'S TOTAL
Days with ".01 in. or more.													45.08
Days with ".04 in. or more.													

Section **A**

for the entry of Daily Observations.

1911
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928 .

Kept at West Town
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" Ground " Sea Level 263 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2	1.15			.10			—						2
3									—			—	3
4						—							4
5			.24								.40		5
6		.74						.08					6
7					.08								7
8										1.71			8
9	.37			.58			.39						9
10									.90			.20	10
11						1.52							11
12			.09								.24		12
13		1.00						.73					13
14					.04								14
15										1.56			15
16	1.30			.48			—						16
17									—			.92	17
18						.34							18
19			.23								1.12		19
20		.76											20
21					.45			2.56					21
22										1.84			22
23	1.95			—			—						23
24									.15			.30	24
25						.06							25
26			.85								1.34		26
27		—						1.40					27
28					.33								28
29		.23								2.16			29
30	1.43	X		.24		.38	1.88		.85		—		30
31	.42	X	1.41	X	—	X	1.43	.39	X	—	X	2.60	31
TOTAL	6.62	2.73	2.82	1.40	.90	2.30	3.70	5.16	1.30	7.27	3.10	4.02	YEAR'S TOTAL 41.32
Days with 01 in. or more.													
Days with 04 in. or more.													

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at West Town
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft — in.
,, Ground ,, Sea Level 263 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				—			—						1
2									—				2
3			—			.18						.35	3
4		.56	—								.05		4
5								3.60					5
6					1.86								6
7	.03									4.85			7
8				.09			.56						8
9									—				9
10			—			.43						4.00	10
11		.50	—								2.86		11
12								.23					12
13					.30								13
14	.14									.20			14
15			—	.28			—						15
16			—						—			.60	16
17			—			.95							17
18		.28	—								1.50		18
19								.50					19
20					.16								20
21	.04									.53			21
22				—			.14						22
23									.09			1.18	23
24			.17				—						24
25		.03	.17								2.73		25
26		—						.60					26
27		—			.23								27
28	.31									1.15			28
29		X		.53			.34						29
30		X		—		.02			.49		3.07	2.06	30
31	.95	X	—	X	—	X	.66	.47	X	.05	X		31
TOTAL	1.47	1.37	.17	.90	2.55	1.58	1.70	5.40	.58	6.78	10.21	8.19	YEAR'S TOTAL
Days with .01 in. or more.													40.90
Days with .04 in. or more.													

Section

A

for the entry of Daily Observations.

2024
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at West Town.

in the County of Somerset.

Diameter of Funnel of Gauge five in.

Height of top of Gauge above Ground one ft. — in.

„ Ground „ Sea Level 263 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I										—		—	I
2						—							2
3		.57									1.06		3
4			—					.83					4
5					.12								5
6	.83												6
7				1.20									7
8							.09		.24	.81		.44	8
9						—							9
10		.04	.72								.26		10
II								2.96					II
12					.48								12
13	1.72									.56			13
14				.45									14
15							.15		.50			1.67	15
16						.02							16
17		.02	.71								.15		17
18								.50					18
19					.28								19
20	.52									1.15			20
21				.25			1.33						21
22									2.57			.26	22
23						.44							23
24		—	.19								2.20		24
25								2.00					25
26					.42								26
27	1.78									.38			27
28		—		.35			.85						28
29		X							1.15			1.04	29
30		X		—		.08					1.09		30
31	.42	X	.49	X	.27	X	.07	—	X	.44	X	.78	31
TOTAL	5.27	.63	2.11	2.25	1.57	.54	2.49	6.29	4.26	3.34	4.76	4.19	YEAR'S TOTAL 37.79
* Days with *or in. or more.													
* Days with *or in. or more.													

40-9999

*See Instruction 2 (f) on other side.

(Signed)

James H. ...

[P.T.O.]

R

NORTH CADBURY RECTORY

ORGANIZATION.

1921

Kept at North Cadbury

in the County of Dorset

by H. A. Page

1921

Long _____
on _____

Station _____

Height of Rain Gauge _____ in.

Gauge above Ground _____ ft. _____ in.

Sea Level _____ ft.

result entered to the previous day.

Not requested to add

for it at the end of

Jan. 1, following.

IMPORTANT NOTE
If an Observer prefers not to

the reading at 9 a.m. on _____
this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	34		10					09	16				1
2	04							08					2
3	01					01		02					3
4	03				20			06					4
5			05		04			27					5
6	24		12		11			02					6
7	26		02		34								7
8	06		15		11								8
9				05	13				07				9
10	14		11		03			38					10
11	20		09		04				57				11
12	21		15		04			23	05				12
13	07		22	11			02		12				13
14	01		13		28		14		04				14
15			02	05	03		07						15
16	05		10	27				10					16
17	15		14	11				02	37				17
18	05		02						01				18
19			18	03	04								19
20	01		15										20
21													21
22				26									22
23	04						17						23
24	04	10											24
25		14				40	13						25
26	24		04		04								26
27					07								27
28			18				12						28
29	05		12		23			08					29
30	66	~~XX~~					06						30
31	02	~~XX~~		~~XX~~	21	~~XX~~			~~XX~~		~~XX~~		31
TOTAL	2.92	24	2.09	88	1.94	41	71	1.35	1.39	(1.00)	1.53	1.76	YEAR'S TOTAL (16.22)
Days with .01 in. or more	22	2	19	7	16	2	7	11	8	(6)	12	17	(129)
Days with .04 in. or more	17	2	16	6	14	1	6	8	7	(6)	9	12	(104)

REGISTER OF RAINFALL IN 1921

Kept at North Cadbury Rectory
in the County of Somerset
by H. A. Page

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	34		10					09	16				1
2	04							08					2
3	01					01		02					3
4	03				20			06					4
5			05		04			27					5
6	24		12		11			02					6
7	26		02		34								7
8	06		15		11								8
9				05	13				07				9
10	14		11		03			38					10
11	20		09		04				57				11
12	21		15		04			23	05				12
13	07		22	11			02		12				13
14	01		13		28		14		04				14
15			02	05	03		07						15
16	05		10	27				10					16
17	15		14	11				02	37				17
18	05		02						01				18
19			18	03	04								19
20	01		15										20
21													21
22				26									22
23	04						17						23
24	04	10											24
25		14				40	13						25
26	24		04		04								26
27					07								27
28			18				12						28
29	05		12		23			08					29
30	66	X					06						30
31	02	X		X	21	X			X		X		31
TOTAL	2.92	24	2.09	88	1.94	41	71	1.35	1.39	(100)	1.53	1.76	YEAR'S TOTAL
Days with "01 in. or more	22	2	19	7	16	2	7	11	8	(6)	12	17	(129)
Days with "04 in. or more	17	2	16	6	14	1	6	8	7	(6)	9	12	(104)

REG NORTH CADBURY COURT

ORGANIZATION.

21...

Kept at.....Cadbury

in the County of.....Som

by.....C. E. Be

1921 - 1925

Rain Gauge.....in.

Above Ground.....ft.....in.

„ Sea Level.....ft.

entered to the previous day.

requested to add

at the end of

Jan. 1, following.

IMPORTANT NOTE.—If an Observer prefers not to the reading at 9 a.m. on 1st January of the following year, he should enter the reading at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											06	16	1
2											15	04	2
3											41		3
4											27		4
5											06		5
6												02	6
7											03		7
8											01		8
9													9
10												04	10
11													11
12												21	12
13													13
14												09	14
15											12	02	15
16											24	01	16
17													17
18												02	18
19												02	19
20											02		20
21													21
22												43	22
23													23
24												07	24
25												17	25
26												18	26
27													27
28											07	09	28
29												06	29
30		X									09	13	30
31		X		X		X		X		X			31
TOTAL											1.53	1.76	YEAR'S TOTAL
Days with 01 in. or more											12	17	
Days with 04 in. or more											9	12	

REGISTER OF RAINFALL IN 1921.....

Kept at..... Cadbury Court

in the County of..... Somerset

by..... C. E. Beard

Lat..... Long.....

Time of Observation.....

Nearest Railway Station.....

Diameter of Funnel of Rain Gauge..... in.

Height of top of Gauge above Ground..... ft..... in.

“ “ “ “ Sea Level..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1											06	16	1
2											15	04	2
3											41		3
4											27		4
5											06		5
6												02	6
7											03		7
8											01		8
9													9
10												04	10
11													11
12												21	12
13													13
14												09	14
15											12	02	15
16											24	01	16
17													17
18												02	18
19												02	19
20											02		20
21													21
22												43	22
23													23
24												07	24
25												17	25
26												18	26
27													27
28											07	09	28
29												06	29
30		X									09	13	30
31		X		X		X		X		X			31
TOTAL											1.53	1.76	YEAR'S TOTAL
Days with “01 in. or more											12	17	
Days with “04 in. or more											9	12	

REGISTER OF RAINFALL IN 1923.

Kept at Cadbury Court, North Cadburyin the County of Somersetby C. E. BeardLat. 51° 2' 29" N Long 2° 31' 12" W.Time of Observation 9 A.M.Nearest Railway Station Sparkford 2½ Miles.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. = in." " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.26	..	..	..	..	..	.09	.15	..	.42	1
2			.06	..	.08	..	..	.05	..	.34	..	.01	2
3			..	.01	..	.01	..	..	.35	.56	.08	.10	3
4			..	.13	.02	..	..	..	.01	..	..	.25	4
5			.02	.04	.12	..	..	..	..	.19	.04	.18	5
6			.08	.09	..	..	.05	..	..	..	..	.01	6
7			.03	.12	.04	..	..	..	.04	.31	..	.14	7
8			.03	..	..	..	..	..	..	.03	.24	..	8
9			..	..	..	.06	..	..	..	.13	.03	..	9
10			..	.18	.08	..	..	..	..	.25	..	.05	10
11			..	.40	.06	..	..	..	..	.78	..	.03	11
12			.29	.09	.08	.05	..	..	..	.52	..	.02	12
13			..	.14	.05	..	..	..	.32	.21	.45	.02	13
14			.01	.10	.02	..	..	.07	.58	.03	.08	..	14
15			.02	.11	.22	.30	.10	..	.08	..	.44	..	15
16			..	.18	.10	..	..	.02	..	..	.15	.02	16
17			..	..	.14	.01	.05	.08	.34	.05	.37	.01	17
18			..	.09	.03	.04	..	.33	.24	.06	.07	..	18
19		.03	..	..	..	..	.07	.01	.19	.25	.04	..	19
20		.13	..	..	.03	..	..	..	.07	.19	.07	..	20
21		.07	..	..	..	.03	..	..	.08	.23	..	.06	21
22		.56	..	..	..	..	..	.18	.08	.18	..	.03	22
23		.30	.19	..	.21	..	.25	.40	.27	.12	..	.09	23
24		.21	..	.07	.03	..	.02	.03	.24	.04	..	.16	24
25		.37	..	.24	..	.06	.06	.13	.09	.20	..	.45	25
26		..	..	.07	..	.05	..	..	..	.48	..	.33	26
27		.19	.18	..	.01	..	..	.04	..	.03	..	.17	27
28		.10	.19	.35	.07	..	.14	.04	..	..	..	..	28
29		X	.37	.12	.19	..	..	.74	..	..	..	.08	29
30		X	..	..	.10	..	.12	.74	.02	.22	..	.15	30
31		X	.09	X	..	X	.24	.36	X	..	X	.17	31
TOTAL	(1.85)	(6.90)											YEAR'S TOTAL
Days with .01 in. or more	(18)	(25)	1.82	2.50	1.68	.61	1.10	2.69	3.09	5.55	2.17	2.95	(32.9)
Days with .04 in. or more	(10)	(20)	14	18	20	9	10	14	17	24	13	23	(205)
			9	16	14	6	9	11	15	21	12	15	(128)

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922

Kept at Cadbury Court, 112 Cadbury
in the County of Somerset
by C. E. Beard

Lat 51° 2' 29" Long 2° 31' 12" W
Time of Observation 9 A.M.
Nearest Railway Station Sparkford 2½ Miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.18	.13				.32	.07	.06		.15		1
2		.20	.26	<i>hail</i> .36	.05		.19	.03			.10		2
3		.08	.15	<i>hail</i> .46	.19		.03	.10			.08		3
4		.04	.06		.09		.03	.02		.33			4
5	.04		.14	.09			1.00	.15		.12	.38		5
6	.17		.25	.03				1.01	.21		.25		6
7	.05		.37	.22			.06	.62	.05		.16		7
8	.14		.18			.03	.27	.33			.06		8
9	.16						.01	.05			.01		9
10	.01										.20		10
11	.03			.03	.02								11
12				.28		.01	.07	.40	.46				12
13	.10			.41		.12	.20		.09				13
14		.02	.02	.04					.10		.01		14
15	.37	.25		.10			.02						15
16		.17		.15	.12			.28	.02		.01		16
17	.02	.06			.04		.06						17
18	.19	.09			.06			.04	.16				18
19	.02	.06	.02						.20				19
20	.27	.23											20
21	.08	.11		.01			.09		.02				21
22		.02			.03	.08	.04	.19	.02				22
23		.11		.05			.03						23
24	.18		.14		.01	.12		.17					24
25	.31		.04	.25		.15			.19				25
26	.07	.12		<i>hail</i> .45			.16	.04					26
27	.29	.39	.04	.15				.24	.16				27
28	.15	.25	.01			.27		.14					28
29	.16	~~.25~~	.03	.11		.07	.11			.29			29
30	.74	~~.25~~				.02		.45	.26	.03			30
31	.10	~~.25~~	<i>hail</i> .65	~~.25~~		~~.15~~	.02	.10	~~.26~~	.20	~~.03~~		31
TOTAL	3.66	2.38	2.49	2.89	.61	.87	2.71	4.43	2.00	.97	(1.48)	(3.50)	YEAR'S TOTAL (27.99)
Days with ".01 in. or more	23	17	16	17	9	9	18	19	14	5	13		
Days with ".01 in. or more	17	15	12	14	6	6	12	17	11	4	9		

7-APR-1923

North Cadbury Court-
Somerset.

6/4/23.

To

The Superintendent

Dear Sir.

I am afraid that I am much
too late in sending in my report
for the year, but unfortunately I was
taken ill & unable to make a record
of any rain which fell on the rain
days separately during the Period from
21st Nov 1922 to 18th Feb 1923. When I
returned to work, & measured the contents
of the Gauge, I found 8.62 but no doubt
it had overflowed & so lost some.
However, perhaps you may be able to
strike an average. Enclosed please find
the Year's record as far as I went also
the Monthly Forms & last Month's one.
Trusting I may be able to finish the
rest of this year's record at once.

I remain

Yours Faithfully

Charles E. Beard

Kept at North Cadbury Court
in the County of Somerset
by C. E. Beard

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" " " " Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	18	13				32	07	06		15		1
2		20	26	36	05		19	03			10		2
3		08	15	46	19		03	10			08		3
4		04	06		09		03	02		33			4
5	~~04~~ 05		14	09			100	15		12	38		5
6	17		25	03				101	21		25		6
7	05		37	22			06	62	05		16		7
8	14		18			03	27	33			06		8
9	16						01	05			01		9
10	01										20		10
11	03			03	02								11
12				28		01	07	40	46				12
13	10			41		12	20		09				13
14		02	02	04					10		01		14
15	37	25		10			02						15
16		17		15	12			28	02		01		16
17	02	06			04		06						17
18	19	09			06			04	16				18
19	02	06	02						20				19
20	27	23											20
21	08	11		01			09		02				21
22		02			03	08	04	19	02				22
23		11		05			03						23
24	18		14		01	12		17					24
25	31		04	25		15			19				25
26	07	12		15			16	04			(004)		26
27	29	39	04	15				24	16				27
28	15	25	01			27		14					28
29	16		03	11		07	11			29			29
30	74	~~X~~				02		45	26	03	(003)		30
31	~~10~~	~~X~~	65	~~X~~		~~X~~	02	10	~~X~~	20	~~X~~		31
TOTAL	3.66	2.38	2.49	2.89	61	87	2.71	4.43	2.00	97	(1.48)	(3.50)	YEAR'S TOTAL (27.99)
Days with 01 in. or more	23	17	16	17	9	9	18	19	14	5	13		--
Days with 04 in. or more	17	15	12	14	6	6	12	17	11	4	9		--

FORM 1090

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Kept at Nth Cadbury C^o Nth Cadbury
in the County of Somerset.
by C. Bend

Lat. 51° 2' 27" N Long. 2° 31' 12" W.
Time of Observation 9 A.M.
Nearest Railway Station Sparkford 2½ Miles.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250. ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Dates
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	..	.02	..	..	.14	.02	.11	..	..	.61	.24	1 1 1 1
2	.15	..	.17	..	.16	..	.21	..	..	.04	.01	.01	2
3	.16	..	.11	..	..	.10	.28	.19	..	.01	..	..	3
4	..	..	.01	.02	.03	.24	..	.02	..	..	..	.25	4
5	..	..	.11	..	.05	..	.02	..	..	.23	..	.01	5
6	..	..	..	..	.10	..	.01	.10	.07	.65	..	..	6
7	.02	..	..	..	.13	.22	..	..	.53	.90	..	..	7
8	.19	.10	..	.05	.05	..	.05	..	.33	.02	..	..	8
9	.27	.03	..	.05	.03	.14	..	..	.27	.06	.01	..	9
10	.18	.11	..	.04	.81	.63	..	..	.08	.09	..	..	10
11	.12	.02	..	.33	.56	.17	..	..	.04	.01	.21	..	11
12	.30	..	..	.09	.11	.20	..	1.06	.15	..	..	..	12
13	.15	..	..	.36	..	..	.01	..	.70	..	.02	.31	13
14	..	..	..	.01	..	..	..	.11	.03	..	..	.12	14
15	..	.15	..	..	..	..	..	.06	.01	..	..	.68	15
16	.10	..	..	..	..	..	..	.44	..	..	..	..	16
17	.14	..	..	..	.08	.18	.47	.26	..	..	..	..	17
18	.40	.05	..	..	.21	..	..	.59	..	.11	.01	.02	18
19	.11	..	..	..	.12	..	.04	.07	.06	.05	..	..	19
20	.05	..	.06	..	.37	.09	.35	.49	.49	.23	..	..	20
21	.78	..	.01	..	.37	.03	.01	.17	.06	.59	..	.01	21
22	.55	..	.36	..	.01	..	.23	.14	.37	..	..	.04	22
23	..	..	.10	..	.29	..	..	.05	.05	..	..	.54	23
24	.41	.05	.11	.16	.25	..	..	..	.27	..	..	.60	24
25	.01	..	..	.19	.01	..	.17	.10	.47	.10	.36	.07	25
26	..	..	..	.06	..	..	..	.16	.07	.13	1.05	.37	26
27	..	.02	..	.61	..	..	.62	.02	..	.39	.02	.15	27
28	..	.02	..	..	..	..	.76	.19	..	.11	.67	.07	28
29	..	.02	..	.13	..	..	.02	.18	..	.57	.24	.37	29
30	..	X	..	.06	.36	..	..	.25	.19	.57	.15	.20	30
31	.06	X	..	X	.25	X	.03	.09	X	.25	X	.32	106 31
TOTAL	4.16	.57	1.06	2.16	6.63	2.14	3.30	4.85	4.24	5.14	3.48	4.37	YEAR'S TOTAL 42.10
Days with .01 in. or more	20	10	10	14	21	11	17	22	19	20	12	18	194
Days with .04 in. or more	17	5	7	13	17	10	10	20	17	18	8	15	156

1 WW 20

FOR OFFICIAL USE.

1896

AIR MINISTRY.

County No.
River Dist.
Station No.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

Kept at Nth Cadbury Court.
in the County of Yeovil Somerset.
by C. E. Beard.

Lat. 51° 2' 29" N Long. 2° 31' 12" W.
Time of Observation 9 A.M.
Nearest Railway Station Sparkford.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	—	.16	.01	.05		—	.66	.10	—	.70	—	1
2	.09	.02	—	.16	—		.18	—	—	—	.38	—	2
3	.14	.04	—	—	.46		.01	—	—	.01	.02	—	3
4	.02	—	—	.20			—	.08	—	—	.25	—	4
5	.03	.33	—	.86	.33		—	.15	.12	—	—	—	5
6	—	.04	—	—	.35		.38	.03	—	—	.62	—	6
7	—	.21	.01	—	.75		—	—	.02	.02	.04	.27	7
8	.15	—	—	—	.38		.04	.22	—	—	—	.21	8
9	—	—	—	.04			.05	.05	.04	—	.03	.07	9
10	—	.01	.02	—	—		—	.13	.01	—	—	—	10
11	—	.53	—	—	.05		—	.03	—	—	—	—	11
12	—	.53	—	.03	—		—	.43	—	—	—	—	12
13	.03	.13	.28	.20	—		—	—	—	—	—	—	13
14	.26	.42	—	.43	—		—	—	—	—	.16	—	14
15	.07	—	—	.10	—		—	—	.10	—	—	—	15
16	.01	.15	—	—	—		—	—	—	.14	—	—	16
17	—	.03	—	.01	—		.02	—	.04	—	—	—	17
18	—	—	—	.10	.30	Nil.	.07	—	.18	.01	—	—	18
19	—	—	—	.10	—		—	1.86	1.07	.72	—	.65	19
20	—	—	.04	—	—		.02	.04	.53	1.11	—	—	20
21	—	—	—	—	—		.41	.31	.24	—	—	.33	21
22	.02	.42	—	.14	.06		.10	.24	.44	.56	—	.37	22
23	.07	—	.03	.07	—		—	—	.01	.05	—	.04	23
24	.19	.40	.05	—	.12		—	.09	—	.04	.07	.25	24
25	.49	.61	.14	—	.08		.25	—	.34	.16	—	—	25
26	.15	.22	—	.06	.26		.44	.37	—	.32	—	.22	26
27	.07	.06	—	.02	.05		—	—	—	.01	—	—	27
28	.23	.02	—	.01	.21		.12	—	.05	—	.03	.41	28
29	.17	—	—	—	.12		.02	—	.01	—	.16	—	29
30	—	X	—	.12	.13		.48	—	—	.21	—	—	30
31	.19	X	.08	X	—	X	.02	—	X	.03	X	.29	31
TOTAL	3.04	4.17	.81	2.66	3.70		2.66	4.69	3.32	3.39	2.46	3.12	YEAR'S TOTAL 34.02
Days with ".01 in. or more.	19	18	9	18	19		17	15	16	15	11	15	169
Days with ".01 in. or more.	14	14	6	13	19		12	13	12	10	8	15	133

Section

A

for the entry of

2078

AIR MINIS

Form 1090.

REG

NORTH NEWTON, COUNCIL SCHOOL

GANIZATION.

926.

Kept at North Newt
in the County of Some

Diameter of Funnel of Gauge....
Height of top of Gauge above G
Ground S

1926-30

1910 A

Some/3

THE MORNING M

S DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.23	.01			1.11	—		.53	—	.87	—	1
2	.95	.18	—		—	.3	—		—	—	.02	.01	2
3		.21	.21		—	—	.01		.01	—	—	.21	3
4	.08	.1	.26	.5	—	—	.005		—	—	.33	—	4
5	.06	.11	.06		.23	—	.22		.11	.13	.07	.15	5
6	.14	.06	.05		.03	.02	.37		.02	.322	.14	—	6
7	—	.06	.01		.27	.14	.01		.04	—	.16	—	7
8	—	—	.08		—	.07	.005		—	.15	1.48	—	8
9	—	—	.04		.14	.2	—		—	.13	.17	—	9
10	—	—	—	.07	.2	.12	.09		.08	.01	.45	—	10
11	—	—	.01		.2	.53	—	1.24	—	.04	.01	—	11
12	—	—	—		—	—	—		—	.24	.07	.005	12
13	—	.09	—	—	.01	—	—		—	.31	.14	.005	13
14	—	.09	—	.19	—	—	—		—	.48	.09	—	14
15	.60	.03	—	.13	—	—	—		—	.46	.27	—	15
16	—	.05	—	.28	—	—	—		—	.08	.1	—	16
17	—	.54	—	.05	—	—	1.35		—	—	.9	.07	17
18	.24	.1	—	.15	—	—	.15		—	—	.28	—	18
19	.02	—	—	.02	—	—	.35		—	—	.35	—	19
20	—	.01	—	.26	—	.58	—		.005	—	.4	—	20
21	.05	.05	—	.22	—	—	.01		—	.32	.07	—	21
22	.3	—	—	.01	—	—	—		—	.55	—	—	22
23	.06	.02	.05	—	—	—	—		—	.36	—	—	23
24	.02	—	.03	—	—	—	.06		—	.36	—	—	24
25	.1	—	—	.06	—	—	—	.08	.44	—	.03	—	25
26	.01	.01	—	.06	.16	—	.07	—	—	.5	.1	.04	26
27	.2	.05	.04	.07	.03	—	—	—	—	.44	—	—	27
28	.29	—	—	.01	—	—	.02	—	—	—	.22	—	28
29	.23	X	—	.14	.15	.01	—	—	—	—	.07	—	29
30	—	X	—	—	.18	—	—	.15	—	—	.12	—	30
31	.29	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	3.70	1.99	.85	2.22	1.6	3.08	2.72	1.44	1.235	5.162	4.21	.49	YEAR'S TOTAL
Days with '01 in. or more.	17	18	12	16	11	10	18	3	8	19	25	6	31.73
Days with '04 in. or more.	14	14	8	13	8	8	8	3	6	15	22	4	156.14

Please read the Notes and Instructions Overleaf.

A

REGISTER OF RAINFALL IN 1926.

Kept at North Newton
 in the County of Somerset
 Diameter of Funnel of Gauge.....5 in.
 Height of top of Gauge above Ground.....0 ft. 9 in.
 „ Ground „ Sea Level 50 ft.

Jan. corrected for
 snow. See entry 5A
 File 746899/27.

1910 A
 1910/3

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.23	.01		—	1.11	—		.53	—	.87	—	1
2	.95	.18	—		—	.3	—		—	—	.02	.01	2
3		.21	.21		—	—	.01		.01	—	—	.21	3
4	.08	.1	.26	.5	—	—	.005		—	—	.33	—	4
5	.06	.11	.06		.23	—	.22		.11	.13	.07	.15	5
6	.14	.06	.05		.03	.02	.37		.02	.322	.14	—	6
7	—	.06	.01		.27	.14	.01		.04	—	.16	—	7
8	—	—	.08		—	.07	.005		—	.15	1.48	—	8
9	—	—	.04		.14	.2	—		—	.13	.14	—	9
10	—	—	—	.07	.2	.12	.09		.08	.01	.45	—	10
11	—	—	.01		.2	.53	—	1.24	—	.04	.01	—	11
12	—	—	—		—	—	—	—	—	.24	.07	.005	12
13	—	.09	—	—	.01	—	—	—	—	.31	.14	.005	13
14	—	.09	—	.19	—	—	—	—	—	.48	.09	—	14
15	.60	.03	—	.13	—	—	—	—	—	.46	.27	—	15
16	—	.05	—	.28	—	—	—	—	—	.08	.1	—	16
17	—	.54	—	.05	—	—	1.35	—	—	—	.9	.07	17
18	.24	.1	—	.15	—	—	.15	—	—	—	.28	—	18
19	.02	—	—	.02	—	—	.35	—	—	—	.35	—	19
20	—	.01	—	.26	—	.58	—	—	.005	—	.4	—	20
21	.05	.05	—	.22	—	—	.01	—	—	.32	.07	—	21
22	.3	—	—	.01	—	—	—	—	—	.55	—	—	22
23	.06	.02	.05	—	—	—	—	—	—	.36	—	—	23
24	.02	—	.03	—	—	—	.06	—	—	.36	—	—	24
25	.1	—	—	.06	—	—	—	.08	.44	—	.03	—	25
26	.01	.01	—	.06	.16	—	.07	—	—	.5	.1	.04	26
27	.2	.05	.04	.07	.03	—	—	—	—	.44	—	—	27
28	.29	—	—	.01	—	—	.02	—	—	—	.22	—	28
29	.23	X	—	.14	.15	.01	—	—	—	—	.07	—	29
30	—	X	—	—	.18	—	—	.15	—	—	.12	—	30
31	.29	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	3.70	1.99	.85	2.22	1.6	3.08	2.72	1.44	1.235	5.162	4.21	.49	YEAR'S TOTAL
Days with .01 in. or more.	17	18	12	11	11	10	13	3	8	19	25	6	31.73
Days with .04 in. or more.	14	10	8	13	8	8	8	3	5	15	22	4	156

Please read the Notes and Instructions Overleaf.

L. W. H. and

Section **A**

for the entry of Daily Observations.

1881
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at North Newton (Cunial School.)

in the County of Somerset

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....0 ft.....9 in.

„ „ Ground „ „ Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	X	1.1	.06	.01	-	-	.78	-	-	.05	.14	-	1
2	✓	-	.01	.07	.015	-	-	-	-	.06	.015	-	2
3	X	.03	.06	-	.08	.045	.055	-	-	-	-	.02	3
4	✓	-	.125	.04	.11	-	.14	-	-	-	.08	-	4
5	X .36	-	.23	.34	-	.04	.04	-	-	-	.14	-	5
6	X	-	.31	.35	-	-	-	.24	1.01	-	.03	-	6
7	-	-	-	.03	-	.01	.035	.06	-	-	-	.01	7
8	✓	.09	-	.28	.09	.14	.06	.08	.04	-	-	.02	8
9	-	-	.065	.02	.43	-	.055	.07	.6	-	-	.1	9
10	.002	-	-	.02	-	.01	-	.135	.04	.01	-	-	10
11	-	-	-	-	-	-	1.85	.01	.01	-	.25*	-	11
12	.15	-	-	-	-	-	.01	.19	.035	.01	-	-	12
13	.04	.015	-	.02	-	.01	-	.18	.08	.02	.09	.22	13
14	.155	-	-	.13	.02	-	.075	.03	.95	-	-	.03	14
15	.045	.01	-	-	.15	-	-	.38	.24	.005	.04	-	15
16	.06	-	-	-	.08	.43	-	-	.1	.02	.08	-	16
17	.11	.005	.04	-	-	-	-	.41	.18	.02	.065	-	17
18	-	-	-	-	-	15W 3 .18	-	.34	.005	-	.34	-	18
19	-	.26	-	-	-	-	.045	.44	-	-	.9	-	19
20	.18	.02	-	-	.04	.025	.11	.04	.015	.01	.25	.33	20
21	X .19	.06	.01	-	.005	.085	.075	.16	.36	.6	.02	.49	21
22	X	.14	.38	.04	-	.04	-	.13	.16	.4	-	.59	22
23	.005	.4	.44	.005	-	.24	.01	-	.8	-	.22	.11	23
24	.09	.075	.49	.03	-	-	.02	.12	.04	.03	.005	.54	24
25	.1	.21	.34	-	-	.20	.01	-	.44	.19	-	.31*	25
26	.26	.61	.055	-	-	.12	.71	-	.17	.01	-	.01	26
27	.04	.04	.13	-	.04	.02	.405	-	-	-	-	-	27
28	1.3	.21	.28	.02	-	.045	.03	-	.04	.01	.14	-	28
29	.14	-	.05	-	-	.35	.01	-	.35	.015	.02	-	29
30	.05	X	-	-	-	.05	-	.2	.045	.34	-	.03*	30
31	.3	X	.45	X	-	X	.055	.02	X	-	X	.14	31
TOTAL	3.634	3.305	3.555	1.435	1.06	2.38	4.58	3.265	5.83	1.8	2.825	2.98	YEAR'S TOTAL 36.652
Days with ".01 in. or more.	25	15	18	14	10	18	21	19	21	16	14	15	? 209
Days with ".04 in. or more.	21	11	16	7	8	13	13	16	18	6	13	9	? 151

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at North Newton Council Schoolin the County of SomersetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 0 ft. 9 in.,, Ground ,, Sea Level 50. ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.355	.03	—	—	—	—	—	—	—	—	.01	—	1
2	.055	.26	.275	.11	—	—	.015	.025	—	—	.02	—	2
3	.005	.025	.03	.27	—	—	.21	.05	—	—	.13	—	3
4	.01	.14	—	.04	—	.2	—	—	—	.29	.02	.01	4
5	.075	.06	.02	.015	—	.01	.01	—	.03	.56	—	—	5
6	—	—	.04	—	—	.68	—	—	—	.075	—	.07	6
7	.06	.035	.03	.03	—	.01	—	.05	—	.12	—	—	7
8	—	.07	—	.075	—	.27	.025	—	.02	.2	—	—	8
9	.12	—	—	.18	—	.01	—	.04	.08	.28	—	.08	9
10	.19	.31	—	.23	—	—	—	.085	—	.24	.39	.04	10
11	—	—	—	—	—	.005	—	.04	—	.46	.05	.41	11
12	.39	.69	.08	—	—	—	—	.07	—	.02	—	.03	12
13	—	—	—	—	—	.17	—	.02	—	—	.02	—	13
14	.05	.18	.02	.28	—	.12	—	.09	—	.45	.14	—	14
15	.21	.03	.01	.15	—	—	—	.045	—	.05	.2	.05	15
16	—	.1	.16	—	.14	—	—	—	—	.11	.61	—	16
17	.02	—	—	—	.31	.03	—	—	—	—	.08	—	17
18	.21	—	.02	.01	—	.06	—	—	—	.1	—	.005	18
19	—	—	.07	—	.02	.05	—	.03	—	.4	.05	.005	19
20	.11	—	.3	—	.01	.025	—	.11	—	—	.08	—	20
21	.49	.01	.18	—	.13	—	—	—	—	.02	—	—	21
22	—	—	.13	—	—	—	—	.02	—	.64	.38	.05	22
23	.33	—	.09	—	.045	—	.01	—	—	.07	.2	.005	23
24	.08	—	—	—	—	—	—	.015	.08	.04	.1	.15	24
25	.08	—	.03	—	—	.04	—	—	—	.52	.04	.43	25
26	.15	—	.02	—	.02	.075	.19	.34	—	.56	.02	—	26
27	.05	—	.06	.15	—	—	.98	.287	.26	.15	—	.91	27
28	.45	.175	.16	—	.02	—	.02	.06	1.02	—	—	.11	28
29	.12	.45	.33	—	—	.09	.06	.02	—	.09	.02	.01	29
30	.03	×	.08	—	—	.02	.22	—	—	—	—	.11	30
31	.13	×	.19	×	—	×	.53	—	×	.01	×	—	31
TOTAL	3.44	2.565	2.325	1.54	.695	1.865	2.24	1.38	1.49	5.455	2.56	2.475	YEAR'S TOTAL
Days with .01 in. or more.	23	15	22	12	8	16	11	18	6	23	19	14	184
Days with .04 in. or more.	20	10	14	9	4	10	6	13	4	20	13	11	134

40-9999

Regret I have made entries of .005. These are correct as all measurements have been checked by me.

(Signed).....

L.W. Ward

P.T.O.

40-9999 Readings Aug 11-25 who did not know male about .005" (Signed) burton all other readings by me [P.T.O.]

Section

A

for the entry of Daily Observations.

2067
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at North Newton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 0 ft. 9 in.

,, Ground ,, Sea Level 50 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.26	-	.55	-	.31	-	.18	-	T	.22	-	1
2	-	-	T	.22	.02	-	.02	.18	-	T	.31	.01	2
3	.09	.19	-	.44	-	-	.04	.38	-	.21	-	-	3
4	.34	.09	.08	.03	T	-	.07	~~.33~~ ^{.31}	.03	.15	-	T	4
5	-	-	T	.03	.13	-	-	.26	-	.13	.05	-	5
6	-	-	.10	-	.03	-	T	~~.26~~ ^{.31}	.12	.09	T	.05	6
7	.13	-	-	-	T	-	-	~~.31~~ ^{.03}	-	.28	.30	.02	7
8	T	-	-	.06	-	-	T	.01	.13	.10	-	.08	8
9	.24	-	.43	.37	.16	T	-	-	.03	-	.04	-	9
10	.39	-	.07	-	.21	T	-	.01	.19	-	-	~~.84~~	10
11	.22	-	.05	.07	.01	.02	T	-	-	.02	-	.04	11
12	.10	-	T	.07	.16	-	-	.01	.06	-	-	.04	12
13	.05	-	.08	.25	.07	T	.04	.03	.39	-	-	.09	13
14	.33	.04	.06	.24	.06	-	.03	-	.02	.04	-	.16	14
15	T	.01	.47	-	T	-	.31	.02	.04	.58	.06	.42	15
16	-	-	-	-	-	-	-	-	.15	.08	-	.27	16
17	-	-	T	.14	.08	-	.29	.05	.31	.03	-	-	17
18	-	-	.02	-	-	T	-	.04	.46	.02	.10	.17	18
19	-	-	.04	.14	T	.13	.17	.04	.66	.16	.51	T	19
20	-	-	-	.04	-	-	.15	~~.76~~	.60	.06	.21	.07	20
21	-	-	T	-	-	.05	-	-	-	.03	.76	-	21
22	.18	-	-	.05	-	.01	-	.39	.01	.24	.11	-	22
23	.06	-	.29	.05	-	.12	.05	-	.07	.02	.34	.02	23
24	.31	-	-	.20	T	.02	-	-	.05	.07	.14	.13	24
25	.03	.08	-	.04	.10	.04	.03	-	.05	.02	.03	.06	25
26	.60	.07	-	-	.02	-	-	-	.02	.01	.19	T	26
27	.06	-	.03	-	-	-	.08	-	.05	.07	T	.06	27
28	.03	-	.02	-	-	-	.13	-	.03	.04	.59	.29	28
29	.02	-	-	-	.02	-	.19	-	.26	.01	.36	.10	29
30	.01	X	.21	-	.07	-	-	-	-	T	.01	.20	30
31	.35	X	T	X	.23	X	-	-	X	.19	X	.40	31
TOTAL	3.66	.74	1.95	2.99	1.37	.70	1.60	2.70	3.73	2.65	4.33	3.52	YEAR'S TOTAL
*Days with or in. or more.	20	7	14	18	15	8	14	16	22	24	18	21	197
*Days with or in. or more.	16	6	11	16	10	5	11	10	16	16	16	18	151

40-9999

*See Instruction 2 (f) on other side.

(Signed)

W. H. Hurd.

P.T.O.

ORCHARD STREET PARK

TION.

Kept at

Orchard

in the County of

Major A.C.I.

1922 - 1930

am

me. 7 1/2

e 8 in.

and ft. 11 in.

Level 350 ft.

the result entered to the

requested

the end of

Jan. 1, following.

IMPORTANT NOTE.—If

previous day. If an Observer pi

to add the reading at 9 a.m. on 1

this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and

particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free

on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry,

Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.21	.10	.25			.64	.07	.02		.38		1
2		.62	.12		.01		.35			.03	.04		2
3		.25	.31		.13		.05	.15			.08	.01	3
4		.05	.29	.49	.09		.10			.32	.12		4
5	.06	.06	.25	.09			.34	.04		.49	.51		5
6	.20		.25	.22			.10	1.84	.20	.12	.54		6
7	.16		.31			.04	.21	.56	.04		.10	.01	7
8	.06						.26	.35			.10	.06	8
9	.10		.06	.01			.06	.01			.01		9
10	.01		.04								.19		10
11				.01								.03	11
12				.46		.13		.32	.42				12
13	.21			.75			.25		.20				13
14		.04	.01	.02					.11				14
15	.55	.31		.08			.05		.02		.01		15
16		.21		.19	.16			.31	.05		.03	.27	16
17		.12			.04		.05		.02			.17	17
18	.19	.21					.01	.03	.06			.15	18
19	.06	.06							.21			.87	19
20	.06	.21										.03	20
21	.27	.05		.05				.01				.86	21
22		.24					.04	.15				.30	22
23		.21		.04		.07	.09		.09			.02	23
24	.06		.11		.01	.61		.04				.01	24
25	.25	.28		.30		.15	.02		.13			.21	25
26	.16	.30				.03		.01	.07				26
27	.21	.57	.20	.06			.05	.15	.04		.03	.49	27
28	.19	.37	.03			.19		.25				.21	28
29	.21					.13	.04			.50		.48	29
30	.61	X	.15			.23		.49	.25	.03	.06	.51	30
31	.21	X	.56	X		X		.02	X	.23	X		31
TOTAL	3.84	4.37	2.79	3.02	.44	1.58	1.71	1.80	1.93	1.72	2.20	4.69	34.89
Days with .01 in. or more	21	19	15	15	6	9	18	18	16	7	14	18	176
Days with .04 in. or more	19	19	13	12	4	8	16	13	13	5	10	12	144

REGISTER OF RAINFALL IN 1922.

Kept at

Orchardleigh

in the County of

Somerset

Major A.C. Duckworth

Lat.

Long.

Time of Observation 8 am

Nearest Railway Station Frome 9 mi

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 11 in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.21	.10	.25			.64	.07	.02		.38		1
2		.62	.12		.01		.35			.03	.04		2
3		.25	.31		.13		.05	.15			.08	.01	3
4		.05	.29	.49	.09		.10			.32	.12		4
5	.06	.06	.25	.09			.34	.04		.49	.51		5
6	.20		.25	.22			.10	1.84	.20	.12	.54		6
7	.16		.31			.04	.21	.56	.04		.10	.01	7
8	.06						.26	.35			.10	.06	8
9	.10		.06	.01			.06	.01			.01		9
10	.01		.04								.19		10
11				.01								.03	11
12				.46		.13		.32	.72				12
13	.21			.75			.25		.20				13
14		.04	.01	.02					.11				14
15	.55	.31		.08			.05		.02		.01		15
16		.21		.19	.16			.31	.05		.03	.27	16
17		.12			.04		.05		.02			.17	17
18	.19	.21					.01	.03	.06			.15	18
19	.06	.06							.21			.87	19
20	.06	.21										.03	20
21	.27	.05		.05				.01				.86	21
22		.24					.04	.15				.30	22
23		.21		.04		.07	.09		.09			.02	23
24	.06		.11		.01	.61		.04				.01	24
25	.25	.28		.30		.15	.02		.13			.21	25
26	.16	.30				.03		.01	.07				26
27	.21	.57	.20	.06			.05	.15	.04		.03	.49	27
28	.19	.37	.03			.19		.25				.21	28
29	.21					.13	.04			.50		.48	29
30	.61	X	.15			.23		.49	.25	.03	.06	.51	30
31	.21	X	.56	X		X		.02	X	.23	X		31
TOTAL	3.84	4.37	2.79	3.02	.44	1.58	1.49	1.93	1.72	2.20	4.69	34.83	34.83
Days with 0.1 in. or more	21	19	15	15	6	9	18	16	7	14	18	176	176
Days with 0.4 in. or more	19	19	13	12	4	8	16	13	5	10	12	144	144

2

STANDARD
FRODO,
SHERSET

1-0 MAY 1923

The daily rates are
correct & the total
addition incorrect.
The error is regretted.

R. C. Duckworth

May 10. 1923.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Orchardleigh
in the County of Somerset
by Major R. C. Duckworth

Lat. _____ Long. _____
Time of Observation 8 A.M.
Nearest Railway Station Frome
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 0 ft. 11 in.
" " " " Sea Level 350 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11	.10	.24						.06	.11		.64	1
2	.14	.14	.04		.05					.06	.02		2
3	.05		.14						.09	.30	.04	.18	3
4	.01		.02	.03					.04		.35	.24	4
5	.72		.02	.05						.12	.03	.10	5
6	.26	.04	.15	.05	.07					.01			6
7	.02	1.26	.04	.03						.12		.38	7
8	.05	.14								.11	.23		8
9	.40	.61									.13		9
10	.01	.68		.07	.03		.25			.13		.02	10
11		.01		.30	.10					.57		.02	11
12		.13	.30	.26	.10					.79	.03	.05	12
13	.38	.15		.18	.10			.10	.31	.05	1.54	.04	13
14			.03	.03	.08				.75	.02	.05		14
15		.05	.04	.23	.20	.31	.05		.02	.02	.35		15
16		.15		.07	.05						.39	.01	16
17	.02	.50			.03	.02	.16		.32	.08	.40	.01	17
18		.35		.14				.64	.07	.04			18
19	.05	.01				.03	.08	.11	.60	.16			19
20		.13							.10	.15	.02	.02	20
21		.13				.02	.02	.15	.02	.29		.05	21
22		.33			.01			.16	.10	.24		.05	22
23	.03	.13	.33		.07		.15	.88	.07	.19		.05	23
24	.01	.13		.28	.08			.18	.21	.02		.06	24
25		.44		.38	.05	.06	.04	.16	.24	.49		.51	25
26		.07		.02	.04	.06	.06			.62		.35	26
27		.43	.21		.04		.04	.94		.12		.15	27
28		.07	.08	.07	.08		.14	.06	.01	.04			28
29	.03		.03	.06	.09		.04	1.05		.03		.18	29
30		X	.03				.15	.04		.34		.05	30
31	.04	X	.07	X		X	.33	.06	X		X	.25	31
TOTAL	2.23	6.18	1.77	2.25	1.29	.50	1.51	4.33	3.01	5.20	3.58	3.41	YEAR'S TOTAL 35.26
Days with '01 in. or more	17	24	16	17	18	6	13	13	16	27	13	22	202
Days with '04 in. or more	10	22	11	13	15	3	12	13	13	22	9	17	165

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____
River Dist. _____
Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Orehardleigh
in the County of Somerset
by Major A.C. Duckworth

Lat. _____ Long. _____
Time of Observation 8 A.M.
Nearest Railway Station Frome
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.	.	.	.01	.11	.06	.10	.01	.	.81	.24	11 V V
2	.04	.	.04	.	.48	.	.18	.01	.	.08	.02	.01	12
3	.10	.	.10	.	.02	.34	.36	.08	.	.03	.	.	3 C
4	.03	.	.02	.	.01	.64	.	.02	.03	.	.	.35	4 Wot
5	.	.	.05	.	.02	.	.	.01	.45	.24	.	.04	5
6	.	.	.	.	.05	.01	.10	.09	.12	.65	.	.03	6
7	.02	.	.	.	.28	.10	.	.	.30	1.00	.	.	7
8	.10	.05	.	.08	.03	.	.01	.	.29	.34	.	.	8
9	.05	.05	.	.02	.01	.11	.01	.	.04	.	.	.	9
10	.15	.05	.	.05	.98	.	.	.	.05	.11	.05	.	10
11	.32	.01	.	.38	.62	.11	.	.	.05	.08	.27	.	11
12	.24	.	.	.18	.09	.22	.	.12	.34	.	.	.	12
13	.18	.	.	.84	.	.	.08	.05	.62	.	.01	.24	13
14	.	.	.	.	.	.	.	.23	.	.	.	.07	14
15	.	.07	.	.	.	.	.	.04	.06	.	.	.75	15
16	.18	.	.	.	.	.	.	.12	.04	.	.	.01	16
17	.15	.	.	.	.08	.05	.75	.73	.06	.	.	.	17
18	.77	.	.	.	.18	.	.	.12	.	.18	.03	.05	18
19	.17	.	.	.	.08	.	.12	.05	.10	.10	.	.02	19
20	.05	.	.02	.	.30	.	.37	.04	.52	.42	.	.	20
21	.49	.	.02	.	.38	.	.03	.04	.05	.42	.	.	21
22	.51	.	.50	.	.02	.	.06	.74	.38	.	.	.02	22
23	.	.	.19	.	.26	.	.03	.04	.05	.	.	.67	23
24	.47	.02	.15	.18	(.24)	.	.	.	.05	.	.01	.46	24
25	.01	.	.02	.14	.03	.	.38	.04	.22	.21	.283	.05	25
26	.	.	.	.31	.	.	.	.04	.12	.11	.94	.62	26
27	.	.04	.	.70	.	.	.49	.	.	.91	.04	.60	27
28	.	.	.	.07	.	.	.75	.15	.	.11	.41	.10	28
29	.	.03	.	.18	.15	.01	.08	.21	.16	.92	.49	.67	29
30	.	X	.	.40	.28	.	.	.11	.25	.37	.38	.30	30
31	.	X	.	X	.47	X	.04	.06	X	.07	X	.60	31 1081
TOTAL	4.03	.032	1.011	3.50	4.97	1.70	3.90	2.74	4.36	6.33	3.69	6.90	42.85
Days with 01 in. or more.	19	8	10	13	24	10	18	24	24	19	13	21	203
Days with 04 in. or more.	16	5	6	12	16	8	14	21	23	18	9	16	163



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.
 Kept at Onhardleigh
 in the County of Dorset.

 Diameter of Funnel of Gauge 8 in.
 Height of top of Gauge above Ground 11 ft. in.
 „ Ground „ Sea Level 320 ft.

 Observers are requested to read the instructions
 printed overleaf before filling in this form.

 Every Observer should fill in section C
 overleaf.
THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.
 An observer who does not conform to this rule should insert the reading made on January 1st of the
 following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	092	.	01	.	.	.	.	03	04	.	50	02	1
2	031	07	.	.	03	.	045	.	.	1	046	.	2
3	05	07	.	.	28	.	05	01	.	.	06	.	3
4	08	.	.	12	10	.	.	04	.	.	47	.	4
5	07	038	.	84	10	.	.	03	16	.	02	.	5
6	—	02	.	.	32	.	035	16	.	.	38	.	6
7	01	030	.	.	61	.	.	.	.	02	11	018	7
8	026	01	.	.	10	.	04	046	.	.	.	025	8
9	.	011	.	08	02	.	01	.	08	.	.	04	9
10	.	12	02	.	50	.	.	26	.	.	.	04	10
11	.	30	.	.	02	.	.	.	.	.	.	.	11
12	01	45	.	.	.	.	.	61	.	02	.	.	12
13	02	20	11	03	.	.	.	.	.	.	.	.	13
14	039	47	.	07	.	.	.	.	06	.	03	.	14
15	07	.	.	08	.	.	.	.	.	04	.	.	15
16	05	06	.	.	.	.	.	.	.	23	.	.	16
17	01	01	.	01	.	.	05	.	03	04	.	.	17
18	.	05	.	15	10574	.	06	01	04	04	.	.	18
19	.	01	.	02	02	.	.	01	1015	1011	.	075	19
20	.	.	07	.	01	.	10	17	065	040	.	.	20
21	.	.	.	.	.	.	049	15	16	050	.	16	21
22	003	040	.	014	003	.	016	.	075	075	.	.	22
23	06	.	01	05	15	.	011	.	010	015	.	.	23
24	036	024	.	.	10	.	.	13	01	006	002	053	24
25	026	082	.	003	002	.	015	.	014	003	.	036	25
26	015	50	.	002	030	.	059	046	.	30	.	18	26
27	05	45	.	.	49	.	103	.	.	002	007	019	27
28	020	.	.	.	10	.	003	003	003	009	.	067	28
29	032	05	.	.	34	.	10	.	.	.	14	059	29
30	01	X	.	16	01	.	020	.	.	05	022	024	30
31	019	X	07	X	48	X	011	.	X	09	X	12	31
TOTAL	3.88	5.09	29	1.80	5.67	.	4.08	2.56	3.40	3.94	2.48	4.34	37.53
Days with 01 in. or more.	23	22	6	14	28	23	18	16	14	18	12	16	185
Days with 04 in. or more.	17	18	3	9	16	15	16	9	11	14	9	14	135

(Signed)

R. C. Duckworth

[P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

1802

Kept at ...
in the County of ...
Diameter of Funnel of Gauge ... in.
Height of top of Gauge above Ground ... ft.
Ground Sea Level ... ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.26	—	—	.12	—	—	—	—	—	—	.16	1
2	.92	.06	—	—	.04	.35	.03	—	.09	—	.51	—	2
3	.44	—	—	—	—	.26	—	—	.14	—	.07	.02	3
4	—	.11	.23	.05	—	—	.01	—	—	—	—	.04	4
5	.15	.03	.14	.55	—	—	.40	—	—	—	.25	.05	5
6	.15	.34	.05	—	.50	—	.40	—	.07	.02	.30	.24	6
7	.16	.06	—	.10	.10	—	—	.12	.18	.03	.42	—	7
8	.06	.08	—	.15	—	.13	.01	—	.24	—	.16	.04	8
9	—	—	.03	.15	—	.05	—	.07	—	.22	.22	—	9
10	—	—	.07	—	.14	.42	.04	.07	—	.07	.04	—	10
11	—	—	—	—	.34	.21	—	.65	—	—	.02	—	11
12	—	—	—	—	.50	.63	—	.19	.04	.08	.03	—	12
13	—	—	—	—	.30	.27	—	—	—	.51	.02	—	13
14	—	—	—	—	.01	.02	—	.10	.09	.38	.70	—	14
15	—	.21	—	.54	.48	.03	—	—	—	.01	.08	—	15
16	—	.11	—	.11	.02	—	—	—	—	.23	.22	—	16
17	—	.29	—	.55	—	.02	.10	.06	—	.38	.18	.04	17
18	—	.80	—	.03	—	.32	.09	.03	—	.42	.42	.05	18
19	.59	.05	—	.04	—	—	.34	.14	—	—	.38	—	19
20	—	—	—	.07	—	.02	.01	.03	—	—	.04	—	20
21	—	—	—	.44	—	.03	.14	.18	—	—	.34	—	21
22	—	—	—	.04	.03	—	—	.02	—	.33	.05	—	22
23	.59	—	—	.02	—	—	—	—	—	—	.03	—	23
24	.10	—	—	—	—	—	—	—	—	—	—	—	24
25	.05	—	—	—	—	—	.15	—	—	.40	.07	—	25
26	.23	—	—	.38	—	—	—	—	—	.31	—	.06	26
27	—	.03	—	.02	.21	—	.19	—	.32	—	—	—	27
28	.15	.06	—	.04	.09	—	—	—	.15	.12	.04	—	28
29	.26	—	—	.05	.05	—	.23	—	—	.71	.09	—	29
30	.24	X	—	.10	.10	—	.03	—	—	—	—	—	30
31	.09	X	—	X	.62	X	—	—	X	—	X	—	31
TOTAL	4.36	2.49	.52	3.46	3.68	2.76	2.20	1.69	1.35	3.93	6.68	.70	33.82
Days with .01 in. or more.	16	14	5	19	17	14	15	12	9	16	24	19	24
Days with .04 in. or more.	16	12	4	16	14	9	10	9	9	13	21	8	14

Please read the Notes and Instructions Overleaf.

R. C. Buckner

Section **A**

for the entry of Daily Observations.

1771
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Orchardleigh, - nr. Frome
in the County of Somerset.

Diameter of Funnel of Gauge..... 8 - in.
Height of top of Gauge above Ground..... ft. 11 in.
" Ground " Sea Level..... 30.2 ft.

*Good for W.D.
Jan can be run this
may 6th not for 13/6/28.
see free 858206/28
encl 1/2*
Jan 2" low June 1" low

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.41	—	—	.32	.06	.02	.05	.05	.04	1
2	—	—	—	—	—	—	1.00	.10	—	.33	.46	—	2
3	.05	—	.26	.13	.04	—	.02	—	—	.13	.01	—	3
4	.15	—	.36	—	.02	.05	.16	—	—	—	—	.05	4
5	—	.06	—	.08	.24	.09	.09	—	—	—	.18	—	5
6	.05	—	.05	.34	.08	.05	.03	—	—	—	.53	—	6
7	.15	—	.24	.23	—	—	.03	.11	.64	—	.06	—	7
8	.02	—	—	.28	—	.32	.34	.05	.0	—	—	—	8
9	.03	—	.10	.14	—	—	.0	.51	.04	—	—	—	9
10	—	.34	—	.05	.09	—	.09	.09	.65	—	—	.10	10
11	—	—	—	.06	—	—	—	.11	.16	—	—	—	11
12	—	—	—	.05	—	—	.34	.05	—	—	—	—	12
13	.23	.31	.03	—	—	—	.69	.21	—	—	—	—	13
14	.25	.42	—	.04	—	—	.21	.38	.15	.05	.03	.24	14
15	.04	.05	—	.21	—	—	.11	.24	1.51	.02	—	.09	15
16	.04	—	—	.04	.03	—	—	.22	.92	.01	—	—	16
17	—	—	—	—	.42	.58	—	.06	.21	—	.02	—	17
18	.24	—	.12	—	—	.33	—	.35	.08	—	—	—	18
19	—	.24	—	—	—	.34	—	.04	.10	.02	.46	—	19
20	—	—	—	—	—	—	.10	.15	.01	.08	.81	—	20
21	—	—	—	—	.06	.05	.32	.28	.01	—	.28	.35	21
22	.39	—	—	—	—	.10	.10	.03	.41	.82	.08	.45	22
23	—	—	.34	.04	—	.15	.04	.39	.34	.61	—	.46	23
24	—	.34	.44	—	—	.15	.06	.05	.49	—	.30	.05	24
25	.04	.45	.42	—	—	.24	.05	.36	.14	.10	—	.63	25
26	.19	.26	.48	.02	—	.11	—	.12	.04	.16	—	—	26
27	.08	—	.09	—	—	.14	.28	.01	.21	.04	—	—	27
28	(1.75)	—	—	—	.14	.02	.44	—	.02	.51	—	—	28
29	.10	—	.05	—	—	.04	.04	—	.03	.11	.20	—	29
30	.06	X	.20	—	—	.06	.02	—	.84	.02	.05	—	30
31	.02	X	.04	X	—	X	.05	.02	X	.23	X	—	31
TOTAL	3.91	2.50	3.58	1.74	1.92	3.25	4.72	3.95	7.41	3.44	3.42	3.12	40.60
Days with ".01 in. or more.	3 18	9	16	14	29	18	24	3 24	5 22	4 17	3 15	10	195
Days with ".04 in. or more.	15	9	14	13	7	16	20	21	14	13	12	10	168

Practically every station
in Somerset recorded
from 1.25 inch to 2.50 inches
on the day in question

A.E.

10/7/28

adopt 1.75 inch ..

I do not think we need
say any more - $\frac{1}{2}$..

Section **A** for the entry of Daily Observations.

1840
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Orchardleigh
in the County of Somerset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 11 1/2 ft.
Ground Sea Level 32.0 ft.

corr. to W.D.
low for W.D.
hov. 22-24 ref to obs. 22/7/28
hov. low
no reply by 4/6/28

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.3	.16	.25	-	-	.03	.57	-	-	-	-	1
2	.58	.01	-	-	-	-	-	.02	-	-	-	-	2
3	.24	.31	.2	.01	-	-	.02	-	-	-	.15	-	3
4	-	.02	-	.32	-	-	.32	.21	-	-	.16	-	4
5	.02	.39	-	Tr	-	.02	-	-	-	.09	-	-	5
6	.12	.09	.11	.25	-	-	.03	-	.06	.31	.01	-	6
7	-	-	.02	-	-	.58	-	-	-	-	-	.09	7
8	.03	.04	.04	Tr	-	-	-	.12	-	.09	-	-	8
9	-	.04	-	.01	-	.49	-	-	.02	.12	.06	-	9
10	.13	-	.04	.11	-	.3	-	-	.29	.21	.03	-	10
11	.41	.34	-	.03	-	.03	-	.08	-	.24	.04	.02	11
12	-	-	-	.04	-	-	-	-	-	.34	-	.2	12
13	1.02	.39	-	-	-	-	-	.38	-	.01	.04	.04	13
14	-	.04	-	-	-	.23	-	-	-	-	-	-	14
15	.43	.23	-	.24	-	.1	-	.48	-	.32	.57	-	15
16	.18	.05	.06	.04	-	.02	-	-	-	.02	.33	-	16
17	-	.22	.02	-	.06	.03	-	-	-	.04	.63	.31	17
18	.02	-	-	-	.34	-	-	-	-	.02	.06	-	18
19	.59	-	-	-	.03	.15	-	-	-	.14	.11	-	19
20	-	-	.04	Tr	.02	.03	-	.38	-	.65	.12	.04	20
21	.34	-	.21	.05	.15	-	-	.36	-	-	.15	-	21
22	.53	-	.28	-	.12	.09	-	.11	.02	-	.31	-	22
23	-	-	.22	-	-	-	-	.03	-	.36	.42	.09	23
24	.34	-	.12	-	.2	-	-	.02	-	.18	-	-	24
25	.09	-	-	-	-	-	-	-	.3	-	.05	.13	25
26	.13	-	-	-	-	.09	-	.02	-	.08	.09	1.16	26
27	.15	-	.02	-	.04	.06	.09	.58	-	.89	-	.05	27
28	-	-	.06	.11	-	-	.84	.14	.05	.31	-	1.14	28
29	.59	-	.14	-	.06	-	.02	.28	.93	-	-	.08	29
30	.13	X	.61	-	-	.13	-	.2	-	.15	-	.08	30
31	.5	X	.21	X	-	X	.38	-	X	.06	X	.12	31
TOTAL	6.63	2.53	2.59	1.55	1.05	2.35	1.46	3.95	1.67	5.53	3.44	3.55	36.63
Days with ".01 in. or more.	22	21	14	18	11	12	9	16	15	8	16	14	144
Days with ".04 in. or more.	19	18	12	15	6	4	4	10	5	12	13	13	139
YEAR'S TOTAL													175

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Orchardleigh
in the County of Somerset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 11 1/2 ft.
Ground Sea Level 320 ft.

W.D.
line C. sent
25.2.30.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.
.02

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.03	.57	—	—	—	—	.18	.61	.33	.34	—	.11	I
2	—	.20	—	—	.07	.07	—	—	—	.48	—	.10	2
3	—	.11	—	—	—	.02	.09	—	—	.21	.01	.39	3
4	—	—	—	—	.03	.03	.05	.82	—	.07	—	.19	4
5	—	—	—	.09	.75	—	.08	.32	—	.05	—	.66	5
6	—	—	—	—	.55	.37	.69	.30	—	1.73	.60	.16	6
7	—	—	—	—	.06	.04	—	.03	—	.17	.09	.75	7
8	—	—	—	—	.02	—	—	.02	—	.42	.42	.73	8
9	—	—	—	—	.02	—	—	.03	—	.15	—	.50	9
10	.20	.09	—	—	—	—	—	—	—	.02	.19	.79	10
11	.07	—	—	.06	—	—	—	—	—	.01	.07	.64	11
12	—	—	—	.03	.15	—	—	—	—	.01	1.11	.09	12
13	—	—	—	.16	.05	.13	—	—	—	.01	.02	—	13
14	—	—	—	.09	.08	.06	—	—	—	—	—	.04	14
15	—	—	—	—	.22	.15	—	—	—	—	—	.26	15
16	—	—	—	—	—	.07	—	—	—	—	.69	.01	16
17	—	—	—	—	—	—	—	.03	—	—	.01	—	17
18	—	—	—	—	—	—	—	.12	—	.04	—	—	18
19	.12	—	—	—	—	—	—	.04	—	—	.91	—	19
20	—	—	—	—	—	—	—	—	—	—	.59	.01	20
21	—	—	—	—	—	—	—	.07	—	.39	—	.43	21
22	.01	—	.18	—	—	—	—	.12	—	—	—	.01	22
23	.02	.42	—	—	—	—	.04	.24	—	—	.42	—	23
24	—	.03	—	.02	—	—	—	—	—	.06	.43	.42	24
25	—	—	—	—	—	—	—	—	—	.97	.93	.57	25
26	—	—	—	—	—	—	—	—	—	.01	.12	.03	26
27	—	—	—	—	.05	—	—	—	—	—	.09	.36	27
28	—	—	—	.15	.09	—	—	.01	—	—	.93	.24	28
29	.20	—	—	.06	—	—	.48	.03	—	.29	.51	.59	29
30	.15	X	—	.24	—	—	—	—	.07	.13	.50	.31	30
31	—	X	—	X	—	X	.05	—	X	—	X	.14	31
TOTAL	.87	1.42	.18	.90	2.14	.97	1.66	2.79	.40	5.56	8.67	8.53	33.96
Days with or in. or more.	134	85	1	9	13	9	8	15	2	22	87	84	137
Days with or in. or more.	56	54	1	7	10	8	8	9	2	15	18	22	108

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at Orchardleigh
in the County of Somerset

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 11 1/2 ft.
Ground Sea Level 320 ft.

Circ Faint 7/2/31
WP

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
28
11/31

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.02	.36	—	.09	—	.15	.06	—	—	—	—	—	I
2	.16	.49	—	.06	—	.01	—	.22	—	—	.34	.03	2
3	—	.04	.02	.06	—	—	.02	.33	—	—	.61	—	3
4	.18	.15	—	.63	.09	—	—	.36	—	.24	—	—	4
5	.54	.01	.09	.04	—	—	—	.04	—	.20	—	—	5
6	—	—	—	—	.09	—	—	.32	—	.23	—	—	6
7	—	—	.09	—	.06	—	—	1.59	.11	.04	—	.01	7
8	.33	—	—	—	—	—	—	.14	—	.12	.24	.24	8
9	—	—	—	—	Gr	—	—	.01	—	.21	—	.09	9
10	.26	—	.24	.18	.04	—	—	—	.09	.04	.02	—	10
11	.83	—	.11	—	.28	—	.01	—	—	—	—	.63	11
12	.15	—	.01	.03	.04	—	.09	.01	—	.06	—	.12	12
13	.18	.02	—	.06	.12	—	—	.02	—	—	—	.24	13
14	.04	—	.12	.05	.04	1.18	—	.06	.45	—	—	.24	14
15	.44	.03	.39	.12	—	—	.02	—	.02	—	—	—	15
16	.02	—	.16	—	—	—	.44	—	—	.16	.13	.24	16
17	—	—	—	.03	—	—	.09	—	.12	.03	—	—	17
18	—	—	—	.09	Gr	—	.03	.06	.42	.04	—	.15	18
19	—	—	.04	.01	.04	—	—	.02	.06	.09	.09	.01	19
20	—	—	.02	.16	Gr	—	—	.04	1.16	.30	.57	—	20
21	—	—	—	.06	—	—	.56	.55	.84	.03	.31	—	21
22	—	—	—	—	—	—	.01	.04	.01	.09	.84	—	22
23	.54	—	—	—	.05	.12	—	.33	.04	.36	.39	—	23
24	.04	—	.21	.03	.01	.09	.24	.03	.06	—	.21	.01	24
25	.40	—	—	.21	.01	—	—	—	.21	.03	.42	—	25
26	.03	.09	.01	.02	.14	.02	—	—	.01	.03	.12	.16	26
27	.91	.01	—	—	.12	—	.06	—	.13	—	.24	.24	27
28	.06	—	.03	—	—	—	Gr	—	.04	.19	—	.08	28
29	.05	.09	.12	—	—	—	.12	—	.06	Gr	1.08	.31	29
30	.09	X	.03	—	—	—	.43	—	.33	.05	.39	.03	30
31	—	X	.05	X	.09	X	.40	—	X	.06	X	.30	31
TOTAL	5.30	1.29	1.44	1.93	1.31	1.54	2.61	4.20	4.19	2.24	6.03	3.19	36.15
* Days with or in. or more.	20	10	14	18	15	6	15	18	18	21	16	18	192
* Days with or 4 in. or more.	14	6	12	14	13	4	10	13	15	14	15	13	149

FORM 1090.

FORM 1090.
Over Stowey

Kept at A. Q. has to

in the County of.....Sou.....

Diameter of Funnel of Gauge.....

Height of top of Gauge above Ground _____

Ground	Sea
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14
15	15
16	16
17	17
18	18
19	19
20	20
21	21
22	22
23	23
24	24
25	25
26	26
27	27
28	28
29	29
30	30
31	31
32	32
33	33
34	34
35	35
36	36
37	37
38	38
39	39
40	40
41	41
42	42
43	43
44	44
45	45
46	46
47	47
48	48
49	49
50	50
51	51
52	52
53	53
54	54
55	55
56	56
57	57
58	58
59	59
60	60
61	61
62	62
63	63
64	64
65	65
66	66
67	67
68	68
69	69
70	70
71	71
72	72
73	73
74	74
75	75
76	76
77	77
78	78
79	79
80	80
81	81
82	82
83	83
84	84
85	85
86	86
87	87
88	88
89	89
90	90
91	91
92	92
93	93
94	94
95	95
96	96
97	97
98	98
99	99
100	100

THE MORNING MEAL

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

FOR OFFICIAL USE.

NIZATION

27

Sum at 3 or 4

Jan. 1, following.

[illegible]

Section **A** for the entry of Data

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1927.

Over Stoney

Kept at Admiral's Panatier
in the County of Somerset.

Diameter of Funnel of Gauge.....8 in.

Height of top of Gauge above Ground.....1 ft. in.

" Ground " Sea Level about 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										.17	.19	-	1
2										.07	-	-	2
3										-	-	.04	3
4										-	.14	-	4
5										-	.15	-	5
6										-	.17	-	6
7										-	-	-	7
8										-	.01	.04	8
9										-	-	.14	9
10										-	-	-	10
11										.01	.29	-	11
12										-	-	-	12
13										.03	.05	.31	13
14										-	-	.07	14
15									.81	.01	.12	-	15
16									.06	.03	-	-	16
17									.34	.03	.09	-	17
18									-	.035	.45	-	18
19									-	.05	.99	-	19
20									.03	-	.46	.35	20
21									.34	.78	.08	.50	21
22									.36	.77	.01	.60	22
23									1.38	.02	.29	.16	23
24									.15	.10	-	.45	24
25									.39	.17	-	.27	25
26									.19	.09	-	.18	26
27									-	.43	-	.02	27
28									.26	.01	.19	-	28
29									.44	.02	-	-	29
30		X							.07	.07	.03	-	30
31		X		X		X			X	-	X	.17	31
TOTAL									4.82	2.89	3.71	3.30	YEARS TOTAL
Days with ".01 in. or more.													in.
Days with ".04 in. or more.													

REGISTER OF RAINFALL IN 1928

Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft. - in.
" Ground - " Sea Level 264 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.66	.06	-	-	-	-	-	-	-	-	-	-	1
2	.02	.32	.36	.10	-	-	-	-	-	-	-	-	2
3	-	-	.02	.28	-	-	.13	.02	-	-	.12	-	3
4	-	.40	-	.12	-	.17	-	-	-	-	.12	-	4
5	-	.06	.12	.04	-	-	-	-	.17	.33	-	-	5
6	.06	-	.04	-	-	.46	-	-	-	.01	-	.25	6
7	.02	.02	.05	.03	-	.19	-	.13	-	.08	-	-	7
8	-	.11	-	.06	-	.23	.04	-	-	-	-	.08	8
9	.01	-	-	.18	-	.13	-	.02	.15	-	-	-	9
10	.18	.36	-	.10	-	.06	-	.04	-	.96	.28	-	10
11	-	-	-	.06	-	-	-	.07	-	.36	.10	.70	11
12	.59	.74	.08	-	-	-	-	.31	-	-	.18	-	12
13	-	-	-	-	-	.33	-	.10	-	-	.15	-	13
14	.11	.23	-	.64	-	.14	-	.08	-	.48	.36	-	14
15	.19	.12	-	.06	-	-	-	-	-	.08	-	.05	15
16	-	.12	.21	-	.12	-	-	-	-	.10	.60	.41	16
17	.03	-	-	-	.12	.06	-	-	-	-	.20	-	17
18	.17	-	.01	-	-	.19	-	-	-	.13	.05	-	18
19	-	-	.15	-	.04	.05	-	.005	-	.63	.16	-	19
20	.10	-	.29	-	-	.04	-	.28	-	-	.36	-	20
21	.78	-	.30	-	-	.02	-	.05	-	-	.34	-	21
22	-	-	.19	-	-	-	-	-	-	.91	.31	-	22
23	.54	-	.22	.03	-	-	.01	-	-	.14	.34	.16	23
24	.06	-	-	-	-	-	-	.06	-	.10	.15	-	24
25	.13	-	.01	-	-	.07	-	-	-	.08	-	.83	25
26	.16	-	.05	-	.02	.20	.35	.54	-	.63	.05	-	26
27	.08	-	.18	.28	-	-	.44	.49	.40	.11	-	.94	27
28	.51	.33	.28	-	-	-	.10	.32	.18	-	-	.13	28
29	.07	.42	.34	-	-	.14	.09	.03	-	.14	.06	.21	29
30	.15	X	.09	-	-	-	.36	-	-	.03	-	-	30
31	.14	X	.28	X	-	X	.71	-	X	-	X	-	31
TOTAL	4.76	3.29	3.27	1.97	.30	2.48	2.23	2.54	1.94	5.27	3.93	3.78	YEARS TOTAL
Days with .01 in. or more.	28	13	20	13	4	16	9	15	4	18	18	10	161
Days with .04 in. or more.	18	12	18	12	3	15	8	12	4	16	18	10	146

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Quantock Sanatoriumin the County of SomersetDiameter of Funnel of Gauge Five in.Height of top of Gauge above Ground One ft. — in.„ Ground „ Sea Level 430 ft.

BA

cic DI sent 1.3.30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.32	—	Trace	Trace	.15	—	.03	—	.45	—	.30	1
2	—	.24	—	—	—	Trace	—	1.70	—	.06	.29	—	2
3	—	—	—	—	Trace	.04	.02	—	—	—	—	—	3
4	—	Trace	—	.08	.56	.02	.02	.20	—	—	—	1.61	4
5	Trace	—	—	—	1.12	.55	.32	.30	—	2.72	—	.29	5
6	.02	.06	—	—	.04	.02	—	.32	—	.09	—	.74	6
7	Trace	—	—	—	.05	—	—	—	—	.55	—	.59	7
8	—	.10	—	Trace	.10	Trace	—	—	—	.08	—	.80	8
9	.19	.21	—	Trace	—	—	—	.02	—	—	—	.54	9
10	.04	—	—	Trace	.10	—	—	—	—	—	1.35	.35	10
11	—	Snow .07	—	—	.23	—	—	—	—	—	1.59	Trace	11
12	—	—	—	.10	—	1.03	—	—	—	.11	—	Trace	12
13	.06	—	—	.02	.10	Trace	—	—	—	—	—	.20	13
14	—	Trace	—	—	.12	.52	—	—	—	—	.69	.08	14
15	—	Snow .28	—	—	—	.10	—	—	—	—	—	—	15
16	—	—	—	—	—	—	—	.08	—	—	—	—	16
17	.12	—	—	—	—	—	—	.07	—	.71	—	—	17
18	—	—	—	—	—	—	—	Trace	—	.28	.99	—	18
19	.02	—	—	—	—	—	—	—	.04	Trace	.50	.10	19
20	Trace	—	—	—	—	—	—	—	—	—	—	.37	20
21	Trace	—	.15	—	—	—	.08	.15	—	.13	—	—	21
22	—	—	.04	—	—	.04	.01	.09	—	.1	.84	.18	22
23	—	—	—	—	.05	—	—	—	—	.1	.31	.65	23
24	—	—	—	—	—	—	—	Trace	—	.75	.14	—	24
25	—	Snow .20	.04	.07	—	—	—	—	—	—	.07	—	25
26	—	—	—	.04	Trace	—	—	—	—	—	1.8	.55	26
27	.07	—	—	.11	.20	—	Trace	—	—	—	—	Trace	27
28	.18	—	—	.20	—	—	.70	.10	—	.10	.73	.56	28
29	Trace	X	—	.32	—	.09	—	—	—	.8	.51	.26	29
30	Trace	X	—	.03	—	.20	—	—	.39	—	.01	.22	30
31	.56	X	—	X	—	X	.32	.12	X	—	X	—	31
TOTAL	1.26	7.48	.23	.97	2.67	2.76	1.47	3.18	.43	5.43	9.10	8.79	38.37
Days with .01 in. or more.	9	8	3	9	11	11	7	12	2	15	14	17	118
Days with .04 in. or more.	67	78	3	7	11	9	4	10	2	7	13	17	104

Section

A

for the entry of Daily Observations:

2073
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Quailik Samirum
in the County of Somerset

Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. - in.
Ground Sea Level 264 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I				.31		.80		.25			.30		I
2	.54	.42		.46						.19	.18		2
3		.10								.25	.48		3
4			.15					.30		.19			4
5								.14		.19	.07		5
6			.30					.20	.15	.44			6
7								.01		.09	.30	.18	7
8	.50								.18	.04			8
9	.70		.66	.65	.39						.05		9
10	.14								1.58	.01			10
11			.23		.45		.02		.01	.4		.80	11
12	.50							.02	.05			.15	12
13	.34							.09	.40	.02		.11	13
14			.64	.46					.00	.59		.25	14
15			.35						.16	.09	.11	.63	15
16										.04		.33	16
17							.40	.08	.42	.4		.01	17
18								.05	.55	.21		.21	18
19	.4						.18	.01	.40	.01	.50		19
20							.28	1.08	.42	.05	.12		20
21	.54							.03		.41	.30		21
22	.16		.45					.58		.4			22
23	.15			.25			.10		.8	.4	.40		23
24	.30			.30					.14	.05	.30		24
25	.68	.11					.04			.1	.08	.30	25
26		.14							.09			.13	26
27	.09						.08		.04				27
28							.13		.50		.60	.38	28
29		X					.10				.64	.11	29
30	.42	X	.29						.4	.45	.01	.52	30
31	.24	X	.41	X		X			X	.45	X	.40	31
TOTAL	5.60	.77	4.08	2.73	.84	.80	1.33	2.87	6.55	3.87	4.47	4.51	38.42
Days with ".01 in. or more.	14	4	9	6	2	1	9	13	17	20	16	15	126
Days with ".04 in. or more.	14	4	9	6	2	1	8	9	16	17	15	14	115

Kept at Sch Hse: Per

PUBLON SCHOOL HO.

in the County of Som.

by Mr A Hayes

1921 - 1930

Long

ion 9.9.m

Station Pensford. G.W.Ry

nel of Rain Gauge 5 in.

Gauge above Ground 1 ft. in.

Sea Level 230 ft.

result entered to the previous day.

stly requested to add

d for it at the end of

Jan. 1, following.

.08

IMPORTANT NOTE.—Rainfall Observers.
If an Observer prefers not to co
the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of
this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges,
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.06	.10	—	—	—	—	.27	.09	—	.16	.25	1
2	.27	—	—	—	.05	—	—	.03	—	.12	.28	.08	2
3	.01	—	.09	—	—	.03	—	.06	—	.13	.26	—	3
4	.27	—	.04	—	.05	—	—	.13	—	—	.31	—	4
5	—	—	.04	—	.02	—	—	.32	—	—	.28	—	5
6	.20	—	.12	—	.14	—	—	.15	—	—	.02	.05	6
7	.10	—	—	—	.21	—	—	.03	—	—	—	—	7
8	.05	—	.06	—	.14	—	—	—	—	—	—	—	8
9	—	—	—	.03	.31	—	—	—	.03	—	.03	.06	9
10	.31	—	.06	—	.02	—	—	.53	.22	—	—	—	10
11	.23	—	.25	—	.31	—	—	—	1.09	—	—	—	11
12	.33	—	.07	—	.02	—	—	.11	.31	—	—	.19	12
13	.01	—	.26	.20	—	—	.03	—	.18	.13	—	—	13
14	—	—	.06	.01	.25	—	—	.01	.08	—	—	.16	14
15	—	—	.03	.10	—	—	.17	—	—	—	.02	.01	15
16	.06	—	.07	.45	—	—	—	.17	—	—	.32	.03	16
17	.23	—	.16	.21	—	—	—	—	.41	—	—	—	17
18	.05	—	.20	—	—	—	—	—	—	.13	—	.02	18
19	.01	—	.19	—	.02	—	—	—	—	.05	—	.17	19
20	—	—	.01	—	—	—	—	—	—	.01	.02	.02	20
21	—	—	.01	.03	—	—	—	—	—	—	.04	—	21
22	.05	—	—	—	—	—	.12	.01	—	(.46)	—	.47	22
23	—	—	—	.13	—	—	.07	—	—	.36	—	.07	23
24	.13	.08	—	—	—	—	—	—	—	—	—	.27	24
25	—	.25	.05	—	—	.20	.17	—	—	—	—	.03	25
26	.20	—	—	—	—	—	.03	.02	—	—	—	.04	26
27	.02	—	.02	—	—	.02	.07	.02	—	—	.01	.08	27
28	—	—	.32	—	.24	—	.02	—	—	—	.16	.11	28
29	.11	~~—~~	.06	.04	.28	—	—	.03	—	—	—	—	29
30	.65	~~—~~	—	—	.06	—	.02	—	—	—	.26	—	30
31	.17	~~—~~	—	~~—~~	.14	~~—~~	—	.02	~~—~~	—	~~—~~	.08	31
TOTAL	3.96	.39	2.27	1.20	2.26	.25	.70	1.91	2.41	1.39	2.17	2.19	YEAR'S TOTAL 21.10
Days with ".01 in. or more	22	3	22	9	16	3	9	16	8	8	14	19	149
Days with ".01 in. or more	18	3	18	6	12	1	5	8	7	7	9	14	108

Kept at Sch Hse: Pensford: Bristol
in the County of Somerset
by Mr A Hayes

Lat. _____ Long. _____
Time of Observation 9 a.m
Nearest Railway Station Pensford. G.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following:
.08

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.06	.10	—	—	—	—	.27	.09	—	.16	.25	1
2	.27	—	—	—	.05	—	—	.03	—	.12	.28	.08	2
3	.01	—	.09	—	—	.03	—	.06	—	.13	.26	—	3
4	.27	—	.04	—	.05	—	—	.13	—	—	.31	—	4
5	—	—	.04	—	.02	—	—	.32	—	—	.28	—	5
6	.20	—	.12	—	.14	—	—	.15	—	—	.02	.05	6
7	.10	—	—	—	.21	—	—	.03	—	—	—	—	7
8	.05	—	.06	—	.14	—	—	—	—	—	—	—	8
9	—	—	—	.03	.31	—	—	—	.03	—	.03	.06	9
10	.31	—	.06	—	.02	—	—	.53	.22	—	—	—	10
11	.23	—	.25	—	.31	—	—	—	1.09	—	—	—	11
12	.33	—	.07	—	.02	—	—	.11	.31	—	—	.19	12
13	.01	—	.26	.20	—	—	.03	—	.18	.13	—	—	13
14	—	—	.06	.01	.25	—	—	.01	.08	—	—	.16	14
15	—	—	.03	.10	—	—	.17	—	—	—	.02	.01	15
16	.06	—	.07	.45	—	—	—	.17	—	—	.32	.03	16
17	.23	—	.16	.21	—	—	—	—	.41	—	—	—	17
18	.05	—	.20	—	—	—	—	—	—	.13	—	.02	18
19	.01	—	.19	—	.02	—	—	—	—	.05	—	.17	19
20	—	—	.01	—	—	—	—	—	—	.01	.02	.02	20
21	—	—	.01	.03	—	—	—	—	—	—	.04	—	21
22	.05	—	—	—	—	—	.12	.01	—	(.146)	—	.47	22
23	—	—	—	.13	—	—	.07	—	—	.36	—	.07	23
24	.13	.08	—	—	—	—	—	—	—	—	—	.27	24
25	—	.25	.05	—	—	.20	.17	—	—	—	—	.03	25
26	.20	—	—	—	—	—	.03	.02	—	—	—	.04	26
27	.02	—	.02	—	—	.02	.07	.02	—	—	.01	.08	27
28	—	—	.32	—	.24	—	.02	—	—	—	.16	.11	28
29	.11	~~—~~	.06	.04	.28	—	—	.03	—	—	—	—	29
30	.65	~~—~~	—	—	.06	—	.02	—	—	—	.26	—	30
31	.17	~~—~~	—	~~—~~	.14	~~—~~	—	.02	~~—~~	—	~~—~~	.08	31
TOTAL	3.96	.39	2.27	1.20	2.26	.25	.70	1.91	2.41	1.39	2.17	2.19	YEAR'S TOTAL 21.10
Days with ".01 in. or more	22	3	22	9	16	3	9	16	8	8	14	19	149
Days with ".04 in. or more	18	3	18	6	12	1	5	8	7	7	9	14	108

REGISTER OF RAINFALL IN 1922.

Kept at School House; Publow
in the County of Somerset
by (Mr.) A. Hayes

Lat. 51° 20' N Long. 2° 50' W
Time of Observation 9 a.m.
Nearest Railway Station Pensford. G.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

.05

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.18	.50	—	.13	.01	.70	—	.02	.01	.52	—	1
2	—	.52	.05	.16	.01	—	.23	.02	—	—	.07	—	2
3	.03	.20	.36	.44	.20	—	.02	.45	—	—	—	.01	3
4	—	.10	.32	—	—	—	.18	—	—	.32	—	—	4
5	.08	—	.32	—	—	—	1.51	—	—	.24	.50	—	5
6	.08	—	.14	—	—	—	.53	.87	—	—	.31	—	6
7	.13	—	.50	.34	—	.11	.18	.27	—	—	.04	—	7
8	.12	—	.02	—	—	—	.35	.45	—	—	.05	—	8
9	.10	—	—	—	—	—	.02	—	—	—	.01	—	9
10	.01	—	—	—	—	—	—	—	—	—	.28	—	10
11	—	—	—	.03	.01	—	—	—	—	—	—	—	11
12	—	—	—	.46	—	.01	—	.42	.75	—	—	—	12
13	.31	—	—	.50	—	.20	.27	—	.13	—	—	—	13
14	.13	—	—	.05	—	—	—	—	.07	—	.01	—	14
15	.57	.40	—	.15	—	—	.02	—	.05	—	.01	.01	15
16	—	.27	—	.17	.25	—	—	.25	—	—	—	.22	16
17	—	.13	—	—	.14	—	.07	—	.04	—	—	.11	17
18	.22	.03	—	—	.14	—	.03	.01	.06	—	—	.08	18
19	.02	.13	.08	—	—	—	—	—	.90	—	—	1.05	19
20	.12	.16	—	.03	—	.01	—	—	—	.01	—	.01	20
21	.20	.21	—	—	—	.01	.15	—	—	—	—	.80	21
22	.02	.31	—	—	—	.11	.38	.28	—	—	—	.18	22
23	—	.22	—	.06	.01	—	.21	—	.05	—	—	.10	23
24	.14	—	.06	.06	.03	.66	—	.11	—	—	—	.07	24
25	.19	.12	—	.21	—	.20	—	—	.14	—	—	.22	25
26	.12	.43	.02	.01	—	.02	.08	—	—	.01	.10	.05	26
27	.21	.72	.09	.25	—	.02	—	.13	.02	—	.02	.30	27
28	.30	.61	.03	.13	—	.25	—	.16	—	—	—	.24	28
29	.03	X	—	.11	—	.10	.16	—	—	.70	—	.78	29
30	.60	X	.10	—	—	.03	—	.78	.35	—	.07	.78	30
31	.08	X	.63	X	—	X	.02	.02	X	.53	X	.01	31
TOTAL	3.83	4.74	3.22	3.16	.92	1.74	5.11	4.22	2.58	1.82	1.99	5.02	YEAR'S TOTAL
Days with .01 in. or more	24	17	15	17	9	14	19	14	12	7	13	18	179
Days with .04 in. or more	18	16	12	14	5	7	14	11	10	4	9	14	134

REGISTER OF RAINFALL IN 1923.

Kept at School House Publow
in the County of Somerset
by (Mr) A Hayes

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Pensford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 230 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.65	.18	—	—	—	—	.02	.02	.10	.02	.65	1
2	.18	.72	—	.44	.01	—	.01	—	—	.16	—	—	2
3	.09	—	—	.01	.07	.01	.01	.14	.15	.45	.04	.10	3
4	—	—	.07	.02	.01	—	—	—	.01	—	.50	.20	4
5	.58	—	.01	.25	.22	—	—	—	.01	.04	.20	.02	5
6	.24	.42	.12	.15	—	—	—	—	—	.02	—	—	6
7	.03	.77	.05	.01	—	—	—	—	—	.26	—	.52	7
8	.27	.30	.01	—	—	—	—	—	—	.32	.09	—	8
9	.25	.77	—	—	—	.07	—	—	—	—	—	—	9
10	—	.33	—	.18	.14	—	.02	—	—	.32	—	.09	10
11	—	.03	—	.32	—	.02	—	—	—	.41	—	—	11
12	—	.17	.26	.20	.32	—	—	—	—	.81	.04	—	12
13	.02	.15	—	.11	.08	—	—	.01	.01	.02	<u>1.47</u>	—	13
14	—	—	—	.06	.02	—	—	.11	.66	—	.11	—	14
15	.01	.16	.02	.13	.10	.36	.02	—	—	.02	.47	—	15
16	.01	.17	—	.01	.01	—	—	.01	.04	—	—	.05	16
17	—	.68	—	—	—	—	.15	.36	.58	.05	.06	—	17
18	—	.22	—	.13	.01	.02	—	.18	.09	.01	.02	—	18
19	.07	.02	—	—	.01	—	.12	.05	.84	.15	—	—	19
20	—	.17	—	—	.08	—	—	—	.21	.55	.01	—	20
21	—	.23	—	—	—	.01	—	.33	.05	.28	—	.02	21
22	—	.43	—	—	.12	—	—	.11	.02	.23	—	.10	22
23	.04	.19	.25	—	—	—	.17	.48	.17	.19	—	.08	23
24	—	.14	—	.15	.06	—	.01	.04	.32	.16	—	.06	24
25	—	.35	—	.32	.03	.06	.12	.06	.24	.42	—	.62	25
26	—	.19	—	.15	.08	.02	—	.21	.01	.44	—	.30	26
27	—	.63	.11	—	.12	—	.08	.56	—	.08	—	.11	27
28	—	.12	.13	.09	.02	—	.31	.15	.02	.05	—	—	28
29	.01	X	—	.20	.08	—	.14	.58	—	.02	—	.17	29
30	.08	X	.02	.04	—	—	.12	.06	—	.21	—	.07	30
31	.14	X	—	X	—	X	.23	.03	X	.01	X	.24	31
TOTAL	2.07	8.01	1.23	2.97	1.59	.57	1.51	3.49	3.45	5.78	3.03	3.40	YEAR'S TOTAL 37.10
Days with ".01 in. or more	16	24	12	20	20	8	14	19	18	27	12	17	207
Days with ".04 in. or more	11	22	8	16	12	3	9	15	11	21	9	15	152

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist.

Station No.

Kept at School House: Publowin the County of Somersetby (Mr) A. Hayes

Lat. _____ Long. _____

Time of Observation 9 a.m.Nearest Railway Station Penstford G.O.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. _____ in." " " " Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.05	—	—	.13	.06	—	—	—	1.10	.85	WRP
2	.13	—	.45	—	.08	—	—	.11	—	.22	—	.11	2011
3	.16	—	.03	—	—	.13	.70	—	—	.01	—	—	3
4	.02	—	—	—	—	.26	—	.21	—	—	—	.20	4
5	—	—	.08	—	—	—	.30	.17	.02	.09	—	.23	5
6	—	—	—	—	.08	.01	.02	.07	.01	.45	—	—	6
7	.02	—	—	—	.38	.11	.06	.06	.40	1.45	—	—	7
8	.18	.02	—	.02	.03	—	—	—	.30	.20	—	.02	8
9	~~sn~~ .19	.03	—	.04	—	.12	—	—	.10	—	—	—	9
10	.14	.04	—	.10	.30	.27	—	—	.02	.05	.03	—	10
11	.46	—	—	.64	.61	.76	—	—	.02	.05	.34	—	11
12	.17	—	—	.18	.12	.26	—	.03	.06	—	—	—	12
13	.15	—	—	.63	—	—	—	.17	(.53)	—	.01	.48	13
14	—	—	—	—	—	—	—	—	.02	—	—	.15	14
15	—	.15	—	—	—	—	—	.12	.02	—	—	.53	15
16	.17	—	—	—	—	—	—	.22	.08	—	—	—	16
17	.17	—	—	—	.05	.15	.98	.36	.16	—	—	.01	17
18	.72	—	—	—	.26	—	—	—	—	.10	.02	.02	18
19	.23	—	—	—	.09	—	—	.22	.04	.07	—	—	19
20	.11	—	.03	—	.54	—	.37	.10	.22	.35	—	—	20
21	.66	—	.02	—	.06	.36	.03	.71	.02	.61	—	—	21
22	.49	—	.53	—	—	—	—	.90	.40	—	—	.15	22
23	—	—	.25	—	.42	—	.10	.21	.12	—	—	.47	23
24	.35	—	.31	.22	.38	—	—	—	.02	—	.01	.13	24
25	.01	—	.13	.24	—	—	.30	.18	.26	.17	.25	.03	25
26	—	—	—	.22	—	—	—	.01	.27	.08	.70	.87	26
27	—	.10	—	(.54)	—	—	.82	.01	—	.65	—	.31	27
28	—	—	—	—	—	—	.31	.07	—	.17	.22	.63	28
29	—	—	—	.36	.33	—	.36	.31	.02	1.00	.55	.51	29
30	—	X	—	.17	.32	.01	—	.02	.13	.31	.18	.41	30
31	—	X	—	X	.64	X	—	.16	X	.05	X	.51	31
TOTAL	4.53	.34	1.88	3.36	4.69	2.57	4.41	4.42	3.29	6.08	3.41	6.12	1145 m YEARS TOTAL 45.10
Days with 11 in. or more.	19	5	10	12	17	12	13	22	23	19	11	20	183
Days with 14 in. or more.	16	3	7	11	16	10	11	18	14	18	7	16	147

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at School House, Pensfordin the County of Somerset

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. - in.
 „ Ground „ Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<u>.82</u>	-	-	-	-	<u>.05</u>	-	<u>.04</u>	<u>.11</u>	-	<u>.40</u>	-	1
2	<u>.63</u>	<u>.25</u>	-	<u>.05</u>	<u>.01</u>	-	<u>.63</u>	-	-	-	<u>.58</u>	-	2
3	<u>.16</u>	<u>.20</u>	-	-	<u>.24</u>	-	<u>.10</u>	-	-	<u>.04</u>	<u>.05</u>	-	3
4	<u>.20</u>	-	-	<u>.17</u>	<u>.17</u>	-	-	<u>.16</u>	<u>.06</u>	-	<u>.20</u>	-	4
5	<u>.10</u>	<u>.26</u>	-	<u>.72</u>	<u>.17</u>	-	-	<u>.22</u>	<u>.53</u>	-	<u>.04</u>	-	5
6	<u>.01</u>	-	-	-	<u>.21</u>	-	<u>.47</u>	-	-	-	<u>.55</u>	-	6
7	<u>.02</u>	-	-	-	<u>.34</u>	-	-	-	-	-	<u>.42</u>	<u>.15</u>	7
8	<u>.20</u>	<u>.25</u>	<u>.01</u>	-	<u>.24</u>	-	<u>.06</u>	<u>.34</u>	-	-	-	<u>.30</u>	8
9	-	<u>.05</u>	-	<u>.07</u>	<u>.22</u>	-	-	-	<u>.26</u>	-	-	<u>.14</u>	9
10	-	<u>.07</u>	<u>.06</u>	-	<u>.24</u>	-	-	<u>.27</u>	<u>.05</u>	-	-	-	10
11	-	<u>.52</u>	-	-	<u>.02</u>	-	-	-	-	-	-	-	11
12	<u>.02</u>	<u>.45</u>	-	-	-	-	-	<u>.49</u>	-	<u>.03</u>	-	-	12
13	<u>.02</u>	<u>.15</u>	<u>.11</u>	<u>.08</u>	-	-	-	-	-	-	-	-	13
14	<u>.23</u>	<u>.25</u>	-	-	-	-	-	-	-	-	<u>.04</u>	-	14
15	<u>.03</u>	<u>.02</u>	-	<u>.58</u>	-	-	-	-	<u>.08</u>	<u>.15</u>	-	-	15
16	<u>.02</u>	<u>.12</u>	-	-	-	-	-	-	<u>.03</u>	<u>.31</u>	-	-	16
17	-	<u>.02</u>	-	<u>.01</u>	-	-	<u>.11</u>	-	<u>.05</u>	<u>.03</u>	-	-	17
18	-	<u>.01</u>	-	<u>.11</u>	<u>Thunder</u> <u>1.71</u>	-	<u>.03</u>	-	<u>.06</u>	<u>.01</u>	-	-	18
19	-	<u>.02</u>	-	<u>.03</u>	-	-	<u>.02</u>	<u>.21</u>	<u>.95</u>	<u>.82</u>	-	<u>.72</u>	19
20	-	<u>.02</u>	<u>.10</u>	<u>.03</u>	-	-	<u>.02</u>	<u>.33</u>	<u>.18</u>	<u>.52</u>	-	<u>.03</u>	20
21	-	-	-	-	-	-	<u>.39</u>	<u>.29</u>	<u>.11</u>	<u>.26</u>	-	<u>.18</u>	21
22	<u>.02</u>	<u>.25</u>	-	<u>.11</u>	<u>.10</u>	-	<u>.28</u>	<u>.16</u>	<u>.64</u>	<u>.76</u>	-	<u>.63</u>	22
23	<u>.07</u>	-	<u>.01</u>	<u>.11</u>	<u>.05</u>	-	<u>.04</u>	<u>.02</u>	<u>.07</u>	<u>.48</u>	-	<u>.11</u>	23
24	<u>.30</u>	<u>.40</u>	<u>.03</u>	<u>.07</u>	-	-	<u>.02</u>	-	<u>.02</u>	<u>.18</u>	<u>.02</u>	<u>.21</u>	24
25	<u>.37</u>	<u>.80</u>	<u>.11</u>	-	-	-	<u>.11</u>	-	<u>.16</u>	<u>.06</u>	-	<u>.11</u>	25
26	<u>.17</u>	<u>.20</u>	-	<u>.18</u>	<u>.38</u>	-	<u>.54</u>	<u>.42</u>	<u>.15</u>	<u>.28</u>	-	<u>.23</u>	26
27	<u>.06</u>	<u>.47</u>	-	-	<u>.31</u>	-	<u>.70</u>	-	-	<u>.03</u>	-	<u>.35</u>	27
28	<u>.05</u>	<u>.03</u>	-	-	<u>.28</u>	-	-	-	<u>.03</u>	<u>.05</u>	-	<u>.78</u>	28
29	<u>.35</u>	X	-	<u>.13</u>	<u>.55</u>	-	<u>.25</u>	-	-	-	<u>.09</u>	<u>.63</u>	29
30	-	X	-	<u>.01</u>	<u>.02</u>	-	<u>.31</u>	-	-	<u>.15</u>	<u>.22</u>	<u>.06</u>	30
31	<u>.12</u>	X	<u>.13</u>	X	-	X	<u>.05</u>	-	X	-	X	<u>.04</u>	31 ¹⁹²⁶
TOTAL	<u>3.97</u>	<u>4.81</u>	<u>.56</u>	<u>2.46</u>	<u>5.26</u>	<u>.05</u>	<u>4.13</u>	<u>2.95</u>	<u>3.54</u>	<u>4.16</u>	<u>2.61</u>	<u>4.67</u>	YEARS TOTAL <u>39.17</u>
Days with ".01 in. or more.	<u>22</u>	<u>22</u>	<u>8</u>	<u>16</u>	<u>18</u>	<u>1</u>	<u>18</u>	<u>12</u>	<u>18</u>	<u>14</u>	<u>11</u>	<u>16</u>	<u>179</u>
Days with ".04 in. or more.	<u>15</u>	<u>16</u>	<u>5</u>	<u>12</u>	<u>15</u>	<u>1</u>	<u>14</u>	<u>11</u>	<u>15</u>	<u>13</u>	<u>10</u>	<u>15</u>	<u>142</u>

(Signed) (Mr) A. Hayes

[P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at *School House: Pensford*
in the County of *Somerset*

Diameter of Funnel of Gauge.....*5*.....in.
Height of top of Gauge above Ground.....*1*.....ft.....in.
,, Ground ,, Sea Level.....*230*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.61</i>	<i>.09</i>	<i>.02</i>	—	<i>.06</i>	<i>.50</i>	—	—	<i>.07</i>	—	<i>.90</i>	—	1
2	<i>.34</i>	<i>.02</i>	—	—	—	<i>.26</i>	—	—	<i>.03</i>	—	—	<i>.02</i>	2
3	<i>.23</i>	<i>.14</i>	<i>.28</i>	—	—	—	—	—	—	—	—	<i>.02</i>	3
4	<i>.28</i>	<i>.11</i>	<i>.05</i>	<i>.34</i>	—	—	<i>.02</i>	—	<i>.04</i>	—	<i>.42</i>	—	4
5	<i>.13</i>	<i>.18</i>	<i>.08</i>	—	<i>.43</i>	—	<i>.45</i>	—	<i>.40</i>	<i>.03</i>	<i>.18</i>	<i>.24</i>	5
6	<i>.25</i>	<i>.08</i>	—	<i>.03</i>	<i>.05</i>	—	<i>.52</i>	<i>.02</i>	<i>.10</i>	<i>.13</i>	<i>.39</i>	—	6
7	<i>.05</i>	<i>.02</i>	—	<i>.22</i>	<i>.21</i>	<i>.11</i>	—	—	<i>.17</i>	<i>.01</i>	<i>.22</i>	<i>.04</i>	7
8	<i>.03</i>	<i>.02</i>	<i>.12</i>	<i>.11</i>	<i>.02</i>	<i>.06</i>	<i>.03</i>	<i>.25</i>	<i>.01</i>	<i>.37</i>	<i>1.28</i>	—	8
9	—	—	—	—	—	<i>.26</i>	—	<i>.80</i>	—	<i>.02</i>	<i>.05</i>	—	9
10	—	—	—	—	<i>.19</i>	<i>.11</i>	—	<i>.30</i>	—	<i>.04</i>	<i>.32</i>	—	10
11	—	—	—	—	<i>.13</i>	<i>.38</i>	—	—	<i>.09</i>	<i>.15</i>	—	<i>.01</i>	11
12	—	—	—	—	<i>.62</i>	<i>.05</i>	—	—	<i>.07</i>	<i>.78</i>	<i>.18</i>	<i>.02</i>	12
13	—	—	—	—	<i>.03</i>	<i>.14</i>	—	<i>.20</i>	<i>.12</i>	<i>.38</i>	<i>.46</i>	<i>.01</i>	13
14	<i>.05</i>	<i>.26</i>	—	<i>.54</i>	<i>.33</i>	<i>.19</i>	—	—	<i>.01</i>	<i>.54</i>	<i>.16</i>	<i>.07</i>	14
15	<i>.10</i>	<i>.22</i>	—	<i>.05</i>	—	—	—	<i>.12</i>	<i>.04</i>	<i>.49</i>	<i>.26</i>	—	15
16	<i>.15</i>	<i>.33</i>	—	<i>.60</i>	—	—	—	<i>.08</i>	<i>.04</i>	—	<i>.13</i>	—	16
17	<i>.08</i>	<i>.75</i>	—	<i>.01</i>	—	<i>.44</i>	<i>.98</i>	—	—	—	<i>.42</i>	<i>.08</i>	17
18	<i>.21</i>	<i>.07</i>	—	<i>.23</i>	—	—	<i>.15</i>	<i>.10</i>	—	—	<i>.38</i>	<i>.01</i>	18
19	—	<i>.05</i>	—	<i>.02</i>	—	<i>.02</i>	<i>.21</i>	<i>.05</i>	<i>.02</i>	—	<i>.52</i>	—	19
20	<i>.03</i>	<i>.01</i>	—	<i>.23</i>	—	<i>.02</i>	—	<i>.19</i>	<i>.02</i>	—	<i>.27</i>	—	20
21	<i>.02</i>	—	—	<i>.19</i>	—	—	<i>.07</i>	<i>.04</i>	—	<i>.52</i>	<i>.10</i>	—	21
22	<i>.38</i>	—	—	<i>.13</i>	—	<i>.02</i>	—	<i>.03</i>	—	<i>.11</i>	<i>.01</i>	—	22
23	<i>.08</i>	—	—	—	—	—	—	—	<i>.01</i>	—	—	—	23
24	<i>.04</i>	<i>.02</i>	<i>.02</i>	—	—	—	<i>.37</i>	—	—	<i>.50</i>	—	—	24
25	<i>.23</i>	—	—	<i>.40</i>	—	—	<i>.53</i>	—	<i>.14</i>	<i>.37</i>	<i>.14</i>	—	25
26	—	—	—	<i>.02</i>	<i>.13</i>	—	<i>.25</i>	—	<i>.17</i>	—	<i>.33</i>	<i>.05</i>	26
27	<i>.28</i>	<i>.07</i>	<i>.35</i>	—	<i>.05</i>	—	<i>.08</i>	—	<i>.04</i>	<i>.20</i>	—	—	27
28	<i>.22</i>	—	—	<i>.12</i>	<i>.02</i>	—	<i>.15</i>	—	—	<i>.93</i>	<i>.40</i>	—	28
29	<i>.10</i>	X	—	<i>.10</i>	<i>.12</i>	—	<i>.10</i>	—	—	—	<i>.27</i>	—	29
30	<i>.12</i>	X	—	<i>.15</i>	<i>.67</i>	—	—	<i>.22</i>	—	—	<i>.09</i>	—	30
31	<i>.27</i>	X	—	X	—	X	—	—	X	—	X	—	31
TOTAL	<i>5.28</i>	<i>2.44</i>	<i>.92</i>	<i>3.49</i>	<i>3.06</i>	<i>2.56</i>	<i>3.91</i>	<i>2.40</i>	<i>1.59</i>	<i>5.57</i>	<i>7.88</i>	<i>.57</i>	YEARS TOTAL
Days with ".01 in. or more.	<i>24</i>	<i>17</i>	<i>7</i>	<i>18</i>	<i>15</i>	<i>14</i>	<i>14</i>	<i>13</i>	<i>19</i>	<i>17</i>	<i>24</i>	<i>11</i>	<i>193</i>
Days with ".04 in. or more.	<i>21</i>	<i>12</i>	<i>5</i>	<i>14</i>	<i>12</i>	<i>11</i>	<i>12</i>	<i>11</i>	<i>13</i>	<i>14</i>	<i>23</i>	<i>5</i>	<i>153</i>

Please read the Notes and Instructions Overleaf.

Section **A** for the entry of Daily Observations.

1785
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at School House Pensford
in the County of Somerset

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....—.....in.
„ Ground „ Sea Level.....230.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.92	.09	—	—	—	.83	.04	—	.21	.42	—	1
2	—	—	.04	.11	.11	—	—	—	—	.07	.02	—	2
3	.10	.03	.04	.01	.04	.02	.03	—	—	—	.06	.04	3
4	—	—	.16	.07	.04	.04	.08	—	—	—	.11	—	4
5	.15	.14	.36	.47	—	.07	.09	—	—	—	.58	—	5
6	.03	—	.23	.26	—	.02	.03	.03	.46	—	.04	—	6
7	—	.12	.03	.27	—	.12	.84	.02	—	—	—	—	7
8	.03	—	.11	.14	—	—	—	.29	.07	—	—	.02	8
9	—	—	.16	.03	.17	—	.07	.14	.41	—	—	.16	9
10	.01	—	—	.04	—	—	—	.25	—	—	—	—	10
11	—	—	—	.06	—	—	.82	.09	.05	—	—	—	11
12	.25	—	—	.04	.02	—	.03	.30	—	.01	—	—	12
13	.16	—	—	.10	—	.04	.83	.32	.25	.12	.05	.25	13
14	—	—	—	.14	.08	—	.03	.29	.81	—	—	—	14
15	.02	—	—	—	.14	—	—	.42	.82	.01	.04	.08	15
16	—	—	—	—	.34	.57	—	.09	.43	—	.02	—	16
17	.26	—	.11	—	—	.17	—	.44	.20	—	—	—	17
18	—	—	—	—	—	.57	—	.03	.17	.11	.54	—	18
19	—	.82	.02	—	—	—	.13	.25	.02	.05	.57	—	19
20	.17	.13	—	—	.01	.02	.25	.78	.01	—	.17	.15	20
21	.04	.18	—	—	—	.06	.23	.73	.20	.55	.07	.02	21
22	.25	.22	.35	.10	—	.22	.02	.80	.21	.66	—	.65	22
23	.01	.17	.25	—	—	.23	—	.03	.73	.15	.18	.15	23
24	.17	.23	.53	.04	—	.15	.03	.22	.21	.04	—	—	24
25	.13	.42	.16	—	—	.12	—	—	—	.12	—	.13	25
26	.07	.63	.08	.02	—	.05	.37	—	.19	.02	—	.50	26
27	.03	.16	—	—	.12	.05	.32	—	—	.51	—	—	27
28	1.63	.14	.11	—	—	.04	.02	—	.06	.02	.21	—	28
29	.03	X	.27	—	—	.09	.02	—	.72	.02	—	—	29
30	.01	X	.11	—	.02	.18	.12	.02	.04	.09	.04	.03	30
31	.30	X	.36	X	.01	X	.36	—	X	—	X	.02	31
TOTAL	3.89	3.81	3.57	1.90	1.10	2.83	5.55	5.58	6.06	2.76	3.12	2.20	YEARS TOTAL
Days with ".01 in. or more.	22	14	20	16	12	20	22	21	20	17	16	13	42.37
Days with ".04 in. or more.	14	13	18	13	8	17	14	16	18	12	14	9	213
													166

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at School Hse. Pensford
 in the County of Somerset

Diameter of Funnel of Gauge 5 in. (Five)Height of top of Gauge above Ground 1 ft. — in.„ Ground „ Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.33	—	.04	—	—	—	—	.02	—	—	.02	—	1
2	—	.29	.38	.03	—	—	.05	.01	—	—	.40	—	2
3	.02	—	—	.25	—	—	.20	.03	—	—	.23	—	3
4	.20	.34	—	.04	—	.03	—	—	—	.27	.11	—	4
5	.15	.16	.04	.13	.20	.04	.21	—	.07	.72	—	.02	5
6	.02	—	.03	—	.01	.50	—	—	.01	—	—	—	6
7	.16	.11	.03	.02	—	.24	—	.11	—	.06	—	—	7
8	—	—	—	.02	—	.42	—	—	.05	.10	—	—	8
9	.06	—	—	.14	—	.10	—	—	.11	.13	—	.02	9
10	.22	.37	—	.01	—	.05	—	.03	—	.23	.19	—	10
11	—	.31	^{evening} .02	.04	—	—	—	.02	—	.30	.05	.38	11
12	.60	.43	—	—	—	—	—	.12	—	—	.02	.03	12
13	.11	.10	—	.04	—	.35	—	.13	—	—	—	—	13
14	.21	.61	.02	^{evening} .27	.01	.07	—	.24	—	.43	.22	—	14
15	.12	.18	—	.07	—	.02	—	—	—	.03	.27	—	15
16	.03	—	—	—	.02	—	—	—	—	.07	.40	.50	16
17	—	.02	—	—	—	.01	—	—	—	—	.02	—	17
18	.31	—	.10	—	.18	.03	—	—	—	.32	.06	—	18
19	—	—	.05	—	.01	—	—	.12	—	.70	.07	.02	19
20	.14	—	.45	—	.20	—	—	.42	—	—	—	—	20
21	.85	—	.35	—	.03	.05	—	.12	—	—	.62	—	21
22	—	—	.08	—	—	—	—	—	—	.42	.45	—	22
23	.16	—	.10	—	.28	—	—	—	—	.28	.33	.10	23
24	—	—	—	—	—	—	—	—	.31	.11	.05	.20	24
25	.19	—	.05	—	—	.03	.01	.02	—	.06	.03	1.18	25
26	.17	—	.02	—	—	.08	.35	.47	—	1.12	—	.03	26
27	—	—	.02	.18	—	—	1.28	.58	.10	.12	—	1.12	27
28	.61	—	.25	—	.04	—	.11	.07	.69	—	—	.23	28
29	.09	.26	.63	—	—	.12	—	.23	.01	.12	—	—	29
30	—	×	.16	—	—	.08	.62	—	—	—	—	—	30
31	.31	×	.31	×	—	×	1.22	—	×	—	×	—	31
TOTAL	6.09	3.21	3.13	1.24	.98	2.22	4.05	2.74	1.35	5.59	3.54	3.83	YEAR'S TOTAL
Days with .01 in. or more.	22	12	20	13	10	17	9	17	8	19	18	12	177
Days with .04 in. or more.	19	11	14	9	5	12	8	11	6	18	14	7	134

REGISTER OF RAINFALL IN 1929.

Kept at *School Hse, Pensford.*
in the County of *Somerset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *—* in.
,, Ground ,, Sea Level *230* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	<i>.47</i>	—	<i>.02</i>	<i>.10</i>	<i>.11</i>	—	—	<i>.04</i>	<i>.62</i>	—	<i>.08</i>	I
2	—	<i>.21</i>	—	—	—	<i>.10</i>	<i>.04</i>	—	—	<i>.26</i>	<i>.03</i>	<i>.38</i>	2
3	—	—	—	—	<i>.04</i>	<i>.13</i>	—	<i>1.04</i>	—	<i>.06</i>	—	<i>.20</i>	3
4	—	—	—	<i>.12</i>	<i>.63</i>	—	<i>.10</i>	<i>.19</i>	—	<i>.04</i>	<i>.01</i>	<i>.73</i>	4
5	—	—	—	—	<i>.69</i>	<i>.38</i>	<i>.34</i>	<i>.20</i>	—	<i>1.85</i>	<i>.63</i>	<i>.42</i>	5
6	<i>.05</i>	—	—	—	<i>.05</i>	<i>.12</i>	—	<i>.16</i>	—	<i>.34</i>	<i>.12</i>	<i>.69</i>	6
7	—	—	—	—	<i>.01</i>	—	—	—	—	<i>.36</i>	<i>.43</i>	<i>.45</i>	7
8	—	—	—	—	—	<i>.03</i>	—	—	—	<i>.65</i>	—	<i>.36</i>	8
9	<i>.10</i>	<i>.08</i>	—	—	—	—	—	<i>.04</i>	—	<i>.02</i>	<i>.18</i>	<i>.74</i>	9
10	—	—	—	<i>.03</i>	<i>.01</i>	—	—	—	—	<i>.04</i>	<i>.20</i>	<i>.34</i>	10
11	—	<i>.16</i>	—	<i>.04</i>	<i>.17</i>	—	—	—	—	<i>.01</i>	<i>1.18</i>	<i>.16</i>	11
12	—	—	—	<i>.13</i>	—	<i>.41</i>	—	—	—	—	<i>.02</i>	<i>.02</i>	12
13	<i>.01</i>	—	—	<i>.03</i>	<i>.06</i>	<i>.02</i>	—	—	—	—	—	<i>.05</i>	13
14	—	—	—	—	<i>.14</i>	<i>.49</i>	—	—	—	—	—	<i>.19</i>	14
15	<i>.05</i>	<i>.10</i>	—	—	<i>.05</i>	<i>.09</i>	—	—	—	—	<i>.68</i>	<i>.02</i>	15
16	—	—	—	—	—	—	—	<i>.05</i>	—	<i>.01</i>	—	—	16
17	<i>.04</i>	—	—	—	—	—	—	<i>.05</i>	—	<i>.12</i>	—	—	17
18	<i>.04</i>	—	—	—	—	—	—	<i>.14</i>	<i>.02</i>	—	<i>.82</i>	—	18
19	—	—	—	—	—	—	—	—	<i>.13</i>	<i>.08</i>	<i>.38</i>	<i>.03</i>	19
20	—	—	<i>.01</i>	—	—	—	—	<i>.08</i>	<i>.01</i>	<i>.34</i>	—	<i>.52</i>	20
21	—	—	<i>.20</i>	—	—	—	—	<i>.04</i>	—	—	—	—	21
22	—	<i>.02</i>	—	<i>.01</i>	—	—	<i>.04</i>	<i>.24</i>	—	—	<i>.38</i>	<i>.38</i>	22
23	—	<i>.02</i>	—	—	<i>.03</i>	—	—	—	—	<i>.01</i>	<i>.38</i>	<i>.01</i>	23
24	—	—	—	—	—	—	—	<i>.01</i>	—	<i>.83</i>	<i>1.22</i>	<i>.71</i>	24
25	—	—	<i>.04</i>	<i>.02</i>	—	—	—	—	—	<i>.02</i>	<i>.10</i>	<i>.06</i>	25
26	—	—	—	—	<i>.03</i>	—	—	—	—	—	<i>.23</i>	<i>.24</i>	26
27	—	—	—	<i>.09</i>	<i>.15</i>	—	—	<i>.03</i>	—	<i>.02</i>	<i>.63</i>	<i>.21</i>	27
28	<i>.28</i>	—	—	<i>.14</i>	—	—	<i>.42</i>	<i>.24</i>	—	<i>.18</i>	<i>.88</i>	<i>.52</i>	28
29	<i>.10</i>	—	—	<i>.17</i>	—	—	—	—	<i>.20</i>	<i>.02</i>	<i>.86</i>	<i>.17</i>	29
30	—	<i>x</i>	—	—	—	<i>.07</i>	<i>.07</i>	—	<i>.25</i>	—	<i>.09</i>	<i>.03</i>	30
31	<i>.66</i>	<i>x</i>	—	<i>x</i>	—	<i>x</i>	<i>.43</i>	<i>.18</i>	<i>x</i>	—	<i>x</i>	<i>.02</i>	31
TOTAL	<i>1.26</i>	<i>1.06</i>	<i>0.25</i>	<i>.80</i>	<i>2.16</i>	<i>1.95</i>	<i>1.44</i>	<i>2.69</i>	<i>.65</i>	<i>5.88</i>	<i>9.45</i>	<i>7.73</i>	YEAR'S TOTAL <i>35.32</i>
Days with or in. or more.	<i>9</i>	<i>7</i>	<i>3</i>	<i>11</i>	<i>14</i>	<i>11</i>	<i>7</i>	<i>15</i>	<i>6</i>	<i>21</i>	<i>21</i>	<i>24</i>	<i>152</i>
Days with .04 in. or more.	<i>8</i>	<i>5</i>	<i>2</i>	<i>6</i>	<i>10</i>	<i>9</i>	<i>7</i>	<i>13</i>	<i>4</i>	<i>14</i>	<i>18</i>	<i>21</i>	<i>117</i>

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1930.

Kept at School House, Pensford

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

Ground Sea Level 230 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	.33	—	.28	—	.02	—	.10	—	—	.40	—	1
2	.01	.05	.02	.07	.07	—	.01	.36	—	—	.82	—	2
3	.15	.20	—	.63	.11	—	—	.50	—	.17	.05	—	3
4	.40	—	.07	.14	—	—	—	—	.02	.28	—	—	4
5	—	—	—	—	.07	—	—	1.19	—	.27	—	—	5
6	.01	—	.15	—	.08	—	trace	.74	.18	.07	—	—	6
7	.19	—	—	—	—	—	—	.02	—	.20	—	.22	7
8	.01	—	—	.17	—	—	.01	.01	.09	.33	—	.20	8
9	.37	—	.51	.21	.10	—	—	.04	.03	.03	.06	—	9
10	.80	—	.02	—	.21	.01	—	.14	—	—	—	.63	10
11	.10	—	—	.07	.03	—	.18	.08	—	.05	—	.23	11
12	.30	—	—	—	.10	—	—	.09	—	—	—	.11	12
13	.06	—	.03	.10	.07	—	.18	—	.46	—	—	.07	13
14	.61	.07	.51	.09	.01	—	.01	—	.05	.02	—	—	14
15	—	.02	.61	—	.02	—	.57	—	—	.29	.11	—	15
16	—	—	—	—	—	—	.15	—	.15	.01	—	.21	16
17	—	—	—	.21	.03	—	—	.09	.58	.11	—	—	17
18	—	—	—	—	.11	—	.02	.25	.07	.16	—	—	18
19	—	—	snow .08	.15	—	.15	.01	.21	1.15	.22	.46	—	19
20	—	—	—	.04	—	—	.32	.82	.63	.48	.10	—	20
21	—	—	.04	—	—	trace	.07	.25	.01	.05	.44	—	21
22	.34	—	—	.01	.02	.02	.01	.36	.12	.35	.28	—	22
23	.07	—	—	.04	.02	.12	.25	.11	.07	—	.31	.03	23
24	.46	—	—	.22	—	—	—	—	.31	.02	.48	.04	24
25	.04	.04	.14	.04	.39	—	.02	—	.02	—	.17	.25	25
26	.57	—	—	—	.26	—	.10	—	.06	.02	.04	.12	26
27	.10	—	.02	—	—	—	.11	—	.07	.13	—	.05	27
28	.07	—	.18	—	—	—	.34	—	.03	.03	.71	.35	28
29	—	—	—	—	—	—	.16	—	.34	.38	.17	.12	29
30	.01	×	—	—	.09	.13	.08	—	—	.03	—	.40	30
31	.40	×	.14	×	.30	×	—	—	×	.14	×	.15	31
TOTAL	5.34	.71	2.52	2.47	2.09	.45	2.60	5.36	4.44	3.84	4.60	3.18	YEAR'S TOTAL 37.60
*Days with .01 in. or more.	22	6	14	16	19	6	19	18	20	24	15	16	195
*Days with .04 in. or more.	18	5	10	15	13	3	12	16	15	17	15	15	154

Kept at PILL

in the County of PILL

by 1st Class

PILL SCHOOL

NE BRISTOL

SOMERSET

1922-1923

IMPORTANT NOTE

If an Observer prefers not to read the reading at 9 a.m. on 1 this paragraph. Full instructions and particulars as to the sent post-free on application Square, London, N.W. 1, or

2° 4' W

7 a.m.

Pill

Rain Gauge 5 in.

Above Ground 5 ft. in.

Sea Level 50 ft.

entered to the previous day.

Requested to add at the end of of rain gauges, "all Observers," 62, Camden ce, Edinburgh.

Jan. 1, following.

04

Date	Jan.	Feb.	Mar.							Oct.	Nov.	Dec.	Date	
	in.	in.	in.								in.	in.		
1	.00	.15	.2							5	.19	.00	1	
2	.00	.49	.0							0	.05	.00	2	
3	.00	.09	.6							0	.00	.00	3	
4	.01	.16	.24	.30	.75			.20	.00	.00	.20	.00	4	
5	.02	.00	.15	.16	.00			1.19	.00	.00	.13	.00	5	
6	.06	.00	.06	.00	.00			.10	.42	.00	.00	.01	6	
7	.06	.00	.31	.10	.00			.20	.54	.00	.00		7	
8	.09	.00	.03	.00	.00			.29	.70	.00	.00		8	
9	.03	.00	.00	.00	.00			.01	.03	.00	.00	.03	9	
10	.00	.00	.00	.00	.00			.00	.00	.00	.00	.00	10	
11	.00	.00	.00	.03	.00			.00	.00	.00	.00	.00	11	
12	.00	.00	.00	.00	.00	.01		.00	.37	.34	.00	.18	12	
13	.25	.00	.00	.75	.00	.17		.10	.00	.51	.00	.01	13	
14	.00	.00	.00	.00	.00	.00		.00	.00	.02	.00	.00	14	
15	.35	.19	.00	.14	.00	.00		.00	.00	.00	.00		15	
16	.00	.28	.00	.06	.24	.00		.02	.30	.12	.00	.00	16	
17	.00	.00	.00	.00	.10	.00		.10	.02	.00	.00	.00	17	
18	.26	.22	.00	.00	.00	.00		.00	.00	.10	.00	.00	18	
19	.00	.00	.03	.00	.00	.00		.00	.00	.38	.00	.00	19	
20	.00	.20	.00	.00	.00	.00		.02	.00	.00	.00	.00	20	
21	.15	.17	.00	.00	.00	.00		.00	.01	.00	.00	.80	21	
22	.00	.33	.00	.00	.01	.16		.00	.24	.00	.00	.15	22	
23	.00	.08	.00	.02	.01	.00		.29	.00	.00	.00	.04	23	
24	.00	.00	.00	.01	.00	.31		.00	.08	.00	.00	.00	24	
25	.14	.04	.04	.21	.00	.13		.00	.00	.78	.00	.18	25	
26	.12	.21	.00	.03	.00	.00		.04	.00	.05	.03	.05	26	
27	.19	.63	.01	.08	.00	.09		.00	.17	.00	.00	.56	27	
28	.19	.32	.00	.00	.00	.20		.00	.06	.13	.00	.20	28	
29	.00	X	.00	.00	.00	.11		.16	.00	.00	.00	.60	29	
30	.61	X	.00	.10	.00	.00		.00	.51	.00	.04	.45	30	
31	.07	X	.75	X	.00	X		.17	.02	X	.31	.00	31	
TOTAL	2.60	3.56	3.66	2.55	2.45	.77	1.26	3.77	3.96	1.83	1.51	1.63	4.77	30.37
Days with .01 in. or more	16	15	12	15	8	2	17	16	9	?	?	?	?	?
Days with .04 in. or more	13	15	8	11	5	?	?	13	11	8	?	?	?	?

REGISTER OF RAINFALL IN 1922

Kept at Pill School
in the County of Somerset
by 1st Class

Lat. 51° 29' Long. 2° 41' W
Time of Observation 9 a.m.
Nearest Railway Station Pill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 5 ft. in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

-04

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.15	.21	.00	.06	.00	.22	.00	.00	.25	.19	.00	1
2	.00	.49	.03	.16	.01		.65	.03	.00	.00	.05	.00	2
3	.00	.09	.60	.30	.19		.01	.46	.00	.00		.00	3
4	.01	.16	.24	.30	.75		.20	.00	.00	.20		.00	4
5	.02	.00	.15	.16	.00		1.19	.00	.00	.13	.99	.00	5
6	.06	.00	.06	.00	.00	.08	.10	.42	.00	.00		.01	6
7	.06	.00	.31	.10	.00		.20	.54	.00	.00			7
8	.09	.00	.03	.00	.00		.29	.70	.00	.00			8
9	.03	.00	.00	.00	.00		.01	.03	.00	.00	.03		9
10	.00	.00	.00	.00	.00		.00	.00	.00	.00	.00		10
11	.00	.00	.00	.03	.00		.00	.00	.00	.00	.00	.00	11
12	.00	.00	.00	.00	.00	.01	.00	.37	.34	.00	.18	.00	12
13	.25	.00	.00	.75	.00	.17	.10	.00	.51	.00	.01	.00	13
14	.00	.00	.00	.00	.00	.00	.00	.00	.02	.00	.00	.00	14
15	.35	.19	.00	.14	.00	.00	.00	.00	.00	.00	.00		15
16	.00	.28	.00	.06	.24	.00	.02	.30	.12	.00	.00		16
17	.00	.00	.00	.00	.10	.00	.10	.02	.00	.00	.00		17
18	.26	.22	.00	.00	.00	.00	.00	.00	.10	.00	.00	.00	18
19	.00	.00	.03	.00	.00	.00	.00	.00	.38	.00	.00		19
20	.00	.20	.00	.00	.00	.00	.02	.00	.00	.00	.00	.00	20
21	.15	.17	.00	.00	.00	.00	.00	.01	.00		.00	.80	21
22	.00	.33	.00	.00	.01	.16	.00	.24	.00		.00	.15	22
23	.00	.08	.00	.02	.01	.00	.29	.00	.00		.00	.04	23
24	.00	.00	.00	.01	.00	.31	.00	.08	.00		.00	.00	24
25	.14	.04	.04	.21	.00	.13	.00	.00	.18		.00	.18	25
26	.12	.21	.00	.03	.00	.00	.04	.00	.05	.51	.11	.05	26
27	.19	.63	.01	.08	.00	.09	.00	.17	.00		.03	.56	27
28	.19	.32	.00	.00	.00	.20	.00	.06	.13		.00	.20	28
29	.00		.00	.00	.00	.11	.16	.00	.00		.00	.60	29
30	.61		.00	.10	.00	.00	.00	.51	.00	.01	.04	.45	30
31	.07		.75		.00		.17	.02		.31		.00	31
TOTAL	2.60	3.56	2.46	2.45	.77	1.26	3.77	3.96	1.83	1.51	1.63	4.77	30.37
Days with 0.1 in. or more	10	15	12	15	8	2	19	16	9	?	?	?	YEAR'S TOTAL
Days with 0.4 in. or more	13	15	8	11	5	?	13	11	8	?	?	?	

REGISTER OF RAINFALL IN 192

Kept at Pill Boys' Schoolin the County of Somersetby 1st ClassLat. 51° 29' Long. 2° 41' WTime of Observation 9 a.m.Nearest Railway Station PillDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 5 ft. — in." " " " Sea Level 50' ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	61	11	00	00	00	00	02	04	03	00	19	1
2	24	16	09	15	12	01	00	00	06	06	01	10	2
3	01	16	01	00	00	01	02	00	08	22	00	12	3
4	00	00	00	10	00	00	00	00	00	00	20	07	4
5	58	00	01	12	23	00	00	00	00		17	01	5
6	13	22	10	06	00	00	00	00	00	14	00	00	6
7	01	32	01	06	00	00	00	00	00		00	10	7
8	16	08	00	00	00	00	00	00	00	09	16	00	8
9	06	20	00	00	08	05	00	00	00	10	00	10	9
10	00	22	00	12	08	00	00	00	00	00	00	06	10
11	00	20	00	29	00	00	00	00	00	31	00	00	11
12	01	14	21	13	33	03	00	00	00	30	12	00	12
13	00	18	00	16	04	00	00	00	03	10	15	00	13
14	00	01	00	20	15	01	00	00	60	00	04	00	14
15	00	08	00	16	09	21	06	00	20	01	27	00	15
16	01	22	00	02	01	11	07	00	00	00	00	00	16
17	00	34	00	00	02	00	03	37	54	04	30	00	17
18	00	11	00	05	✓	04	00	13	04	03	00	00	18
19	00	01	00	00	x	00	16	00	35	30	00	00	19
20	00	18	00	00	x	00	00	00	12	31	01	00	20
21	01	19	00	00	✓	03	00	00	32	62	00	00	21
22	02	31	00	00	x 50	00	00	02	21	31	00	07	22
23	02	00	00	00	x	00	07	46	11	27	00	15	23
24	00	00	15	12	✓	00	02	00	20	37	00	04	24
25	00	59	00	16	x	03	15	09	25	53	00	18	25
26	00	38	00	14	x	01	00	98	00	00	00	17	26
27	00	31	14	00	x	00	18	25*	00	19	00	13	27
28	00	23	00	00	06	00	20	12	00	11	01	15	28
29	00		18	23	05	00	11	35	00	03	00	08	29
30	00	X	00	01	00	00	46	28	01	13	00	03	30
31	11	X	00	X	00	X	43	26	X	00	X	05	31
TOTAL	1.41	5.45	1.01	2.28	1.76	.54	1.96	3.33	3.16	5.63	2.44	1.80	YEAR'S TOTAL
Days with 01 in. or more	14	24	10	18	22	11	13	12	16	26	11	18	195
Days with 14 in. or more	7	22	7	16	11	4	10	10	14	21	8	16	152

* High wind blew the bottle over.

Feb. March
AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

PLEASE fill in name of place and month
RAINFALL at *Pill School* in the County of *Somerset*
In the Month of *Feb. March* 192*2*

Date	Inches.	REMARKS ON THE DAYS.
1	.15	.21
2	.49	.03
3	.09	.60
4	.16	.24
5	.00	.15
6	.00	.06
7	.00	.31
8	.00	.03
9	.00	.00
10	.00	.00
11	.00	.00
12	.00	.00
13	.00	.00
14	.00	.00
15	.19	.00
16	.28	.00
17	.00	.00
18	.22	.00
19	.00	.03
20	.20	.00
21	.17	.00
22	.33	.00
23	.08	.00
24	.00	.00
25	.64	.04
26	.21	.00
27	.63	.61
28	.32	.00
29	X	.00
30	X	.00
31	X	.75

TOTAL

3.66
3.56

Days with .01 in. or more.....

Days with .04 in. or more.....

2.46

NOTE.— Observations returned on this form should be made at 9 a.m. daily, and entered to the day preceding that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

Records taken in millimetres should not be entered on this form.

1st of following month.

also 16

ON HIS MAJESTY'S SERVICE.

ADDITIONAL REMARKS.

Boys' School
Pitt
Bristol
Apr. 27.

Dear Sir,
Your figures
in red ink are
correct.
With apologies for the
errors.

SIGNED *D. E. Roberts Ad. Trachey*

No writing on this side of the line.

METEOROLOGICAL OFFICE,
Exhibition Road,
South Kensington,
LONDON, S.W. 7.

THE SUPERINTENDENT,

BRITISH RAINFALL ORGANIZATION,
62, Camden Square,
LONDON, N.W. 1.

Section **A** for the entry of
AIR MINIST
FORM 1090. **REG**
ANGERS LEIGH
Kept at
in the County of.....
Diameter of Funnel of Gauge.....
Height of top of Gauge above G
" Ground " S

PITMINSTER
(BLAGDON HILL)
SOMERSET
- 1930

1940A
FOR OFFICIAL USE.
ORGANIZATION.
1928.
An observer who does not conf
year in the space on the right of

Date.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01	.6			.6				.03	.	1
2			.20	.06			.05	.02			.09	.6	2
3			.03	.20			.25	.17		.6	.15	.6	3
4			.	.04	.12	.10	.6			.32	.21	.6	4
5			.13	.10		.6	.05		.07	.31	.02	.6	5
6			.03			.43	.6			.6	.03	.11	6
7			.05	.04		.21	.6	.07		.17	.6	.	7
8			.	.23		.57	.02		.04	.20		.	8
9			.01	.34		.12		.05	.30	.40		.01	9
10			.	.18		.03		.05	.6	.52	.15	.31	10
11			.08	.07		.15		.08		.64	.03	.12	11
12			.			.6	.6	.03		.08	.05	.02	12
13			.	.03		.15		.01		.6	.6	.	13
14			.	.64		.11		.25		.42	.51	.	14
15			.03	.22		.30		.02		.06	.34	.07	15
16			.18	.6	.15	.6		.		.13	.46	.52	16
17			.6		.23	.08		.02		.01	.08	.6	17
18			.15		.6	.02				.12	.09	.02	18
19			.37		(.124)	.05		.03		.75	.18	.06	19
20			.50	.02	.03	.6		.20		.6	.32	.6	20
21			.37	.01	.33	.02		.05		.19	.83	.01	21
22			.34				.6	.02		.75	.36	.03	22
23			.15	.6			.01			.26	.33	.02	23
24			.				.6	.16	.12	.05	.15	.20	24
25			.			.07	.03	.02	.6	.03	.03	.60	25
26			.08		.6	.04	.06	.51		1.06	.14	.10	26
27			.02	.14			.60	.09	.27	.29	.08	1.12	27
28			.27		.02		.6	.09	.85	.6	.6	.24	28
29		.90	.68			.15	.02	.04	.02	.12	.03	.10	29
30		X	.04		.6	.04	.39		.6	.6	.	.37	30
31		X	.15	X		X	.43		X	.	X	.6	31
TOTAL	(6.50)	(3.50)	3.87	2.32	1.02	2.64	1.91	1.98	1.67	6.88	4.64	4.03	YEARS TOTAL (41.28)
Days with "01 in. or more.			22	15	7	18	10	21	7	22	24	19	
Days with "04 in. or more.			16	12	5	15	7	13	6	20	18	13	

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

ANGERS LEIGH

Kept at

in the County of

Diameter of Funnel of Gauge..... 5 in.

Height of top of Gauge above Ground..... 1 ft. 0 in.

Ground Sea Level 750 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01	.15			.15				.03		1
2			.20	.06			.05	.02			.09	.15	2
3			.03	.20			.25	.17		.15	.15	.15	3
4				.04	.12	.10	.15			.32	.21	.15	4
5			.13	.10		.15	.05		.07	.31	.02	.15	5
6			.03			.43	.15			.15	.03	.11	6
7			.05	.04		.21	.15	.07		.17	.15		7
8				.23		.57	.02		.04	.20			8
9			.01	.34		.12		.05	.30	.40		.01	9
10				.18		.03		.05	.15	.52	.15	.31	10
11			.08	.07		.15		.08		.64	.03	.12	11
12						.15	.15	.03		.08	.05	.02	12
13				.03		.15		.01		.15	.15		13
14				.64		.11		.25		.42	.51		14
15			.03	.22		.30		.02		.06	.34	.07	15
16			.18	.15	.15	.15				.13	.46	.52	16
17			.15		.23	.08		.02		.01	.08	.15	17
18			.15		.15	.02				.12	.09	.02	18
19			.37		(.15)	.05		.03		.75	.18	.06	19
20			.50	.02	.03	.15		.20		.15	.32	.15	20
21			.37	.01	.33	.02		.05		.19	.83	.01	21
22			.34				.15	.02		.75	.36	.03	22
23			.15	.15			.01			.26	.33	.02	23
24							.15	.16	.12	.05	.15	.20	24
25						.07	.03	.02	.15	.03	.03	.60	25
26			.08		.15	.04	.06	.51		.06	.14	.10	26
27			.02	.14			.60	.09	.27	.29	.08	.12	27
28			.27		.02		.15	.09	.85	.15	.15	.24	28
29		.90	.68			.15	.02	.04	.02	.12	.03	.10	29
30		X	.04		.15	.04	.39		.15	.15		.37	30
31		X	.15	X		X	.43		X		X	.15	31
TOTAL	(6.50)	(3.50)	3.87	2.32	2.9	2.64	1.91	1.98	1.67	6.88	4.69	4.03	YEARS TOTAL
Days with ".01 in. or more.			22	15	7	18	10	21	7	22	24	19	(41.28)
Days with ".04 in. or more.			16	12	5	15	7	13	6	20	18	13	

Section **A** for the entry of Daily Observations. FOR OFFICIAL USE.
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Westcombe, Pitminsterin the County of SomersetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft.Ground 750 ft. Sea Level

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.	.35	h	h	.46	.05	h	.01	.02	.34	.	.14	1
2	.	.23	.	.	h	.03	.09	h	.	.07	.01	.47	2
3	.	h	.	.01	.02	.03	.14	1.74	.	h	.	.41	3
4	.	h	.	.08	.75	.05	.06	.13	.	.04	.	1.79	4
5	.02	h	.	h	1.03	.45	.60	.35	.	2.96	.68	.37	5
6	.04	.10	.	.	.31	.01	h	.13	.	.09	.03	.95	6
7	h	h	h	.	.10	h	.	h	.	.80	.30	.70	7
8	.	.02	.	.	h	.01	.	.04	.	.19	h	.60	8
9	.13	.12	.	.	h	.	.	.03	.	.01	.18	.46	9
10	.05	h	.	.02	.04	.	.	.01	.	.01	.01	.34	10
11	h	.26	.	h	.20	h	.	h	.	.02	1.23	.07	11
12	.	.	.	.13	.02	.72	.	.	.	.01	.06	.06	12
13	.05	h	.	.04	.10	.17	.	.02	.	h	h	.05	13
14	h	.02	.	.	.17	.25	.	.	.	.	.02	.31	14
15	h	.27	.	.	.02	.11	.	h	.	.	.84	.02	15
16	h	.	h	.	.	h	.	.02	.	.	.14	h	16
17	.05	.	h	h	.	.	h	h	h	.07	h	h	17
18	.02	.	.	.	.	.	h	h	h	.26	1.23	h	18
19	h	h	.	.	.	.	.	.	.04	.01	.79	.02	19
20	.02	h	h	.	.	.	.	.09	h	.33	.07	.92	20
21	.02	.	.24	.	.	.	.04	.06	.	h	.02	.02	21
22	.02	.03	.19	.	h	h	.01	.07	.	.04	1.25	.14	22
23	h	h	.01	.02	.12	.	h	h	.	.04	.57	.66	23
24	h	.01	.08	h	h	.	.	h	.	.75	1.80	1.08	24
25	.	.10	h	.22	.	h	.	h	.	.03	.28	.04	25
26	.	.04	.	.03	h	.	h	h	.	h	.09	.22	26
27	.01	.	.	.11	.14	.	h	.01	.	.02	1.16	.27	27
28	.47	.	.	.03	h	.	.42	.06	h	.25	.67	.64	28
29	.09	X	.	.42	h	.08	h	h	.22	.49	.88	.35	29
30	.02	X	.	.02	.	.20	.04	.	.40	h	.03	.21	30
31	1.06	X	.	X	.	X	.48	.17	X	.	X	.02	31
TOTAL	2.07	1.55	.52	1.13	3.48	2.16	1.88	2.94	.68	6.83	12.34	11.33	46.91
Days with .01 in. or more.	15	12	4	12	14	13	9	16	4	22	24	28	173
Days with .04 in. or more.	8	8	3	6	11	9	8	10	3	15	18	24	123

Section



for the entry of Daily Observations.

2051
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Westcombe Pilgrimage
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
Ground Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.25	.36	h	1.28	.	.01	01	30	.	01	30	h	1
2	.01	.02	.01	.23	h	.	12	33	.	01	47	.03	2
3	.13	.28	h	.88	.	.	01	31	h	30	01	h	3
4	.81	.33	.07	.12	.	.	h	01	07	38	.	h	4
5	h	h	h	.82	.11	.	.	71	h	13	39	h	5
6	h	h	.17	h	.04	.	.	27	22	08	h	02	6
7	.32	h	h	h	h	.	.	04	01	25	22	03	7
8	.01	.	h	.09	h	.	.	h	20	.07	01	12	8
9	.35	.	.59	.35	.10	h	.	h	13	01	.05	h	9
10	.85	.	.09	h	.30	01	.	.03	1.01	.	h	.84	10
11	.28	h	.10	.03	.06	04	01	04	03	10	.	10	11
12	.26	.	h	.09	.21	.	.	05	h	h	.	.09	12
13	.08	.	.14	.17	.13	h	08	06	75	.	h	14	13
14	.58	.04	.22	.23	.05	.	01	.	08	07	h	16	14
15	.01	.02	.52	h	.01	.	.52	02	h	1.04	25	.59	15
16	h	h	h	.	.	.	.02	.	28	12	h	39	16
17	.	.	h	.06	.03	.	06	07	75	11	h	h	17
18	h	.	.02	h	.11	h	h	04	64	16	20	15	18
19	h	.	.15	.26	h	10	03	03	1.28	38	66	01	19
20	h	.	h	.13	.	h	42	1.46	45	02	34	01	20
21	h	.	.04	h	.	08	.01	01	04	13	1.03	h	21
22	.80	.	h	.12	01	02	h	51	01	24	10	h	22
23	.19	.	.57	.17	h	38	10	01	10	01	50	03	23
24	.57	h	h	.17	h	02	02	.	01	14	31	11	24
25	.03	.28	h	.01	.15	h	.05	.	07	02	09	12	25
26	1.15	.30	h	.	.04	.	01	.	.04	03	35	23	26
27	.12	.01	.02	.	h	h	02	.	20	.05	01	03	27
28	.10	h	.11	.	h	.	13	.	10	04	1.05	.53	28
29	.06	X	.01	.	01	.	31	h	30	15	61	16	29
30	.06	X	.39	.	11	.	h	.	02	04	01	40	30
31	.95	X	.07	X	18	X	.	.	X	17	X	32	31
TOTAL	2.97	1.64	3.31	5.21	1.65	.66	1.94	4.30	6.79	4.26	6.96	4.66	49.35
* Days with or in. or more.	23	9	18	18	17	8	19	19	24	28	21	23	227
* Days with .04 in. or more.	19	6	14	16	13	4	9	13	19	21	17	16	167

40-9999

*See Instruction 2 (f) on other side.

(Signed)

G. L. Sidney

[P.T.O.]

Kept at Portishead
in the County of ...
by Rev A

IMPORTANT
If an Observer prefers
the reading at 9 a.m.
this paragraph. Full
and particulars as to
sent post-free on ap
Square, London, N.W.

~~West Hill~~
WEST HILL
PORTISHEAD
SOMERSET

1921-1924

ORGANIZATION.

ong 9 am
ion Portishead
f Rain Gauge 5 in.
e above Ground — ft. 60 in.
Sea Level 248 ft.
ult entered to the previous day.
requested to add
it at the end of
ing of rain gauges,
ainfall Observers,"
tion, 62, Camden
Place, Edinburgh.
form.

Jan. 1, following.

.01

Date	Jan. in.	Feb. in.											Oct. in.	Nov. in.	Dec. in.	Date
1	.47	.02											—	.15	.30	1
2	.08 ⁹	—											.14	.12	.08	2
3	—	—	.18	—	—	.01	—	.12	—	—	—	—	.34	.20	—	3
4	.22	—	—	—	.21	—	—	.42	—	—	—	—	—	.32	—	4
5	.01	—	.01	—	.01	—	—	.30	—	—	—	—	—	.32	—	5
6	.18	—	.05	—	.37	—	—	—	—	—	—	—	—	.01	.01	6
7	.10	—	—	—	.50	—	—	.11	—	—	—	—	—	.05	—	7
8	.02	—	.02	—	.15	—	—	—	—	—	—	—	—	—	—	8
9	.01	—	—	.01	.35	—	—	—	.06	—	—	—	—	—	—	9
10	.12	—	.01	—	—	—	—	1.42	1.02	—	—	—	—	—	—	10
11	.27	—	.01	—	.12	—	—	—	1.23	—	—	—	—	—	—	11
12	.18	—	.06	—	—	—	—	.18	.67	—	—	—	—	—	.23	12
13	.01	—	.15	.15	—	—	.01	—	.30	.36	.04	—	—	—	—	13
14	—	—	.14	—	.23	—	.18	—	.04	—	—	.19	—	—	—	14
15	—	—	.04	.02	—	—	.01	—	—	—	—	.04	—	—	—	15
16	.07	—	.05	.23	—	—	—	.40	—	—	—	.22	.01	—	—	16
17	.10	—	.13	.02	—	—	—	.01	.14	—	—	—	—	—	—	17
18	.01	—	.07	—	—	—	—	—	—	—	—	.22	—	—	—	18
19	—	—	.16	—	.01	—	—	—	—	—	—	.17	—	.14	—	19
20	—	—	—	—	—	—	—	—	—	—	—	.04	.01	.01	—	20
21	.01	—	.01	—	—	—	—	.05	—	.01	.03	.48	—	—	—	21
22	—	—	.02	.01	—	—	.04	—	—	—	—	.27	.03	—	—	22
23	—	—	—	—	—	—	—	—	—	—	—	.35	—	—	—	23
24	.08	.02	—	—	—	—	—	—	—	—	—	—	—	.09	—	24
25	.03	.13	.10	—	—	.14	.20	.01	—	—	—	—	—	.05	—	25
26	.06	—	.01	—	—	—	.04	.03	—	—	—	—	—	.32	—	26
27	.01	—	—	—	—	.07	.02	.13	—	—	—	.02	.08	—	—	27
28	—	—	.25	—	—	—	.01	.01	—	—	—	.05	.10	—	—	28
29	.11	X	.12	—	.27	—	—	—	—	—	—	—	—	.06	—	29
30	.67	X	—	—	.04	—	.01	—	—	—	—	.40	.05	—	—	30
31	.18	X	—	X	—	X	—	.01	X	—	X	—	—	—	—	31
TOTAL	3.01	.17	1.60	.44	2.26	.22	.52	3.63	3.73	1.90	2.01	2.20	YEAR'S TOTAL			
Days with ".01 in. or more	23	3	21	6	11	3	9	16	8	9	16	16	21.69			
Days with ".04 in. or more	15	1	14	2	9	2	4	11	8	8	11	13	98			

Kept at Portishead
in the County of Somerset
by Rev A. Lewis

Lat. _____ Long _____

Time of Observation 9 am

Nearest Railway Station Portishead

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 10 in.

" " " " Sea Level 248 ft.

21 JAN 1922

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following:

.01

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.47	.02	.09	—	—	—	—	.33	.27	—	.15	.30	1
2	.08 ⁹	—	—	—	—	—	—	.10	—	.14	.12	.08	2
3	—	—	.10	—	—	.01	—	.12	—	.34	.20	—	3
4	.22	—	—	—	.21	—	—	.42	—	—	.32	—	4
5	.01	—	.01	—	.01	—	—	.30	—	—	.32	—	5
6	.18	—	.05	—	.37	—	—	—	—	—	.01	.01	6
7	.10	—	—	—	.50	—	—	.11	—	—	.05	—	7
8	.02	—	.02	—	.15	—	—	—	—	—	—	—	8
9	.01	—	—	.01	.35	—	—	—	.06	—	—	—	9
10	.12	—	.01	—	—	—	—	1.42	1.02	—	—	—	10
11	.27	—	.01	—	.12	—	—	—	1.23	—	—	—	11
12	.18	—	.06	—	—	—	—	.18	.67	—	—	.23	12
13	.01	—	.15	.15	—	—	.01	—	.30	.36	.04	—	13
14	—	—	.14	—	.23	—	.18	—	.04	—	—	.19	14
15	—	—	.04	.02	—	—	.01	—	—	—	.04	—	15
16	.07	—	.05	.23	—	—	—	.40	—	—	.22	.01	16
17	.10	—	.13	.02	—	—	—	.01	.14	—	—	—	17
18	.01	—	.07	—	—	—	—	—	—	.22	—	—	18
19	—	—	.16	—	.01	—	—	—	—	.17	—	.14	19
20	—	—	—	—	—	—	—	—	—	.04	.01	.01	20
21	.01	—	.01	—	—	—	—	.05	—	.01	.03	.48	21
22	—	—	.02	.01	—	—	.04	—	—	.27	.03	—	22
23	—	—	—	—	—	—	—	—	—	.35	—	—	23
24	.08	.02	—	—	—	—	—	—	—	—	—	.09	24
25	.03	.13	.10	—	—	.14	.20	.01	—	—	—	.05	25
26	.06	—	.01	—	—	—	.04	.03	—	—	—	.32	26
27	.01	—	—	—	—	.07	.02	.13	—	—	.02	.08	27
28	—	—	.25	—	—	—	.01	.01	—	—	.05	.10	28
29	.11	X	.12	—	.27	—	—	—	—	—	—	.06	29
30	.67	X	—	—	.04	—	.01	—	—	—	.40	.05	30
31	.18	X	—	X	—	X	—	.01	X	—	X	—	31
TOTAL	3.01	.17	1.60	.44	2.26	.22	.52	3.63	3.73	1.90	2.01	2.20	YEAR'S TOTAL
Days with .01 in. or more	23	3	21	6	11	3	9	16	8	9	16	16	141
Days with .04 in. or more	15	1	14	2	9	2	4	11	8	8	11	13	98

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1922.

Kept at Highfield, West Hill, Portishead
in the County of Somerset
by Rev. A. Lewis

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Portishead G. M.R.
Diameter of Funnel of Rain Gauge 3 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 248 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.16	.16	—	—	.13	.66	.01	—	—	.16	—	1
2	—	.37	.06	{snow - .66}	.03	—	.26	.36	—	—	.06	—	2
3	—	.08	.81		.15	—	.02	—	—	—	.02	—	3
4	—	.12	.17	—	.14	—	.08	—	—	.24	—	—	4
5	.01	—	.19	.16	—	—	1.24	—	—	.09	.60	—	5
6	.06	—	.13	—	—	—	.06	.61	—	—	.39	—	6
7	.05	—	.36	.11	—	.04	.17	.32	—	—	.04	—	7
8	.12	—	.02	—	—	—	.24	.26	—	.02	.02	.05	8
9	.05	—	.01	—	—	—	.01	.01	—	—	.05	—	9
10	—	—	—	—	—	.10	—	—	—	—	.29	—	10
11	—	—	—	.01	—	—	—	—	—	—	—	—	11
12	—	—	—	.28	—	.03	.01	.41	.59	—	—	—	12
13	.16	—	—	.43	—	.06	.13	—	.28	—	—	—	13
14	—	—	—	.02	—	—	—	—	.01	—	—	—	14
15	.38	.20	—	.15	—	—	—	—	—	—	—	.05	15
16	.01	.29	—	.03	.30	—	—	.31	.08	—	—	.11	16
17	—	.24	—	—	.08	—	.12	—	—	—	—	.09	17
18	.35	.02	—	—	.01	—	—	—	.11	—	—	.12	18
19	.03	.04	.02	—	—	—	—	—	.63	—	—	1.41	19
20	.01	.13	—	—	—	—	—	—	.02	—	—	.01	20
21	.25	.21	—	—	—	—	.18	—	—	—	.01	.74	21
22	.01	.39	—	—	.01	.08	.25	.14	—	—	—	.11	22
23	—	.08	—	.01	.01	—	.05	—	—	—	—	.04	23
24	.09	—	.02	.06	—	.18	—	.11	—	—	—	.06	24
25	.07	.07	.01	.26	—	.18	—	—	.13	—	—	.10	25
26	.01	.13	—	.02	—	—	.09	—	.05	—	.02	.08	26
27	.19	.57	—	.17	—	.05	—	.22	.01	—	.01	.44	27
28	.16	.33	.01	—	—	.15	—	.16	—	—	—	.39	28
29	—	X	—	.09	—	.04	.19	—	—	.40	—	.77	29
30	.56	X	.08	.01	—	.05	.06	.45	.40	.02	.04	.50	30
31	.02	X	.67	X	—	X	.18	.01	X	.28	X	—	31
TOTAL	2.60	3.43	2.72	2.47	.73	1.09	4.00	3.38	2.31	1.05	1.71	5.07	YEAR'S TOTAL
Days with "01 in. or more	21	17	15	17	8	12	19	14	11	6	13	17	30.56
Days with "04 in. or more	13	16	9	11	4	11	16	11	8	4	8	16	127

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1923.

Kept at Portishead
 in the County of Somerset
 by Rev. Arthur Lewis

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Portishead 1 mile
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 10 ft.
 " " " " Sea Level 248 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.62	.23	-	-	-	-	.05	.09	.04	.02	.37	1
2	.21	.35	.12	.15	.12	-	-	-	-	.07	.02	-	2
3	.03	-	-	-	-	.01	.03	-	.07	.17	.01	.08	3
4	-	-	-	.07	-	-	-	-	.02	.01	.21	.09	4
5	.61	-	.01	.13	.15	-	.01	-	-	.01	.28	.02	5
6	.17	.31	.13	.10	-	-	-	-	-	-	-	-	6
7	.01	.47	-	.06	-	-	-	-	-	.27	-	.18	7
8	.17	.01	.01	-	-	.02	-	-	-	.21	.14	-	8
9	.08	.41	-	-	.07	.07	-	-	-	-	-	-	9
10	-	.17	-	.16	.07	-	-	-	-	.24	-	.06	10
11	-	.04	-	.22	-	-	-	-	-	.28	-	-	11
12	~~.02~~	.14	.25	.14	.32	.05	-	-	-	.42	.18	-	12
13	.02	.26	-	.18	.05	-	.15	-	.08	.01	1.15	.01	13
14	-	-	-	.03	.22	-	-	.01	.65	-	.05	-	14
15	-	.10	-	.10	.14	.34	.04	-	.01	-	.18	-	15
16	-	.14	-	.11	.01	-	.06	.03	.04	-	.21	-	16
17	.01	.60	-	-	-	-	-	.20	.56	.08	.01	-	17
18	.01	.12	-	.04	.01	-	.01	.04	.06	.12	.02	-	18
19	.02	-	-	-	.10	.02	.23	-	.29	.06	-	-	19
20	-	.20	-	-	.09	-	.01	-	.08	.07	-	-	20
21	-	.27	-	-	.02	-	-	.13	.03	.70	-	.10	21
22	-	.27	-	-	.09	.01	-	.01	.83	.53	-	.06	22
23	.01	.11	.12	-	.05	-	.11	.58	.10	.44	-	.01	23
24	-	.13	-	.14	.01	-	.04	.07	.22	.39	-	.41	24
25	-	.49	-	.34	.04	.01	.18	.08	.14	.58	-	.29	25
26	-	.27	-	.01	.11	.01	-	.76	-	.21	-	.23	26
27	-	.25	.16	-	.07	-	-	.35	-	.01	-	-	27
28	.01	.17	.14	.15	.07	-	.31	.16	.02	.24	-	.13	28
29	-	X	.02	.17	.04	-	.01	.44	.01	.02	-	-	29
30	-	X	-	.01	.02	.01	.18	.18	-	.16	-	-	30
31	.29	X	-	X	-	X	.37	.20	X	-	X	.20	31
TOTAL	1.61	5.90	1.19	2.31	1.87	.55	1.74	3.29	3.30	5.34	2.48	2.24	YEAR'S TOTAL 31.82
Days with 01 in. or more	15	23	10	19	22	10	15	16	18	25	13	15	201
Days with 04 in. or more	7	22	7	16	17	3	10	13	13	20	8	12	148

confidential
**AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.**

1785

Kept at Highfield, West Hill, Portishead
in the County of Somerset
by Rev. Arthur Lewis.

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ in.
" " " " Sea Level 248 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.
Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.03	-	.04	.26	.15	.55	-	-	1.02	.30	WVV 1
2	.11	-	.52	-	.17	.01	.29	-	-	.04	.01	.02	WV 2
3	.14	-	.19	-	.02	.17	.19	.22	-	-	-	-	C 3
4	-	-	-	-	-	.21	.56	.02	.02	-	-	.33	WV 4
5	-	-	.10	-	.01	-	.14	.01	-	.11	-	.28	5
6	-	-	-	-	.13	-	.02	.13	.13	.60	-	-	6
7	.02	-	-	-	.03	.14	-	-	.58	1.13	-	-	7
8	.13	.04	-	-	-	-	.01	-	.20	.06	-	-	8
9	.13	.05	-	.02	-	.17	-	-	.01	.04	-	-	9
10	.35	.16	-	.10	.26	.23	-	-	.01	.06	.04	-	10
11	.45	-	-	.45	.39	.59	-	-	.14	.01	.30	-	11
12	.11	-	-	.19	.12	.17	.01	.13	.08	-	-	-	12
13	.12	-	-	.79	.01	-	-	-	.70	-	-	.27	13
14	-	-	-	.01	-	-	-	.04	.04	-	-	.11	14
15	-	.07	-	-	.23	-	.03	-	.14	-	-	.07	15
16	.41	-	-	-	-	-	-	.70	.11	-	-	-	16
17	.13	-	-	-	-	.19	1.06	.34	.11	-	-	-	17
18	.69	-	-	-	.27	-	-	.02	-	.15	-	-	18
19	.13	-	-	-	.13	.03	.01	1.10	.16	.04	-	-	19
20	.29	-	.01	-	(.34)	-	.58	.31	.28	.40	.01	-	20
21	.37	.01	.07	-	.06	.22	.22	1.65	.16	.51	-	-	21
22	.49	-	.64	-	.01	-	-	.32	.17	-	-	.10	22
23	-	-	.32	-	.44	-	.01	.21	.16	-	-	.28	23
24	.34	.03	-	.19	.56	-	-	-	.42	-	-	.05	24
25	-	-	-	.04	-	-	.25	.01	.22	.11	.51	.01	25
26	-	-	-	.25	-	-	-	-	.02	.22	.31	.58	26
27	-	-	-	.35	-	-	.91	.01	-	.61	.08	.69	27
28	-	-	-	-	-	-	.68	.26	-	.15	.04	.22	28
29	-	.01	-	.20	.21	-	-	.38	.18	1.05	.41	.38	29
30	-	X	-	.02	.20	-	-	.05	.10	.21	.33	.42	30
31	-	X	-	X	.63	X	-	.01	X	.01	X	.75	31
TOTAL	4.41	.37	1.88	2.61	4.36	2.39	5.12	6.47	4.14	5.56	4.88	4.88	1149 m YEARS TOTAL
Days with 0.1 in. or more	17	7	8	12	21	12	17	21	23	19	11	17	185
Days with 0.4 in. or more	16	4	6	9	16	10	11	15	19	18	9	15	148

1997

ATION.

1824 A

Kept at Portishead PORTISHEAD, THE CO. T
in the County of Somerset

Diameter of Funnel of Gauge.
Height of top of Gauge above G
Ground

1925 - 30

fill in section C

THE MORNING M

1927

DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the date of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.64	—	6	.02	.05	—	—	.06	.01	—	.14	—	1
2	.20	.14	—	—	6	—	~~1.12~~	—	—	—	~~.45~~	—	2
3	.12	.07	—	.01	.19	—	~~.08~~	.28	—	—	.10	—	3
4	.33	.43	—	—	.25	—	—	.04	—	—	.16	—	4
5	.07	.03	—	~~.33~~	.12	—	—	.15	.20	—	.10	—	5
6	—	—	—	—	.19	—	.35	—	—	—	.30	—	6
7	—	.17	—	—	.36	—	—	~~.12~~	—	—	.08	.03	7
8	~~.65~~	.01	.02	—	.04	—	6	.42	—	—	—	.46	8
9	—	.10	—	.12	.07	—	.01	—	.02	—	—	.02	9
10	—	.12	.01	.01	—	—	—	.40	—	—	—	6	10
11	—	~~.83~~	—	—	.19	—	—	—	—	—	—	—	11
12	—	.21	—	6	6	—	—	.65	—	.02	—	—	12
13	—	.02	.03	.03	—	—	—	—	—	—	—	6	13
14	.35	.02	—	.23	—	—	—	—	—	—	.01	.01	14
15	.01	.01	—	.11	—	—	—	—	.25	.08	—	.02	15
16	.02	~~.07~~	—	6	—	—	—	—	—	.29	—	—	16
17	6	~~.6~~	—	—	6	—	.08	—	.01	.01	—	—	17
18	—	.01	—	.11	—	—	.10	—	.14	—	—	—	18
19	—	.03	—	.10	~~1.12~~	—	—	—	~~1.20~~	.78	—	.50	19
20	—	—	.06	—	6	—	.05	.53	.29	.72	—	.05	20
21	—	.15	—	—	—	—	.28	.23	.12	.29	—	.15	21
22	6	.05	—	.16	.01	—	.17	—	~~1.15~~	.93	—	.69	22
23	.04	—	.04	.06	.04	—	.12	.53	—	.25	6	.09	23
24	.33	.13	.01	.01	.05	—	.07	—	.01	.30	—	.21	24
25	.35	.78	~~.12~~	6	.54	—	.22	—	.20	.16	—	.11	25
26	.23	.10	—	.01	.58	—	.80	.04	.01	.25	6	.20	26
27	.08	.21	—	—	.14	—	.30	~~.68~~	.04	.15	—	.18	27
28	.09	.15	—	—	.05	—	.07	—	—	.05	—	.75	28
29	.21	X	—	.15	—	—	.22	—	—	—	.06	~~1.10~~	29
30	—	X	6	—	.24	—	.42	—	—	.10	.15	.05	30
31	.09	X	.11	X	.44	X	—	—	X	—	X	.06	31
TOTAL	3.81	3.84	.40	1.46	4.67	—	4.46	4.01	3.65	4.38	1.53	4.68	YEARS TOTAL 36.91
Days with .01 in. or more.	17	23	8	15	19	—	17	12	14	15	10	18	168
Days with .04 in. or more.	15	16	4	9	18	—	16	12	9	13	9	14	135

(Signed) Paul S. Inmork P.T.O.



FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

1824 A

Kept at Portisheadin the County of SomersetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft. in.Ground „ Sea Level 67 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.64	—	6	.02	.05	—	—	.06	.01	—	.14	—	1
2	.20	.14	—	—	6	—	~~1.12~~	—	—	—	~~.45~~	—	2
3	.12	.07	—	.01	.19	—	~~.08~~	.28	—	—	.10	—	3
4	.33	.43	—	—	.25	—	—	.04	—	—	.16	—	4
5	.07	.03	—	~~.33~~	.12	—	—	.15	.20	—	.16	—	5
6	—	—	—	—	.19	—	.35	—	—	—	.30	—	6
7	—	.17	—	—	.36	—	—	~~.12~~	—	—	.08	.03	7
8	~~.65~~	.01	.02	—	.04	—	6	.42	—	—	—	.46	8
9	—	.10	—	.12	.07	—	.01	—	.02	—	—	.02	9
10	—	.12	.01	.01	—	—	—	.40	—	—	—	6	10
11	—	~~.83~~	—	—	.19	—	—	—	—	—	—	—	11
12	—	.21	—	6	6	—	—	.65	—	.02	—	—	12
13	—	.02	.03	.03	—	—	—	—	—	—	—	6	13
14	.35	.02	—	.23	—	—	—	—	—	—	.01	.01	14
15	.01	.07	—	.11	—	—	—	—	.25	.08	—	.02	15
16	.02	~~.607~~	—	6	—	—	—	—	—	.29	—	—	16
17	6	~~.607~~	—	—	6	—	.08	—	.01	.01	—	—	17
18	—	.01	—	.11	—	—	.10	—	.14	—	—	—	18
19	—	.03	—	.10	~~1.12~~	—	—	—	~~1.20~~	.78	—	.50	19
20	—	—	.06	—	6	—	.05	.53	.29	.72	—	.05	20
21	—	.15	—	—	—	—	.28	.23	.12	.29	—	.15	21
22	6	.05	—	.16	.01	—	.17	—	~~1.15~~	.93	—	.69	22
23	.04	—	.04	.06	.04	—	.12	.53	—	.25	6	.09	23
24	.33	.13	.01	.01	.05	—	.07	—	.01	.50	—	.21	24
25	.35	.78	~~.12~~	6	.54	—	.22	—	.20	.16	—	.11	25
26	.23	.10	—	.01	.58	—	.80	.04	.01	.25	6	.20	26
27	.08	.21	—	—	.14	—	.30	.68	.04	.15	—	.18	27
28	.09	.15	—	—	.05	—	.07	—	—	.05	—	.75	28
29	.21	X	—	.15	—	—	.22	—	—	—	.06	~~1.10~~	29
30	—	X	6	—	.24	—	.42	—	—	.10	.15	.05	30
31	.09	X	.11	X	.44	X	—	—	X	—	X	.06	31
TOTAL	3.81	3.84	.40	1.46	4.67	—	4.46	4.01	3.65	4.38	1.53	4.68	36.91
Days with ".01 in. or more.	17	23	8	15	19	—	17	12	14	15	10	18	168
Days with ".04 in. or more.	15	16	4	9	18	—	16	12	9	13	9	14	135

(Signed) Paul Sinnock

[P.T.O.]

A

1834

REGISTER OF RAINFALL IN 1926.Kept at Portisheadin the County of SomersetDiameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....ft.....in.

,, Ground ,, Sea Level.....67.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.21	.19	.5	—	—	.25	—	.18	.12	—	.47	.01	1
2	.17	.06	.5	—	—	—	—	—	.13	—	.04	—	2
3	.18	.10	.13	—	—	—	—	—	—	—	.5	.11	3
4	.14	.12	.02	—	—	—	.01	—	—	—	.41	—	4
5	.09	.04	.02	—	.22	—	.65	.18	.35	.02	.06	.14	5
6	.11	.02	.5	.04	—	.02	.40	—	.18	.10	.15	.5	6
7	.5	.03	—	.07	.06	—	.02	—	.5	.5	.35	—	7
8	—	.5	.13	.13	—	—	.01	.28	—	.45	1.15	—	8
9	—	—	—	—	—	—	—	1.36	—	—	.20	—	9
10	—	—	—	—	.10	—	—	.06	—	.05	.42	—	10
11	—	—	—	—	.06	.35	—	—	.15	.15	—	.01	11
12	—	.5	—	—	.16	.18	—	.17	—	.35	.20	—	12
13	.5	—	—	—	.5	.37	—	.40	.03	.07	.12	.05	13
14	.05	.28	—	.37	.04	.03	—	—	.06	.30	.60	.03	14
15	.09	.20	—	.11	—	—	—	.24	.01	—	.82	—	15
16	.12	.11	—	.42	—	.02	—	.12	.02	—	.02	.08	16
17	.06	.57	—	—	—	.50	.05	—	—	.5	.25	—	17
18	.15	.06	—	.15	—	—	.26	.05	—	—	.25	—	18
19	.01	.02	.5	.02	—	—	.07	.15	.02	—	.10	—	19
20	—	.01	.5	.25	—	—	.25	.20	—	—	.33	—	20
21	.03	.01	—	.62	—	.02	—	.02	—	.20	.20	—	21
22	.82	.03	—	—	—	—	.5	—	—	.23	—	—	22
23	.19	.01	—	—	.66	—	—	.5	—	—	—	—	23
24	.02	—	.05	—	—	—	.30	.04	.10	.44	.14	—	24
25	.26	—	.04	.20	—	—	—	—	—	.05	—	—	25
26	.01	.5	—	—	.09	—	.10	—	.70	—	.46	.5	26
27	.20	.06	.01	.12	.15	—	—	—	.02	.25	—	—	27
28	.13	.5	—	.01	.10	—	.15	—	—	.60	.38	—	28
29	.07	X	—	.10	.14	—	.05	—	—	—	.12	.5	29
30	.09	X	—	.12	.20	—	—	.20	—	—	.05	—	30
31	.10	X	—	X	.09	X	—	—	X	—	X	—	31
TOTAL	4.80	1.86	.40	2.13	2.07	1.71	2.32	3.62	1.29	3.76	7.19	.40	YEAR'S TOTAL
Days with ".01 in. or more.	23	18	7	15	13	9	13	15	13	14	24	7	171
Days with ".04 in. or more.	19	11	4	12	13	5	11	14	8	13	23	4	137

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. Som 11

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at The Cr St Mary's Rd (Portishead)
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 10 ft.
" Ground " Sea Level 67 ft.

NO 1927
OK printed 926
OK own 512 be OK

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan: 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.75	.03	.28	—	—	—	—	—	—	—	5	—	1
2	—	.24		—	—	—	.04	—	—	—	.06	—	2
3	.08	—	—	.09	—	—	.06	—	—	—	.13	—	3
4	.09	.32	—	.21	—	.07	.09	—	—	.33	.20	.01	4
5	.13	.08	.05	—	.21	—		—	.07	.80	5	—	5
6	.03	—	.03	—	—	.88	—	—	.05	—	—	.02	6
7	.06	.20	5	—	—	.40	—	.08	—	.10	5	—	7
8	.01	.07	—	—	—	.31	.07	.01	.01	.25	—	—	8
9	5	5	—	—	—	.25	—	—	.05	.10	—	—	9
10	.37	.42	—	—	—	.03	—	.02	5	.20	.08	.02	10
11	.01	5	.01	—	—	—	—	5	—	.35	.20	.20	11
12	.85	.49	.04	—	—	—	—	.03	—	—	.10	.01	12
13	5	—	—	.05	—	.43	—	.13	—	—	.01	—	13
14	.10	.30	—	—	—	.17	—	.47	—	.40	.58	—	14
15	.08	.58	—	.05	—	.06	—	—	—	.02	.35	—	15
16	—	.15	.34	.30	.09	5	—	—	—	.12	.35	.42	16
17	.03	—	—	—	.16	—	—	—	—	5	.02	—	17
18	.40	—	.04	.03	—	.06	—	—	—	.53	.03	.02	18
19	5	—	.02	—	.05	.03	—	.01	—	.50	.22	.01	19
20	.27	—	.16	—	—	.04	—	.07	—	.06	.05	—	20
21	.58	—	.33	.02	—	.04	—	.01	—	.01	.65	—	21
22	—	—	.03	5	—	—	—	.11	5	.88	.55	5	22
23	.55	—	.19	—	.28	—	—	—	—	.20	.10	.10	23
24	.18	—	—	—	—	5	—	.05	.13	.04	.03	1.00	24
25	.10	—	—	—	—	.08	—	.14	—	.03	5		25
26	.10	—	—	—	—	.11	.76	.48	—	.50	.23	.43	26
27	.05	.40	.02	—	—	—	.39	.07	.20	.24	—		27
28	.57		.16	.21	—	—	.03	.53	.43	5	—	.28	28
29	.05	—	.82	—	—	.10	.20	.12	.12	.16	5	.23	29
30	.05	X	—	—	—	.01	.22	—	—	.09	—	—	30
31	.32	X	.38	X	—	X	.63	—	X	5	X	.12	31
TOTAL	5.75	3.28	2.87	.96	.79	3.09	2.49	2.33	1.06	5.61	4.14	3.37	35.74
Days with ".01 in. or more.	25	13	17	8	5	17	10	16	8	22	19	16	172
Days with ".04 in. or more.	21	12	12	6	5	14	9	11	7	19	15	10	141

OK

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Portishead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 67 ft.

„ Ground „ Sea Level 67 ft.

P. Simmuck
The Cl.
St. Mary's Rd

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	~~.25~~	—	.04	—	.07	—	—	—	.48	—	.24	1
2	—	.23	—	—	—	.23	—	—	5	.11	—	.23	2
3	—	—	—	—	—	.14	.20	2.38	—	.11	—	.08	3
4	—	—	—	.10	1.15	.01	.10	—	—	.03	.01	.47	4
5	.01	—	—	—	.68	.30	.20	.20	—	2.56	.85	.36	5
6	5	.02	—	—	.03	.20	5	.38	—	.13	.02	.64	6
7	—	—	—	—	.05	—	5	—	—	.22	.40	1.06	7
8	—	.03	—	—	.01	.05	—	.02	—	.06	—	.40	8
9	.11	.13	—	—	—	.01	—	—	—	—	.14	.43	9
10	.03	—	—	.01	.01	—	—	.03	—	.04	.12	.19	10
11	—	.16	—	.01	.22	5	—	—	—	—	1.64	.09	11
12	—	—	—	.09	—	.65	—	—	—	—	.05	5	12
13	.02	—	—	.02	.4	.20	—	.03	—	—	—	.17	13
14	—	—	—	—	.01	—	—	—	—	—	—	.12	14
15	—	.08	—	—	.08	.08	—	5	—	—	.36	—	15
16	5	—	5	—	—	—	—	.09	—	—	—	—	16
17	.05	—	5	5	—	—	—	.06	—	.37	—	5	17
18	.01	—	—	—	—	—	—	.17	5	.09	.83	—	18
19	5	—	—	—	—	—	—	—	.03	—	.26	.04	19
20	.01	—	.08	—	—	—	—	.02	—	.25	5	.25	20 ✓
21	—	—	.44	—	—	—	5	.13	—	—	—	—	21
22	5	—	—	.02	—	5	—	.12	—	—	.63	2.48	22
23	—	.02	—	—	.03	—	—	—	—	.01	.20	—	23
24	—	~~.01~~	.06	—	—	—	—	—	—	.87	.90	.29	24
25	—	.04	.04	—	—	—	—	—	—	.08	.05	.90	25
26	—	.03	—	.01	.05	—	—	—	—	—	.58	.24	26
27	—	—	—	.15	.04	—	—	—	—	.63	.68	—	27
28	.18	—	—	.32	—	—	.39	.13	5	.24	.60	2.82	28
29	.12	—	—	.11	—	—	—	5	.01	.05	.63	.22	29
30	—	X	—	.06	—	.04	.07	—	.36	—	.01	—	30
31	.42	X	5	X	—	X	.23	.23	X	—	X	.61	31
TOTAL	.96	.99	.62	.94	2.47	1.98	1.19	3.99	.40	5.78	8.99	6.91	33.22
Days with .01 in. or more.	10	10	4	12	13	12	6	14	3	18	20	24	146
Days with .04 in. or more.	4	6	4	6	8	10	6	10	1	16	18	23	112

REGISTER OF RAINFALL IN 1930.

Kept at The Cr. St. Mary's Rd. Portshead
in the County of Somerset

Diameter of Funnel of Gauge.....in. 5
Height of top of Gauge above Ground.....ft. in.
,, Ground ,, Sea Level 6.7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Jan 1930

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.05	—	.47	—	.12	—	.15	—	—	.67	—	1
2	.03	—	Li	.10	.05	—	.01	.20	—	—	.38	—	2
3	.28	.21	—	.45	.03	—	.08	.30	—	.32	—	—	3
4	.34	Li	.04	.10	—	—	.13	—	Li	} .35	—	—	4
5	.03	—	—	—	.02	—	—	.57	—		—	—	5
6	Li	—	.25	—	.12	—	Li	.26	Li	Li	—	—	6
7	.22	—	—	—	—	—	—	.01	.08	.33	.12	.16	7
8	—	—	—	.09	Li	—	.01	Li	.09	.20	—	.18	8
9	.40	—	.37	.31	.10	—	—	Li	.01	Li	.03	—	9
10	.50	—	.21	—	—	.08	—	.30	—	.01	—	.22	10
11	.18	—	—	.06	.18	Li	.17	—	—	.03	—	.10	11
12	.25	—	—	.25	.12	—	—	—	—	—	—	.08	12
13	.02	—	.10	—	.01	.01	.30	.10	.04	—	—	} .12	13
14	.63	.04	.35	.11	.01	—	Li	—	.40	} .57	.02		14
15	—	—	.43	—	.03	—	.57	—	Li		.22	.41	15
16	—	—	—	—	—	—	.08	—	.08	.04	—	.18	16
17	—	—	—	.02	—	—	.10	.06	.49	.03	—	Li	17
18	—	—	~~.02~~	—	.10	—	.05	.17	.22	.04	.24	.05	18
19	—	—	~~.04~~	—	Li	—	Li	.06	.83	.27	.42	—	19
20	—	—	~~.04~~	.05	Li	Li	.50	.50	~~.24~~	.30	.23	—	20
21	—	—	.04	—	—	—	Li	.04	Li	.13	.13	—	21
22	.34	—	—	—	.05	—	.01	.66	.05	.23	.35	—	22
23	.01	—	.10	.09	Li	.60	.22	.01	.10	—	.25	Li	23
24	.22	—	—	.40	.01	.02	.04	—	.10	.01	.34	.01	24
25	—	Li	—	.01	.07	—	.01	—	.01	—	.03	—	25
26	.75	—	—	—	.04	—	.10	—	—	Li	Li	.20	26
27	.05	—	.03	—	—	—	.32	—	Li	Li	—	} .07	27
28	} .10	—	.08	—	—	—	.70	—	.18	.01	.53		28
29		—	—	—	.01	—	.06	—	.10	.26	.16	.01	29
30	—	X	.06	—	.04	.05	—	—	—	.03	—	.27	30
31	.28	X	.04	X	.03	X	—	—	X	.10	X	.05	31
TOTAL	4.76	.30	2.13	2.51	.99	.88	3.47	3.37	3.02	3.27	4.12	3.16	31.92
Days with .01 in. or more.	19	53	15	14	18	6	19	15	16	22	16	15	175
Days with .04 in. or more.	15	30	13	12	11	4	15	13	13	11	13	13	147

REGI: 1996

Kept at Bristol Rd. Port PORTISHEAD W W
in the County of Somerset
by Portishead District Wa.

South
5 in.
1 ft. 6 in.
24 ft.

1925-30

Rain should be measured daily at
An Observer who prefers not to conform
January 1st of the following year in t

Full instructions for the measu
particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free
on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry,
Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

lay.
on
Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	nil	nil	nil	.05	nil	nil	.05	.04	nil	.20	nil	1
2	.225	.15	"	.025	nil	"	1.10	nil	nil	nil	.45	"	2
3	x .50	.075	"	nil	.20	"	.10	.30	"	"	.075	"	3
4	x .50	nil	"		.25	"	nil	.20	"	"	.15	"	4
5	.075	.475	"	.45	.125	"	"	.25	.20	"	.075	"	5
6	nil	nil	"	nil	.225	"	.35	nil	nil	"	.35	"	6
7	"	x	"	"	.35	"	nil	"	"	"	.05	.03	7
8	.65	.225	.01	"	.10	"	"	.425	"	"	nil	.50	8
9	nil	.10	nil	x	.05	"	.025	nil	.025	"	"	.025	9
10	"	.10	"	1.175	.025	"	nil	.40	nil	"	"	nil	10
11	"	.85	"	nil	.025	"	"	nil	"	"	"	"	11
12	"	.25	"	"	nil	"	"	.65	"	.02	"	"	12
13	.02	.01	.05	.025	"	"	"	nil	"	nil	"	"	13
14	.35	.025	nil	.30	"	"	"	"	"	"	.02	"	14
15	.01	.025	"	.10	"	"	"	"	.25	.075	nil	.01	15
16	.025	.075	"	nil	"	"	"	"	nil	.25	"	"	16
17	nil	nil	"	"	"	"	.10	"	.01	.01	"	"	17
18	"	.025	"	x .20	1.15	"	.10	"	.125	nil	"	"	18
19	"	.16	"	x .20	nil	"	nil	"	1.275	.80	"	.60	19
20	"	nil	.05	nil	"	"	.05	.525	.25	.80	"	.05	20
21	"	x	nil	"	"	"	.30	.255	.20	.30	"	.175	21
22	"	x .175	"	.175	.05	"	.175		1.15	.975	"	.60	22
23	.05	nil	.05	nil	x	"	.125	x .525	nil	.20	"	.075	23
24	x	.175	.025	"	x .15	"	.075	nil	.01	x	"	.10	24
25	x .70	.875	.15	"	.45	"	.20	"	.20	x .475	"	.25	25
26	.25	.125	nil	.025	.575	"	.85	x	x	.25	"	x	26
27	.075	.25	"	nil	.30	"	.30	x .725	x .075	.15	"	x .425	27
28	.10	.20	"	"	.30	"	.075	nil	nil	.05	"	.825	28
29	.22	X	"	.175	.475	"	.225	"	"	nil	.075	1.15	29
30	nil	X	"	nil	x	"	.425	"	"	.10	.15	.065	30
31	.075	X	.125	X	x .10	X	nil	"	X	nil	X	.065	31
TOTAL	3.975	4.345	.46	1.65	4.95	nil	4.575	4.305	3.81	4.455	1.595	4.935	39.065
Days with 01 in. or more	18 x6	22 x0	7	12 x0	21 x9	"	17	12 x8	14 x8	15 x4	10	17	165
Days with 04 in. or more	15 x2	17 x6	5	8 x4	19	"	16	12 x8	10	13 x4	9	14	138
													133

Kept at Bristol Rd. Portishead
in the County of Somerset
by Portishead District Water Co

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Portishead South
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 24 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	nil	nil	nil	.05	nil	nil	.05	.04	nil	.20	nil	1
2	.225	.15	"	.025	nil	"	1.10	nil	nil	nil	.45	"	2
3	x .50	.075	"	nil	.20	"	.10	.30	"	"	.075	"	3
4	x .50	nil	"		.25	"	nil	.20	"	"	.15	"	4
5	.075	.475	"	.45	.125	"	"	.25	.20	"	.075	"	5
6	nil	nil	"	nil	.225	"	.35	nil	nil	"	.35	"	6
7	"	x	"	"	.35	"	nil	"	"	"	.05	.03	7
8	.65	.225	.01	"	.10	"	"	.425	"	"	nil	.50	8
9	nil	.10	nil	x	.05	"	.025	nil	.025	"	"	.025	9
10	"	.10	"	1.175	.025	"	nil	.40	nil	"	"	nil	10
11	"	.85	"	nil	.025	"	"	nil	"	"	"	"	11
12	"	.25	"	"	nil	"	"	.65	"	.02	"	"	12
13	.02	.01	.05	.025	"	"	"	nil	"	nil	"	"	13
14	.35	.025	nil	.30	"	"	"	"	"	"	.02	"	14
15	.01	.025	"	.10	"	"	.5	"	.25	.075	nil	.01	15
16	.025	.075	"	nil	"	"	"	"	nil	.25	"	"	16
17	nil	nil	"	"	"	"	.10	"	.01	.01	"	"	17
18	"	.025	"	x .20	1.15	"	.10	"	.125	nil	"	"	18
19	"	.16	"	x .20	nil	"	nil	"	1.275	.80	"	.60	19
20	"	nil	.05	nil	"	"	.05	.525	.25	.80	"	.05	20
21	"	x	nil	"	"	"	.30	.255	.20	.30	"	.175	21
22	"	x .175	"	.175	.05	"	.175		1.15	.975	"	.60	22
23	.05	nil	.05	nil	x	"	.125	x .525	nil	.20	"	.075	23
24	x	.175	.025	"	x .15	"	.075	nil	.01	x	"	.10	24
25	x .70	.875	.15	"	.45	"	.20	"	.20	x .475	"	.25	25
26	.25	.125	nil	.025	.575	"	.85	x	x	.25	"	x	26
27	.075	.25	"	nil	.30	"	.30	x .725	x .075	.15	"	x .425	27
28	.10	.20	"	"	.30	"	.075	nil	nil	.05	"	.825	28
29	.22	X	"	.175	.475	"	.225	"	"	nil	.075	1.15	29
30	nil	X	"	nil	x	"	.425	"	"	.10	.15	.065	30
31	.075	X	.125	X	x .10	X	nil	"	X	nil	X	.065	31
TOTAL	3.975	4.345	.46	1.65	4.95	nil	4.575	4.305	3.81	4.455	1.595	4.975	39.065
Days with ".01 in. or more	18 x6	22 x0	7	12 x0	21 x9	"	17	12 x8	14 x8	15 x4	10	17	165
Days with ".04 in. or more	15 x3	17 x6	5	8 x4	19	"	16	12 x8	10	13 x4	9	14	138
													133

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1835

Register of Rainfall in 1926.

Kept at Walmersley, Bristol Rd. Portishead

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 24 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.90	.125	Trace	—	Trace	.30	—	—	.15	—	.575	—	1
2	X	.025	—	—	—	.025	—	—	.125	—	.075	.01	2
3	.35	.05	.10	—	—	—	—	—	—	—	Trace	.01	3
4	.125	.075	Trace	—	—	—	.01	—	—	—	.475	—	4
5	.075	.025	Trace	—	.20	—	.65	—	.40	.05	.05	.25	5
6	.10	✓	—	.01	—	Trace	.50	.15	.175	.15	X	Trace	6
7	—	Trace	—	.075	.05	.10	.01	—	Trace	Trace	.55	.05	7
8	—	—	.15	.075	.05	Trace	.025	.30	—	.175	1.25	—	8
9	—	—	Trace	—	Trace	.25	—	1.40	—	—	.20	—	9
10	—	—	—	—	.125	.10	.01	.05	—	.01	.40	—	10
11	—	—	—	—	.075	.50	—	Trace	.20	.075	—	—	11
12	—	—	—	—	.025	.05	—	.075	Trace	.875	.25	.01	12
13	Trace	X	—	—	Trace	.05	—	.50	.04	.175	X	.05	13
14	.075	.25	—	.40	.05	.05	—	.02	.075	.525	.75	.05	14
15	.05	.125	—	.05	—	—	—	.225	.025	.425	.50	—	15
16	Trace	.10	—	.475	—	Trace	—	.02	.025	—	.05	—	16
17	Trace	.50	—	Trace	—	.575	.01	—	—	—	.35	.05	17
18	.075	.025	—	.10	—	Trace	.125	.10	—	—	.25	—	18
19	Trace	—	—	.025	Trace	—	.25	.15	.025	—	.25	.01	19
20	—	Trace	—	.25	—	.025	—	.20	—	—	X	—	20
21	.025	Trace	—	.025	—	—	.075	.02	—	.25	.75	Trace	21
22	.70	.01	—	Trace	—	—	Trace	—	—	.20	—	—	22
23	X	Trace	.01	—	.65	—	—	Trace	—	—	—	—	23
24	.075	—	.025	—	Trace	—	.35	.05	.075	.425	—	Trace	24
25	.175	—	—	.20	—	—	—	—	—	.075	.15	.01	25
26	—	—	—	Trace	.10	—	.15	—	.10	—	.40	—	26
27	.175	Trace	Trace	.125	.225	—	Trace	—	.025	.35	—	—	27
28	.10	—	—	.01	.05	—	.175	—	—	.65	.375	Trace	28
29	.025	X	—	.10	.225	—	.05	—	—	—	.125	—	29
30	X	X	—	.125	.35	—	—	.25	—	—	.075	—	30
31	.075	X	—	X	.125	X	—	—	X	—	X	Trace	31
TOTAL	4.10	1.31	.285	2.045	2.30	2.025	2.39	3.51	1.44	4.41	7.85	.50	3B2.17
Days with .01 in. or more.	12	13	4	15	14	11	14	15	13	15	24	10	32.855
Days with .04 in. or more.	16	7	2	11	13	9	10	12	9	14	24	25	136

(Signed).....H. F. Sawden

P.T.O.



FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Watnocks, Bristol Rd. Pollock
 in the County of Somerset
 Diameter of Funnel of Gauge.....5.....in.
 Height of top of Gauge above Ground.....1.....ft.....6.....in.
 „ Ground „ Sea Level 24.....ft.

re work days
 ascertained

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	1.075	.05	—	—	—	.475	—	—	—	.95	—	1
2	.01	—	.05	Trace	Trace	—	—	—	—	.30	Trace	—	2
3	.10	.05	.125	.15	.075	Trace	.25	—	—	—	.075	Trace	3
4	.01	—	.30	.075	.10	—	.10	—	—	—	.05	—	4
5	.10	.15	Trace	.55	Trace	.02	.10	—	—	—	Trace	—	5
6	—	—	.45	.10	—	Trace	.025	.025	.50	—	.50	—	6
7	Trace	.10	Trace	.025	—	.04	.25	.075	—	—	—	—	7
8	Trace	—	.025	.15	—	—	Trace	.125	.075	—	—	.01	8
9	Trace	—	—	—	.25	—	Trace	.025	.45	—	—	.05	9
10	—	—	.025	.05	—	Trace	—	.125	.65	—	—	—	10
11	.01	—	—	.025	—	—	.30	.275	—	—	Trace	—	11
12	.15	—	—	—	.01	—	.025	.125	.025	—	—	—	12
13	.15	—	—	.01	—	Trace	.85	.55	.10	.125	Trace	.35	13
14	Trace	—	—	.05	Trace	—	.01	.10	2.00	—	Trace	.15	14
15	—	.025	Trace	—	.50	—	—	.50	.30	—	.30	.01	15
16	.01	—	—	—	.35	.95	—	.025	.925	—	.01	—	16
17	.15	—	.05	—	Trace	.20	—	.375	Trace	—	Trace	—	17
18	—	—	—	—	—	.60	—	.025	.175	.275	.475	—	18
19	—	Trace	Trace	—	—	.10	.05	.40	Trace	.075	Trace	—	19
20	.30	.425	—	—	—	.05	.40	.125	.05	—	.85	.40	20
21	.05	.05	Trace	—	Trace	.02	.05	.20	.20	.825	.05	.40	21
22	.025	.075	.30	.125	—	.20	Trace	.25	.35	.50	Trace	.45	22
23	.025	.30	.15	—	—	.50	.025	—	.55	—	.225	.05	23
24	.20	.075	.425	.025	—	.05	Trace	1.60	.01	.175	Trace	Trace	24
25	.15	.35	.15	.01	—	.05	Trace	Trace	.04	.15	—	.975	25
26	.05	Trace	Trace	.01	—	Trace	.85	—	.15	.35	—	—	26
27	.025	.50	.025	—	.025	.05	.85	—	Trace	.425	—	—	27
28	1.60	.25	.20	—	—	.01	Trace	—	.225	—	.25	—	28
29	Trace	Trace	.25	—	—	.075	.025	—	.35	Trace	—	—	29
30	.275	Trace	.05	—	Trace	.20	.10	.05	.025	.025	.025	.01	30
31	.275	Trace	.35	Trace	.10	Trace	.15	Trace	Trace	Trace	Trace	.25	31
TOTAL	3.64	3.425	2.975	1.355	1.41	3.115	4.885	4.975	7.15	3.225	3.76	3.105	YEAR'S TOTAL
Days with 0.1 in. or more.	20	17	19	16	8	16	19	19	22	14	16	14	201
Days with 0.4 in. or more.	14	16	16	9	6	13	14	15	17	12	14	10	157

Please read the Notes and Instructions Overleaf.

(Signed)

H. F. Lawden

[P.T.O.]

Kept at Waterworks, Bridle Rd. Polishad
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 24 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.975	.02	.01	—	—	—	—	Trace	—	—	Trace	—	1
2	.075	.25	.25	.05	—	—	Trace	—	—	—	.05	—	2
3	.025	Trace	Trace	.30	—	—	.10	Trace	—	—	—	—	3
4	.10	} .37	—	.01	—	.025	—	—	—	.35	} .35	.01	4
5	.15		.025	.01	.20	.01	.125	—	.075	.525	—	—	5
6	.02	—	.01	—	—	.90	—	—	.075	Trace	—	.03	6
7		.25	.01	.025	—	.50	—	.10	—	.125	Trace	—	7
8	} .10	.10	—	—	—	.325	.075	.01	.02	.25	—	—	8
9	Trace	—	—	.10	—	.325	—	—	.075	.15	—	—	9
10	.40	.45		.075	—	.025	—	.025	.01	.25		.05	10
11	—		.05	.10	—	—	—	.01	—	.40	} .30	.25	11
12	.90	} .50	.02	—	—	—	—	.075	—	—	.075	.01	12
13	Trace	.01	—	.05	—	.45	—	.20	—	—	.01	—	13
14		.30	—			.175	—	.525	—	.45	.60	—	14
15	} .175	.55	—	.375		.05	—	—	—	.025	.575	—	15
16	—	.175	.35	—	.10	—	—	—	—	.125	.375	.45	16
17	.01	—		.025	.15	—	—	—	—	—		—	17
18	.475	—	.05	—	Trace	.05	—	—	—	.55	} .075	.02	18
19	Trace	—	.01	—	.05	.05	—	.025	—	.55	.20	.025	19
20	.25	—	.20	.04	.025	Trace	—	.20	—	.075	.05	—	20
21		—	.35	—	—	.05	—	.01	—	Trace	.70	—	21
22	} .65	—	.02	—	—	—	—	.125	—	.90	.575		22
23	.50	—	.20	—	.275	—	Trace	—	—	.20	.125	} .10	23
24	.075	—	—	—	—	—	—	.075	.125	.05			24
25	.15	—	.125	—	—	.075	—	.20	—	.025	} .05		25
26	.10	—	.01	—	.05	.125	.75	.40	—	.55	Trace	} 1.05	26
27	.05	—	—	.25	—	Trace	.475	.075	.225	.25	—	1.025	27
28		—	.20	—	—	—	.025	.525	.45	—	—	.35	28
29	} .60	.30	.925	—	—	.10	.25	.225	.125	.175	Trace		29
30	.05	X	.20	—	—	.05	.25	—	—	.10	—	} .40	30
31	.30	X	.40	X	—	X	.65	—	X	Trace	X	—	31
TOTAL	6.13	3.275	3.415	1.41	.85	3.285	2.70	2.805	1.18	6.075	4.11	3.77	YEAR'S TOTAL 39.005
Days with .01 in. or more.	26	14	22	14	7	17	9	17	9	21	19	17	192
Days with .04 in. or more.	23	12	10	10	6	14	8	12	7	20	15	10	147

Kept at *Waterworks, Bristol Rd. Portishead*
in the County of *Somerset*
Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
,, Ground ,, Sea Level *2.4* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.25	—	trace	.06	.06	—	trace	—	.49	—	.25	I
2	—	.22	—	—	—	.22	—	—	—	.13	.01	.20	2
3	—	—	—	trace	trace	.14	.13	2.35	trace	.11	—	.10	3
4	—	—	—	.10	1.10	—	.04	trace	—	trace	.01	.49	4
5	—	—	—	—	.67	.32	.25	.20	—	2.50	.78	.41	5
6	trace	.01	—	—	.05	.18	—	.47	—	.14	.09	.73	6
7	—	—	—	—	.19	—	trace	—	—	.23	.32	} 1.36	7
8	—	.03	—	—	.01	—	—	.02	—	.05	—		8
9	.07	.12	—	—	—	—	—	—	—	—	} .27	.38	9
10	.01	—	—	.01	.01	—	—	.02	—	.14		.17	10
11	—	.18	—	.01	.25	—	—	—	—	trace	1.60	.09	11
12	—	—	—	.09	—	.66	—	—	—	—	.03	.01	12
13	.01	—	—	.02	.13	.03	—	.04	—	—	—	.12	13
14	—	—	—	—	.02	.19	—	—	—	—	—	.10	14
15	—	.14	—	—	.07	.07	—	trace	—	—	.36	—	15
16	—	—	—	—	—	—	—	.11	—	—	—	—	16
17	.08	—	—	trace	—	—	—	.07	—	.38	—	—	17
18	trace	—	—	—	—	—	—	.13	—	.08	.70	—	18
19	trace	—	—	—	—	—	—	—	.01	—	.25	.04	19
20	—	—	.04	—	—	—	—	.04	—	.25	.01	.37	20
21	trace	—	.42	—	—	—	.05	.11	—	—	—	—	21
22	trace	—	—	.03	trace	trace	.06	.12	—	.01	.66	.03	22
23	—	.01	—	trace	.03	—	trace	—	—	trace	} 1.17	.44	23
24	—	—	.07	—	—	—	—	trace	—	.84		.27	24
25	—	.04	.04	—	—	trace	—	—	—	.09	.04	} .32	25
26	—	.02	—	.01	.05	—	—	—	—	—	.55		26
27	—	—	—	.13	.04	—	trace	—	—	.02	.77	.26	27
28	.20	—	—	.23	—	—	.37	.21	—	.16	.57	} .73	28
29	.10	X	—	.12	—	—	—	trace	.01	.05	.68		29
30	—	X	—	.04	—	.04	.06	—	.38	—	.03	.01	30
31	.47	X	—	X	—	X	.22	.24	X	—	X	trace	31
TOTAL	.94	1.02	.57	.79	2.68	1.91	1.18	4.13	.40	5.67	8.90	6.88	YEAR'S TOTAL
Days with .01 in. or more.	7	10	4	11	14	10	8	14	3	17	22	25	145
Days with .04 in. or more.	5	6	4	6	10	9	8	12	1	15	17	22	115

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at *The Waterworks, Bristol Rd. ^{Portsmouth} Somerset*
in the County of *Somerset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *6* in.
,, Ground ,, Sea Level *24* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	<i>x</i>	—	.51	—	.15	—	.15	—	—	<i>x</i>	—	1
2	.02	<i>.08</i>	<i>trace</i>	.11	.04	—	.01	.23	—	—	<i>.10</i>	—	2
3	.23	.22	—	.43	.03	—	.09	.29	—	.33	—	—	3
4	<i>.35</i>	<i>trace</i>	.04	.11	—	—	.13	—	<i>trace</i>	<i>.36</i>	—	—	4
5	<i>trace</i>	—	—	—	.04	—	—	.59	—	<i>.36</i>	—	—	5
6	<i>trace</i>	—	.26	—	.10	—	<i>trace</i>	.27	<i>.09</i>	<i>trace</i>	—	—	6
7	.22	—	—	—	—	—	<i>trace</i>	.01	<i>.09</i>	.35	.14	.17	7
8	—	—	<i>trace</i>	.04	<i>trace</i>	—	.01	<i>trace</i>	.11	.21	<i>.15</i>	.15	8
9	.36	—	.38	.30	.07	<i>trace</i>	—	<i>trace</i>	.02	<i>trace</i>	<i>.02</i>	—	9
10	.51	—	.18	—	<i>x</i>	.07	—	.31	—	.01	—	.75	10
11	<i>.40</i>	<i>trace</i>	—	.07	<i>.17</i>	<i>trace</i>	.15	—	—	.07	—	.10	11
12	<i>.03</i>	<i>trace</i>	—	<i>.27</i>	.13	—	—	<i>trace</i>	—	—	—	.09	12
13	.03	—	.12	<i>.27</i>	.01	.01	.31	.10	<i>.01</i>	<i>.01</i>	—	<i>.13</i>	13
14	.65	.04	.35	.13	—	—	<i>trace</i>	—	<i>.45</i>	.01	<i>trace</i>	<i>.13</i>	14
15	—	—	.40	—	.02	—	.59	—	<i>trace</i>	.53	.24	.40	15
16	—	—	—	—	—	—	.08	—	.10	.09	—	.23	16
17	<i>trace</i>	—	—	.04	<i>trace</i>	—	.09	.06	.51	.03	—	<i>trace</i>	17
18	—	—	.02	—	.08	—	.05	.16	.20	.04	.25	.05	18
19	—	—	.01	<i>.08</i>	<i>trace</i>	<i>trace</i>	<i>trace</i>	.05	.85	.25	.43	—	19
20	—	—	<i>trace</i>	<i>.08</i>	—	<i>trace</i>	.50	.56	.27	.30	.22	—	20
21	—	—	.05	—	—	<i>trace</i>	<i>trace</i>	.06	<i>trace</i>	.15	.14	—	21
22	.33	—	—	—	.06	<i>trace</i>	.01	.61	.08	.25	<i>.49</i>	—	22
23	.01	—	.12	.04	<i>trace</i>	.62	.21	.01	.07	—	<i>.49</i>	<i>trace</i>	23
24	.22	—	—	.38	.01	.02	.04	—	.11	.01	.33	.01	24
25	—	<i>trace</i>	<i>trace</i>	.01	.06	—	.02	—	.01	—	.04	<i>.27</i>	25
26	.78	—	—	—	.08	—	<i>.36</i>	—	—	.01	.01	<i>.27</i>	26
27	.05	—	.01	—	—	<i>trace</i>	<i>.36</i>	—	<i>.20</i>	.01	—	<i>.50</i>	27
28	.10	—	.07	—	<i>trace</i>	—	.71	—	<i>.20</i>	.01	.55	<i>.50</i>	28
29	<i>trace</i>	<i>x</i>	—	—	.03	—	.05	—	.10	.25	.17	.03	29
30	—	<i>x</i>	.08	—	.05	.04	<i>trace</i>	—	—	.03	—	.36	30
31	.36	<i>x</i>	.05	<i>x</i>	.05	<i>x</i>	—	—	<i>x</i>	.11	<i>x</i>	.07	31
TOTAL	4.74	.34	2.14	2.52	1.03	.91	3.41	3.46	3.17	3.42	4.13	3.31	YEAR'S TOTAL
* Days with or in. or more.	19	4	15	16	18	6	19	15	18	24	16	18	188
* Days with .04 in. or more.	16	3	12	14	13	4	15	13	15	15	14	16	150

Kept at TORRIFORLOCK, BUSH STEEP
in the County of
by WATER W.T. 1924 - 30

Gauge 5 in.
Ground 9 ft. 9 in.
Sea Level 1341 ft.

Rain should be measu
An Observer who prefers no
January 1st of the following

Full instructions for
particulars as to the British Rainfall Organization are given in "Notes for Rainfall Observers," sent post-free
on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry,
Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	Nil	.01	Nil	.02	.10	.14	.31	Nil	Nil	.85	.06	WV1
2	.04	Nil	.02	Nil	.12	Nil	.16	1rd	Nil	.03	.05	Nil	WV2
3	.15	Nil	.12	1r	.02	.20	.14	.15	Nil	Nil	Nil	Nil	C3
4	Nil	Nil	.11	.04	Nil	.83	.28	.02	Nil	1r	Nil	.44	et4
5	Nil	Nil	.16	Nil	Nil	.01	.16	Nil	Nil	.55	Nil	Nil	5
6	.02	Nil	Nil	Nil	.04	Nil	Nil	.15	.20	.24	Nil	Nil	6
7	* .31	Nil	Nil	Nil	.25	* .04	Nil	Nil	.75	1.54	Nil	Nil	7
8	* .31	.02	Nil	.09	.08	* .04	Nil	Nil	.19	.05	Nil	Nil	8
9	* .54	.09	Nil	.04	.10	* .43	Nil	Nil	.43	.09	.10	Nil	9
10	* .54	.10	Nil	Nil	.50	* .43	Nil	Nil	.04	.16	.02	Nil	10
11	.96	.01	Nil	.63	.38	.88	Nil	.02	.04	.02	.10	Nil	11
12	.32	Nil	Nil	.28	.13	.30	Nil	.13	.30	Nil	.01	Nil	12
13	.15	Nil	Nil	1.00	.04	Nil	1r	1r	.56	Nil	Nil	.53	13
14	Nil	Nil	Nil	.05	Nil	Nil	Nil	.54	.01	Nil	Nil	.31	14
15	Nil	Nil	Nil	Nil	.09	Nil	Nil	.04	.10	Nil	Nil	.15	15
16	.25	Nil	Nil	Nil	Nil	Nil	Nil	.51	.11	Nil	Nil	Nil	16
17	.15	Nil	Nil	Nil	.01	.10	.54	.60	.10	Nil	Nil	Nil	17
18	.88	.03	Nil	Nil	.23	.04	Nil	2.50	Nil	.21	Nil	.01	18
19	.33	Nil	Nil	Nil	.03	Nil	.15	.35	.25	1r	Nil	Nil	19
20	.08	Nil	.06	Nil	.04	Nil	.63	1.30	.20	.24	.03	Nil	20
21	.14	Nil	.11	Nil	.06	.24	.62	* .24	.23	Nil	Nil	Nil	21
22	.45	Nil	.14	Nil	.04	Nil	Nil	.52	.26	Nil	Nil	.54	22
23	.03	Nil	.25	1r	.61	Nil	Nil	.14	.34	Nil	Nil	.46	23
24	.25	1r	.03	.21	.48	Nil	Nil	.08	.26	Nil	1r	.12	24
25	Nil	Nil	.16	.15	Nil	Nil	.13	.04	.61	.31	.60	.28	25
26	.04	Nil	.01	.25	Nil	Nil	* .50	.03	Nil	.81	.22	.08	26
27	Nil	Nil	Nil	.82	Nil	Nil	* .50	.03	Nil	.81	.22	.08	27
28	Nil	.04	Nil	.04	* .06	Nil	.48	.04	Nil	.11	.25	.45	28
29	Nil	Nil	Nil	.25	* .06	Nil	Nil	.09	.20	1.00	1.00	1.31	29
30	.03	X	Nil	.15	.04	Nil	Nil	.11	.10	.51	.25	.42	30
31	Nil	X	Nil	X	.09	X	Nil	1r	X	.24	X	.84	31
TOTAL	5.18	.42	1.18	4.03	3.52	3.23	3.96	7.80	5.29	6.44	4.13	8.50	YEAR'S TOTAL
Days with '01 in. or more	21	7	12	14	24	13	12	23	21	18	13	16	1363
Days with '04 in. or more	24	4	8	14	19	10	12	20	20	16	10	15	53.67

REGISTER OF RAINFALL IN 1924.

Kept at Torhoue Rectory
in the County of Smurset
by W.P. Holmes

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station 9 Minehead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
" " " " Sea Level 134 ft.

13 FEB 1925

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Nil	Nil	.01	Nil	.02	.10	.14	.31	Nil	Nil	.85	.06	WV 1
2	.04	Nil	.02	Nil	.12	Nil	.16	1.04	Nil	.03	.05	Nil	WV 2
3	.15	Nil	.12	1r	.02	.20	.14	.15	Nil	Nil	Nil	Nil	C 3
4	Nil	Nil	.11	.04	Nil	.83	.28	.02	Nil	1r	Nil	.44	et 4
5	Nil	Nil	.16	Nil	Nil	.01	.16	Nil	Nil	.55	Nil	Nil	5
6	.02	Nil	Nil	Nil	.04	Nil	Nil	.15	.20	.24	Nil	Nil	6
7	* .31	Nil	Nil	Nil	.25	* .04	Nil	Nil	.75	1.54	Nil	Nil	7
8	* .31	.02	Nil	.09	.08	* .04	Nil	Nil	.19	.05	Nil	Nil	8
9	* .54	.09	Nil	.04	.10	* .43	Nil	Nil	.48	.09	.10	Nil	9
10	* .54	.10	Nil	Nil	.50	* .43	Nil	Nil	.04	.16	.02	Nil	10
11	.96	.01	Nil	.63	.38	.88	Nil	.02	.04	.02	.10	Nil	11
12	.32	Nil	Nil	.28	.13	.30	Nil	.13	.30	Nil	.01	Nil	12
13	.15	Nil	Nil	1.00	.04	Nil	1r	1r	.56	Nil	Nil	.53	13
14	Nil	Nil	Nil	.05	Nil	Nil	Nil	.54	.01	Nil	Nil	.31	14
15	Nil	Nil	Nil	Nil	.09	Nil	Nil	.04	.10	Nil	Nil	.15	15
16	.25	Nil	Nil	Nil	Nil	Nil	Nil	.51	.11	Nil	Nil	Nil	16
17	.15	Nil	Nil	Nil	.01	.10	.54	.60	.10	Nil	Nil	Nil	17
18	.88	.03	Nil	Nil	.23	.04	Nil	2.50	Nil	.21	Nil	.01	18
19	.33	Nil	Nil	Nil	.03	Nil	.15	.35	.25	1r	Nil	Nil	19
20	.08	Nil	.06	Nil	.04	Nil	.63	1.30	.20	.24	.03	Nil	20
21	.14	Nil	.11	Nil	.06	.24	.62	1.04	.24	.23	Nil	Nil	21
22	.45	Nil	.14	Nil	.04	Nil	Nil	.52	.26	Nil	Nil	.54	22
23	.03	Nil	.25	1r	.61	Nil	Nil	.14	.34	Nil	Nil	.46	23
24	.25	1r	.03	.21	.48	Nil	Nil	.08	.26	Nil	1r	.12	24
25	Nil	Nil	.16	.15	Nil	Nil	.13	.04	.61	.31	.60	.28	25
26	.04	Nil	.01	.25	Nil	Nil	50	.03	Nil	.81	.22	.08	26
27	Nil	Nil	Nil	.82	Nil	Nil	50	.03	Nil	.81	.22	.08	27
28	Nil	.04	Nil	.04	.06	Nil	.48	.04	Nil	.11	.25	.45	28
29	Nil	Nil	Nil	.25	.06	Nil	Nil	.09	.20	1.00	1.00	1.31	29
30	.03	X	Nil	.15	.04	Nil	Nil	.11	.10	.51	.25	.42	30
31	Nil	X	Nil	X	.09	X	Nil	1r	X	.24	X	.84	31
TOTAL	5.18	.42	1.18	4.03	3.52	3.23	3.96	7.80	5.29	6.44	4.13	8.56	1363
Days with .01 in. or more	24	7	12	14	22	13	12	23	21	18	13	16	54.26
Days with .04 in. or more	24	4	8	14	19	10	12	20	20	16	10	15	54.26

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

1916

Rept at **Porlock Rectory**in the County of **SOMERSET**Diameter of Funnel of Gauge **5** in.Height of top of Gauge above Ground **9** ft. in.Ground Sea Level **134** ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1. following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.83	Nd	.03	Nd	Nd	.01	Nd	Nd	.25	Nd	.44	.84	1
2	.45	Nd	.05	.02	Nd	Nd	.03	Nd	Nd	Nd	.43	Nd	2
3	.45	Nd	Nd	Nd	.17	Nd	Nd	.21	.04	Nd	.11	Nd	3
4	.31	.19	Nd	.30	.29	Nd	Nd	.23	.03	Nd	.26	Nd	4
5	.14	.54	Nd	.58	.23	Nd	Trace	.26	.08	Nd	Nd	Nd	5
6	Nd	.15	.005	Nd	.41	Nd	.41	Nd	.02	Nd	.65	.14	6
7	Nd	.40	.06	Nd	.38	Nd	Nd	Nd	.04	Nd	.66	.18	7
8	Nd	.06	.03	Nd	.12	Nd	Trace	.26	.11	Nd	Nd	.30	8
9	.17	.23	Nd	.09	.09	Nd	.04	.11	.13	Nd	.10	.14	9
10	Nd	.25	.15	Nd	.03	Nd	Nd	1.08	Nd	Nd	Nd	.03	10
11	Nd	1.44	Nd	Nd	.02	Nd	Nd	.03	Nd	Nd	Nd	Nd	11
12	Nd	.35	Nd	Trace	Nd	Nd	Nd	.31	Nd	Trace	Nd	.03	12
13	.07	.04	.48	Nd	Nd	Nd	Nd	.02	Nd	.02	Nd	Nd	13
14	.30	.34	Nd	.44	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	14
15	.01	.02	Nd	.28	Nd	Nd	Nd	Nd	.36	Trace	Nd	.14	15
16	.03	.15	Nd	Nd	.01	Nd	Nd	Nd	Nd	.34	Nd	Nd	16
17	Nd	.02	Nd	.03	.10	Nd	.05	Nd	Nd	.06	Nd	Nd	17
18	Nd	.07	Nd	Nd	.31	Nd	Nd	.04	.12	.11	Nd	Nd	18
19	Nd	.04	Nd	.20	Nd	Nd	.08	.78	1.60	.80	Nd	.46	19
20	Nd	.005	.05	Nd	Nd	Nd	.03	.44	.45	.50	Nd	.04	20
21	Nd	.13	.10	Nd	.04	Nd	.39	.10	.50	.18	Nd	.24	21
22	.04	.40	Nd	.19	.15	Nd	.12	.04	.61	1.01	Nd	.73	22
23	.03	.11	.06	.06	.04	Nd	.04	.05	.06	.60	Trace	.24	23
24	Nd	.88	.02	Nd	.06	.25	.10	Nd	Nd	.10	.04	.20	24
25	.70	1.27	Nd	.10	.06	Nd	.70	Nd	.17	.19	Nd	.05	25
26	.43	.82	Nd	Nd	.60	Nd	.62	.25	Nd	.24	Nd	.16	26
27	.10	.05	Nd	Nd	.27	Nd	Nd	.005	Nd	.05	.05	.19	27
28	.26	.32	Nd	Nd	.15	Nd	.003	Nd	.01	.04	Nd	.00	28
29	.28	X	Nd	.04	.41	Nd	.15	Nd	.02	.02	.16	1.25	29
30	.02	X	.01	.05	.08	Nd	.49	Trace	.02	.05	.20	.46	30
31	.37	X	.12	X	Trace	X	.04	Nd	X	Nd	X	.18	31
TOTAL	5.99	8.335	1.165	2.44	4.05	2.1	3.323	4.245	4.65	4.34	3.46	6.85	49.108
Days with .01 in. or more.	19	25	13	13	22	2	15	16	19	16	11	20	191
Days with .04 in. or more.	15	21	9	11	19	1	12	14	14	14	11	18	159

8.335

(Signed)

M. Perone 140 lines

[P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Pollock Pecton
in the County of Somerset

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....9 ft.
" Ground " Sea Level.....134 ft.

File letter AP. Holm
Compt.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091. Corr. for winter - Jan. Feb. Mar. Apr. May. Year.
Obs. written 699886/26

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.63	.08	Nil	Nil	.04	.73	Nil	Nil	.46	Nil	.94	.02	1
2	.42	.02	Trace	Nil	Nil	.09	Nil	Nil	.54	Nil	Nil	.01	2
3	.14	.53	.25	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	3
4	.18	.04	.35	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.72	.11	4
5	.10	.26	.40	Nil	.01	Nil	.24	Trace	.16	.02	.24	.06	5
6	.40	.02	Trace	Nil	.02	Nil	.30	Nil	.06	Nil	Nil	Nil	6
7	.21	Nil	Nil	.10	.20	.06	.03	.03	.25	Nil	Nil	.03	7
8	Nil	.05	.16	.10	.005	Nil	Nil	.11	.04	.44	.94	Nil	8
9	Nil	Nil	.06	Nil	Nil	.34	Nil	.96	Nil	.06	.82	Nil	9
10	Nil	Nil	Nil	Nil	.13	.24	Nil	.15	Nil	.14	.83	Nil	10
11	Nil	Nil	Nil	Nil	.17	.19	Nil	.09	.09	.03	Nil	Nil	11
12	Trace	Nil	Nil	Nil	.30	Nil	Nil	Nil	.005	.12	.72	Nil	12
13	Trace	.04	Nil	Nil	.06	.20	Nil	Nil	.28	.81	.24	.04	13
14	.04	.25	Nil	.56	.54	Nil	Nil	Nil	.02	.65	.04	.02	14
15	.10	.16	Nil	.34	Nil	Nil	Nil	.03	.04	.90	.50	Nil	15
16	.40	.58	Nil	.34	Nil	Nil	Nil	.03	.01	.04	.15	Nil	16
17	.11	.38	Nil	.20	Nil	.43	.04	.11	Nil	Nil	.28	.02	17
18	.26	.12	Nil	.20	Nil	.03	Nil	.08	Nil	Nil	.24	Nil	18
19	.05	Trace	Nil	.09	Nil	Nil	.31	.20	.45	Nil	.32	Nil	19
20	.01	.02	Nil	.22	Nil	Nil	Nil	.21	Nil	Nil	.42	Nil	20
21	.34	Nil	Nil	.10	Nil	Nil	.08	.05	Nil	.10	.78	Nil	21
22	.55	Nil	Nil	.13	Nil	Nil	Nil	.03	Nil	Nil	.04	Nil	22
23	.30	.04	.05	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	Nil	23
24	.26	Nil	.01	Nil	Nil	Nil	.28	.10	Nil	1.09	Nil	Nil	24
25	.28	Nil	Nil	.04	Nil	Nil	.28	Nil	.31	.00	.15	Nil	25
26	.05	Nil	Nil	.03	.03	Nil	.29	Nil	.67	Nil	.10	Nil	26
27	.38	.02	.02	Nil	.05	Nil	Nil	Nil	Nil	.50	Nil	Nil	27
28	.20	Nil	Nil	.13	Trace	Nil	.01	Nil	Nil	.45	1.55	Nil	28
29	.30	X	Nil	.04	.15	Nil	Nil	Nil	Nil	Nil	1.49	Nil	29
30	.04	X	Nil	.14	.27	Nil	Nil	.04	Nil	Nil	.20	.02	30
31	.12	X	Nil	X	Nil	X	Nil	Trace	X	Nil	X	Nil	31
TOTAL	6.90	2.67	1.00	2.56	1.945	2.29	1.89	2.22	3.215	5.95	11.77	.33	YEARS TOTAL
Days with 0.1 in. or more.	25	16	8	16	14	9	10	15	15	15	9	9	43.70
Days with 0.1 in. or more.	24	12	6	15	10	8	8	13	11	13	3	3	143

Please read the Notes and Instructions Overleaf.

FORM 1090.

REGISTER OF RAINFALL IN 1924

FOR OFFICIAL USE.

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....9.....ft.
" Ground " Sea Level 130.....ft.

Obs. notified
(D2) 25/1/28.

D₂ 25/1/29

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

40-12-1-27
144w)

A m2

(Signed)

Mr. Eugene Holmes

..[P.T.O.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at

Bush Sreep. Porokot

in the County of

Sohersu

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 9 ft. in.

Ground Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.75	.04	.01	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	Nd	1
2	.07	.60	.12	.04	Nd	Nd	.02	Nd	Nd	Nd	.15	.02	2
3	Nd	.03	.01	.18	Nd	Nd	.09	Nd	Nd	Nd	.10	Nd	3
4	.04	.53	.04	.24	Nd	.16	Nd	Nd	Nd	.18	.01	Nd	4
5	.07	.03	.03	.05	Nd	.05	Nd	Nd	.02	.35	.03	.01	5
6	.01	Nd	.02	Nd	Nd	.23	Nd	Nd	Nd	.02	.03	.18	6
7	.01	.01	.02	.01	Nd	.22	Nd	.11	Nd	.15	Nd	.14	7
8	Nd	.09	Nd	.05	Nd	.22	Nd	Nd	.10	.16	Nd	.11	8
9	.04	Nd	Nd	.10	Nd	.05	Nd	.01	.01	.15	Nd	.02	9
10	.20	.43	Nd	.05	Nd	.02	Nd	.04	Nd	.20	.14	.19	10
11	Nd	.01	Nd	Nd	Nd	Nd	Nd	.04	Nd	.49	.01	.03	11
12	.82	.70	.16	Nd	Nd	Nd	Nd	.21	Nd	.02	.10	.05	12
13	.05	.01	Nd	Nd	Nd	.34	Nd	.26	Nd	.01	.02	Nd	13
14	.12	.25	.04	.66	.02	.18	Nd	.08	Nd	.29	.39	Nd	14
15	.15	.20	Nd	.08	.01	Nd	Nd	.04	Nd	.00	.40	.03	15
16	Nd	.05	.08	Nd	.02	Nd	Nd	Nd	Nd	.06	.36	.35	16
17	.02	Nd	.05	Nd	.25	.15	Nd	Nd	Nd	Nd	.09	Nd	17
18	.15	Nd	.02	.01	.13	.11	Nd	Nd	Nd	.43	.08	.01	18
19	.04	Nd	.10	Nd	.34	.04	Nd	.05	Nd	.41	.22	.02	19
20	.14	Nd	.16	Nd	.25	.03	Nd	.35	Nd	.04	.20	Nd	20
21	.61	Nd	.25	Nd	.14	Nd	Nd	Nd	.01	.15	.28	Nd	21
22	.01	Nd	.10	Nd	Nd	Nd	Nd	.01	.01	.65	.40	.11	22
23	.31	Nd	.11	Nd	Nd	Nd	Nd	Nd	.01	.09	.23	.01	23
24	.06	Nd	.17	Nd	Nd	Nd	Nd	.24	.04	.18	.18	.22	24
25	.14	Nd	Nd	Nd	Nd	.06	Nd	.25	Nd	.21	.01	.80	25
26	.26	Nd	.04	Nd	.03	.04	.60	.20	Nd	.53	.09	.08	26
27	.01	Nd	.17	.25	Nd	Nd	.27	.10	.31	.01	Nd	1.36	27
28	.47	.18	.22	Nd	Nd	.12	.14	.64	Nd	Nd	Nd	.30	28
29	.02	.34	.37	Nd	Nd	.13	.11	.04	.02	.18	.04	.41	29
30	.08	x	.16	Nd	Nd	.02	.15	Nd	Nd	.10	Nd	.12	30
31	.20	x	.51	x	Nd	x	.38	Nd	x	.09	x	Nd	31
TOTAL	4.97	3.53	2.09	1.51	1.19	2.05	1.44	2.23	1.23	5.64	3.53	4.60	35.44
Days with .01 in. or more.	27	16	24	11	9	14	8	14	10	26	23	22	210
Days with .04 in. or more.	21	11	18	9	5	14	7	15	4	22	17	15	158

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1929.

Kept at Bush Steep, Plover.
in the County of Somerset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft.
„ Ground „ Sea Level 130 ft.

May $\frac{1}{2}$ low. cl. (2036, 2037)
June $\frac{1}{2}$ low. cl. (2036, 2037)
July $\frac{1}{2}$ low. cl. (2036, 2037)
Aug $\frac{1}{2}$ low. cl. (2036, 2037)
Oct 2-3 low. cl. (2036, 2037)
Year 2035 low. cl. 2036 2037
agrees with 2034 2035
699 888 26 420
? gauge over sheltered.
agrees with 2034 2037

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	NIL	.16	NIL	TRACE	.16	.04	.19	.25	.10	.43	NIL	.29	1
2	NIL	.05	NIL	NIL	NIL	TRACE	NIL	.01	NIL	.29	.02	.25	2
3	NIL	NIL	NIL	TRACE	TRACE	NIL	.01	NIL	NIL	.02	NIL	.09	3
4	NIL	NIL	NIL	.01	.58	NIL	TRACE	.70	.37	.09	NIL	.99	4
5	NIL	.04	NIL	NIL	.74	.03	.12	.32	TRACE	2.03	.42	.34	5
6	NIL	.04	NIL	NIL	.02	.01	.30	.15	TRACE	.16	.01	.87	6
7	NIL	.05	NIL	NIL	.19	NIL	TRACE	.02	NIL	.33	.16	.71	7
8	NIL	NIL	NIL	NIL	NIL	TRACE	NIL	TRACE	NIL	.21	NIL	.64	8
9	.02	NIL	NIL	NIL	NIL	NIL	NIL	.01	NIL	.05	.20	.60	9
10	.03	.04	NIL	.04	.30	NIL	NIL	TRACE	NIL	.03	.14	.84	10
11	NIL	TRACE	NIL	NIL	.21	NIL	NIL	TRACE	NIL	NIL	1.60	.09	11
12	NIL	.09*	NIL	.28	NIL	1.00	NIL	NIL	.01	NIL	.09	.01	12
13	.05	NIL	NIL	.02	.19	.18	NIL	TRACE	.70	NIL	NIL	.09	13
14	NIL	NIL	NIL	NIL	.09	.13	NIL	NIL	.01	NIL	NIL	.12	14
15	.01	NIL	NIL	NIL	NIL	.08	NIL	NIL	TRACE	NIL	.73	TRACE	15
16	NIL	.02	NIL	NIL	NIL	TRACE	NIL	NIL	NIL	TRACE	.70	NIL	16
17	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.15	NIL	.20	.23	NIL	17
18	.04	NIL	NIL	NIL	NIL	NIL	NIL	.19	NIL	.26	1.10	NIL	18
19	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.05	NIL	.10	.44	TRACE	19
20	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.20	.30	.55	20
21	NIL	NIL	.24	NIL	NIL	NIL	NIL	.03	NIL	TRACE	.08	TRACE	21
22	NIL	NIL	NIL	NIL	NIL	NIL	.04	TRACE	NIL	.12	.65	.20	22
23	.01	TRACE	TRACE	TRACE	.13	NIL	.01	.03	TRACE	.20	.64	.32	23
24	NIL	NIL	NIL	NIL	NIL	NIL	.18	NIL	NIL	.51	1.38	.37	24
25	NIL	.15*	NIL	.12	NIL	NIL	NIL	NIL	NIL	.04	.13	.15	25
26	.01	NIL	NIL	NIL	NIL	NIL	NIL	NIL	NIL	.02	.18	.11	26
27	NIL	NIL	NIL	.04	NIL	NIL	NIL	NIL	NIL	.02	.53	.21	27
28	.10	NIL	NIL	.15	.21	NIL	.01	NIL	.06	.09	.41	.75	28
29	.02	X	NIL	.09	NIL	NIL	.29	NIL	.05	.26	.39	.37	29
30	NIL	X	NIL	.08	NIL	.15	TRACE	NIL	.38	NIL	.07	.08	30
31	.60	X	NIL	X	NIL	X	.07	NIL	X	NIL	X	.01	31
TOTAL	.89	.64	.24	.78	2.82	1.92	1.22	1.97	1.68	6.56	10.90	8.73	38.33
Days with .01 in. or more.	10	9	1	9	11	8	10	12	8	22	24	25	149
Days with .04 in. or more.	4	8	1	7	10	7	7	8	6	18	22	23	110
YEAR'S TOTAL													38.33

Section **A**

for the entry of Daily Observations.

2088
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at BUSH STEEP, PORLOCK,
in the County of Somerset.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
,, Ground ,, Sea Level 130 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.06	.25	NIL	.45	NIL	.14	.03	.52	NIL	.04	.68	TRACE	I
2	.02	.04	NIL	.22	.08	TRACE	.08	.12	NIL	.03	.54	NIL	2
3	.31	.25	TRACE	.55	NIL	NIL	.04	.28	NIL	.15	NIL	NIL	3
4	.64	.25	.05	.07	.01	NIL	NIL	.01	TRACE	.34	NIL	TRACE	4
5	.10	.01	.02	TRACE	.06	NIL	NIL	.49	NIL	.43	.08	NIL	5
6	TRACE	NIL	.38	NIL	.09	NIL	NIL	.18	.21	.22	.09	.06	6
7	.17	NIL	TRACE	NIL	NIL	NIL	NIL	.03	.01	.36	.40	.31	7
8	.03	NIL	TRACE	.09	NIL	NIL	NIL	.01	NIL	.29	.01	.37	8
9	.41	NIL	.38	.79	.05	NIL	NIL	NIL	TRACE	.06	.06	.01	9
10	1.00	NIL	.09	TRACE	.16	NIL	TRACE	.06	.66	NIL	NIL		10
II	.24	NIL	.04	.01	.01	NIL	.01	.06	TRACE	.09	NIL	.93	II
12	.27	NIL	.05	NIL	.21	NIL	NIL	.20	.03	.16	NIL	.01	12
13	.09	NIL	.03	.24	.07	NIL	.09	.10	.28	.08	NIL	.25	13
14	.44	NIL	.23	.01	.01	.39	.07	NIL	.02	.07	NIL	.24	14
15	TRACE	.01	.06	NIL	TRACE	NIL	.37	NIL	.40	.38	.33	.16	15
16	NIL	NIL	NIL	.05	NIL	NIL	TRACE	NIL	.01	.03	NIL	.85	16
17	NIL	NIL	.03	.02	.15	NIL	NIL	.08	.45	.09	NIL	.32	17
18	NIL	NIL	.04	NIL	.02	NIL	NIL	.16	.39	.03	NIL	.07	18
19	NIL	NIL	.25	TRACE	NIL	.02	.28	.20	1.08	.08	.09	.04	19
20	NIL	NIL	NIL	.14	.02	.01	.66	.35	.88	.09	.36	TRACE	20
21	NIL	NIL	.07	NIL	NIL	.03	.01	.02	.04	.09	.36	NIL	21
22	.48	NIL	TRACE	.05	TRACE	NIL	NIL	.40	TRACE	.46	.18	NIL	22
23	.02	NIL	.22	.07	.01	.40	.04	TRACE	.10	.05	.39	.05	23
24	.20	NIL	NIL	.56	.08	.04	NIL	NIL	.18	.11	.47	.13	24
25	TRACE	.06	NIL	.01	.10	NIL	.05	NIL	TRACE	TRACE	.17	.22	25
26	1.06	.02	NIL	NIL	NIL	NIL	.01	NIL	NIL	NIL	.02	.23	26
27	.01	NIL	NIL	NIL	NIL	TRACE	.20	TRACE	.01	.10	NIL	.13	27
28	.04	NIL	.12	TRACE	TRACE	NIL	.26	TRACE	.01	.03	.41	.60	28
29	NIL	X	TRACE	NIL	.06	NIL	.06	TRACE	.43	.03	.25	.10	29
30	NIL	X	.31	NIL	.11	NIL	NIL	NIL	.01	.09	NIL	.65	30
31	.48	X	.02	X	.09	X	NIL	NIL	X	.24	X	.10	31
TOTAL	6.07	.89	2.39	3.33	1.31	.73	2.26	3.87	5.09	4.22	4.89	5.83	YEAR'S TOTAL
*Days with or in. or more.	20	8	18	16	19	7	16	18	19	28	18	22	229
*Days with .04 in. or more.	16	5	13	12	12	4	13	14	12	23	16	20	160

40-9999

* Dew • Wet Fog

*See Instruction 2 (f) on other side.

(Signed) Elle Margaret Holmes P.T.O.

Kept at Quantocks Heath

in the County of ST. ANDRIES

by SOMERSET

IMPORTANT NOTE

If an Observer prefer the reading at 9 a.m. this paragraph. Full and particulars as to sent post-free on application, 62, Camden Square, London, N.W.

1921—1925

ORGANIZATION.

21.....

g.....

n.....

Rain Gauge.....in.

above Ground.....ft.....in.

„ Sea Level.....ft.

ult entered to the previous day.

requested to add it at the end of of rain gauges, „ rainfall Observers, „ tion, 62, Camden

Jan. 1, following.

form.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.								in.	in.	in.	
1	.27		.05								.15	.63	1
2	.21				.06			.03		.14	.04	.24	2
3	.01							.03		.05	.54		3
4	.16				.10			.05			.14		4
5			.01		.08			.15			.09		5
6	.23		.04		.19								6
7	.07		.01		.46						.04		7
8	.07		.05		.14								8
9				.11	.40				.04				9
10	.25		.02		.01	.01		.22	.27			.04	10
11	.08				.16			.08	1.19	.03			11
12	.23		.02					.24	.02			.22	12
13			.29	.15			.02	.03	.04	.09	.23		13
14	.02		.38		.16		.03		.08		.02	.22	14
15			.13	.03							.14		15
16	.10		.10	.37				.22			.14		16
17	.06		.05	.03			.11		.19				17
18	.09		.01						.05	.11			18
19			.05							.12	.01	.03	19
20			.06							.02	.02		20
21			.01									.02	21
22	.01			.12						.17	.07	.31	22
23	.01			.08						.08			23
24	.02	.10										.12	24
25		.12	.06			.38	.18					.08	25
26	.15		.02		.11	.04	.03				.12	.27	26
27	.02				.01	.03	.03				.06	.12	27
28			.23	.06	.03		.16				.04	.06	28
29	.04		.12		.13			.08				.02	29
30	.24	~~X~~		.12	.05						.21	.04	30
31	.10	~~X~~	~~X~~	~~X~~	.20	~~X~~		~~X~~			~~X~~		31
TOTAL	2.44	.22	1.69	1.07	2.29	.46	.56	1.37	1.91	.81	2.06	2.42	17.30
Days with .01 in. or more	22	2	20	9	16	4	7	11	9	9	17	15	141
Days with .04 in. or more	16	2	12	7	13	2	3	8	7	7	14	12	103
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1921.

Kept at Llanockeshed, St Audries
in the County of Somerset
by J. S. Hayne

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	27		03					24	03		15	63	1
2	21				06			03		14	04	24	2
3	01							03		05	54		3
4	16				10			05			14		4
5			01		08			15			09		5
6	23		04		19								6
7	07		01		46						04		7
8	07		05		14								8
9				11	40				04				9
10	25		02		01	01		22	27			04	10
11	08				16			08	119	03			11
12	23		02					24	02			22	12
13			29	15			02	03	04	09	23		13
14	02		38		16		03		08		02	22	14
15			13	03							14		15
16	10		10	37				22			14		16
17	06		05	03			11		19				17
18	09		01						05	11			18
19			05							12	01	03	19
20			06							02	02		20
21			01									02	21
22	01			12						17	07	31	22
23	01			08						08			23
24	02	10										12	24
25		12	06			38	18					08	25
26	15		02		11	04	03				12	27	26
27	02				01	03	03				06	12	27
28			23	06	03		16				04	06	28
29	04		12		13			08				02	29
30	24	X		12	05						21	04	30
31	10	X		X	20	X		X		X	X		31
TOTAL	244	22	169	107	229	46	56	137	191	81	206	242	YEAR'S TOTAL
Days with 01 in. or more	22	2	20	9	16	4	7	11	9	9	17	15	17 30
Days with 04 in. or more	16	2	12	7	13	2	3	8	7	7	14	12	141
													103

Kept at St. Audre's
in the County of Somerset
by F. S. Hayne

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge..... in.
Height of top of Gauge above Ground..... ft..... in.
" " " " Sea Level..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	06	21	20			27	14	15		10		1
2		20	02	60	06		05	09	06		18		2
3	07	12	15	45	22		05	28			05		3
4		06	16		12		02			40			4
5	01		16	12			78			08	44		5
6	08		11	04			12	119			19		6
7	01		45	50		06	22	21			17	01	7
8	09		06	02		01	27	74			04	11	8
9	11						01				05		9
10	01										27		10
11	01				07								11
12				44				21	60				12
13	09			43		03	13		17				13
14			04	12					08		01		14
15	48	06		29								01	15
16		18		34	11	07		07	03			24	16
17		23			08		03					12	17
18		06			01			01	13			08	18
19	30	05	05						01			179	19
20	16	26										09	20
21	07	08		03			17	02				107	21
22		05			06	07	01	07	02			11	22
23	04	02		08	14		10		02			17	23
24	11		02	05		08		02				06	24
25	09	07		10		07			32			21	25
26		28	01				24		20			06	26
27	33	53		04				45	21			27	27
28	36	49	05			21		31	03			20	28
29	27		06	02						50		66	29
30	26							31	33	07	05	29	30
31	06		(1.50) 2.27					15		48			31
TOTAL	3.03	2.82	(3.05) 3.82	3.87	.87	60	2.47	4.27 4.12	2.21 2.36	1.53	1.55	5.55	YEAR'S TOTAL 31.82 32.59
Days with 01 in. or more	22	17	15	18	9	8	15	16	14	5	11	18	168
Days with 04 in. or more	17	16	12	15	8	6	11	13	9	5	10	16	138

REGISTER OF RAINFALL IN 1923.

Kept at St. Audries, W. Taunton
in the County of Somerset
by F. S. Hayne

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	·07	·24		·01				·19	·12	·03	·46	1
2	·11	·01	·04	·04	·12			·01		·22	·02	·02	2
3	·07		·01				·04		·11	·13	·02	·25	3
4				·02						·01	·27	·05	4
5	·54		·11	·10	·06					·03	·09	·03	5
6	·83	1·20	·01	·34								·01	6
7		1·16	·03	·02						·16		·23	7
8	·04	·04		·07						·06	·22	·04	8
9	·17	·93		·01									9
10	·02	·20		·30	·01					·25		·02	10
11		·01		·08	·15					·57			11
12		·31	·19		·25	·11				·38	·01	·01	12
13		·29		·14	·04		·01		·02	·31	·74		13
14		·01		·64	·04		·33	·06	·46		·14	·02	14
15		·16	·05	·14	·07	·51	·13		·10		·37		15
16	·02	·15		·31	·15					·01	·25	·03	16
17		·57					·02		1·06	·06	·54		17
18		·27		·07		·03			·17	·18	·05		18
19		·16					·07		·26	·04			19
20		·24			·03				·06	·20			20
21	·04	·10						·02	·02	·12			21
22		·68						·03	·06	·22		·04	22
23		·36	·12		·17		·11	·45	·25	·33		·18	23
24		·24		·05	·03			·32	·11			·18	24
25	·01	·37		·06	·03		·08	·04		·51		·21	25
26		·36	·01	·07	·01			·07		·49		·42	26
27	·01	·27	·14		·18		·06	·15		·10	·02	·07	27
28		·08	·16	·13	·09		·18	·13					28
29	·23		·01	·01	·06			·54	·02	·03		·13	29
30		X					·16	·02		·06	·03		30
31		X		X	·41	X	·15	1·15	X		X	·12	31
TOTAL												2·52	YEAR'S TOTAL
Days with 01 in. or more	2·17	8·24	1·12	2·60	1·91	·65	1·34	2·67	3·10	4·70	2·80	2·40	33·82
Days with 04 in. or more	13	25	13	19	19	3	12	12	14	25	15	19	189
	9	22	8	15	13	2	10	8	11	21	9	12	141

Exempt
AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924

1872

Kept at *St. Audries, W. Taunton*
in the County of *Somerset*
by *F. S. Hayne*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	03		03			17	08	12			50	14	1
2	05		22		24		08			01	01		2
3	13		04			12	12	27		01			3
4				01		70	05					20	4
5			09				16			50		07	5
6					02			11	41	09			6
7	01				15	11			79	158			7
8	43	10		06	01				17	01			8
9	14	03		02	08	19			12	03	08		9
10	16	06			31	27			02	02	04		10
11	36			33	41	86				01	19		11
12	09			04	05	63	02	21	09				12
13	05			64					54		01	35	13
14								09				20	14
15								01				17	15
16	21							40					16
17	12				01	15	38	15					17
18	44				21		03	155		32	02		18
19	07				08	23	04	54	07				19
20	11				11		71	08	29	18			20
21	35		02		07	32	21	18	06	31			21
22	50		38		03			108	23			37	22
23	01		04		30		01	05	20		03	38	23
24	13	05	02	20	32			07	31		01	11	24
25			06	08			12	06	41	19	39	17	25
26	01			11				02		04	70	46	26
27				64			55	02		30	01	29	27
28		04					32	04			32	10	28
29				08				18	07	54	73	84	29
30	01	X			06		01	17	08	29	59	27	30
31		X		X	15	X			X	20	X	33	31
TOTAL	341	28	90	221	261	375	289	540	386	463	363	445	3802
Days with 01 in. or more	21	5	9	11	18	11	16	21	16	18	15	16	177
Days with 04 in or more	16	4	6	8	14	11	12	18	15	12	9	16	142
YEAR'S TOTAL													966

REGISTER OF RAINFALL IN 1925-.

Kept at *St. Audries, W. Taunton*
in the County of *Somersetshire*
by *F. S. Hayne*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	90		03										1
2	29												2
3	07	04											3
4	05												4
5	11	25											5
6		26											6
7		12	02										7
8	08												8
9		04											9
10		03	05										10
11		69											11
12		50											12
13	02		16										13
14	12	12											14
15	01	02											15
16		02											16
17		01											17
18		02											18
19		03											19
20			02										20
21		16	04										21
22	02	34											22
23	01	06	05										23
24	24	35											24
25	67	56	26										25
26	50	31											26
27	10	02											27
28	04	03											28
29	03												29
30		X											30
31	14	X	04	X		X			X		X		31
TOTAL	3.40	3.98	67										YEAR'S TOTAL
Days with 01 in. or more	18	22	9										
Days with 04 in. or more	13	14	6										

RADSTOCK

Kept at Frome Hill
in the County of Dorset
by Clifford A

1923 - 30

1846
A
NIZATION.

3.

A.M.
Radstock
Gauge 8 in.
Ground 2 ft. 6 in.
Sea Level 195 ft.

previous day.
g at 9 a.m. on

Jan. 1, following.

Rain should be measured by
An Observer who prefers not to
January 1st of the following

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.36	.23		.06			Trace		.05	.01	.71	1
2		.17	.05	.02						.08		.90	2
3	.25	.01	.12				.03		.10	.38	.03	.26	3
4		Trace		.04	.02				.01		.36	.31	4
5	.35		.01	.05	.26					.06	.04	.05	5
6		.75	.18	.09						.01		.01	6
7		.98	.07	.02						.15	Trace	.49	7
8		.07	.03							.12	.16	.01	8
9		1.04										Trace	9
10		.75		.16	.05	.04	.30			.14		.01	10
11		.06		.65	.02					.65	.01	Trace	11
12		.16	.29	.07	.14	.01				.80	.18	.02	12
13		.14		.22	.04				.10	.10	1.73	.01	13
14		Trace	.04	.06	.03			.14	.63	Trace	.14		14
15		.10	.04	.19	.23	.31			.01	.02	.62		15
16		.25		.06	.04		.05	.01			.35	.02	16
17		.65					.06	.48	.50	.05	.26		17
18	.06	.30		.18		.02		.08	.16		Trace	.01	18
19	.07	.01					.09	Trace	.56	.21	.02		19
20	.01	.21			.05				.09	.20			20
21	Trace	.12						.34	.01	.23	.01	.04	21
22	.01	.47			.03			.04	.08	.12		.08	22
23	.01	.23	.26		.06		.15	1.01	.09	.28		.07	23
24		.17		.32	.16		.01	.08	.27	.07		.10	24
25	.02	.45	Trace	.30	.10	.09	.03	.01	.18	.43		.60	25
26	.03	.19			.09	.01	.02			.55	.01	.34	26
27		.67	.20	.01	.12		.10	.85	.01	.02		.26	27
28	.01	.08	.11	.06	.06		.14	.12		.06			28
29	.02				.07		.03	.64		.02		.11	29
30	.01	X		.05		.01	.19	.01		.23		.13	30
31	.06	X	.05	X		X	.50	.10	X	Trace	X	.26	31
TOTAL	1.26	8.33	1.68	2.55	1.63	.49	1.70	4.01	2.77	5.03	3.93	4.00	YEAR'S TOTAL 37.38
Days with ".01 in. or more	14	25	14	18	19	7	14	14	15	25	15	23	203
Days with ".04 in. or more	6	23	12	15	15	3	9	12	11	21	9	16	152

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Frome Hill, Radstock
in the County of Somerset
by Clifford H. Perry

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Radstock
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.36	.23		.06			Trace		.05	.01	.71	1
2		.17	.05	.02						.08		.90	2
3	.25	.01	.12				.03		.10	.38	.03	.26	3
4		Trace		.04	.02				.01		.36	.31	4
5	.35		.01	.05	.26					.06	.04	.05	5
6		.75	.18	.09						.01		.01	6
7		.98	.07	.02						.15	Trace	.49	7
8		.07	.03							.12	.16	.01	8
9		1.04										Trace	9
10		.75		.16	.05	.04	.30			.14		.01	10
11		.06		.65	.02					.65	.01	Trace	11
12		.16	.29	.07	.14	.01				.80	.18	.02	12
13		.14		.22	.04				.10	.10	1.73	.01	13
14		Trace	.04	.06	.03			.14	.63	Trace	.14		14
15		.10	.04	.19	.23	.31			.01	.02	.62		15
16		.25		.06	.04		.05	.01			.35	.02	16
17		.65					.06	.48	.50	.05	.26		17
18	.06	.30		.18		.02		.08	.16		Trace	.01	18
19	.07	.01					.09	Trace	.56	.21	.02		19
20	.01	.21			.05				.09	.20			20
21	Trace	.12						.34	.01	.23	.01	.04	21
22	.01	.47			.03			.04	.08	.12		.08	22
23	.01	.23	.26		.06		.15	1.01	.09	.28		.07	23
24		.11		.32	.16		.01	.08	.27	.07		.10	24
25	.02	.45	Trace	.30	.10	.09	.03	.21	.16	.43		.60	25
26	.03	.19			.09	.01	.02			.55	.01	.34	26
27		.67	.20	.01	.12		.10	.85	.01	.02		.26	27
28	.01	.08	.11	.06	.06		.14	.12		.06			28
29	.02				.07		.03	.64		.02		.11	29
30	.01	X		.05		.01	.19	.01		.23		.13	30
31	.06	X	.05	X		X	.50	.10	X	Trace	X	.26	31
TOTAL	1.26	8.33	1.68	2.55	1.63	.49	1.70	4.01	2.77	5.03	3.93	4.00	YEAR'S TOTAL 37.38
Days with ".01 in. or more	14	25	14	18	19	7	14	14	15	25	15	23	203
Days with ".04 in. or more	6	23	12	15	15	3	9	12	11	21	9	16	152

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1924.

Kept at Radstock
in the County of Somerset
by C.H. PerryLat. 51-15 Long. 2-30
Time of Observation 9 am
Nearest Railway Station Radstock
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 370 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	Trace	Trace		.01	.11	.06	.19			.86	.45	188
2	.05		.39		.29		.20			.03	.01	.02	207
3	.12		.08		.01	.31	.25	.16		.01			3
4	Trace		.02		.05	.40	.15	.03	.05			.28	4
5			.08				.17	.01	.04	.17		.07	5
6					.06		.02	.10	.03	.48			6
7	.03				.34	.06			.45	1.34			7
8	.11	.05		.02					.10	.05			8
9	.16			.03	.07	.10			.04	Trace			9
10	.18	.14		.08	.74	.61			.07	.09	.04		10
11	.38			.37	.68	.31			.02	.07	.30		11
12	.20			.18	.12	.11		.16	.16				12
13	.15			.92					.50			.32	13
14												.20	14
15		.10						.06	.07			.54	15
16	.15							.24	.04				16
17	.20				.07	.20	.84	.31				.01	17
18	.64	.03			.46			.07		.12	.02	.03	18
19	.12				.19		.04	.05	.11	.19			19
20	.07				.46	.01	.37	.04	.36	.41			20
21	.42		.06		.26	.37		.20	.02	.49		Trace	21
22	.50		.67		.01			.69	.50				22
23	Trace		.19		.36			.06	.10			.64	23
24	.48	.07	.10	.18	.21				.05				24
25	.01		.04	.28			.28	.02	.34	.15	.38	.06	25
26		Trace		.26			Trace	.04	.13	.17	.77	.62	26
27		.02		.80			.82	.01		.72	.03	.34	27
28							.53	.03		.20	.29	.17	28
29				.37	.17		.15	.12	.03	.68	.21	.47	29
30		X		.32	.28		.06	.15	.21	.43	.22	.26	30
31		X		X	.34	X	.01	.07	X	.06	X	.55	31
TOTAL	3.98	.41	1.63	3.81	5.18	2.59	3.95	2.81	3.42	5.86	3.13	5.03	1062 m YEARS TOTAL
Days with ".01 in. or more.	19	6	9	12	21	11	15	22	22	19	11	17	41.80
Days with ".04 in. or more.	16	4	8	10	18	10	13	17	18	17	8	14	153

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

1797

Kept at Radstock

in the County of Somerset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

" Ground " Sea Level 330 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.11							.07	.06		.59		1
2	.37	.10		.03			.33				.55		2
3	.11	.12			.36		.02				.03		3
4	.12			.19	.07			.05			.31		4
5	.06	.35		.91	.13			.21	.24		.03		5
6		.05			.41		.36	.03			.50	.03	6
7		.36	.02	.09	.57						.14	.20	7
8	.29				.06						.02	.22	8
9		.09			.16		.20	.42	.17			.06	9
10		.19			.11			.26					10
11		.41			.01								11
12		.53						.59					12
13	.06	.17	.15	.02									13
14	.35	.33		.21							.03		14
15				.06								.03	15
16	.04	.04	.05						.05	.26			16
17				Trace	.03		.06		.06				17
18				.23	1.84				.16	.02			18
19									1.23	.85		.83	19
20			.05				.03	.32	.53	.50		.02	20
21		.02					.51	.26	.11	.32		.18	21
22	.03	.30		.20	.05		.17	.19	.85	.71		.61	22
23	.09			.09	.08		.07	Trace	.09			.02	23
24	.31	.32		.05	.04				.01			.34	24
25	.37	.96	.08		.39		.10	Trace	.14			.14	25
26	.18	.37		.03	.51		1.10	.38		.34		.19	26
27	.05	.43			.11		.84			.02		.16	27
28	.25	.07			.02				.02	.10		.80	28
29	.31			.05	.45		.08				.19	.63	29
30		X		.03	Trace		.29			.15	.23	.25	30
31	.17	X	.10	X	.04	X			X	.06	X	.08	31
TOTAL	4.27	5.21	.45	2.19	5.44	nil	4.16	2.78	3.72	3.33	2.62	4.79	YEARS TOTAL 38.96
Days with .01 in. or more.	18	19	6	14	20	—	14	12	14	12	11	18	158
Days with .04 in. or more.	17	18	5	10	17		12	11	12	9	7	14	132

(Signed) Clifford A. Perry P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at Radstock
in the County of Somerset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
Ground Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.26	.18			.06	.48					.84		1
2	.42	.04							.08		.02		2
3	.07	.09	.36									.06	3
4	.17	.16	.07	.68							.69	.05	4
5	.12	.18	.08		.15		.54		.23			.24	5
6	.20	.08		.06	.22	.11	.41	.06	.16	.09	.40		6
7	.02	.05		.25	.14	.11			.25		.15		7
8				.12	.04	.04		.11		.34	1.34		8
9						.42		.35			.05		9
10					.34	.61		.31		.02	.78		10
11					.44	.99		.04	.17				11
12					.36	.17		.02	.01	.61	.10		12
13								.18	.08	.48	.65		13
14	.09	.36		.75	.20	.04				.58	.07		14
15	.19			.25					.02		.21		15
16	.16	.38		.39				.09			.15	Trace	16
17	.04	.69		.10		.32	.74	.10			Trace		17
18	.23	.04					.15				.33		18
19		.03		.10			.35	.07			.34		19
20	.09			.28				.23			.44		20
21	.16			.04			.05	.10		.38	.05		21
22	.48												22
23	.09							.01		.68			23
24	.07									.23		.12	24
25	Trace	.17		.36			.08				.17	.06	25
26					.13		.40		.25		.38		26
27	.17		.39	.09	.12				.04	.16			27
28	.32			.08	.01		.18			.67	.52		28
29	.26			.15	.09		.04				.10		29
30	.15	X		.11	.25			.05			.16		30
31	.32	X		X		X			X		X		31
TOTAL	5.08	2.45	.90	3.81	2.55	3.29	2.94	1.72	1.29	4.24	7.94	.53	YEARS TOTAL
Days with or more.	22	13	4	16	14	10	10	14	10	11	22	5	151
Days with or more.	21	12	4	16	13	10	10	12	8	10	21	5	142

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

1776
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Radstock

in the County of Somerset

Diameter of Funnel of Gauge.....8.....in.

Height of top of Gauge above Ground.....2.....ft.....6.....in.

„ Ground „ Sea Level 330.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.84	.27	.35	—	—	.64	—	—	.27	.52	—	1
2	.02	Trace	.09	.14	.02	—	—	—	—	.12	.01	—	2
3	—	—	.18	—	—	—	.01	—	—	—	.01	—	3
4	.04	—	—	.07	—	—	.25	—	—	—	.14	—	4
5	.08	.10	.28	.29	.17	.03	.02	—	—	—	.65	—	5
6	—	—	.28	.36	—	—	.07	.08	.45	.01	.05	—	6
7	—	.14	.18	.08	—	.32	.37	.12	—	.01	—	—	7
8	—	—	.07	.19	—	—	.08	.24	—	.01	—	—	8
9	.11	—	—	.03	.12	—	.07	.11	.78	—	—	.13	9
10	—	—	—	Trace	—	—	—	.04	—	—	—	—	10
11	—	—	—	.07	—	—	1.35	.09	—	—	—	—	11
12	.25	—	—	—	—	—	.08	1.00	—	—	—	—	12
13	.25	—	—	—	—	.02	.34	.15	.21	.05	.06	.27	13
14	.02	—	—	.18	—	—	.06	.22	1.41	—	—	.06	14
15	—	—	—	—	.18	—	—	.34	.75	—	.01	—	15
16	—	—	—	—	.13	.53	—	.03	.21	—	.02	—	16
17	.25	—	—	—	—	.20	—	.36	.19	—	.01	—	17
18	—	—	—	—	—	.35	.10	.08	.04	.05	.59	—	18
19	—	.38	—	—	—	—	—	.26	—	.05	.67	—	19
20	—	.09	—	—	—	.07	.14	.10	—	—	.31	.29	20
21	.04	.21	—	—	—	.07	.24	.54	.28	.47	.06	.68	21
22	.18	.36	.78	.05	—	.13	Trace	.48	.06	.50	—	.63	22
23	—	.57	.25	—	.03	.29	—	.05	.65	—	.27	.08	23
24	.16	.17	1.01	—	—	.01	.17	.08	.20	.12	—	.42	24
25	.02	.14	.26	—	—	.11	Trace	.03	Trace	.20	.01	.38	25
26	.28	.89	.02	—	—	.06	.12	—	.28	.02	—	—	26
27	.06	.13	.05	—	.09	—	.30	—	—	.52	—	—	27
28	2.14	.25	.15	—	—	.12	Trace	—	.17	.01	.20	—	28
29	.05	—	.17	—	—	.16	.02	—	.54	.02	.09	—	29
30	—	X	.07	—	—	.35	.04	—	.05	.19	.03	—	30
31	.53	X	—	X	—	X	.09	—	X	—	X	.14	31
TOTAL	4.57	4.27	4.11	1.81	.74	2.76	4.56	4.50	6.27	2.62	3.71	3.08	YEAR'S TOTAL 43.00
Days with ".01 in. or more.	18	13	16	11	7	16	21	20	16	17	19	10	184
Days with ".04 in. or more.	15	13	15	10	5	12	18	18	16	11	12	10	155

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Radstock

in the County of Somerset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 2 ft. 6 in.

„ Ground „ Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.15	.01	.04	—	—	—	—	—	—	—	Trace	—	1
2	.09	.43	.28	.10	—	—	.04	.02	—	—	.07	—	2
3	—	.06	—	.29	—	—	.02	.22	—	—	.21	.01	3
4	.04	.38	—	.02	—	.02	.10	—	—	.46	.16	Trace	4
5	.10	.07	.09	—	.58	.03	.01	—	.03	.20	.01	—	5
6	.01	Trace	.05	.01	—	.51	—	—	—	Trace	—	.08	6
7	—	.09	.06	.03	—	Trace	—	.12	—	.07	—	—	7
8	.11	.14	—	.01	—	.53	—	Trace	.08	.25	—	—	8
9	.16	.02	—	.13	—	.13	—	—	.19	.29	Trace	.03	9
10	.40	.46	—	.04	—	.12	—	.10	—	.29	.16	.08	10
11	.01	Trace	.04	.05	—	—	—	.03	—	.45	.03	.34	11
12	1.21	.44	—	Trace	—	Trace	—	.10	—	Trace	.04	.02	12
13	—	.01	.03	.03	—	.47	—	—	—	—	—	Trace	13
14	.20	.43	—	.41	—	.05	—	.14	—	.40	.41	—	14
15	.12	.14	.01	.08	Trace	.01	—	—	—	.02	.41	.01	15
16	—	.26	.06	—	.03	.05	—	—	—	.07	.34	.35	16
17	.03	—	—	Trace	.43	—	—	Trace	—	—	.11	—	17
18	.41	—	Trace	Trace	.01	—	—	Trace	—	.22	.19	.02	18
19	Trace	—	.09	.01	—	.15	—	.34	—	.54	.13	.01	19
20	.27	—	.49	Trace	.24	.02	—	.28	—	—	.41	—	20
21	.74	—	.25	—	.06	—	—	.17	Trace	Trace	.66	—	21
22	—	—	.22	—	—	—	—	.02	—	.43	.59	—	22
23	.39	—	.10	—	.22	Trace	—	.01	—	.22	.35	.08	23
24	.07	—	.05	—	—	—	—	.01	.27	Trace	.10	.22	24
25	.18	—	.02	—	Trace	.04	—	.06	—	.07	—	1.11	25
26	.16	—	.10	—	.04	.10	.14	.13	—	1.11	—	.02	26
27	—	—	.02	.14	—	.12	.61	.29	.15	.30	—	1.17	27
28	.71	—	.30	—	.03	Trace	.04	.28	—	—	—	.09	28
29	.12	.20	.70	—	—	.06	—	.48	—	.11	—	.19	29
30	.07	✕	.10	—	—	.10	.50	—	—	Trace	—	.22	30
31	.33	✕	.29	✕	—	✕	.61	—	✕	—	✕	—	31
TOTAL	7.08	3.14	3.39	1.35	1.64	2.51	2.07	2.80	.72	5.50	4.38	4.05	YEAR'S TOTAL
Days with .01 in. or more.	24	15	22	14	9	17	9	18	5	18	18	18	187
Days with .04 in. or more.	21	12	18	8	6	13	7	13	4	17	16	11	146

Kept at Radstock
in the County of Somerset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
Ground Sea Level 33.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	-	-	-	.06	.04	-	-	-	.72	-	.11	I
2	-	.29	-	-	-	-	.10	-	-	.13	.02	.37	2
3	Trace	.28	-	-	.03	-	.33	1.02	-	.04	-	.22	3
4	.01	-	-	.01	.79	-	-	.19	-	.15	-	.59	4
5	.02	-	-	-	.59	.39	.30	.29	-	2.00	.78	.34	5
6	.07	-	-	-	.18	.07	-	.11	-	.19	.03	.69	6
7	-	-	-	-	-	-	-	Trace	-	.58	.40	.72	7
8	-	-	-	-	-	-	-	-	-	.10	-	.70	8
9	.12	-	-	-	-	-	-	-	-	Trace	.21	.62	9
10	-	-	-	-	-	-	-	.01	-	.01	.09	.48	10
11	-	.50	-	-	.16	-	-	.04	-	-	1.07	.03	11
12	-	-	-	.04	Trace	.27	-	-	-	-	.04	.03	12
13	.07	-	-	.24	.08	.07	-	-	-	-	-	.08	13
14	-	-	-	.04	.23	.19	-	-	-	-	-	.25	14
15	.06	.16	-	-	-	.10	-	-	-	-	.80	-	15
16	-	-	-	-	-	-	-	.04	-	-	-	-	16
17	-	-	.01	.04	-	-	-	.13	-	.12	-	-	17
18	.02	-	.02	-	-	-	-	.14	-	.04	1.22	-	18
19	-	-	-	-	-	-	-	-	.01	.02	.50	.03	19
20	.01	-	-	-	-	-	-	.09	.02	.36	-	.60	20
21	Trace	-	-	-	-	-	-	.20	Trace	-	-	-	21
22	.01	-	-	-	-	-	Trace	.25	-	-	.54	.01	22
23	Trace	-	-	-	.03	-	.03	-	-	.06	.52	.53	23
24	-	-	-	-	-	-	-	Trace	-	.91	1.30	.54	24
25	-	.08	.18	.01	-	-	-	-	-	-	.07	.05	25
26	-	.03	-	.01	.10	-	-	-	-	-	.23	.33	26
27	-	-	.01	.19	.06	-	-	.04	-	.15	.98	.26	27
28	.27	-	-	.08	-	-	.46	.06	-	.15	.52	.64	28
29	.10	X	-	.19	-	-	-	-	.06	.09	.33	.27	29
30	.01	X	-	.03	-	.10	.07	-	.38	-	.06	.10	30
31	.80	X	-	X	-	X	.72	.19	X	-	X	.02	31
TOTAL	1.57	1.34	.22	.88	2.31	1.23	2.01	2.80	.47	5.82	9.71	8.61	YEAR'S TOTAL 36.97
Days with ".01 in. or more.	13	6	4	11	11	8	7	15	4	18	20	26	143
Days with ".04 in. or more.	7	5	1	7	9	8	6	14	2	16	18	21	114

REGISTER OF RAINFALL IN 1930.

Kept at Kadastorch
in the County of Somerset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 6 in.
,, Ground ,, Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.21	.32	—	.09	—	.01	—	.12	—	—	.57	—	I
2	Trace	.14	.03	.10	.02	—	—	.40	—	—	.34	—	2
3	.11	.14	—	.60	.06	—	—	.44	—	.23	—	—	3
4	.32	.02	.13	—	—	—	—	Trace	—	.26	—	—	4
5	—	—	—	—	.08	—	—	.50	.01	.18	—	—	5
6	.03	—	—	—	.05	—	—	1.81	.17	.02	—	.01	6
7	.25	—	—	—	—	—	—	.01	.06	.18	.25	.24	7
8	Trace	—	.08	.10	.02	—	—	.01	Trace	.30	—	.03	8
9	.30	—	.47	.15	.08	—	—	Trace	.02	.02	.03	—	9
10	.92	—	.08	Trace	.40	Trace	—	.08	Trace	.02	—	.70	10
11	.10	—	.01	.07	Trace	—	—	.01	Trace	.06	—	.18	11
12	.20	—	.09	Trace	.11	—	—	Trace	.05	—	—	.27	12
13	.07	—	—	.11	.06	Trace	—	.10	.24	Trace	—	.15	13
14	.48	.04	.37	Trace	Trace	—	Trace	Trace	.10	—	—	—	14
15	—	.02	.28	—	Trace	—	.68	—	—	.25	.15	.51	15
16	Trace	—	—	—	Trace	—	.11	—	.06	—	—	.15	16
17	—	—	—	.03	.07	—	.09	Trace	.52	.12	.13	.05	17
18	—	—	—	.05	.01	—	.01	.04	.47	.09	.42	.12	18
19	—	—	.08	.16	—	.21	.10	.30	.77	.24	Trace	.01	19
20	—	—	—	.07	—	—	.41	.80	.80	Trace	.23	—	20
21	—	—	—	—	—	.05	—	.11	.02	.01	1.03	—	21
22	.59	.04	—	.02	.02	.22	.01	.30	.06	.41	.12	—	22
23	.13	—	.14	.03	Trace	—	.30	.05	.07	.04	.52	—	23
24	.68	—	—	.34	.02	—	.01	—	.39	.05	Trace	—	24
25	.02	—	—	.04	Trace	—	.03	—	—	—	.15	.43	25
26	.90	—	—	—	.37	—	.02	—	.04	.08	.19	.14	26
27	.10	—	.01	—	Trace	—	.17	—	.11	.13	.01	.50	27
28	.08	—	.17	—	—	—	.20	—	.09	Trace	1.01	—	28
29	.04	—	—	—	—	Trace	.45	Trace	.32	.11	.24	.08	29
30	.02	✕	.05	—	.08	.17	.35	—	—	.04	.01	.49	30
31	.39	✕	.07	✕	.22	✕	—	—	✕	.20	✕	.30	31
TOTAL	5.94	.72	2.06	1.96	1.67	.66	2.94	5.08	4.37	3.04	5.40	4.36	38.20
* Days with or in. or more.	21	7	15	15	16	5	15	16	20	22	17	18	187
* Days with .04 in. or more.	18	5	12	12	11	4	10	13	17	18	14	15	149

REGISTER OF RAINFALL IN 1921

Kept at Saltfordin the County of Somersetby S. V. Robertson

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.51	.02	.04					.29	.03		.15	.32	1
2	.24				.02					.12	.14	.07	2
3	.02		.05			.08		.06		.02	.26		3
4	.22		.02		.06			.13			.16		4
5					.11			.21			.22		5
6	.12		.21		.24			.18				.01	6
7	.22				.31			.07			snow .14		7
8	.04		.06		.15								8
9	.01			.05	.22				.02				9
10	.15		.09	.08	.02			.65	.50			.03	10
11	.16		.25						1.35				11
12	.25		.10		.13			.06	.21			.20	12
13	.04		.21	.22					.17	.12			13
14			.05		.13		.01		.07		.01	.16	14
15			.03	.05	.14		.04				.08	.01	15
16	.08		.04	.37			.12				.22	.02	16
17			.18	.11				.12					17
18	.02		.18					.01	.19				18
19			.15							.18		.01	19
20			.03							.07		.07	20
21	.03			.03						.01	.01		21
22			.55	.04			.11				.05		22
23	.03			.08			.08			.33		.46	23
24	.11	.05										.11	24
25	.03	.25	.06			.15	.12					.05	25
26	.12						.04	.01				.35	26
27	.02						.06					.12	27
28			.24		.32		.07				.18	.11	28
29	.12		.06		.27			.06			.02	.03	29
30	.68	X			.03		.07				.26	.18	30
31	.07	X		X	.57	X			X				31
TOTAL	3.33	.32	2.19	1.03	2.11	.20	.72	1.75	2.14	1.13	1.88	2.31	19.68
Days with ".01 in. or more	23	3	21	10	16	2	10	13	7	8	14	18	146
Days with ".04 in. or more	17	2	17	8	12	2	9	10	6	7	11	12	113

SELWOOD - MEWLS

Kept at Mel
in the County of W
by Mrs E

1921 - 1930

9.32 W
30 Ash
Mells Road
Rain Gauge 5 in.
above Ground 1 ft. in.
,, Sea Level 3 1/4 ft.
entered to the previous day.

IMPORTANT NOTE
If an Observer prefers to enter the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.61	0.01	0.07					0.17	0.18		0.13	0.33	1
2	0.10	0.01			0.02			0.10			0.14	0.12	2
3	0.04		0.11			0.04		0.03			0.40		3
4	0.29		0.02		0.10			0.17			0.16		4
5					0.04			0.32			0.37		5
6	0.32		0.11		0.07						0.02	0.05	6
7	0.19		0.01		0.53			0.03			0.06		7
8	0.10		0.09		0.11								8
9			0.01	0.09	0.08			0.48	0.07				9
10	0.37		0.11		0.03				0.02			0.01	10
11	0.30		0.14		0.12			0.22	1.03				11
12	0.33		0.26		0.29				0.18			0.19	12
13			0.39	0.18			0.02		0.12	0.17	0.06		13
14			0.11		0.18		0.10		0.01		0.01	0.16	14
15	0.05		0.10	0.04	0.03			0.12			0.02	0.01	15
16	0.13		0.10	0.34				0.04			0.31	0.02	16
17	0.24			0.13					0.36				17
18	0.05		0.02							0.22		0.02	18
19	0.01		0.16							0.06		0.21	19
20	0.01									0.06	0.02	0.03	20
21	0.02		0.01	0.03						0.04	0.02	0.01	21
22	0.05		0.02	0.12						0.17		0.35	22
23	0.01			0.02			0.07			0.30		0.02	23
24	0.05	0.04										0.15	24
25	0.02	0.19	0.04			0.142	0.15					0.02	25
26	0.21		0.01			0.01						0.39	26
27	0.01		0.02		0.04		0.01					0.21	27
28			0.30		0.09		0.21				0.08	0.12	28
29	0.19		0.05		0.44			0.05			0.01	0.05	29
30	0.49						0.13					0.04	30
31					0.23								31
TOTAL	4.19	0.25	2.20	0.95	2.40	0.47	0.69	1.73	1.97	1.02	1.81	2.51	YEAR'S TOTAL
Days with 0.1 in. or more	25	4	23	12	16	3	27	11	12	7	15	21	20.19
Days with 0.4 in. or more	19	2	15	6	13	2	5	9	6	7	9	13	148

REGISTER OF RAINFALL IN 192/...

Kept at Mells
in the County of Somerset
by Mrs E. G. Horner

Lat. 51 1/4 N Long 9 32 W
Time of Observation 9.30 A.M.
Nearest Railway Station Mells Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 3 1/4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.61	0.01	0.07					0.17	0.18		0.13	0.33	1
2	0.10	0.01			0.02			0.10			0.14	0.12	2
3	0.04		0.11			0.04		0.03			0.40		3
4	0.29		0.02		0.10			0.17			0.16		4
5					0.04			0.32			0.37		5
6	0.32		0.11		0.07						0.02	0.05	6
7	0.19		0.01		0.53			0.03			0.06		7
8	0.10		0.09		0.11								8
9			0.01	0.09	0.08			0.48	0.07				9
10	0.37		0.11		0.03				0.02			0.01	10
11	0.30		0.14		0.12			0.22	1.03				11
12	0.33		0.26		0.29				0.18			0.19	12
13			0.39	0.18			0.02		0.12	0.17	0.06		13
14			0.11		0.18		0.10		0.01		0.01	0.16	14
15	0.05		0.10	0.04	0.03			0.12			0.02	0.01	15
16	0.13		0.10	0.34				0.04			0.31	0.02	16
17	0.24			0.13					0.36				17
18	0.05		0.02							0.22		0.02	18
19	0.01		0.16							0.06		0.21	19
20	0.01									0.06	0.02	0.03	20
21	0.02		0.01	0.03						0.04	0.02	0.01	21
22	0.05		0.02	0.12						0.17		0.35	22
23	0.01			0.02			0.07			0.30		0.02	23
24	0.05	0.04										0.15	24
25	0.02	0.19	0.04			0.142	0.15					0.02	25
26	0.21		0.01			0.01						0.39	26
27	0.01		0.02		0.04		0.01					0.21	27
28			0.30		0.09		0.21				0.08	0.12	28
29	0.19		0.05		0.44			0.05			0.01	0.05	29
30	0.49						0.13					0.04	30
31					0.23								31
TOTAL	4.19	0.25	2.20	0.95	2.40	0.47	0.69	1.73	1.97	1.02	1.81	2.51	YEAR'S TOTAL
Days with 0.1 in. or more	25	4	23	12	16	3	7	11	8	7	15	21	20.19
Days with 0.4 in. or more	19	2	15	6	13	2	5	9	6	7	9	13	148

AIR MINISTRY.

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly F.R.O. Form A.1). REGISTER OF RAINFALL IN 1922.

Kept at M.M.
in the County of Somerset
by E. G. Korman

Lat. 57.14 Long 9.22
Time of Observation 9.30 AM.
Nearest Railway Station Wick Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.05	0.38	0.11	0.01	0.03		0.81	0.04	0.04		0.36	0.01	1
2		0.53	0.28	0.19	0.02		0.37	0.01			0.06		2
3	0.01	0.08	0.45	0.44	0.07		0.05	0.16		0.02	0.06		3
4		0.10	0.18		0.12		0.16			0.31			4
5	0.06		0.25	0.08			1.54	0.04		0.51	0.60		5
6	0.12		0.24	0.02			0.14	1.32	0.01		0.52		6
7	0.15		0.43	0.22		0.03	0.16	0.30			0.08	0.01	7
8	0.12		0.05				0.35	0.12			0.05	0.02	8
9	0.11						0.10	0.02			0.02		9
10	0.01		0.01					0.01			0.28		10
11				0.04								0.01	11
12				0.55			0.05	0.40	0.66		0.01	0.02	12
13	0.24			0.41		0.09	0.21		0.09			0.01	13
14		0.09	0.02	0.06					0.10				14
15	0.57	0.43		0.10					0.03		0.01	0.01	15
16		0.22		0.10	0.28			0.36	0.04			0.28	16
17		0.13			0.27		0.11		0.01			0.20	17
18	0.23	0.12			0.05			0.01	0.06			0.20	18
19	0.01	0.21	0.07						0.30			0.82	19
20	0.25	0.36										0.01	20
21	0.15	0.05	0.02	0.03			0.07	0.02			0.01	0.74	21
22		0.30			0.01	0.11	0.13	0.14	0.04	0.01		0.40	22
23		0.21		0.07			0.05		0.03			0.03	23
24	0.09		0.19	0.02	0.02	0.48		0.05				0.03	24
25	0.21	0.08		0.38		0.09			0.15			0.28	25
26	0.10	0.48		0.01		0.02	0.05	0.04	0.09		0.02		26
27	0.20	0.73	0.12	0.18				0.22	0.02			0.49	27
28	0.26	0.38	0.03	0.01		0.16		0.19				0.24	28
29	0.03			0.28		0.03	0.04			0.49		0.55	29
30	0.81	~~X~~	0.11	0.02		0.01		0.45	0.28	0.02	0.07	0.48	30
31	0.05	~~X~~		~~X~~		~~X~~	0.03	0.04	~~X~~	0.37	~~X~~		31
TOTAL	3.83	4.88	2.56	3.52	0.87	1.02	4.42	3.94	1.95	1.73	2.15	4.84	YEAR'S TOTAL 35.71
Days with 0.1 in. or more	4 ²²	18	16	21	9	9	18	20	16	7	14	21	22191
Days with 0.1 in. or more	18	18	12	14	5	5	17	15	11	4	9	11	139

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at Mells
in the County of Somerset
by E. G. Horner

Lat. 51.14 Long. 9.32
Time of Observation 9.30 8.30 closing "summer time"
Nearest Railway Station Mells Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.12	0.31	0.31		0.01			0.01		0.11		0.81	1
2	0.20	0.19	0.03		0.05			0.03		0.13			2
3	0.01	0.01	0.07				0.01		0.13	0.24	0.03	0.23	3
4	0.01	0.01		0.03					0.03	0.01	0.54	0.27	4
5	0.75		0.02	0.03	0.20					0.09	0.03	0.16	5
6	0.23	0.68	0.24	0.10								0.01	6
7	0.04	0.90	0.04	0.06						0.14		0.47	7
8	0.17	0.08	0.01			0.05				0.11	0.26		8
9	0.28	0.96				0.03						0.03	9
10	0.02	0.76		0.13	0.08	0.01	0.47			0.10		0.03	10
11	0.01	0.02		0.67	0.03					0.80		0.01	11
12		0.18	0.32	0.10	0.13	0.01				0.45	0.29	0.04	12
13	0.02	0.19		0.20	0.05				0.27	0.04	1.52	0.02	13
14			0.03	0.09	0.06		0.03	0.14	0.68		0.13	0.01	14
15		0.06	0.02	0.20	0.43	0.32			0.01	0.01	0.44		15
16	0.01	0.22		0.16	0.01			0.04			0.33	0.01	16
17	0.01	0.66					0.14	0.70	0.44	0.08	0.31		17
18	0.02	0.35		0.15		0.03		0.03	0.09	0.06	0.02		18
19	0.07						0.08		0.40	0.13	0.02	0.01	19
20	0.01	0.17			0.02				0.11	0.18	0.01	0.01	20
21		0.15				0.02		0.20	0.03	0.24		0.03	21
22		0.38			0.03			0.01	0.09	0.31		0.04	22
23	0.02	0.19	0.30		0.04		0.12	1.60	0.09	0.16		0.06	23
24		0.13		0.40	0.07		0.02	0.05	0.38			0.08	24
25		0.60		0.38	0.02	0.08	0.04	0.25	0.13	0.50		0.84	25
26		0.14			0.03	0.03				0.70		0.33	26
27		0.54	0.22		0.03		0.10	0.55		0.02		0.26	27
28	0.01	0.15	0.09	0.08	0.04		0.16	0.11		0.02			28
29	0.03		0.01	0.05	0.05		0.06	1.14		0.03		0.10	29
30		X	0.02	0.02	0.09	0.01	0.21	0.03		0.22		0.10	30
31	0.08	X	0.06	X		X	0.21	0.06	X		X		31
TOTAL	2.12	8.03	1.79	2.85	1.47	0.59	1.65	5.00	2.88	4.88	3.93	3.96	YEAR'S TOTAL
Days with 0.1 in. or more	21	25	16	17	20	10	13	16	14	25	13	24	34.15
Days with 0.1 in. or more	9	22	9	14	12	3	10	11	11	20	8	14	72
													143

FORM 1090

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 192

Kept at Mells
in the County of Somerset
by E. G. Horner

Lat. 57.14 Long. 9.39
Time of Observation 9.30 Summertime 8.30
Nearest Railway Station Mells Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 944 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.01	0.03		0.02	0.05	0.10	0.10			1.02	0.45	1
2	0.03	0.01	0.20		0.43		0.33			0.04		0.01	2
3	0.12		0.10		0.01	0.31	0.23	0.15		0.01			3
4	0.01		0.08		0.03	0.56			0.03			0.47	4
5			0.07		0.01		0.10		0.28	0.25			5
6					0.04		0.11	0.09	0.04	0.52			6
7	0.02				0.23	0.10			0.52	1.02			7
8	0.11	0.05		0.03			0.02		0.15	0.02			8
9	0.12	0.03		0.04	0.08	0.12			0.02	0.02	0.03		9
10	0.18	0.13		0.05	0.90	1.03			0.12	0.09	0.01		10
11	0.33	0.02		0.48	0.66	0.29			0.02	0.08	0.36		11
12	0.21			0.16	0.08	0.22	0.01	0.23	0.26			0.02	12
13	0.20			1.07					0.67	0.01	0.01	0.25	13
14				0.03				0.24				0.16	14
15								0.03	0.08	0.01		0.85	15
16	0.15							0.30	0.09				16
17	0.23				0.08	0.05	0.82	0.21	0.04				17
18	0.81	0.02			0.24			0.17		0.09	0.02	0.08	18
19	0.33				0.10		0.02	0.05	0.05	0.15		0.02	19
20	0.05		0.03		0.34		0.44	0.06	0.56	0.54			20
21	0.38		0.02		0.43		0.01	0.04	0.04	0.60			21
22	0.47		0.65		0.02		0.01	0.64	0.36			0.09	22
23	0.01		0.28		0.30		0.03	0.01	0.06		0.02	0.63	23
24	0.50	0.04	0.13	0.23	0.14				0.08		0.36	0.35	24
25	0.01	0.01	0.04	0.21	0.05		0.19	0.01	0.28	0.19	0.81	0.10	25
26				0.25			0.01	0.02	0.09	0.12	0.03	0.73	26
27		0.03		0.87			0.88			0.71	0.49	0.60	27
28		0.01		0.08			0.53	0.18		0.08	0.33	0.12	28
29		0.02		0.36	0.03		0.03	0.19	0.03	0.85	0.26	0.62	29
30		X		0.27	0.30			0.10	0.16	0.37		0.38	30
31		X		X	0.22	X		0.02	X	0.10	X		31
TOTAL	4.28	0.38	1.63	4.13	4.74	2.73	3.87	2.84	4.03	5.87	3.73	5.43	44.10
Days with 01 in. or more	8 ²¹	8 ¹²	3 ¹¹	2 ¹⁴	6 ²³	2 ⁹	8 ¹⁸	5 ²⁰	4 ²³	5 ²²	8 ¹³	3 ¹⁸	5 ²⁰
Days with 04 in. or more	15	3	0	12	17	9	10	15	19	19	7	15	147
													1122 YEAR'S TOTAL

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

Kept at Mells
in the County of Somerset
by E. G. Horner

Lat. 51.14 Long. 4.32
Time of Observation 9.30
Nearest Railway Station Mells Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 344 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.94		0.04					0.01			0.57	0.01	1
2	0.34	0.04			0.61		0.28				0.54		2
3	0.07	0.10			0.39		0.01				0.06		3
4	0.09			0.20	0.11			0.07			0.55		4
5	0.08	0.39		0.96	0.18			0.14	0.38		0.02		5
6		0.01			0.22		0.38	0.18		0.01	0.44	0.01	6
7		0.46		0.07	0.75						0.11	0.25	7
8	0.36	0.02	0.01		0.09		0.14	0.43	0.02		0.01	0.20	8
9		0.11		0.06	0.19				0.04			0.04	9
10		0.22	0.01		0.04			0.09					10
11		0.39			0.03			0.06					11
12	0.01	0.52		0.02				0.81					12
13	0.05	0.21	0.14	0.04								0.01	13
14	0.40	0.36		0.30							0.04		14
15	0.04	0.01		0.15					0.13	0.03			15
16	0.04	0.07								0.15			16
17		0.01		0.01	0.03		0.06		0.04	0.02			17
18	0.01	0.02		0.31	1.42		0.05		0.20	0.02		0.04	18
19				0.01	0.02				1.22	1.53		0.85	19
20			0.05				0.02	0.19	0.75	0.43		0.03	20
21		0.01					0.66	0.18	0.15	0.74		0.20	21
22	0.03	0.40		0.17	0.04		0.18		0.78	0.82		0.56	22
23	0.09	0.02	0.01	0.08	0.09		0.08		0.09	0.14		0.04	23
24	0.35	0.30		0.02	0.17			0.02	0.02	0.04		0.17	24
25	0.31	0.96	0.03	0.01	0.02		0.18		0.25	0.09		0.16	25
26	0.14	0.31		0.03	0.53		0.78	0.46	0.02	0.37	0.01	0.19	26
27	0.05	0.24			0.14		0.61		0.01	0.01	0.03	0.14	27
28	0.36	0.04		0.01	0.22		0.07		0.01	0.15		0.79	28
29	0.41				0.31		0.07				0.21	0.52	29
30	0.01	X		0.01	0.01		0.38			0.17	0.14	0.14	30
31	0.06	X	0.08	X	0.36	X	0.01		X		X	0.20	31
TOTAL	4.24	5.22	0.37	2.46	5.40		3.96	2.64	4.11	4.75	2.73	4.61	40.52
Days with 0.1 in. or more	22	24	8	18	23		17	12	16	16	13	20	189
Days with 0.1 in. or more	18	17	4	10	19		14	10	11	11	9	16	137
													1929
													YEAR'S TOTAL

If Gauge has been moved during year state—

Date.	Distance.	Direction.
No		

How was height above sea level ascertained
by levelling from ordnance mark
... or by aneroid ... calculation ...

State pattern and maker of Gauge, if known

Snowdon

What are the objects nearest to the Gauge?

Objects.	Height.	Distance.	Direction.
Tithe Barn	40ft	65ft 6in	S.E
House	30ft	72ft	W
Beech tree	30ft	31.4	S.W

A line between Church & gauge

In order that the position may be accurately
entered on a map please mention.

Latitude 51.14 N.

Longitude 4.32 W

Nearest Railway Station and Parish Church.

Name.	Distance.	Direction.
Station Mells Road	1 1/2 miles	N.W
Church St Andrews vicars	1004ft	WNW

If you know of any record of rainfall not
quoted in *British Rainfall*, please give the
Observer's name and address below.

M.O. 7

26 JAN 1926

M.O. 7

26 JAN 1926

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at

Melby

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft.

Ground Sea Level 344 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

11/26/27.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.47	0.14			0.02	0.34			0.01		0.81		1
2	0.30	0.03				0.03			0.03		0.01	0.01	2
3	0.24	0.13	0.31	0.04								0.04	3
4	0.13	0.21	0.06								0.47	0.05	4
5	0.09	0.23	0.10		0.29		0.43		0.11	0.07	0.02	0.22	5
6	0.14	0.06		0.08	0.09	0.01	0.24	0.06	0.17		0.51		6
7	0.09	0.04		0.14	0.03	0.10			0.23		0.25	0.02	7
8	0.01	0.01	0.11	0.09	0.01			0.09		0.24	1.03		8
9			0.05		0.01	0.49		0.26		0.02	0.10		9
10					0.42	0.20	0.01	0.51		0.01	1.00		10
11	0.01				0.34	0.80		0.55		0.08		0.01	11
12					0.34	0.13				0.64	0.25	0.02	12
13		0.01						0.11	0.06	0.27	0.50		13
14	0.05	0.34		0.56	0.15	0.02				0.50	0.01	0.05	14
15	0.12	0.02		0.21					0.04	0.26	0.27		15
16	0.10	0.14		0.32							0.18		16
17	0.07	0.83		0.05		0.32	0.16	0.20			0.50	0.04	17
18	0.27	0.09		0.25			0.11	0.08			0.31	0.01	18
19	0.03	0.03					0.33	0.05			0.45		19
20	0.03			0.34		0.02		0.25			0.23	0.01	20
21	0.20	0.01		0.01			0.17	0.07		0.31	0.06		21
22	0.73	0.01		0.03						0.18	0.01		22
23	0.14		0.01										23
24	0.05						0.10	0.01		0.52		0.01	24
25	0.22			0.18								0.03	25
26	0.01				0.13		0.31		0.34		0.28		26
27	0.16	0.07	0.03	0.07	0.11				0.02	0.09			27
28	0.21			0.05			0.10			0.60	0.45		28
29	0.28			0.11	0.18		0.01				0.11		29
30	0.11	X		0.17	0.61			0.09			0.15		30
31	0.30	X		X		X		0.01	X		X		31
TOTAL	5.11	2.46	0.67	2.70	2.83	2.51	1.47	2.34	1.01	3.79	7.46	0.52	33.87
Days with 0.1 in. or more.	27	18	27	17	14	11	11	14	9	14	24	13	157
Days with 0.04 in. or more.	22	11	5	15	10	7	9	12	6	12	20	5	134

(Signed)..... [P.T.O.]

Mellor Somerset

M. O. 7

20 JAN 1927

Weather Remarks 1926

- January The rainfall was very high 5.11 the highest in January since 1920 when 5.71 fell, there were this year 27 days of rain on the 30th at 8 A.M. an Earthquake was felt.
- February
- March This was a very dry month 13 days without rain from the 10th to the 22nd inclusive (then ^{23rd} 0.01) & the 3 days following, no rain at all Total 0.67. — On the 9th an Aurora was observed, the finest seen in this County for 50 years.
- April was a very warm month the mean of Maximum registered 55.1 (the highest since April 1921 when the mean was 56.3) on the 4th the thermometer was up to 71 & on the 5th to 72.
- May Was a dry month there were 11 consecutive days without rain from 15th - 25th inclusive. On the 14th there was a very severe thunderstorm.
- June There were Thunderstorms on the 10th & 11th.
- July Was very dry only 1.94 measured, 14 consecutive days with no rainfall June 21st - July 4th inclusive. On 4 days the Maximum rose to over 80. There was a thunderstorm on the 18th through the night till between 3 & 4 P.M.
- August - An Earthquake was felt on the 15th.
- September Was a very dry month 1.01 was measured the driest since Sep. 1912 when 0.90 was measured. Maximum was very high the mean being 66.3. the highest since ^{Sept.} 1921 when the mean, 66.9.
- October There was a very severe frost, Minimum was down to 14 on 14th. we have not had such an early frost since after Register in 1866.
- November There was very high rainfall 7.96 the highest since February 1923 when 8.03 was measured.
- December This was a very dry month 0.52 total rainfall the driest ever registered in December.

E. G. Horner

REGISTER OF RAINFALL IN 1927.

Kept at Melby
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" Ground " Sea Level 344 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following:

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	1.07					0.90	0.01		0.30	0.83		1
2			0.12	0.12	0.04					0.13	0.01		2
3	0.16	0.03	0.14		0.07	0.11	0.22				0.01	0.02	3
4	0.05			0.14	0.12	0.27	0.10				0.04		4
5	0.05	0.14	0.44	0.33	0.03	0.08	0.01				0.57		5
6	0.18		0.33	0.40			0.02		0.48		0.03		6
7	0.01	0.16	0.10	0.14		0.36	0.20	0.25					7
8	0.03		0.05	0.16	0.03		0.01	0.55	0.11				8
9				0.02	0.13		0.04	0.06	0.07			0.12	9
10				0.02		0.02		0.14	0.02				10
11	0.04		0.03	0.05			1.87	0.07					11
12	0.21		0.02				0.20	0.29	0.01				12
13	0.34			0.04		0.02	0.10	0.30	0.17	0.04	0.03	0.30	13
14	0.03		0.14	0.17	0.03		0.06	0.29	1.43			0.05	14
15	0.04			0.02	0.29			0.33	0.80			0.02	15
16					0.25	0.75			0.17		0.03		16
17	0.21		0.14			0.23		0.36	0.14				17
18						0.47			0.03	0.01	0.53		18
19		0.35					0.11	0.54	0.01	0.03	0.64		19
20	0.21	0.04			0.05	0.07	0.29	0.13	0.02		0.25	0.35	20
21	0.04	0.25	0.01			0.16	0.28	0.06	0.62	0.66	0.07	0.67	21
22	0.31	0.34	0.82	0.07		0.19	0.03	0.27	0.08	0.44		0.70	22
23	0.02	0.49	0.22			0.46	0.01	0.03	0.61		0.35	0.06	23
24	0.07	0.11	0.52	0.04		0.01	0.05	0.27	0.20	0.21		0.38	24
25	0.10	0.39	0.43			0.12	0.01	0.06	0.01	0.15		0.27	25
26	0.25	0.84	0.20			0.13	0.35		0.13	0.03			26
27	0.04	0.19			0.08	0.01	0.40			0.64			27
28	1.79	0.19	0.12			0.07	0.03		0.33	0.02	0.16		28
29	0.11		0.22			0.16	0.02		0.71	0.02	0.07		29
30		X	0.08			0.26	0.05		0.19	0.22	0.01	0.02	30
31	0.18	X	0.32	X		X	0.17	0.01	X		X	0.18	31
TOTAL	4.51	4.59	4.31	1.72	1.12	3.94	5.53	4.02	6.24	2.95	3.63	3.14	YEARS TOTAL
Days with 0.1 in. or more.	24	14	19	14	11	20	25	19	22	14	16	13	211
Days with 0.4 in. or more.	20	13	16	11	8	16	17	16	16	9	10	10	170

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

1837
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

1837

Kept at Mells (Selwood)

in the County of.....

Diameter of Funnel of Gauge..... 5 in.

Height of top of Gauge above Ground..... 1 ft. 0 in.

„ Ground „ Sea Level..... 3.44 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.09	0.04											1
2	0.21	0.32	0.24	0.19			0.05	0.02			0.31		2
3	0.01	0.08		0.39			0.24	0.42			0.13		3
4	0.05	0.40		0.03		0.02		0.02		0.49	0.18	0.01	4
5	0.15	0.07	0.10	0.16	0.02	0.01	0.05		0.05	0.20			5
6	0.03		0.04		0.01	0.57			0.01		0.01	0.11	6
7	0.11	0.09	0.06	0.04		0.02		0.13		0.12			7
8	0.03	0.10		0.03		0.52	0.03		0.26	0.18			8
9	0.06	0.02	0.10	0.12		0.24		0.01	0.25	0.41		0.02	9
10	0.31	0.36		0.06		0.11		0.08		0.32	0.21	0.05	10
11	0.01	0.02	0.03	0.03				0.02		0.55	0.04	0.26	11
12	1.10	0.51						0.27		0.01	0.06	0.03	12
13		0.04		0.01	0.01	0.46		0.04					13
14	0.25	0.32	0.01	0.39		0.03		0.24		0.41	0.60		14
15	0.19	0.08		0.07		0.01				0.02	0.50		15
16		0.29	0.10			0.04				0.10	0.44	0.30	16
17	0.03		0.01		0.38	0.01					0.04		17
18	0.40				0.07	0.11				0.15	0.13	0.02	18
19			0.06	0.01	0.04	0.05		0.40		0.60	0.11	0.03	19
20	0.42		0.36	0.01	0.08	0.02		0.42			0.18		20
21	0.68		0.15		0.10	0.05		0.15			1.18	0.02	21
22			0.24					0.02		0.40	0.70	0.10	22
23	0.60		0.15		0.22			0.04		0.28	0.44	0.01	23
24	0.15		0.01					0.01	0.21		0.10	0.20	24
25	0.20					0.05		0.03		0.07	0.01	0.95	25
26	0.19		0.10		0.03	0.15	0.12	0.37		1.10		0.06	26
27	0.03		0.02	0.11			0.40	0.29	0.15	0.14		1.07	27
28	0.81		0.34		0.07	0.01	0.04	0.20	0.74			0.10	28
29	0.14	0.20	0.72			0.17	0.01	0.10		0.15	0.61	0.15	29
30		X	0.27			0.03	0.43			0.02		0.09	30
31	0.51	X	0.27	X		X	0.58		X		X		31
TOTAL	7.75	2.94	3.33	1.58	1.03	2.73	2.45	3.28	1.67	5.79	5.38	3.58	YEAR'S TOTAL 41.44
Days with "01 in. or more.	6.26	2.16	5.21	6.15	4.11	8.21	2.10	7.21	1.17	3.20	3.20	7.19	54.207
Days with "04 in. or more.	20	14	16	9	7	13	8	14	6	17	17	12	153

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at *Milly*in the County of *Somerset*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *1* ft. in.,, Ground ,, Sea Level *344* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.		in.	in.	
1		0.24			0.11	0.04			0.01	0.53			1
2	0.01	0.18				0.03				0.27	0.01	0.40	2
3				0.02	0.03	0.05	0.10	1.02		0.03		0.21	3
4	0.04			0.13	0.97		0.01	0.35		0.07		0.59	4
5					0.67	0.85	0.48	0.46		1.80	0.70	0.18	5
6	0.05	0.02			0.05	0.05		0.06		0.22	0.06	0.68	6
7	0.01				0.01	0.01		0.01		0.45	0.52	0.75	7
8					0.05	0.001		0.04		0.12		0.53	8
9	0.13	0.10						0.01		0.02	0.24	0.57	9
10	0.05			0.03	0.02					0.01	0.05	0.09	10
11		0.07		0.04	0.24			0.02		0.01	0.05	0.06	11
12				0.12		0.20				0.03	0.05		12
13	0.02			0.09	0.15	0.12						0.06	13
14					0.28	0.15						0.20	14
15	0.07	0.09			0.01						0.56	0.01	15
16						0.01		0.03					16
17	0.04							0.11		0.06			17
18								0.07	0.01	0.13	0.94		18
19	0.01								0.01		0.48	0.01	19
20			0.01					0.09		0.52		0.06	20
21	0.03		0.17				0.08	0.06	0.01				21
22	0.01	0.02		0.02				0.13			0.50	0.03	22
23		0.02			0.04		0.06			0.10	0.49	0.52	23
24			0.01							0.87	1.04	0.46	24
25		0.07	0.02	0.02						0.02	0.15	0.05	25
26		0.03		0.01	0.04						0.10	0.37	26
27				0.21	0.03		0.02			0.14	1.15	0.20	27
28	0.28			0.05			0.22	0.04		0.41	0.36	0.75	28
29	0.17			0.16		0.02			0.05	0.29	0.52	0.24	29
30	0.02	X		0.05		0.17	0.10	0.01	0.41		0.07	0.15	30
31	0.74	X		X		X	0.58	0.31	X		X	0.02	31
TOTAL	1.68	0.34	0.21	0.95	2.75	1.21	1.85	2.82	0.50	6.10	8.94	7.59	YEAR'S TOTAL
Days with 0.1 in. or more.	716	410	84	614	515	513	29	517	46	621	201	425	5169
Days with 0.4 in. or more.	9	6	1	8	10	8	7	12	2	15	19	21	110

Kept at Nellu
in the County of Ponneri
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 344 ft.

Cue F sent 25.8.31

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.28	0.40		0.09				0.29			0.39		I
2	0.01	0.14	0.02	0.06	0.01		0.06	0.46			0.35		2
3	0.17	0.16		0.47	0.20			0.43		0.28			3
4	0.66	0.02	0.03	0.03				0.01	0.02	0.20			4
5					0.10			0.20	0.01	0.13		0.01	5
6	0.02		0.09		0.04			1.69	0.17	0.11		0.02	6
7	0.23							0.01		0.17	0.35	0.16	7
8	0.01			0.08	0.04		0.01	0.02	0.10	0.29		0.17	8
9	0.32		0.24	0.20	0.08			0.01	0.02	0.02	0.02		9
10	0.76		0.08		0.46	0.01	0.01	0.10		0.02		0.72	10
11	0.20	0.02	0.02	0.09			0.05	0.10		0.06		0.15	11
12	0.19			0.01	0.10			0.01	0.07	0.01		0.27	12
13	0.06		0.22	0.07	0.04	0.01	0.09	0.08	0.28			0.17	13
14	0.48	0.03	0.35	0.04	0.01		0.02		0.01	0.01		0.01	14
15	0.01	0.05	0.28	0.01			0.58		0.07	0.20	0.17	0.31	15
16									0.06	0.04		0.12	16
17			0.03	0.03	0.02		0.14	0.05	0.49	0.13		0.03	17
18			0.03	0.02	0.06		0.04		0.42	0.09	0.15	0.13	18
19			0.02	0.10	0.01	0.04	0.16	0.08	1.03	0.26	0.65	0.01	19
20				0.07	0.02		0.41	0.71	0.70	0.03	0.41		20
21	0.01					0.03		0.04	0.03	0.22	1.18		21
22	0.66		0.01	0.02	0.02	0.04		0.33	0.04	0.32	0.13		22
23	0.11		0.15	0.01	0.01	0.10	0.27	0.01	0.10		0.31	0.02	23
24	0.46			0.19		0.01			0.16	0.03	0.35	0.08	24
25	0.04	0.06		0.04	0.17		0.05		0.02	0.06	0.10	0.20	25
26	0.75	0.03			0.11		0.02		0.09	0.03	0.23	0.29	26
27	0.05		0.05				0.03		0.04	0.12	0.02	0.03	27
28	0.11		0.13				0.25		0.10	0.01	0.74	0.40	28
29	0.10		0.02		0.03		0.31		0.21	0.10	0.22	0.05	29
30	0.02	X	0.07		0.04	0.10	0.16			0.09	0.01	0.31	30
31	0.27	X	0.06	X	0.12	X			X	0.17	X	0.15	31
TOTAL	6.03	0.91	~~1.90~~ 1.89	1.71	1.72	0.37	2.71	4.63	4.24	3.20	5.78	3.01	31.00
Days with or in. or more.	25	49	819	819	821	48	318	819	823	827	818	823	7229
Days with or in. or more.	2519	5	11	12	13	4	13	13	17	19	15	16	157

REC

Kept at Charlton Brewery
in the County of Somerset
by C. E. Bussone

SHEPTON MALLET
CHARLTON BREWERY
SOMERSET

1921-1930

ANIZATION.

30.5" W

Ry Shepton Mallet

Gauge 5 in.

e Ground 1 ft. in.

Sea Level 480.8 ft.

tered to the previous day.

ted to add
the end of
rain gauges,
Observers,"
2, Camden

Jan. 1, following.

IMPORTANT NOTE.—
If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructions
and particulars as to the Bri
sent post-free on application
Square, London, N.W. 1.

Records taken in millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46	.01	.15					.12	.21		.13	.25	1
2	.20				.03			.02	.03	.09	.43	.07	2
3	.02		.10			.06		.09		.03	.56		3
4	.20				.08			.13			.41		4
5					.11			.23			.55	.01	5
6	.25		.08		.13			-				.09	6
7	.23				.32			.01			.04	.01	7
8	.08		.15		.18								8
9			.01	.07	.13				.07				9
10	.31		.14		.01			.60	.03				10
11	.20		.21		.32				.92				11
12	.22		.18		.06			.44	.10			.20	12
13	.11		.35	.21			.01	.01	.21	.16	.02		13
14			.07		.18		.05		.07			.17	14
15			.07	.06	.09		.05				.10	.01	15
16	.23		.08	.36				.13			.27	.09	16
17	.20		.28	.06					.41			.03	17
18	.03		.01							.24		.02	18
19	.02		.25	.01						.07		.15	19
20	.02							.01	.02	.06	.01	.03	20
21	.01									.04	.01	.02	21
22	.09			.35						.18	.01	.32	22
23	.02			.01			.12			.44		.01	23
24	.13	.04										.16	24
25	.04	.20	.05			.56	.17					.27	25
26	.51		.03					.01				.32	26
27	.01		.02	.02			.05	.03				.17	27
28			.34		.02		.07				.17	.09	28
29	.02	X	.09		.47		.04	.05			.01	.03	29
30	.89	X			-		.09				.09	.03	30
31	.02	X		X	.19	X		.01	X		X	-	31
TOTAL	4.52	.25	2.66	1.15	2.32	.62	.65	1.89	2.07	1.31	2.81	2.55	22.80
Days with ".01 in. or more	26	3	20	9	15	2	9	15	10	9	15	23	156
Days with ".04 in. or more	17	2	16	6	12	2	8	8	7	8	10	13	109

REGISTER OF RAINFALL IN 1921

Kept at Charlton Brewery, Shipton Mallet
in the County of Somerset
by C. E. Burnell, I.P.

Lat. 51° 10' 5" Long. 2° 30' 5" WTime of Observation 9 a.m.Nearest Railway Station S&D Ry Shipton MalletDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 8 in." " " " Sea Level 480.8 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46	.01	.15					.12	.21		.13	.25	1
2	.20				.03			.02	.03	.09	.43	.07	2
3	.02		.10			.06		.09		.03	.56		3
4	.20				.08			.13			.41		4
5					.11			.23			.55	.01	5
6	.25		.08		.13			-				.09	6
7	.23				.32			.01			.04	.01	7
8	.08		.15		.18								8
9			.01	.07	.13				.07				9
10	.31		.14		.01			.60	.03				10
11	.20		.21		.32				.92				11
12	.22		.18		.06			.44	.10			.20	12
13	.11		.35	.21			.01	.01	.21	.16	.02		13
14			.07		.18		.05		.07			.17	14
15			.07	.06	.09		.05				.10	.01	15
16	.23		.08	.36				.13			.27	.09	16
17	.20		.28	.06					.41			.03	17
18	.03		.01							.24		.02	18
19	.02		.25	.01						.07		.15	19
20	.02							.01	.02	.06	.01	.03	20
21	.01									.04	.01	.02	21
22	.09			.35						.18	.01	.32	22
23	.02			.01			.12			.44		.01	23
24	.13	.04										.16	24
25	.04	.20	.05			.56	.17					.27	25
26	.51		.03					.01				.32	26
27	.01		.02	.02			.05	.03				.17	27
28			.34		.02		.07				.17	.09	28
29	.02	~~X~~	.09		.47		.04	.05			.01	.03	29
30	.89	~~X~~			-		.09				.09	.03	30
31	.02	~~X~~		~~X~~	.19	~~X~~		.01	~~X~~		~~X~~	-	31
TOTAL	4.52	.25	2.66	1.15	2.32	.62	.65	1.89	2.07	1.31	2.81	2.55	22.80
Days with ".01 in. or more	26	3	20	9	15	2	9	15	10	9	15	23	156
Days with ".04 in. or more	17	2	16	6	12	2	8	8	7	8	10	13	109
YEAR'S TOTAL													22.80

REGISTER OF RAINFALL IN 1922.

Kept at Charlton Brewery
Shepton Mallet
in the County of Somerset
by C. E. Burnell J.P.

Lat. 51° 10' 5" Long. 2° 30' 5" W.
Time of Observation 9 a.m.
Nearest Railway Station S. D. & Ry. Shepton Mallet
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 480 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.24	.14				.81		.06		.24		1
2	.01	.68	.36	.23	.02		.21	.06			.13		2
3		.05	.46	.31	.29		.07	.21		.02	.02		3
4		.05	.12		.12		.13						4
5			.26	.12			1.34			.95	.61		5
6	.18		.17	.03			.02	1.16			.41		6
7	.25		.41	.20		.09	.18	.19			.10	.02	7
8	.21		.12	.03			.40	.18		.02	.04		8
9	.14		.02	.01			.26	.06			.04		9
10	.03							.02			.13		10
11	.01			.02	.01								11
12				.46		.04	.13	.65	.68			.08	12
13	.20			.42		.13	.27	.01	.18			.01	13
14		.02	.02	.03					.13				14
15	.65	.35		.10					.01				15
16		.32		.25	.32			.39				.37	16
17		.11			.33		08.01		.02			.78	17
18	.15	.07			.06			.13	.10			.08	18
19	.03	.33	.11						1.10			.84	19
20	.24	.38	.01									.03	20
21	.23	.04		.02			.06					.71	21
22	.01	.08				.10	.12	.20	.02		.02	.21	22
23		.25		.09			.02		.02			.01	23
24	.12		.25	.11	.03	.59		.36	.01			.01	24
25	.26	.02		.33		.21			.22			.09	25
26	.08	.22				.03	.25	.04	.10		.07		26
27	.25	.58	.07	.18		.01		.23	.03		.02	.52	27
28	.27	.44	.06	.10		.32		.15				.23	28
29	.05	X	.01	.04		.06	.17			.51		.36	29
30	1.01	X	.02	.01		.02	.01	.65	.35		.10	.51	30
31	.02	X	.55	X		X			X	.32	X	-	31
TOTAL	4.53	4.23	3.16	3.09	1.18	1.60	4.53	4.69	3.03	1.82	1.93	4.26	YEAR'S TOTAL
Days with "01 in. or more	23	18	18	21	8	11	18	17	05	5	13	17	3805
Days with "04 in. or more	14	16	13	14	5	8	15	15	9	3	10	12	1841

REGISTER OF RAINFALL IN 1923.

Kept at Charlton, Shepton Mallet
in the County of Somerset.
by C E Burnell.

Lat. 51° 10' 5" Long. 2° 30' 5" W.
Time of Observation 9 a.m.
Nearest Railway Station LMS Rly. Smaller
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 480.8 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.33	.26		.01					.18	.03	.72	1
2	.20	.34	.01		.10			.02		.33		.03	2
3	.02	.02	.01			.02			.41	.37	.09	.16	3
4	.01			.07	.02				.06		.48	.38	4
5	.76		.04	.01	.26					.17	.12	.08	5
6	.41	.68	.16	.12					.02	.03		.08	6
7	.15	.80	.12	.01					.02	.36	.27	.40	7
8	.09	.07	.02			.09				.15			8
9	.14	.98								.04			9
10		.46		.24	.12	.08				.27		.20	10
11		.10		.38	.04					.72	.01	.01	11
12		.28	.41	.08	.20	.01				.69	.23	.05	12
13	.08	.21		.19	.07				.17	.25	.84	.10	13
14			.03	.01	.01	.02		.15	.68	.04	.15	.10	14
15		.14	.02	.19	.23	.39	.12		.02	.01	.30		15
16		.17		.12	.12			.05			.19		16
17		.55			.01		.31	.72	.64	.09	.38	.05	17
18	.03	.40		.15	.01	.05		.17	.63	.06	.08		18
19	.19						.16		.31	.24	.07		19
20		.21			.07		.01		.18	.25			20
21	.02	.18			.01	.03		.06	.02	.25		.04	21
22	.03	.47			.02			.56	.08	.16		.04	22
23	.03	.25	.24		.32		.41	1.56	.16	.18		.15	23
24	.04	.11		.28	.08		.04	.02	.21			.10	24
25	.01	.68		.26		.07	.23	.25	.11	.45		.65	25
26		.09			.14	.07		.01		.52		.36	26
27		.25	.17		.07		.06	.89		.03		.32	27
28	.06	.15	.28	.25	.06		.30	.13	.02	.08		.01	28
29	.05	X		.28	.09		.07	.62		.01		.17	29
30	.04	X		.02	-		.10		.02	.38		.24	30
31	.18	X	.03	X	-	X	.64	.12	X	-	X	.19	31
TOTAL	2.62	7.92	1.80	2.66	2.06	.83	2.45	5.33	3.76	6.31	3.24	4.46	43.44
Days with 01 in. or more	21	24	14	17	22	10	12	15	18	27	14	22	216
Days with 04 in. or more	14	23	8	13	15	6	11	12	12	23	12	19	168

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Chalton Brewery
in the County of Dorset
by E. Russell

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

27 MAY 1925

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.

An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.01			.01	.16	.08	.10	.01		1.20	.35	1
2	.16		.22		.50		.26			.05	.01	.01	2
3	.16		.13			.25	.22	.40					3
4			.03			.43		.16				.47	4
5			.05				.07	.02	.01	.36		.07	5
6					.07	.01	.01	.09	.04	.57			6
7	.01				.31	.17			.38	1.33			7
8	.16	.03		.07	.03		.02		.13	.04			8
9	.13			.02	.04	.25			.04	.02	.05		9
10	.16	.13		.19	1.05	.78			.13	.12			10
11	.22			.45	.65	.37			.09	.07	.63		11
12	.23			.08	.08	.40	.02	.32	.15				12
13	.19			.80					.67		.02	.26	13
14				.01				.41				.21	14
15		.23						.16	.07			.63	15
16	.15							.40	.05				16
17	.24				.10	.16	.67	.65	.10			.01	17
18	.60				.40		.44	.78		.13	.02	.05	18
19	.19	.03			.18		.03	.11	.16	.21			19
20	.19		.01		.41		.38	.22	.56	.46			20
21	.92		.02		.32	.10	.03	.08	.04	.43			21
22	.54		.68		.02		.04	5.54	.38			.05	22
23	.03		.33		.35			.21	.17			.55	23
24	.63	.09	.14	.20	.18				.08		.01	.17	24
25	.01		.15	.18	.21		.48	.09	.35	.12	.41	.09	25
26				.19				.03	.10	.15	.87	.54	26
27		.02		.70			.91	.01		.84		.26	27
28		.01					.84	.29		.17	.33	.20	28
29				.55	.05		.07	.49	.02	.94	.26	.40	29
30		X		.10	.40		.02	.09	.13	.57	.24	.30	30
31		X		X	1.25	X	.05	.03	X	.15	X	.47	31
TOTAL	4.92	.55	1.76	3.54	6.61	3.08	4.64	5.69	3.86	6.73	4.05	5.09	50.52
Days with 01 in. or more	19	8	10	13	21	11	19	23	23	19	12	19	197
Days with 04 in. or more	16	3	7	11	17	10	13	19	20	18	8	17	159

Register of Rainfall in 1926.

1837

Kept at **CHARLTON . SHEPTON MALLET**

in the County of **SOMERSET**

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge **5 in** in.
Height of top of Gauge above Ground **1** ft. in.
" Ground " Sea Level **480.8** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.70		.10				.04		.11		.62		1
2	.20	.19					.01				.35		2
3	.09	.17			.53						.08		3
4	.02			.18	.08			.03			.68		4
5	.06	.33		.90	.21			.28	.79	.01	.01		5
6	.01	.01			.25		.46	.25	.02		.49		6
7		.55	.02	.01	.64					.01	.07	.38	7
8	.27		.02+		.14		.13	.35	.16		.01	.20	8
9		.09	.02	.09	.18		.09		.11			.07	9
10	.01	.14			.05			.12	.01				10
11		.30			.04			.07					11
12		.43						1.08					12
13	.04	.19	.15	.20								.06	13
14	.38	.27		.54							.16		14
15	.01	.01							.09	.05		.02	15
16		.15		.12						.16			16
17				.03			.05		.05	.03			17
18		.01		.29	.81		.01		.12	.03			18
19				.02	.01		.01	.47	1.33	1.11		.84	19
20			.14					.58	.73	.35		.02	20
21							.51	.30	.21	.34		.19	21
22	.05	.29		.18	.06		.18	.15	.83	.62		.49	22
23	.06	.08	.02	.20	.09			.12		.23	.01	.03	23
24	20	.20		.06	.09						.05	.13	24
25	27	.15	.08		.17		.09		.54	.13		.30	25
26	12	40		.14	.57		1.50	.76		.28		.18	26
27	07	.12			.13		.93					.24	27
28	.24	.01			.14		.05	.01	.15	.09	.06	.35	28
29	24	X			.16		.21		.03		.38	.31	29
30	24	X		.15	.04		.29	.02		.20	.08	.15	30
31	.19	X	.11	X	.05	X	.06		X	.18	X	.01	31 1926
TOTAL	3.23	4.69	.66	3.11	4.44	0.00	4.62	4.59	5.28	3.82	3.05	3.97	41.46
Days with .01 in. or more.	20	21	9	15	21	0	17	15	16	16	13	18	181
Days with .04 in. or more.	16	17	5	12	20	0	14	12	13	12	10	14	145

(Signed) C E Burnell

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at CHARLTON BREWERY, SHEPTON MALLET.

in the County of SOMERSET.

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....ft. in.

Ground Sea Level 480.8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.84	.26	.01			.46			.01		.80		1
2	.13					.20							2
3	.41	.18	.26									.01	3
4	.27	.21	.17	.30					.47		.34		4
5	.14	.13	.30		.35		.56		.24	.05	.11	.30	5
6	.21	.08	.05	.10	.07		.79	.14		.08	.39		6
7	.05	.08		.30	.19	.25			.32		.37		7
8			.05	.16	.02	.14		.24		.23	.22	.09	8
9			.10		.01	.21	.14	.47		.05	.07		9
10					.42	.29	.05	.47			.56		10
11					.69	.96		.69	.15	.22			11
12					.26	.19		.04		.54	.22		12
13						.07		.21	.14	.24	.33		13
14	.08	.45		.42	.10	.01		.02	.05	.66	.03	.06	14
15	.11	.12		.23						.14	.24		15
16	.15	.86		.67		.06		.06		.01	.17		16
17				.21		.69	.81	.28			.59		17
18	.48	.23		.06			.75	.12			.45		18
19				.05			.28	.07			.51		19
20		.01				.03		.28			.16		20
21		.04		.48	.20			.03		.42	.06	.09	21
22	.86	.02								.34			22
23			.01					.07					23
24							.31			.52		.01	24
25	.28		.03	.34			.13		.13	.41	.18	.06	25
26	.03	.03			.20				.30		.23		26
27	.11	.19	.05		.10		.10		.11	.20			27
28				.04	.01		.02			.53	.41	.01	28
29	.54			.09	.26		.14				.13		29
30	.09			.15	.76			.05			.24		30
31	.31				.01			.04					31
TOTAL	5.09	2.89	1.03	3.60	3.65	3.56	4.08	3.24	2.06	4.64	7.81	1.63	42.28
Days with 0.1 in. or more.	18	15	10	15	16	13	12	16	12	16	23	8	176
Days with 0.4 in. or more.	17	12	7	15	12	11	11	14	11	15	22	5	152

Please read the Notes and Instructions Overleaf.

Section **A** for the entry of Daily Observations.

1816
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at *Charlton Brewery, Shepton Mallet*
in the County of *Somerset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *-* in.
" Ground " Sea Level *4480.8* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	1.61	.14				1.28	.12		.16	1.56		1
2			.04	.17	.07					.10	.03		2
3	.16	.04	.13		.08	.21	.17		.01		.02	.01	3
4	.12		.09	.12		.05	.10				.12		4
5	.17	.16	.50	.55		.14	.04				.47		5
6	.17		.46	.48			.02	.17	.65		.06		6
7			.01	.07		.45	.42	.16					7
8	.07			.24	.08		.01	.12	.16				8
9					.45		.05	.18	.59			.16	9
10	.01			.03		.04		.40	.01				10
11	.02			.02			.92	.07			.05		11
12	.18						.82	.42					12
13	.46	.17		.17		.06	.01	.31	.50	.08	.06	.28	13
14	.10			.36	.06			.28	1.16	.01		.03	14
15		.02			.26			.48	.31		.09		15
16	.03				.34	.79		.02	.26		.01		16
17	.11		.16			.16		.39	.14				17
18						.37			.04	.03	.63		18
19		.31					.03	.48			.63		19
20	.21	.15			.04	.10	.36	.41	.05		.30	.28	20
21	.16	.23	.02		.03	.18	.17	.12	.62	.60	.01	.63	21
22	.11	.40	.73	.08		.12	.02	.16	.36	.71		1.13	22
23		.46	.16	.01		.30			.67		.38	.21	23
24	.11	.06	.59	.02		.07	.20	.35	.15	.27	.01	.29	24
25	.10	.36	.32			.28	.02	.04	.05	.23		.35	25
26	.14	.59	.21				.24		.22	.02			26
27	.01	.16	.01		.17	.44	.47			.61			27
28	1.62	.18	.15			.06	.15		.12	.01	.34		28
29	.05	X	.17			.10	.02		.78	.03	.05		29
30	.02	X	.01			.12	.02		.17	.27			30
31	.18	X	.32	X		X	.12	.03	X		X	.24	31
TOTAL	4.43	4.90	4.22	2.32	1.58	4.04	5.66	4.71	7.22	3.13	4.82	3.61	YEARS TOTAL 50.64
Days with .01 in. or more.	24	15	19	13	10	19	23	20	21	14	18	11	207
Days with .04 in. or more.	19	14	15	9	9	19	15	18	19	9	13	9	168

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at CHARLTON. SHEPTON N/ALLET
in the County of SOMERSET.

Diameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. = in.,, Ground ,, Sea Level 480.8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.98	.01	.01										1
2	.21	.17	.16	.20			.10				.11	.01	2
3	.01	.06		.33			.23	.63			.11		3
4		.15				.03		.01		.47	.23	.06	4
5	.27	.42	.06	.01	.18	.01	.07		.07	.36		.05	5
6	.12		.08			.44			.03			.20	6
7	.05	.05	.04	.03		.03		.19		.11		.02	7
8		.08		.03		.58	.17		.10	.36			8
9	.05	.02	.07	.13		.07			.23	.62			9
10	.45	.34		.08		.13		.08		.42	.44	.13	10
11	.01		.02	.08						.48	.13	.29	11
12	.37	.74	.02					.13		.01	.05		12
13		.09		.01	.01	.49							13
14	.15	.96		.40		.18		.43		.80	.48		14
15	.11	.01		.07		.02				.03	.34		15
16		.26	.12							.21	.75	.31	16
17	.05		.01		.57	.05				.01	.08		17
18	.59		.01		.01	.18					.06		18
19			.10		.07	.25		.07		.60	10.00	.10	19
20	.47		.32		.08			.66			.19		20
21	.80		.13		.35	.08		.14			.93	.01	21
22			.17							.45	.61		22
23	.55		.17	.03	.09		.06	.09		.17	.39	.20	23
24	.11		.16					.01	.16		.11	.27	24
25	.11		.10			.06				.05	.05	.94	25
26	.17		.07		.01		.11	.47		1.30		.06	26
27	.04		.15	.14			.82	.25	.11	.32	.04	.97	27
28	.84		.31		.04	.14	.03	.09	.60			.13	28
29	.22	.23	.58			.24	.02	.13		.15	.01	.06	29
30	.14	X	.14			.10	.34			.02		.13	30
31	.48	X	.19	X		X	.73		X		X	.01	31
TOTAL	7.35	3.59	3.19	1.54	1.41	3.08	2.68	3.38	1.30	6.94	5.21	3.95	43.68
Days with .01 in. or more.	25	15	24	13	10	18	11	16	7	20	19	19	197
Days with .04 in. or more.	23	12	19	8	7	14	9	14	6	16	18	15	161

Kept at **Charlton Brewery,**
in the County of **SHEPTON MALLET.**
SOMERSET.
Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **0** in.
Ground Sea Level **480.8** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.36		.02	.12	.09			.01	.46		.09	1
2		.26				.02	.12			.15	.05	.35	2
3				.04	.01	.06	.22	1.30				.18	3
4				.11	.64			.66		.11		.56	4
5					.71	.49	.40	.58		1.92	.88	.13	5
6		.06			.18			.09		.33	.05	.52	6
7					.01	.11				.60	.64	.50	7
8		.08			.05	.03				.12	.01	.23	8
9	.19	.23						.09		.02	.18	.47	9
10				.04	.06					.01	.06	.71	10
11	.08	.12		.01	.19			.09		.07	.71	.08	11
12				.07		.25					.22		12
13				.03	.15	.09				.01		.08	13
14					.30	.24						.20	14
15	.04	.11			.01	.15					.53		15
16								.07			.01		16
17	.08							.08		.08			17
18	.07							.08		.02	.85		18
19									.02	.02	.37	.10	19
20			.02					.13		.63		.46	20
21			.22				.05	.04	.01				21
22	.05	.02						.19			.54	.03	22
23		.02			.05	.01	.04			.03	.46	.60	23
24			.02					.10		.95	.94	.42	24
25		.06		.02						.01	.09	.04	25
26				.01	.07						.12	.28	26
27	.03			.06	.07					.12	1.45	.19	27
28	.33			.17			.82	.13		.53	.50	.74	28
29	.39	X		.25		.03			.05	.75	.35	.19	29
30	.02	X		.05		.15	.11		.27		.04	.15	30
31	.83	X		X		X	.71	.15	X		X	.01	31
TOTAL	2.11	1.32	.26	.88	2.62	1.72	2.47	3.78	.36	6.94	9.05	7.31	38.82
Days with or in. or more.	11	10	3	13	15	13	8	15	5	21	22	25	161
Days with or in. or more.	9	8	1	8	12	9	8	15	2	14	20	24	130

Section

A

for the entry of Daily Observations.

2001
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Charlton Brewery, SHEPTON MALLET
in the County of SOMERSET.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 480.8 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33	.42		.18		.01		.14			.21		1
2	.01			.11			.04	.56			.42		2
3	.14	.24		.70	.02			.45		.27	.01		3
4	.24	.02	.06	.05				.31					4
5					.14			.20		.27	.03		5
6	.02		.09		.08			.57	.35	.21	.45		6
7	.22							.21	.02	.25		.12	7
8				.26			.01	.06	.09	.10		.20	8
9	.26		.36	.25	.17	.01			.02	.02	.15		9
10	.52		.08		.57	.02		.14		.06		.96	10
11	.26	.01	.07	.18	.14		.16	.11		.06		.26	11
12	.16			.30	.19			.19				.16	12
13	.05		.20	.18	.10		.18	.26	.34		.02	.22	13
14	.50	.07		.15	.05		.02		.03	.01		.07	14
15	.01		.27		.01		.54			.34	.34	.36	15
16							.04		.25	.05		.16	16
17			.02	.15	.01		.45	.05	.49	.09		.05	17
18			.11	.02	.08		.21	.02	.35	.12	.18	.18	18
19			.03	.17	.16	.17	.04		.81	.10	.58	.02	19
20				.06		.01	.48	1.06	.78	.19	.52		20
21			.03				.01	.04	.05	.32	.93		21
22	.51			.02	.11	.05		.31	.07	.49	.10		22
23	.13		.18	.01	.03	.19	.17		.08		.26		23
24	.66			.29	.64	.03	.01		.33	.16	.27	.19	24
25	.04	.10	.02	.09	.04	.02	.05		.03	.13	.07	.25	25
26	.80	.04					.11		.15	.01	.25	.17	26
27	.06		.05				.07		.04	.24	.01	.04	27
28	.12		.08		.01		.19		.05	.02	.85	.34	28
29	.04	X					.21		.32	.23	.25	.05	29
30	.02	X	.07		.06	.07	.03			.09		.34	30
31	.43	X	.11	X	.11	X			X	.19	X	.27	31
TOTAL	5.53	.90	1.72	3.17	2.61	.58	3.02	4.68	4.65	4.02	5.90	4.42	41.26
*Days with or in. or more.	22	7	16	18	19	10	20	17	20	25	20	20	214
*Days with .04 in. or more.	19	5	11	15	14	4	18	16	16	21	16	19	171

40-9999

*See Instruction 2 (f) on other side.

(Signed)

H. C. E. Burnell
P. H. Higgins

[P.T.O.]

Kept at Cannards G
in the County of S

Diameter of Funnel of Gaug
Height of top of Gauge abov
Ground

THE MORNING

An observer who does not
year in the space on the rig

CANNAIDS GRAVE
SHEPTON MALLETT
SOMERSET
1927-1929

FOR OFFICIAL USE.

ORGANIZATION. 1927.

US DAY.

of the following

Jan. 1, following.

Date.	Jan. in.	Feb. in.											Oct. in.	Nov. in.	Dec. in.	Date.
1	13	1.45											18	1.28		1
2	14												06	0.3		2
3		0.2												0.2	0.2	3
4	04		3.1	10				0.8						20		4
5	16	14	20	5.5				0.6						2.5		5
6	16		17	3.4			12	0.2	16	6.7				0.5		6
7		0.9	0.4	1.4			5.2	3.6	12							7
8	0.7	0.7		2.2				0.2	16	1.7						8
9	0.1					7.2		0.5	1.5	5.4						9
10				0.2		0.2		2.7	0.3						1.5	10
11				0.2				9.5	0.8							11
12	0.9							9.3	4.0					0.3		12
13	4.9			0.8				0.1	3.5	3.9	0.5	0.7	2.8			13
14	1.2			4.5	0.5			0.4	3.5	1.2.2	0.1		0.5			14
15	0.3				1.3				4.5	2.6			1.5			15
16	1.4				6.5	8.0			0.5	2.6			0.2			16
17			0.8					2.2		4.2	1.3			0.1		17
18			0.4					3.9			0.4	0.5	5.3			18
19		3.6							0.3	4.0	0.3	1.3	7.7			19
20	0.9	1.6			0.5	0.3		4.0	4.2	5.5			3.0	3.2		20
21	1.1	2.0	0.1		0.2	2.2	1.4	0.8			4.4	0.2	6.4			21
22	1.8	4.1	5.1	0.4		0.9	0.1	1.6	4.5	6.5			8.9			22
23		3.8	3.6			3.7	0.2		7.1		3.8	4.7				23
24	0.5	0.9	4.9	0.2		1.3	2.5	3.3	1.4	1.6		2.5				24
25	1.1	3.1	3.0			3.9	0.2	0.2	0.5	3.3						25
26	1.8	6.5	1.6			0.2	1.7		7.1	0.1						26
27	0.2	1.5	0.1		1.9	2.1	6.4			5.2						27
28	1.5.5	1.9	1.4			0.6	0.6		0.2	0.5	3.6	7.2				28
29	0.3		1.5			0.6	0.3		8.3	0.3	0.6					29
30		X	0.3			1.0	0.3		1.7	2.3	0.3					30
31	1.2	X	3.2	X		X	1.0	0.1	X	0.4	X					31
TOTAL	4.02	4.67	4.00	2.12	1.93	3.88	5.85	4.49	7.37	2.94	4.56	3.79	49.62			YEARS TOTAL
Days with "01 in. or more.	22	15	20	12	10	18	25	20	20	16	19	10	207			
Days with "04 in. or more.	20	14	17	9	7	16	17	18	17	13	14	9	171			

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at *Cannock Grove Shepton Mallet*
in the County of *Somerset*

Diameter of Funnel of Gauge.....*5*.....in.
Height of top of Gauge above Ground.....*1*.....ft. *6*.....in.
„ Ground „ Sea Level*550*.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>13</i>	<i>1.45</i>	<i>18</i>		<i>06</i>		<i>1.31</i>	<i>11</i>		<i>18</i>	<i>1.28</i>		1
2	<i>14</i>		<i>23</i>	<i>14</i>	<i>03</i>					<i>06</i>	<i>03</i>		2
3		<i>02</i>	<i>27</i>		<i>03</i>	<i>13</i>	<i>12</i>	~~<i>12</i>~~			<i>02</i>	<i>02</i>	3
4	<i>04</i>		<i>31</i>	<i>10</i>			<i>08</i>				<i>20</i>		4
5	<i>16</i>	<i>14</i>	<i>20</i>	<i>55</i>			<i>06</i>				<i>25</i>		5
6	<i>16</i>		<i>17</i>	<i>34</i>		<i>12</i>	<i>02</i>	<i>16</i>	<i>67</i>		<i>05</i>		6
7		<i>09</i>	<i>04</i>	<i>14</i>		<i>52</i>	<i>36</i>	<i>12</i>					7
8	<i>07</i>	<i>07</i>		<i>22</i>			<i>02</i>	<i>16</i>	<i>17</i>				8
9	<i>01</i>				<i>72</i>		<i>05</i>	<i>15</i>	<i>54</i>				9
10				<i>02</i>		<i>02</i>		<i>27</i>	<i>03</i>			<i>15</i>	10
11				<i>02</i>			<i>95</i>	<i>08</i>					11
12	<i>09</i>						<i>93</i>	<i>40</i>			<i>03</i>		12
13	<i>49</i>			<i>08</i>			<i>01</i>	<i>35</i>	<i>39</i>	<i>05</i>	<i>07</i>	<i>28</i>	13
14	<i>12</i>			<i>45</i>	<i>05</i>		<i>04</i>	<i>35</i>	<i>1.22</i>	<i>01</i>		<i>05</i>	14
15	<i>03</i>				<i>13</i>			<i>45</i>	<i>26</i>		<i>15</i>		15
16	<i>14</i>				<i>65</i>	<i>80</i>		<i>05</i>	<i>26</i>		<i>02</i>		16
17			<i>08</i>			<i>22</i>		<i>42</i>	<i>13</i>		<i>01</i>		17
18			<i>04</i>			<i>39</i>			<i>04</i>	<i>05</i>	<i>53</i>		18
19		<i>36</i>					<i>03</i>	<i>40</i>	<i>03</i>	<i>13</i>	<i>77</i>		19
20	<i>09</i>	<i>16</i>			<i>05</i>	<i>03</i>	<i>40</i>	<i>42</i>	<i>55</i>		<i>30</i>	<i>32</i>	20
21	<i>11</i>	<i>20</i>	<i>01</i>		<i>02</i>	<i>22</i>	<i>14</i>	<i>08</i>		<i>44</i>	<i>02</i>	<i>64</i>	21
22	<i>18</i>	<i>41</i>	<i>51</i>	<i>04</i>		<i>09</i>	<i>01</i>	<i>16</i>	<i>45</i>	<i>65</i>		<i>89</i>	22
23		<i>38</i>	<i>36</i>			<i>37</i>	<i>02</i>		<i>71</i>		<i>38</i>	<i>47</i>	23
24	<i>05</i>	<i>09</i>	<i>49</i>	<i>02</i>		<i>13</i>	<i>25</i>	<i>33</i>	<i>14</i>	<i>16</i>		<i>25</i>	24
25	<i>11</i>	<i>31</i>	<i>30</i>			<i>39</i>	<i>02</i>	<i>02</i>	<i>05</i>	<i>33</i>			25
26	<i>18</i>	<i>65</i>	<i>16</i>			<i>02</i>	<i>17</i>		<i>71</i>	<i>01</i>			26
27	<i>02</i>	<i>15</i>	<i>01</i>		<i>19</i>	<i>21</i>	<i>64</i>			<i>52</i>			27
28	<i>1.55</i>	<i>19</i>	<i>14</i>			<i>06</i>	<i>06</i>		<i>02</i>	<i>05</i>	<i>36</i>	<i>72</i>	28
29	<i>03</i>		<i>15</i>			<i>06</i>	<i>03</i>		<i>83</i>	<i>03</i>	<i>06</i>		29
30		<i>X</i>	<i>03</i>			<i>10</i>	<i>03</i>		<i>17</i>	<i>23</i>	<i>03</i>		30
31	<i>12</i>	<i>X</i>	<i>32</i>	<i>X</i>		<i>X</i>	<i>10</i>	<i>01</i>	<i>X</i>	<i>04</i>	<i>X</i>		31
TOTAL	<i>4.02</i>	<i>4.67</i>	<i>4.00</i>	<i>2.12</i>	<i>1.93</i>	<i>3.88</i>	<i>5.85</i>	<i>4.49</i>	<i>7.37</i>	<i>2.94</i>	<i>4.56</i>	<i>3.79</i>	YEARS TOTAL <i>49.62</i>
Days with "01 in. or more.	<i>22</i>	<i>15</i>	<i>20</i>	<i>12</i>	<i>10</i>	<i>18</i>	<i>25</i>	<i>20</i>	<i>20</i>	<i>16</i>	<i>19</i>	<i>10</i>	<i>207</i>
Days with "04 in. or more.	<i>20</i>	<i>14</i>	<i>17</i>	<i>9</i>	<i>7</i>	<i>16</i>	<i>17</i>	<i>18</i>	<i>17</i>	<i>13</i>	<i>14</i>	<i>9</i>	<i>171</i>

Kept at Cannards Grave Shepton Mallet
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" Ground " Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	8.6	01	01	01	—	—	—	01	—	—	—	—	1
2	3.2	17	17	17	—	—	09	01	—	—	04	—	2
3	01	04	—	34	—	—	24	61	—	—	18	—	3
4	01	18	—	—	—	02	—	01	—	41	—	—	4
5	21	38	07	02	17	01	09	—	08	45	11	12	5
6	13	—	08	—	—	49	—	—	10	—	—	15	6
7	04	04	07	02	—	02	—	18	—	08	—	05	7
8	02	10	—	03	—	60	19	—	11	40	—	—	8
9	43	—	04	04	—	11	—	—	24	58	—	02	9
10	—	33	—	12	—	09	—	08	—	44	45	06	10
11	01	01	05	14	—	—	—	04	—	53	12	25	11
12	35	62	—	—	—	—	—	07	—	—	05	—	12
13	—	17	—	01	03	50	—	—	—	—	—	03	13
14	10	93	—	42	—	40	—	57	—	63	31	—	14
15	10	01	—	11	—	—	—	—	—	03	32	—	15
16	—	30	13	02	01	10	—	—	—	12	84	30	16
17	02	—	—	—	77	06	—	—	—	06	08	—	17
18	55	—	—	03	01	20	—	—	—	12	05	02	18
19	—	—	10	02	06	32	—	05	—	54	11	07	19
20	37	—	30	—	05	—	—	55	—	—	12	—	20
21	74	—	16	—	33	03	—	15	—	—	90	—	21
22	—	—	15	—	—	06	—	01	—	44	63	20	22
23	52	—	20	—	13	—	06	07	—	18	48	03	23
24	10	—	08	—	—	—	—	02	12	—	13	26	24
25	07	—	08	—	—	05	—	—	—	03	08	83	25
26	18	—	02	—	—	13	12	44	—	1.44	02	22	26
27	01	—	15	15	—	—	87	35	07	40	02	97	27
28	98	—	19	—	04	06	03	15	63	—	—	16	28
29	14	22	67	—	—	23	—	07	—	10	01	06	29
30	14	×	11	—	—	11	35	—	—	—	—	18	30
31	50	×	17	×	—	×	63	—	×	02	×	—	31
TOTAL	6.91	3.51	3.00	1.65	1.60	3.49	2.67	3.44	1.35	7.00	5.05	3.98	YEAR'S TOTAL 43.65
Days with "01 in. or more.	26	15	21	16	10	20	10	19	7	20	21	19	204
Days with "04 in. or more.	20	12	19	8	7	16	9	14	7	17	18	15	162

REGISTER OF RAINFALL IN 1929.

Kept at Cannards Grove Shepton Mallet
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Ground Sea Level 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.36			.16	.07				.30		.03	I
2		.26				.02	.12			.13	.04	.35	2
3				.01		.08	.13	1.24		.02		.18	3
4				.11	.60		.07	.56		.13	.76	.47	4
5					.68	.48	.35	.55	.01	1.77	.13	.15	5
6		.05			.11	.03		.07		.23	.62	.51	6
7						.03		.02		.55		.56	7
8	.03	.63			.19	.02		.06		.12	.17	.15	8
9	.13	.32						.03		.02	.04	.41	9
10	.10			.02	.04					.01	.55	.65	10
11				.04	.20			.03		.06	.25	.16	11
12				.13	.02	.23				.02			12
13	.02			.03	.04	.09						.07	13
14					.27	.34						.20	14
15						.11		.05			.44	.06	15
16						.01		.08			.04		16
17	.03									.06			17
18	.10							.10		.03	.70		18
19									.03	.01	.40		19
20		.23						.09		.60		.46	20
21			.21				.02	.05				.06	21
22	.05	.01					.05	.22	.01		.47	.04	22
23		.04			.06		.01			.01	.45	.60	23
24			.02					.13		.49	.86	.40	24
25			.03	.01						.01	.06	.03	25
26				.02	.05						.18	.23	26
27	.05	.07		.12	.09						1.09	.21	27
28	.24			.08			.70	.02		.54	.51	.66	28
29	.42			.25		.03			.07	.74	.43	.16	29
30	.03	X				.14	.10		.22		.09	.27	30
31	.73	X		X		X	.69	.13	X		X	.26	31
TOTAL	1.93	1.97	.26	.82	2.51	1.68	2.24	3.43	.34	6.35	8.28	7.33	YEAR'S TOTAL 37.14
Days with or in. or more.	12	9	3	11	13	14	10	17	5	21	21	26	162
Days with or in. or more.	8	8	1	6	12	8	8	13	2	13	21	24	124

2015

ORGANIZATION.

1857
JAN 1924

Kept at DOU. SHEPTON MALLET, DOULTING

VICARAGE

in the County of.....

by H. S. DARR

1923-30

IMPORTANT NOTES

If an Observer prefers the reading at 9 a.m. on this paragraph. Full instructions and particulars as to the British Rainfall Organization are given in "Notes for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

7.0 a.m.
Shepton Mallet, S.D. In Ry.
Rain Gauge 5 in.
above Ground 1 ft. in.
Sea Level 693 ft.
entered to the previous day.

requested to add at the end of of rain gauges,

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.29	.25	—	.01	—	—	.02	—	.14	—	.65	1
2	.19	.35	.05	—	.10	—	—	.03	—	.30	.04	.03	2
3	.03	—	.03	—	.01	.03	.02	—	.33	.35	.10	.17	3
4	.01	—	—	.07	.09	—	—	—	.14	.20	.45	.39	4
5	.76	—	.05	.02	.19	—	—	—	—	—	.15	.10	5
6	.43	.55	.18	.16	—	—	—	—	—	.05	—	—	6
7	.06	.75	.10	.04	—	—	—	—	—	.33	—	.45	7
8	.11	.11	.04	—	—	.08	—	—	—	.11	.29	.03	8
9	.14	.89	—	—	—	.05	—	—	—	.04	—	.02	9
10	.01	.41	—	.23	.12	.03	—	—	—	.69	—	.16	10
11	—	.09	—	.40	.03	—	—	—	—	.30	—	.03	11
12	—	.28	.41	.09	.20	.02	—	—	—	.30	—	.06	12
13	.04	.22	—	.17	.08	—	—	—	.26	.79	.14	.08	13
14	.03	.02	.03	.06	.02	.01	—	.16	.73	.23	.83	—	14
15	—	.14	.07	.13	.24	.37	.10	—	.03	.04	.10	—	15
16	.01	.15	—	.13	.10	—	—	.02	—	.02	.27	—	16
17	.02	.57	—	—	.02	.01	.38	.69	.52	.09	.39	.01	17
18	.02	.38	—	.19	.02	.06	—	.17	.47	.05	.09	—	18
19	.16	.02	—	.01	—	—	.15	.01	.31	.23	.05	—	19
20	.01	.20	—	—	.08	.04	.01	.05	.18	.25	.03	—	20
21	.02	.16	—	—	.01	.03	—	.06	.08	.25	—	.05	21
22	.02	.44	—	—	.02	—	—	.56	.08	.15	—	.03	22
23	.03	.22	.26	.29	.30	—	.40	1.76	.16	.15	—	—	23
24	.04	.17	—	.29	.09	—	.03	.06	.21	.30	—	.10	24
25	—	.62	—	.34	—	.07	.22	.27	.11	.50	—	.59	25
26	—	.06	—	.03	.02	.02	—	.04	—	.56	—	.34	26
27	—	.26	.21	—	.08	—	.02	1.04	—	.03	—	.30	27
28	.06	.15	.32	.23	.08	—	.31	.12	—	.12	—	.02	28
29	.04	X	—	.24	.10	—	.08	.62	—	.01	.04	.29	29
30	.03	X	—	.03	—	—	.10	.06	.03	.34	—	.08	30
31	.16	X	.06	X	—	X	.42	.08	X	—	X	.20	31
TOTAL	2.51	7.50	2.06	2.86	1.93	.78	2.34	5.77	3.64	6.33	3.17	4.19	42.98
Days with .01 in. or more	25	25	14	19	23	12	13	18	15	27	15	24	43.08
Days with .04 in. or more	13	23	12	15	13	5	9	14	13	24	14	16	230

Kept at DOULTING
in the County of Somerset
by H. S. DARRYSHIRE

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Shipton Mallet, S. & D. J. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 693 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.29	.25	—	.01	—	—	.02	—	.14	—	.65	1
2	.19	.35	.05	—	.10	—	—	.03	—	.30	.04	.03	2
3	.03	—	.03	—	.01	.03	.02	—	.33	.35	.10	.17	3
4	.01	—	—	.07	.09	—	—	—	.14	.20	.45	.39	4
5	.76	—	.05	.02	.19	—	—	—	—	—	.15	.10	5
6	.43	.55	.18	.16	—	—	—	—	—	.05	—	—	6
7	.06	.75	.10	.04	—	—	—	—	—	.33	—	.45	7
8	.11	.11	.04	—	—	.08	—	—	—	.11	.29	.03	8
9	.14	.89	—	—	—	.05	—	—	—	.04	—	.02	9
10	.01	.41	—	.23	.12	.03	—	—	—	.69	—	.16	10
11	—	.09	—	.40	.03	—	—	—	—	.30	—	.03	11
12	—	.28	.41	.09	.20	.02	—	—	—	.30	—	.06	12
13	.04	.22	—	.17	.08	—	—	—	.26	.79	.14	.08	13
14	.03	.02	.03	.06	.02	.01	—	.16	.73	.23	.83	—	14
15	—	.14	.07	.13	.24	.37	.10	—	.03	.04	.10	—	15
16	.01	.15	—	.13	.10	—	—	.02	—	.02	.27	—	16
17	.02	.57	—	—	.02	.01	.38	.69	.52	.09	.39	.01	17
18	.02	.38	—	.19	.02	.06	—	.17	.47	.05	.09	—	18
19	.16	.02	—	.01	—	—	.15	.01	.31	.23	.05	—	19
20	.01	.20	—	—	.08	.04	.01	.05	.18	.25	.03	—	20
21	.02	.16	—	—	.01	.03	—	.06	.08	.25	—	.05	21
22	.02	.44	—	—	.02	—	—	.56	.08	.15	—	.03	22
23	.03	.22	.26	.29	.30	—	.40	1.76	.16	.15	—	—	23
24	.04	.17	—	.29	.09	—	.03	.06	.21	.50	—	.10	24
25	—	.62	—	.34	—	.07	.22	.27	.11	.50	—	.59	25
26	—	.06	—	.03	.02	.02	—	.04	—	.56	—	.34	26
27	—	.26	.21	—	.08	—	.02	1.04	—	.03	—	.30	27
28	.06	.15	.31	.23	.08	—	.31	.12	—	.12	—	.02	28
29	.04	—	—	.24	.10	—	.08	.62	—	.02	.04	.29	29
30	.03	—	—	.03	—	—	.10	.06	.03	.34	—	.08	30
31	.16	—	.06	—	—	—	.42	.08	—	—	—	.20	31
TOTAL	2.51	7.50	2.06	2.86	1.93	.78	2.34	5.77	3.64	6.33	3.17	4.19	42.98
Days with .01 in. or more	25	25	14	19	23	12	13	18	15	27	15	24	43.08
Days with .01 in. or more	13	23	14	15	13	5	9	14	13	24	14	16	230

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.Kept DOULTING
in the County of SOMERSET
by H.S. DARBYSHIRELat. _____ Long. _____
Time of Observation 9.9 a.m.
Nearest Railway Station Shepton Mallet (S.D.J.R.)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 693 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	—	—	—	—	.18	.09	.10	.01	—	1.12	.38	RAW 1
2	.22	—	—	—	.45	.23	.37	—	—	.07	.01	.02	2
3	.24	—	.26	—	—	.21	.22	.40	—	.03	—	—	3
4	—	—	.13	.02	.02	.45	—	.13	.02	—	—	.48	4
5	—	—	.02	—	—	—	.08	.02	.02	.39	—	.09	5
6	—	—	.06	—	.08	.02	.03	.10	.04	.53	—	—	6
7	.03	—	.01	—	.32	.15	—	—	.40	1.43	—	—	7
8	.19	.05	—	.08	—	—	.05	—	.10	.05	—	—	8
9	.12	.01	—	.03	.05	.23	—	—	.07	.02	.05	—	9
10	.17	.10	—	.16	1.06	.78	—	—	.16	.12	.01	—	10
11	.25	—	—	.46	.71	.32	—	—	.07	.09	.53	—	11
12	.25	.01	—	.08*	.09	.19	—	.32	.14	—	.01	—	12
13	.21	—	—	.69	—	—	.02	.02	.71	—	.03	.22	13
14	—	—	—	.02	—	—	—	.37	.01	—	.01	.20	14
15	—	.22	—	—	—	—	—	.17	.07	—	—	.50	15
16	.45	—	—	—	—	—	—	.40	.04	—	—	.02	16
17	.26	—	—	—	.09	.12	.71	.55	.12	—	—	—	17
18	.59	.03	—	—	.40	—	.39	1.07	—	.12	.02	.09	18
19	.16	.02	—	—	.20	—	.06	.12	.16	.22	—	.01	19
20	.10	—	.03	—	.37	—	.39	.18	.54	.50	—	—	20
21	.95	—	.02	—	.39	.07	.04	.14	.04	.46	—	—	21
22	.55	—	.68	—	.02	—	—	.41	.38	—	—	.05	22
23	—	—	.25	—	.32	—	.05	.30	.12	—	—	.45	23
24	.64	.09	.26	.21	.17	—	—	.01	.06	—	.02	.44	24
25	.02	—	.25	.15	.18	—	.39	.08	.31	.13	.37	.07	25
26	—	—	—	.25	—	—	.01	.04	.07	.14	.88	.64	26
27	—	.02	—	.63	—	—	.81	—	—	.88	.03	.26	27
28	—	.03	—	.01	—	—	.81	.20	—	.17	.30	.15	28
29	1.01	—	—	.45	.02	—	.08	.53	.02	.94	.21	.44	29
30	—	X	—	.27	.37	—	—	.06	.20	.46	.21	.30	30
31	.01	X	—	X	1.55	X	.08	.03	X	.17	X	.45	31
TOTAL	5.13	.56	1.99	3.51	6.86	2.95	4.68	5.85	3.88	6.92	3.81	5.26	YEAR'S TOTAL
Days with 0.1 in. or more	21	10	11	15	20	12	19	24	25	20	16	20	213
Days with 0.4 in. or more	16	8	8	11	17	11	16	20	20	18	8	17	163

REGISTER OF RAINFALL IN 1925.

FOR OFFICIAL USE.

1840

AIR MINISTRY.

County No. _____

River Dist. _____

Station No. _____

Kept at DOULTINGin the County of SOMERSETby REV: H. S. DARBYSHIRE.

Lat. _____ Long. _____

Time of Observation 9 a.m.Nearest Railway Station Shepton Mallet (S.D.J.R.)Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. — in." " " " Sea Level 693 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.68	—	.07	—	.15	.01	—	.02	.08	—	.57	.03	1
2	.22	.19	—	—	.45	—	.01	—	—	—	.40	—	2
3	.10	.13	—	—	—	—	.01	—	—	—	.08	—	3
4	.03	—	—	.20	.08	—	—	.06	—	—	.65	—	4
5	.06	.33	—	.92	.17	—	—	.21	.72	—	.04	—	5
6	—	.01	—	.03	.25	—	.44	.24	.06	—	.45	—	6
7	—	.02	—	—	.69	—	—	.01	—	—	.07	.33	7
8	.25	.02	.04	—	.15	—	.08	.32	.14	—	.02	.25	8
9	—	.07	—	.08	.08	—	.10	—	.12	—	—	.07	9
10	—	.11	—	—	.06	—	—	.11	.03	—	—	—	10
11	—	.26	—	—	.04	—	—	.05	—	—	—	—	11
12	—	.47	—	.03	—	—	—	.10	—	.03	—	—	12
13	.03	.27	.18	.18	—	—	—	.02	—	—	—	.05	13
14	.46	.30	—	.50	—	—	—	—	—	—	.14	—	14
15	.03	—	—	.10	—	—	—	—	.25	.01	—	.03	15
16	.03	.20	—	—	—	—	—	—	.03	.22	—	—	16
17	—	.02	—	.03	—	—	.05	—	.05	.04	—	—	17
18	—	.01	—	.56	.88	—	.02	—	.18	.03	—	.01	18
19	—	—	—	—	.01	—	.07	.68	1.07	1.25	—	.71	19
20	—	—	.13	—	—	—	.02	.28	.80	.40	—	.03	20
21	—	—	—	—	—	—	.54	.08	.30	.29	—	.31	21
22	.05	.28	—	.18	.05	—	.18	—	.85	.61	—	.95	22
23	.07	.08	.04	.24	.07	—	.06	.08	—	.21	—	.04	23
24	.25	.20	—	.08	.08	—	—	.01	—	.08	.06	.33	24
25	.38	.68	.07	—	.11	—	.27	—	.52	.08	—	.21	25
26	.15	.43	—	.04	.55	—	1.26	.68	—	.26	—	.24	26
27	.08	.11	—	.02	.13	—	.94	.02	—	—	.02	.09	27
28	.25	.12	—	.02	.26	—	.06	.02	.15	.10	.05	.51	28
29	.26	X	—	—	.20	—	.24	—	.02	.08	.37	.30	29
30	—	X	—	—	.02	—	.39	—	—	.20	.07	.12	30
31	.17	X	—	X	.04	X	.10	.01	X	.10	X	.02	31 1926
TOTAL	3.55	4.81	.64	3.19	4.52	.01	4.84	4.00	5.37	3.99	2.99	4.63	YEAR'S TOTAL
Days with 0.1 in. or more.	19	22	7	15	22	1	19	19	17	17	14	20	142
Days with 0.4 in. or more.	15	18	7	11	20	0	15	12	14	14	12	15	153

H. Stanley Darbyshire

FORM 1090.

1850

Register of Rainfall in 1926.

Kept at **DOULTING**
in the County of **SOMERSET.**

Diameter of Funnel of Gauge **5** in.
Height of top of Gauge above Ground **1** ft. **—** in.
Ground Sea Level **693** ft.

Observers are requested to read the instructions printed overleaf before filling in this form.
Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.81	.19	—	—	.07	.44	—	—	.02	—	.72	—	1
2	.27	.03	—	—	—	.23	.02	—	.17	—	.03	.01	2
3	.25	.22	.25	—	—	—	—	—	—	—	—	—	3
4	.33	.21	.15	.38	—	—	—	—	—	—	.32	—	4
5	.11	.16	.10	—	.37	—	.49	—	.33	.06	.03	.25	5
6	.17	.04	.18	.09	.09	—	.77	.12	.24	.05	.44	—	6
7	.04	.06	—	.31	.18	.26	—	—	.31	—	.25	.08	7
8	.01	.04	.05	.21	.02	.11	.03	.10	—	.12	1.08	—	8
9	—	—	.07	—	.02	.39	.04	.40	—	.05	.05	—	9
10	—	—	—	—	.42	.20	.05	.68	—	—	.72	—	10
11	—	—	—	—	.69	.73	—	.65	.13	.18	.01	—	11
12	—	—	—	—	.27	.23	—	.02	.03	.56	.17	.03	12
13	—	—	—	—	—	.05	—	.23	.14	.23	.36	.02	13
14	.11	.38	—	.43	.15	.02	—	.02	.04	.66	.03	.05	14
15	.15	.03	—	.08	—	—	—	.01	.12	.23	.23	—	15
16	.33	.10	—	.65	—	.05	—	.07	—	.02	.19	.01	16
17	.16	.90	—	.28	—	.63	.66	.23	—	—	.57	.05	17
18	.31	.21	—	.05	—	—	.48	.12	—	—	.42	.01	18
19	.01	.03	—	.03	—	.02	.30	.33	—	—	.33	.01	19
20	.03	.01	—	.29	—	.02	—	.08	—	—	.34	—	20
21	.11	.01	—	.08	.39	.01	.16	.08	—	.45	.06	—	21
22	.76	.04	—	.08	—	.01	—	.02	—	.24	—	—	22
23	.06	.03	.02	—	—	—	—	.05	—	—	—	—	23
24	.03	—	—	—	.01	—	.18	.01	.02	.43	—	—	24
25	.19	.01	—	.43	—	—	.30	—	.11	.39	.19	.08	25
26	—	.03	.03	—	.14	—	.02	—	.31	—	.25	—	26
27	.16	.15	.05	.07	.09	—	—	—	.15	.14	—	—	27
28	.36	—	—	.04	.01	—	.15	—	—	.64	.40	.01	28
29	.18	X	—	.09	.25	—	.01	—	—	—	.18	—	29
30	.15	X	—	.14	.76	—	—	.08	—	—	.74	—	30
31	.25	X	—	X	—	X	—	.01	X	—	X	—	31
TOTAL	5.34	2.88	.90	3.73	3.93	3.40	3.66	3.32	2.12	4.45	7.61	.61	YEARS TOTAL 1195
Days with ".01 in. or more.	25	21	9	18	17	16	15	20	14	16	25	12	208
Days with ".04 in. or more.	21	13	7	17	13	11	11	14	11	15	21	5	159

(Signed) H. S. Doulton R.T.O.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

18.19

Kept at **DOULTING**
in the County of **SOMERSET.**
Diameter of Funnel of Gauge..... **5** in.
Height of top of Gauge above Ground..... **1** ft..... in.
" Ground " Sea Level **693** ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~1.16~~	1.77	.15	—	—	—	1.18	.10	—	.18	1.68	—	1
2	—	—	.06	.16	.07	—	—	—	—	.09	.03	—	2
3	.14	.06	.14	.01	.03	.24	.16	—	.03	—	.02	.03	3
4	.09	—	.11	.13	.06	.08	.13	—	—	—	.14	—	4
5	.19	.16	.51	.55	.01	.14	.04	—	—	—	.47	—	5
6	.17	—	.45	.50	.01	—	.02	.10	.64	—	.07	—	6
7	—	.15	.01	.13	—	.46	.30	.13	—	—	—	—	7
8	.05	—	.01	.21	.03	—	.03	.20	.17	—	—	—	8
9	—	—	.01	—	.47	—	.08	.17	.54	—	—	.15	9
10	—	—	—	.05	—	.04	—	.27	.03	—	—	—	10
11	.03	—	—	.02	—	—	.80	.10	—	—	.04	—	11
12	.11	—	—	—	—	—	1.10	.45	—	—	—	.29	12
13	.45	—	—	.10	.06	—	.02	.35	.44	.12	—	—	13
14	.10	—	—	.26	.29	—	.05	.31	.21	—	.06	.04	14
15	—	.06	—	—	.29	—	—	.43	.26	—	.10	—	15
16	.02	—	—	—	.41	.83	—	—	.28	—	—	—	16
17	.18	—	.13	—	—	.32	—	.50	.13	—	.03	—	17
18	—	—	—	—	—	.40	—	—	.03	.03	.58	—	18
19	—	.33	—	—	—	.01	.05	.50	—	—	.49	—	19
20	.22	.09	—	—	.04	.09	.36	.40	.04	.11	.41	.34	20
21	.06	.22	.03	—	.03	.17	.08	.10	.78	.47	.04	.58	21
22	.24	.40	.67	.06	—	.09	.26	.18	.32	.59	—	1.09	22
23	.02	.51	.21	.01	—	.37	.02	.10	.71	.08	.46	.20	23
24	.07	.14	.46	.01	—	.01	.21	.15	.19	.23	—	.48	24
25	.07	.38	.32	—	—	.24	.03	.05	—	.26	—	.10	25
26	.19	.57	.18	—	—	.06	.20	.03	.43	.02	—	.13	26
27	.03	.16	.02	—	.16	.42	.50	—	—	.61	—	—	27
28	1.60	.16	.15	—	—	.07	.08	.09	.12	.03	.36	—	28
29	.05	X	.16	—	.01	.08	.03	.02	.81	.16	.08	—	29
30	—	X	.02	—	—	.17	.02	.03	.15	.23	—	.03	30
31	.18	X	.32	X	—	X	.05	.03	X	—	X	.23	31
TOTAL	4.36	5.16	4.13	2.20	1.68	4.29	5.80	4.79	7.31	3.13	5.06	3.69	YEAR'S TOTAL 51.60
Days with ".01 in. or more.	23	15	21	14	14	20	25	24	20	14	17	13	220
Days with ".04 in. or more.	18	15	15	10	8	18	18	20	17	11	14	11	175

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

1889
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1928.

Kept at DOULTING.
in the County of SOMERSET.
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1. ft. 0. in.
Ground Sea Level 693 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.97	.02	.03	.01	—	—	—	.66	—	—	—	—	1
2	.25	.23	.17	.22	—	—	.02	—	—	—	.15	—	2
3	—	.04	—	.37	—	—	.30	.03	—	—	.13	—	3
4	.03	.37	.07	—	—	.04	.08	.56	—	.48	.18	.05	4
5	.26	.26	.09	—	—	.03	.08	—	—	.39	—	.05	5
6	.13	—	.06	.03	.10	.42	—	—	.25	—	—	.15	6
7	.06	.05	—	—	—	.03	—	—	.05	.11	—	—	7
8	—	.09	.01	.05	—	.57	.17	.19	—	.42	—	—	8
9	.06	.03	.02	.12	.03	.11	—	—	—	—	—	—	9
10	.51	.33	.05	.10	—	.10	—	.03	.10	.39	.34	.17	10
11	—	—	.09	.10	—	—	—	.12	—	.58	.10	.21	11
12	.42	.75	.01	—	—	.03	—	—	—	—	.05	.06	12
13	—	.08	—	.01	.09	.49	—	.10	—	—	.01	—	13
14	.15	.79	—	.41	—	.27	—	.03	—	.72	.43	—	14
15	.13	.25	—	.10	—	.07	—	.44	—	.04	.36	—	15
16	—	.30	.14	.01	—	.03	—	—	—	.28	.63	—	16
17	.06	—	—	—	.67	.05	—	—	—	—	.10	.25	17
18	.50	—	.01	.02	.02	.13	—	—	—	.13	.08	.03	18
19	—	—	.10	—	.07	.50	—	.05	—	.50	.11	.07	19
20	.49	—	.34	.01	.12	.01	—	.10	—	—	.18	—	20
21	.81	—	.17	—	.11	.08	—	.45	—	—	.86	—	21
22	—	—	.11	—	—	—	—	.30	—	.43	.66	.17	22
23	.69	—	.18	—	.39	—	—	.03	—	.19	.25	.01	23
24	.10	—	.04	—	—	—	—	.04	.20	.01	.10	—	24
25	.11	—	—	—	—	.08	—	—	—	.07	.03	.86	25
26	.10	—	.10	—	.01	.09	—	—	—	1.43	.01	.07	26
27	.05	—	.14	.16	—	—	—	.25	.12	.35	.04	.96	27
28	1.03	—	.27	—	.05	.06	.74	.32	.73	—	—	.15	28
29	.14	.24	.55	—	—	.26	—	.24	—	.14	.02	.07	29
30	.17	X	.21	—	—	.11	—	.06	—	.01	—	.16	30
31	.55	X	.21	X	—	X	.45	—	X	—	X	—	31
TOTAL	7.77	3.83	3.17	1.72	1.66	3.56	1.76	4.00	1.45	6.67	4.82	3.49	YEARS TOTAL
Days with ".01 in. or more.	24.	15	24	15	11	22	6	19	6	19	22	17	200
Days with ".04 in. or more.	23.	13	19	9	8	17	5	15	6	17	18	15	165

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at

DOULTING.

in the County of

SOMERSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 693 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.36	—	—	.13	.08	—	—	—	.46	—	.08	1
2	—	.01	—	—	—	.03	.12	—	—	.11	.04	.37	2
3	—	—	—	.05	.03	.09	.32	1.22	—	.01	—	.20	3
4	—	—	—	.13	.68	.01	.02	.55	—	.15	—	.49	4
5	—	—	—	—	.67	.55	.38	.60	—	1.59	.81	.14	5
6	—	.04	—	—	.11	.05	—	.10	—	.31	.08	.45	6
7	.06	.01	—	—	.01	.05	—	.07	—	.53	.56	.54	7
8	—	.04	—	—	.12	.04	—	—	—	.13	—	.19	8
9	.16	.23	—	—	—	—	—	.07	—	.02	.20	.44	9
10	.11	—	—	.06	.30	—	—	.02	—	.01	.06	.55	10
11	—	—	—	.05	—	—	—	.07	—	.06	.77	.05	11
12	—	.17	—	.16	.07	.25	—	—	—	.03	.20	—	12
13	—	—	—	.05	.28	.14	—	.02	—	—	—	.07	13
14	—	—	—	—	—	.27	—	—	—	—	—	—	14
15	.05	.31	—	—	—	.15	—	—	—	—	.55	—	15
16	—	—	—	—	—	.01	—	.09	—	—	—	—	16
17	.15	—	.08	.01	—	—	—	.04	—	.10	.83	—	17
18	—	—	~~.08~~	—	—	—	—	.03	—	.03	.28	—	18
19	—	—	.01	—	—	—	—	—	.01	.03	.28	—	19
20	—	—	—	—	—	—	—	.14	—	.58	—	.44	20
21	.04	—	—	—	—	—	.07	—	.02	—	—	.03	21
22	.01	.04	—	—	—	—	—	.34	—	—	.39	.03	22
23	—	.03	—	.01	.06	—	—	—	—	.05	.44	.58	23
24	—	—	—	—	—	—	—	.07	—	.95	.87	.33	24
25	—	—	—	.02	—	—	—	—	—	.01	.08	.03	25
26	—	—	—	.03	.07	—	—	—	—	—	.08	.28	26
27	.05	.11	—	.21	.07	—	—	—	—	.10	1.29	.18	27
28	.25	—	—	.14	—	—	.87	—	—	.48	.58	.65	28
29	.35	—	—	.27	—	.04	—	—	.07	.86	.31	.17	29
30	.03	X	—	.06	—	.16	.11	—	.25	—	.10	.15	30
31	.71	X	—	X	—	X	.65	—	X	—	X	.02	31
TOTAL	1.97	1.35	.39	1.25	2.60	1.92	2.54	3.43	.35	6.60	8.52	6.46	37.38
Days with .01 in. or more.	12	11	3	14	13	15	8	15	4	22	20	24	161
Days with .04 in. or more.	10	8	2	10	11	12	7	12	2	15	20	20	129

REGISTER OF RAINFALL IN 1930.

Kept at DOULTING
in the County of SOMERSET
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 693 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.26	.51	—	.15	—	.01	—	.13	—	—	.24	—	I
2	.01	.02	—	.11	—	—	.06	.75	—	—	.39	—	2
3	.15	.21	—	.70	.07	—	—	.48	—	.22	—	—	3
4	.24	.04	.06	.03	—	—	—	.33	.03	.20	—	—	4
5	—	—	—	—	.15	—	—	.22	—	.15	—	—	5
6	.03	—	.11	—	.05	—	—	.63	.20	.18	.02	.03	6
7	.25	.02	—	—	—	—	—	.09	.01	.25	.41	.14	7
8	—	—	—	.17	.03	—	.01	.21	.05	.08	—	.19	8
9	.26	—	.40	.24	.19	.01	—	.02	.06	.03	.08	—	9
10	.60	—	.12	—	.60	.01	—	.16	—	.06	—	.86	10
11	.18	.01	.07	.15	.03	—	.18	.14	—	.07	—	.39	11
12	.13	—	.21	.04	.20	—	—	.17	—	—	—	.26	12
13	.05	—	.30	.22	.10	—	.16	.19	.33	—	—	.25	13
14	.03	.07	—	.14	.06	—	.03	.02	.03	.02	—	.05	14
15	.02	.03	.26	—	—	—	.57	.02	.03	.38	.28	.32	15
16	—	—	—	—	—	—	.06	—	.23	.04	—	.13	16
17	—	—	.02	.10	.02	—	.45	.07	.36	.07	—	.03	17
18	—	—	.02	.01	.08	—	.15	.04	.36	.14	.15	.19	18
19	—	—	.03	.16	.14	.09	.06	.06	.73	.25	.60	.02	19
20	—	—	—	.07	.11	.02	.49	.81	.77	.05	.47	—	20
21	—	—	—	—	—	—	.02	.04	.05	.29	.95	—	21
22	.51	—	.05	.03	.01	.10	—	.31	.06	.44	.08	—	22
23	.17	—	.21	.03	.02	.15	.19	.01	.08	—	.24	—	23
24	.63	—	—	.25	.03	.05	.02	—	.23	.10	.21	.16	24
25	.06	.09	.02	.11	.39	.02	.08	—	.06	.08	.07	.20	25
26	.95	.06	—	—	.09	—	.11	—	.13	.20	.34	.15	26
27	.13	—	.06	—	—	—	.06	—	.07	.02	—	.02	27
28	.21	—	.08	—	—	—	.26	—	.06	—	1.02	.30	28
29	.06	X	—	—	.04	—	.24	—	.38	.18	.32	.05	29
30	.02	X	.06	—	.06	.12	.04	—	—	.08	.02	.30	30
31	.37	X	.08	X	.14	X	—	—	X	.15	X	.15	31
TOTAL	5.32	1.06	2.16	2.71	2.61	.58	3.24	4.90	4.31	3.83	5.89	4.19	YEAR'S TOTAL 40.80
Days with ".01 in. or more.	23	10	18	18	22	10	20	22	22	25	18	21	229
Days with ".04 in. or more.	18	6	14	14	16	5	16	18	18	22	16	17	180

REC

ANIZATION.

SHEPTON MALLET

FIELD HSE

SOMERSET

1921-1930

32 27" W.

C

Shepton Mallet (GWR)

Gauge 5 in.

e Ground 1 ft. in.

Sea Level 500 ft.

tered to the previous day.

ted to add

the end of

rain gauges,

Observers,

52, Camden

Jan. 1, following.

Kept at Field House
in the County of So
by Frederick Henry

IMPORTANT NOTE.—

If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructi
and particulars as to the Br
sent post-free on application
Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	---	---	---	.02	---	---	.18	.19	---	.10	.21	1
2	.05	---	.09	---	---	---	---	.02	.03	.10	.44	.11	2
3	.20	---	.02	---	.15	.06	---	.10	---	.03	.34	---	3
4	---	---	---	---	.11	---	---	.13	---	---	.61	---	4
5	.17	---	.10	---	.04	---	---	.24	---	---	.55	---	5
6	.32	---	---	---	.36	---	---	---	---	---	---	.09	6
7	.09	---	.17	---	.21	---	---	.03	---	---	.07	---	7
8	---	---	---	.09	.13	---	---	---	---	---	---	---	8
9	.34	---	.09	---	.01	---	---	---	.07	---	---	---	9
10	.33	---	.25	---	.14	---	---	.60	.03	---	---	.03	10
11	.25	---	.17	---	.26	---	---	---	.99	.01	---	---	11
12	.11	---	.33	.21	---	---	---	.10	.07	---	---	.18	12
13	---	---	.08	---	.21	---	.01	.36	.26	.15	.02	---	13
14	---	---	.07	.03	.09	---	.01	---	.11	---	---	.15	14
15	.18	---	.08	.37	---	---	.10	---	---	---	.05	.02	15
16	.24	---	.26	.09	---	---	---	.14	---	---	.29	.11	16
17	.06	---	.05	---	---	---	---	.01	.42	---	---	.04	17
18	.02	---	.24	---	.01	---	---	---	---	.19	---	.01	18
19	.03	---	---	---	---	---	---	---	---	.04	---	.11	19
20	---	---	---	.01	---	---	---	---	---	.10	---	.09	20
21	.08	---	---	.34	---	---	---	---	---	---	.01	.02	21
22	.03	---	---	.01	---	---	---	---	---	.19	---	.32	22
23	.14	.04	---	---	---	---	.10	---	---	.39	---	.01	23
24	---	.21	.02	---	---	---	---	---	---	---	---	.14	24
25	.60	---	.08	---	---	.60	.17	---	---	---	---	.25	25
26	.01	---	.01	---	---	---	---	---	---	---	---	.32	26
27	---	---	.34	---	---	---	.05	.03	---	---	---	.02	27
28	.21	.15	.10	---	---	---	.06	---	---	---	.17	.25	28
29	.71	---	---	---	.44	---	.06	.07	---	---	.01	.07	29
30	.07	---	---	---	.07	---	.09	---	---	---	.10	.04	30
31	---	---	---	---	.23	---	---	.01	---	---	---	---	31
TOTAL	4.31	.40	2.55	1.15	2.46	.66	.65	2.02	2.17	1.20	2.76	2.59	YEAR'S TOTAL 22.92 ✓
Days with ".01 in. or more	23	5	19	8	16	2	9	14	9	9	13	22	147 ✓
Days with ".04 in. or more	13	5	16	5	13	2	7	9	7	7	10	16	113 ✓

REGISTER OF RAINFALL IN 1919

Kept at Field House, Shepton Mallet,
in the County of Somerset.
by Frederick Henry Berryman

Lat. 51.11.3" N Long. 2.32 27" W.
Time of Observation 08.00
Nearest Railway Station Shepton Mallet (GWR)
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	—	—	—	.02	—	—	.18	.19	—	.10	.21	1
2	.03	—	.09	—	—	—	—	.02	.03	.10	.44	.11	2
3	.20	—	.02	—	.13	.06	—	.10	—	.03	.34	—	3
4	—	—	—	—	.11	—	—	.13	—	—	.61	—	4
5	.17	—	.10	—	.04	—	—	.24	—	—	.55	—	5
6	.32	—	—	—	.36	—	—	—	—	—	—	.09	6
7	.09	—	.17	—	.21	—	—	.03	—	—	.07	—	7
8	—	—	—	.09	.13	—	—	—	—	—	—	—	8
9	.34	—	.09	—	.01	—	—	—	.07	—	—	—	9
10	.33	—	.25	—	.14	—	—	.60	.03	—	—	.03	10
11	.25	—	.17	—	.26	—	—	—	.99	.01	—	—	11
12	.11	—	.33	.21	—	—	—	.10	.07	—	—	.18	12
13	—	—	.08	—	.21	—	.01	.36	.26	.15	.02	—	13
14	—	—	.07	.03	.09	—	.01	—	.11	—	—	.15	14
15	.18	—	.08	.37	—	—	.10	—	—	—	.05	.02	15
16	.24	—	.26	.09	—	—	—	.14	—	—	.29	.11	16
17	.06	—	.05	—	—	—	—	.01	.42	—	—	.04	17
18	.02	—	.24	—	.01	—	—	—	—	.19	—	.01	18
19	.03	—	—	—	—	—	—	—	—	.04	—	.11	19
20	—	—	—	.01	—	—	—	—	—	.10	—	.09	20
21	.08	—	—	.34	—	—	—	—	—	—	.01	.02	21
22	.03	—	—	.01	—	—	—	—	—	.19	—	.32	22
23	.14	.04	—	—	—	—	.10	—	—	.39	—	.01	23
24	—	.21	.02	—	—	—	—	—	—	—	—	.14	24
25	.60	—	.08	—	—	.60	.17	—	—	—	—	.25	25
26	.01	—	.01	—	—	—	—	—	—	—	—	.32	26
27	—	—	.34	—	—	—	.05	.03	—	—	—	.02	27
28	.21	.15	.10	—	—	—	.06	—	—	—	.17	.25	28
29	.71	—	—	—	.44	—	.06	.07	—	—	.01	.07	29
30	.07	—	—	—	.07	—	.09	—	—	—	.10	.04	30
31	—	—	—	—	.23	—	—	.01	—	—	—	—	31
TOTAL	4.31	.40	2.55	1.15	2.46	.66	.65	2.02	2.17	1.20	2.76	2.59	YEAR'S TOTAL 22.92 ✓
Days with ".01 in. or more	23	3	19	8	16	2	9	14	9	9	13	22	147 ✓
Days with ".04 in. or more	13	3	16	5	13	2	7	9	7	7	10	16	113 ✓

REGISTER OF RAINFALL IN 192 .

Kept at Field House, Shepton Mallet.in the County of Somerset.by Frederick Henry BERRYMAN.Lat. 51° 11' 3" N Long. 2° 32' 7" W.Time of Observation 0800Nearest Railway Station Shepton Mallet (GWR)Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground one ft. — in." " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13	.24	.22	.32	---	---	.83	.03	.06	.01	.30	---	1
2	.02	.63	.35	.55	.03	---	.20	.02	---	.09	.01	---	2
3	.01	.07	.48	---	.30	---	.08	.24	---	.01	.08	---	3
4	---	.07	.17	---	.13	---	.13	---	---	.56	---	---	4
5	.06	---	.24	.13	---	---	1.29	.03	---	.44	.52	---	5
6	.12	---	.17	---	---	---	.02	1.16	---	---	.52	---	6
7	.18	---	.39	.20	---	.08	.19	.20	---	---	.09	.01	7
8	.28	---	.15	.06	---	---	.44	.15	---	---	.08	.07	8
9	.14	---	.03	---	---	---	.22	.04	---	---	.15	---	9
10	.06	---	---	---	---	---	---	.04	---	---	---	---	10
11	.03	---	---	.03	---	---	---	---	---	---	---	---	11
12	---	---	---	.45	---	---	.02	.64	.66	---	---	---	12
13	.20	---	---	.41	---	.16	.36	---	.19	---	.01	.01	13
14	---	.01	.02	.03	---	---	---	---	.14	---	---	---	14
15	.64	.36	---	.13	---	---	---	---	---	---	---	---	15
16	---	.34	---	.26	.30	---	---	.37	.02	---	---	.37	16
17	---	.13	---	---	.40	---	.09	---	.01	---	---	.17	17
18	.16	.10	---	---	.07	---	---	.12	.06	---	---	.09	18
19	.02	.31	.06	---	---	---	---	---	1.11	---	---	.82	19
20	.19	.40	.06	---	---	---	---	---	.01	---	---	.07	20
21	.39	.06	---	.03	---	---	.07	---	---	---	---	.68	21
22	---	.08	---	---	---	.11	.15	.23	---	---	---	.24	22
23	---	.24	---	.10	---	---	.02	---	.04	---	---	.03	23
24	.07	---	.24	.12	.01	.66	---	.40	---	---	---	---	24
25	.17	.53	.24	.12	.01	.15	---	---	.20	---	---	.09	25
26	.20	.21	---	---	---	.05	.27	.05	.04	---	.07	---	26
27	.26	.56	.07	.23	---	---	---	.25	.05	---	.02	.55	27
28	.33	.38	.05	.10	---	.31	---	.15	---	---	---	.23	28
29	.09	---	---	.07	---	.14	.17	---	---	.46	---	.36	29
30	.76	×	.01	---	---	---	---	.66	.35	.01	.10	.48	30
31	.24	×	.28	×	---	×	.02	---	×	.23	×	.01	31
TOTAL	4.68	4.22	2.99	3.55	1.24	1.66	4.57	4.78	2.94	1.72	2.05	4.29	38.69
Days with 0.1 in. or more	24	18	17	19	7	8	18	18	14	7	13	18	181
Days with 0.4 in. or more	20	16	14	16	5	8	14	15	11	4	10	13	146

REGISTER OF RAINFALL IN 1923.

Kept at Field House, Shepton Mallet.
in the County of Somerset.
by Frederick Henry Berryman.

Lat 51. 11' 3" Long. 2. 32' 27" W.
Time of Observation 0800
Nearest Railway Station Shepton Mallet.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 500. ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.09	.30	.27	—	—	—	—	—	—	.18	.04	.66	1
2	.21	.36	.01	—	.11	—	—	.03	—	.22	—	.01	2
3	.03	—	.02	—	—	.03	—	—	.31	.50	.10	.17	3
4	—	—	—	.08	—	—	—	—	.13	—	.49	.31	4
5	.75	.03	.03	.03	.44	—	—	—	—	.16	.15	.07	5
6	.42	.55	.16	.12	—	—	—	—	.01	.05	—	—	6
7	.13	.81	.11	.03	—	—	—	—	.03	.37	—	.46	7
8	.07	.09	.01	—	—	.07	—	—	—	.14	.21	.02	8
9	.22	.91	—	—	—	.03	—	—	—	.01	.07	.02	9
10	—	.53	—	.21	.10	.06	—	—	—	.31	—	.15	10
11	—	.11	—	.25	.05	—	—	—	—	.61	—	.02	11
12	—	.29	.43	.20	.21	.01	—	—	—	.79	.06	.05	12
13	.04	.22	—	.21	.08	—	—	—	.12	.37	.90	.08	13
14	.06	—	—	.05	—	—	—	.16	.78	—	.06	.06	14
15	—	.14	.05	.16	.24	.41	.12	—	.03	.03	.36	—	15
16	—	.17	—	.14	.12	—	—	—	—	—	.20	.02	16
17	—	.55	—	—	.01	—	.37	.66	.47	.09	.44	.04	17
18	.03	.43	—	.15	.01	.06	—	.16	.79	.05	.11	—	18
19	.21	.02	—	—	—	—	.16	—	.29	.27	.02	—	19
20	—	.12	—	—	.08	—	.01	—	.11	.25	.07	—	20
21	.02	.18	—	—	.01	.03	—	.07	.09	.24	—	.04	21
22	—	.50	—	—	.01	—	—	.57	.10	.14	—	.06	22
23	.05	.25	.27	—	.35	—	.43	1.14	.17	.19	—	.13	23
24	.04	.18	—	.28	.09	—	.05	.50	.21	—	—	.12	24
25	.01	.56	—	.26	—	.05	.24	.25	.11	.38	—	.68	25
26	—	.11	—	.03	.15	.18	—	.01	—	.43	—	.57	26
27	—	.31	.13	—	.07	—	.06	.84	—	.12	—	.32	27
28	.21	.17	.24	.23	.05	—	.33	.10	.02	.09	—	—	28
29	.71	×	—	.29	.09	—	.07	.64	—	.01	—	.17	29
30	.07	×	—	.03	—	—	.11	.07	.02	.38	—	.25	30
31	.13	×	.03	×	—	×	.70	.11	×	—	×	.21	31
TOTAL	5.55	7.96	1.81	2.75	2.27	.93	2.65	5.31	3.79	6.38	3.28	4.49	YEAR'S TOTAL 45.17
Days with 01 in. or more	20	24	13	18	19	10	12	15	18	26	15	25	215
Days with 04 in. or more	16	23	8	14	15	6	11	13	13	23	14	20	176

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept atField House, Shepton Mallet.

in the County ofSomerset.

byFredorick Henry Berryman.

Lat51. 11" 3" Long. 2. 35" 27. W.

Time of Observation0800

Nearest Railway StationG.W.R. Shepton Mallet

Diameter of Funnel of Rain Gauge5 in.

Height of top of Gauge above Ground1 ft. 0 in.

" " " " Sea Level500 ft.

County No.
River Dist.
Station No.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	-	.01	.15	.06	.09	-	-	<u>1.13</u>	.34	1 RKA
2	.18	-	.09	-	.58	-	.19	-	-	.06	-	.02	2 RKA
3	.17	-	.30	-	-	.25	.26	.38	-	.02	-	-	3
4	-	-	.02	.01	-	.41	-	.17	-	.01	-	.45	4
5	-	-	.11	-	-	-	.08	.02	-	.36	-	.10	5
6	-	-	-	-	.08	-	-	.11	.05	.56	-	.01	6
7	.01	-	-	-	.21	.16	-	-	.37	<u>1.26</u>	-	-	7
8	.14	.04	-	.08	.14	-	.01	-	.09	.19	-	-	8
9	.11	-	-	.02	.01	.29	-	-	.11	.02	-	-	9
10	.19	.13	-	.25	1.05	<u>.73</u>	-	-	.12	.12	.06	-	10
11	.17	.01	-	.41	.62	.38	-	-	.09	.07	.65	-	11
12	.29	-	-	.13	.08	.35	-	.31	.12	-	-	-	12
13	.20	-	-	<u>.76</u>	-	-	.01	-	<u>.67</u>	-	.02	.24	13
14	-	-	-	.04	-	-	-	.44	-	-	-	.21	14
15	-	<u>.19</u>	-	-	-	-	-	.20	.06	-	-	<u>.67</u>	15
16	.13	-	-	-	-	-	-	.40	.06	-	-	-	16
17	.24	-	-	-	.10	.13	.69	.59	.12	-	-	-	17
18	.65	.08	-	-	.47	-	.45	<u>.76</u>	-	.14	.01	.02	18
19	.20	-	-	-	.16	-	.05	.21	.13	.18	-	.03	19
20	.11	-	.01	-	.41	-	.38	.20	.56	.39	-	-	20
21	<u>1.05</u>	-	.02	-	.31	.10	.05	.12	.03	.40	.01	-	21
22	.57	-	<u>.64</u>	-	.02	-	.04	.53	.35	-	-	.03	22
23	-	-	.34	-	.35	-	.03	.10	.16	-	-	.48	23
24	.70	.09	.14	.20	.21	-	-	-	.06	-	-	.30	24
25	-	-	.15	.04	.20	-	.49	.11	.27	.10	.27	.10	25
26	-	-	-	.32	-	-	-	.03	.18	.15	.91	.48	26
27	-	.01	-	.73	-	-	.72	.01	-	.82	.03	.32	27
28	-	-	-	.01	-	-	<u>.96</u>	.28	-	.17	.29	.16	28
29	-	.04	-	.43	-	-	.08	.52	.01	.88	.27	.38	29
30	-	X	-	.21	.43	-	-	.08	.13	.51	.21	.37	30
31	.02	X	-	X	<u>1.35</u>	X	.09	.04	X	.19	X	.47	31
TOTAL	5.13	.59	1.82	3.64	6.79	2.95	4.64	5.70	3.74	6.60	3.86	5.18	1286mm 50.64 196 163.
Days with 01 in. or more.	18	8	10	15	20	10	18	23	21	21	12	20	
Days with 04 in. or more.	16	6	7	12	17	10	15	20	19	18	8	15	

(Signed)..... [P.T.✓]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

1848

Field House, Shepton Mallet.

Kept at
in the County of Somerset.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Ground Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.79	.22	.02	-	.04	.44	-	-	-	-	.67	-	1
2	.27	.04	-	-	-	.24	-	-	.06	-	.10	-	2
3	.31	.16	.26	.02	-	-	.01	-	-	-	-	.01	3
4	.24	.11	.23	.27	-	-	-	-	.36	-	.29	.07	4
5	.13	.22	.29	-	.39	-	.44	-	.23	.05	.07	.24	5
6	.21	.05	.08	.12	.13	-	.75	.12	.31	.10	.47	-	6
7	.08	.04	-	.20	.15	.23	-	-	-	-	.12	.10	7
8	-	.04	.04	.31	.03	.15	.03	.21	-	.20	1.43	-	8
9	-	-	.12	-	-	.35	.11	.39	-	.13	.01	-	9
10	-	.04	-	-	.38	.13	.05	.74	-	.06	.64	-	10
11	-	-	-	-	.66	.98	-	.64	.14	.18	-	-	11
12	-	-	-	-	.25	.22	-	.01	.06	.50	.07	.01	12
13	-	-	-	-	-	.10	-	.21	.14	.26	.43	.01	13
14	.08	.37	-	.37	.14	-	-	.02	.04	.62	.04	.06	14
15	.12	.06	-	.05	.01	-	-	.02	.10	.25	.23	-	15
16	.14	.10	-	.82	-	.06	-	.04	-	.02	.14	-	16
17	.17	.88	-	.30	-	.67	.95	.02	-	-	.56	.06	17
18	.34	.20	-	.07	-	-	.86	.32	-	-	.44	-	18
19	-	.04	-	.01	.02	.02	.27	.07	-	-	.27	.02	19
20	.02	-	-	.28	-	-	-	.27	.01	-	.39	-	20
21	.04	-	-	.13	.07	-	.20	.02	-	.31	.06	-	21
22	.76	.05	-	.12	-	-	-	.05	-	.34	-	-	22
23	~~.76~~	~~.05~~	~~-~~	~~.12~~	~~-~~	~~-~~	~~-~~	~~.05~~	~~-~~	~~.34~~	~~-~~	~~-~~	23
24	.07	.01	-	-	-	-	-	.03	-	-	-	-	24
25	-	-	.01	-	-	-	.19	-	-	.39	-	.03	25
26	.21	-	-	.49	-	-	-	-	.11	.47	.18	.06	26
27	-	.04	.03	.03	.20	-	.17	-	.32	-	.24	-	27
28	.11	.19	.05	.09	.10	-	.01	-	.12	.14	-	-	28
29	.31	-	-	.04	.01	-	.16	-	-	.58	.31	-	29
30	.17	X	-	.24	.24	-	-	-	-	-	.20	-	30
31	.12	X	-	.11	.81	X	-	.06	X	-	.26	-	31
TOTAL	4.95	2.86	1.13	4.07	3.63	3.59	4.20	3.24	2.00	4.60	7.62	.67	YEAR'S TOTAL
Days with '01 in. or more.	22	19	10	20	17	12	14	18	13	17	24	11	197
Days with '04 in. or more.	21	18	7	17	13	11	11	12	12	16	23	6	167

Please read the Notes and Instructions Overleaf.

(Signed) E. H. Bryman. I.P.T.

REGISTER OF RAINFALL IN 1927.

Kept at Field House, Shepton Mallet,

in the County of Somerset.

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft. in.

„ „ Ground „ „ Sea Level 500.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	1.26	.16	—	—	—	1.35	.12	.01	.18	1.45	—	1
2	.01	—	.05	.15	.08	—	—	—	—	.09	.03	—	2
3	.17	.03	.12	—	.05	.17	.13	—	—	—	.02	.02	3
4	.04	—	.10	.12	.03	.02	.09	—	—	—	.11	—	4
5	.19	.16	.51	.55	—	.13	.07	—	—	—	.48	—	5
6	.21	—	.45	.38	—	—	.02	.14	.67	—	.06	—	6
7	—	.15	.01	.16	—	.49	.23	.14	—	—	—	—	7
8	.09	—	—	.22	—	—	.01	.15	.15	—	—	—	8
9	—	—	—	—	.59	—	.06	.16	.61	—	—	.14	9
10	.01	—	—	.03	—	.04	—	.39	.02	—	—	—	10
11	.02	—	—	.02	—	—	1.00	.08	—	—	.05	—	11
12	.11	—	—	—	—	—	.69	.42	—	—	—	—	12
13	.51	—	—	.09	—	—	.01	.30	.46	.07	.07	.28	13
14	.10	—	—	.48	.06	—	.03	.29	1.21	.01	—	.06	14
15	—	.02	—	—	.07	—	—	.49	.33	—	.11	—	15
16	.04	—	—	—	.54	.80	—	.06	.24	—	.02	—	16
17	.12	—	.12	—	—	.17	—	.42	.15	—	.01	—	17
18	—	—	.05	—	—	.34	—	—	.04	.04	.54	—	18
19	—	.32	—	—	—	—	.03	.41	—	.13	.86	—	19
20	.20	.19	—	—	.04	.06	.34	.41	.06	—	.32	.29	20
21	.50	.19	—	—	.04	.24	.15	.07	.56	.45	.02	.59	21
22	.21	.38	.49	.06	—	.12	.01	.20	.43	.73	—	.94	22
23	—	.35	.35	.01	—	.24	—	—	.65	—	.36	.43	23
24	.06	.13	.60	.02	—	.14	.28	.36	.19	.20	—	.42	24
25	.09	.30	.35	—	—	.31	.01	.01	—	.28	—	.19	25
26	.19	.62	.26	—	—	.03	.28	—	.49	.03	—	.01	26
27	.02	.15	.02	—	.19	.44	.47	—	—	.56	—	—	27
28	1.63	.16	.13	—	—	.07	.12	—	.04	.06	.35	—	28
29	.07	×	.19	—	—	.09	.04	—	.76	.04	.05	—	29
30	—	×	.04	—	—	.10	.03	—	.21	.27	.03	—	30
31	.20	×	.30	×	—	×	.06	.01	×	.01	×	.18	31
TOTAL	4.91	4.41	4.30	2.29	1.69	4.00	5.51	4.63	7.28	3.15	4.95	3.55	YEARS TOTAL
Days with "01 in. or more.	24	15	19	13	10	19	24	20	20	16	19	12	211
Days with "04 in. or more.	20	13	17	9	9	17	16	18	18	13	13	10	173

Kept at FIELD HOUSE, SHEPTON MALLET.

in the County of SOMERSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

Ground Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.79	.02	.01	—	—	—	—	—	—	—	—	—	1
2	.36	.18	.16	.18	—	—	.11	—	—	—	.09	—	2
3	—	.02	—	.36	—	—	.24	.61	—	—	.11	—	3
4	.01	.33	—	—	—	.03	—	—	—	.42	.21	.02	4
5	.24	.25	.08	.02	.16	.01	.09	—	.07	.49	—	.10	5
6	.12	—	.08	—	—	.48	—	—	.04	—	—	.18	6
7	.06	.05	.06	.03	—	.04	—	.21	—	.10	—	.06	7
8	—	.09	—	.04	—	.57	.16	—	.07	.39	—	—	8
9	.04	—	.07	.06	—	.10	—	.08	.23	.64	—	.03	9
10	.46	.37	—	.11	—	.10	—	—	—	.40	.43	.07	10
11	.01	.01	snow .01	.14	—	.05	—	.04	—	.44	.13	.26	11
12	.33	.61	.03	—	—	—	—	.12	—	.01	.04	.04	12
13	—	.19	—	—	.03	.48	—	.05	—	—	—	—	13
14	.14	.93	—	snow .49	—	.20	—	.36	—	.68	.33	—	14
15	.12	.01	—	.10	—	.02	—	.01	—	.04	.35	—	15
16	—	.26	.13	—	.01	—	—	—	—	.14	.84	.25	16
17	.02	—	—	—	.63	.06	—	—	—	.07	.07	—	17
18	.61	—	.02	.04	—	.18	—	—	—	.09	.06	.01	18
19	—	—	.11	.03	.08	.28	—	.08	—	.48	.11	.10	19
20	.42	—	.30	—	.06	—	—	.59	—	—	.11	—	20
21	.81	—	.15	—	.31	.09	—	.15	—	—	.84	—	21
22	—	—	.14	—	—	—	—	.01	—	.48	.63	.22	22
23	.49	—	.16	—	.14	—	.05	.09	—	.15	.42	.01	23
24	.15	—	.17	—	—	—	—	.01	.14	—	.12	.28	24
25	.11	—	.11	—	—	.06	—	—	—	.06	.06	.78	25
26	.19	—	.05	—	—	.08	.10	.39	—	1.01	.01	.26	26
27	—	—	.17	.14	—	—	.83	.23	.08	.40	.06	.93	27
28	.96	—	.16	—	.04	.07	.04	.10	.62	—	—	.14	28
29	.12	.20	.72	—	—	.25	—	.10	—	.14	.02	.09	29
30	.15	×	.14	—	—	.10	.36	—	—	.02	—	.18	30
31	.44	×	.20	×	—	×	.72	—	×	—	×	.02	31
TOTAL	7.15	3.52	3.23	1.74	1.46	3.25	2.70	3.23	1.25	6.65	5.04	4.03	YEAR'S TOTAL 43.25
Days with 01 in. or more.	24	15	23	13	9	20	10	18	7	21	21	21	202
Days with 04 in. or more.	21	11	20	10	7	17	10	15	7	19	19	16	172

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Field House, SHEPTON MALLET,

Kept at

in the County of

SOMERSET.

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.36	—	—	.16	.09	—	—	—	.38	—	.04	1
2	—	.25	—	—	—	.02	.12	—	—	.17	.06	.37	2
3	—	—	—	.01	—	.06	.14	1.27	—	—	—	.19	3
4	—	—	—	.11	.64	—	.07	.66	—	.09	—	.47	4
5	—	—	—	—	.67	.48	.37	.57	—	2.02	.79	.16	5
6	.02	.05	—	—	.19	.04	—	.11	—	.32	.13	.46	6
7	.01	—	—	—	—	.07	—	.01	—	.59	.62	.54	7
8	—	.04	—	—	.06	.04	—	.07	—	.12	—	.16	8
9	.13	.31	—	—	—	—	—	.03	—	.02	.18	.44	9
10	.12	—	—	.02	.06	—	—	—	—	.01	.08	.68	10
11	—	.10	—	.05	.24	—	—	.07	—	.09	.64	.13	11
12	—	—	—	.13	.02	.24	—	—	—	.01	.31	—	12
13	.02	—	—	.03	.05	.06	—	—	—	—	—	.09	13
14	—	—	—	—	.35	.28	—	—	—	—	—	.24	14
15	.01	.16	—	—	—	.15	—	—	—	—	.45	.03	15
16	—	—	—	—	—	—	—	.05	—	—	.06	—	16
17	.06	—	—	—	—	—	—	.09	—	.11	—	—	17
18	.11	—	—	.01	—	—	—	.12	—	.03	.71	—	18
19	—	—	—	—	—	—	—	—	—	.02	.42	.02	19
20	—	—	—	—	—	—	—	.13	—	.56	.01	.47	20
21	.06	—	.22	—	—	—	.02	.05	—	—	—	.03	21
22	.01	—	—	—	—	—	.05	.20	—	—	.57	.02	22
23	—	.05	—	—	.06	—	.03	—	—	.04	.41	.61	23
24	—	—	.02	—	—	—	—	.13	—	1.02	.86	.39	24
25	—	.08	.03	.02	—	—	—	—	—	—	.06	.04	25
26	—	—	—	.01	.06	—	—	—	—	—	.18	.27	26
27	—	—	—	.12	.09	—	—	—	—	.02	1.26	.24	27
28	.31	—	—	.10	—	—	.74	.10	—	.52	.59	.73	28
29	.36	—	—	.25	—	—	—	—	.08	.81	.39	.18	29
30	.03	×	—	—	—	.17	.19	—	.25	—	.08	.16	30
31	.70	×	—	×	—	×	.67	.16	×	—	×	.01	31
TOTAL	1.95	1.40	.27	.86	2.65	1.70	2.31	3.82	.33	6.95	8.86	6.19	YEAR'S TOTAL 37.29
Days with 01 in. or more.	14	9	3	12	13	12	10	17	2	20	22	27	161
Days with 04 in. or more.	8	9	1	6	12	11	8	15	2	14	21	22	119.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Field House, Shepton Mallet.
in the County of Somerset.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
,, Ground ,, Sea Level 500 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.28	.47	—	.19	—	—	—	.10	—	—	.32	—	1
2	—	—	—	.07	—	—	—	.49	—	—	.37	—	2
3	.15	.18	—	.64	.02	—	—	.45	—	.26	—	—	3
4	.24	.09	.06	.12	—	—	—	.38	—	.27	—	—	4
5	—	—	—	.01	.13	—	—	.22	—	.23	.01	—	5
6	.01	—	.10	—	.07	—	—	.54	.27	.24	—	—	6
7	.22	.02	—	—	—	—	—	.21	.02	.24	.36	.14	7
8	—	—	—	.24	—	—	.01	.04	.07	.08	—	.16	8
9	.27	—	.34	.27	.17	—	—	.12	.06	.02	.15	—	9
10	.48	—	.14	—	.57	.02	—	.04	—	.06	—	.76	10
11	.15	—	.09	.09	.06	—	.11	.06	—	.07	—	.46	11
12	.22	—	—	.13	.19	—	—	.25	—	—	—	.16	12
13	.05	—	.22	.20	.11	—	.15	.30	.29	—	—	.22	13
14	.49	.08	.44	.16	.03	—	.03	.01	.03	.01	—	.10	14
15	.01	.01	.31	—	.04	—	.49	—	—	.34	.33	.35	15
16	—	—	—	—	—	—	.05	—	.25	.05	—	.17	16
17	—	—	—	.19	.02	—	.47	.06	.44	.08	—	.02	17
18	—	—	.01	.05	.08	—	.24	.02	.15	.13	.14	.20	18
19	—	—	.01	.19	.17	.23	.05	.04	.79	.29	.58	.03	19
20	—	—	—	.07	—	—	.43	.99	.76	.04	.38	—	20
21	—	—	.04	—	—	—	.04	.08	.05	.40	.87	—	21
22	.47	—	—	—	—	.06	—	.31	.09	.49	.36	—	22
23	.12	—	.18	.04	—	.16	.17	.01	.08	.01	.16	.08	23
24	.61	—	—	.31	.04	.03	.02	—	.16	.22	.37	.11	24
25	.04	.04	.03	.11	.64	.02	.04	—	.26	.16	.08	.09	25
26	.87	.08	—	—	.04	—	.13	—	.15	—	.28	.34	26
27	.12	—	.06	—	—	—	.07	—	.04	.26	—	.05	27
28	.11	—	.08	—	—	—	.21	—	.06	.03	.02	.34	28
29	.06	X	—	—	—	—	.20	—	.29	.21	.39	.06	29
30	.03	X	—	—	.06	.05	.03	—	—	.08	—	.32	30
31	.35	X	.18	X	.11	X	—	—	X	.11	X	.37	31
TOTAL	5.35	.97	2.29	3.08	2.55	.57	2.94	4.72	4.31	4.38	6.17	4.53	41.86
* Days with or in. or more.	22	8	16	18	18	7	19	21	20	26	17	21	213
* Days with .04 in. or more.	19	6	13	17	15	4	15	18	18	22	16	19	182.

RI

SHEPTON MALLET
PILTON
SOMERSET
1921-1930

GANIZATION.

Kept at *Springfield*
in the County of *Devon*
by *(Miss) Ida H*

AIN Gauge *5* in.
bove Ground *1* ft. *3* in.
Sea Level *354* ft.
entered to the previous day.

IMPORTANT NOTE
If an Observer prefers no
the reading at 9 a.m. on 1
this paragraph. Full instr
and particulars as to the
sent post-free on applicat
Square, London, N.W. 1.

requested to add
t at the end of
of rain gauges,
fall Observers,"
1, 62, Camden

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.02	.12			.10		.15	.15		.08	.18	1
2	.35				.01			.01	.03	.10	.34	.04	2
3	.15		.04					.06		.02	.45		3
4	.14		.02		.10			.10			.34		4
5	.02		.01		.12			.20			.34		5
6	.25		.06		.08			.02				.04	6
7	.22		.02		.26			.05			X.04	.01	7
8	.02		.15		.26			.01				.02	8
9	.01		.02	.04	.15				.04			.05	9
10	.25		.12		.02			.56	.02			.20	10
11	.15		.14		.36			.50	.92				11
12	.20		.14		.08			.21	.04			.10	12
13	.10		.20	.20	.01			.01	.20	.16	.02		13
14	.02		.06	X.01	.24		.09		.10			.14	14
15	.04		.03	X.06	.14		.08				.09	.02	15
16	.10		.08	.33				.11			.20	.08	16
17	.15		.20	.18					.28			.06	17
18	.04		.02	.03					.02	.14		.01	18
19	.02		.21	.02						.08		.10	19
20	.01		.03						.02	.08	.01	.04	20
21	.01		.01	.01							.01	.01	21
22	.04			.33						.20	.01	.32	22
23	.02			.03			.08			.38		.01	23
24	.10	.04					.20					.20	24
25	.01	.20	.05			.55		.01				.11	25
26	.40		.03									.26	26
27	.01		.02		.02		.05	.01				.25	27
28			.35				.06				.14	.10	28
29	.05		.25	.02	.38		.08	.06				.04	29
30	.80	X	.01	.01	.01		.06	.02			.10	.20	30
31	.05	X		X	.22	X		.02	X		X	.01	31
TOTAL	3.49	.26	2.48	1.30	2.46	.65	.40	2.11	1.85	1.19	2.20	2.26	21.25
Days with ".01 in. or more	30	3	26	13	17	2	8	18	11	8	14	4	58
Days with ".04 in. or more	20	2	15	6	12	2	8	10	4	4	10	19	118
YEAR'S TOTAL													21.25

REGISTER OF RAINFALL IN 192/..... 2

Kept at Springfield Pilton
in the County of Somerset
by (Miss) Ida Helena Allen

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge..... in.
Height of top of Gauge above Ground..... ft. in.
" " " " Sea Level..... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.02	.12			.10		.15	.15		.08	.18	1
2	.35				.01			.01	.03	.10	.34	.04	2
3	.15		.04					.06		.02	.45		3
4	.14		.02		.10			.10			.34		4
5	.02		.01		.12			.20			.34		5
6	.25		.06		.08			.02				.04	6
7	.22		.02		.26			.05			X.04	.01	7
8	.02		.15		.26			.01				.02	8
9	.01		.02	.04	.15				.04			.05	9
10	.25		.12		.02			.56	.02			.22	10
11	.15		.14		.36			.50	.92				11
12	.20		.14		.08			.21	.04			.10	12
13	.10		.20	.20	.01			.01	.20	.16	.02		13
14	.02		.06	X.01	.24		.09		.10			.14	14
15	.04		.03	X.06	.14		.08				.09	.02	15
16	.10		.08	.33				.11			.20	.08	16
17	.15		.20	.18					.28			.06	17
18	.04		.02	.03					.02	.14		.01	18
19	.02		.21	.02						.08		.10	19
20	.01		.03						.02	.08	.01	.04	20
21	.01		.01	.01							.01	.01	21
22	.04			.33						.20	.01	.32	22
23	.02			.03			.08			.38		.01	23
24	.10	.04					.20					.20	24
25	.01	.20	.05			.55		.01				.11	25
26	.40		.03									.26	26
27	.01		.02		.02		.05	.01				.25	27
28			.35				.06				.14	.10	28
29	.05		.25	.02	.38		.08	.06				.04	29
30	.80	X	.01	.01	.01		.06	.02			.10	.22	30
31	.05	X		X	.22	X		.02	X		X	.01	31
TOTAL	3.49	.26	2.48	1.30	2.46	.65	.40	2.11	1.85	1.19	2.20	2.26	21.25
Days with ".01 in. or more	30	3	26	13	17	2	8	18	11	8	14	4	58
Days with ".04 in. or more	20	2	15	6	12	2	8	10	4	4	10	19	118
YEAR'S TOTAL													21.25

REGISTER OF RAINFALL IN 1921.

Kept at Springfield, Pilton, Shepton Mallet
 in the County of Somerset
 by (Miss) Ida Helena Allen

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Shepton Mallet (2 miles)
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 5 in.
 " " " " Sea Level 354 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04	21	15				40	04	05	02	18		1
2	04	54	30	24	01		12			02	15		2
3	03	04	40	45	25			03			03		3
4		04	10		10		13	22		50			4
5	04		20	12			1.00			83	50		5
6	13		18	02			03	05	02	02	40	01	6
7	18		35	20		03	18	91			12	02	7
8	24		14	05			50	15			06	03	8
9	14		03				10	30			03		9
10	02							05			14		10
11	03			03	02	03		09					11
12				39		13	08	60	60			01	12
13	25			36			21		16				13
14		03	02	04					15				14
15	65	24		11									15
16	02	30		22	24			30	02			33	16
17	01	12			35		08		04			12	17
18	14	10			05			08	10		01	10	18
19	03	22	10						40			46	19
20	20	36	02									05	20
21	26	05		03			10	03				48	21
22	02	05				08	16	15					22
23		10		12		04	02		02			10	23
24	03	02	24	08	02	50		30			01	04	24
25	30	02		28		14			20			05	25
26	11	16				03	25	05	11			01	26
27	23	44	04	14		32		30	08		03	45	27
28	30	40	04					10				23	28
29	10			04		03	15			32		40	29
30	90	X	02	01		02		40	34		10	42	30
31	03	X	39	X		X	02	02	X	29	X		31
TOTAL	4.53	5.53	2.48	2.96	1.04	1.35	3.83	4.44	2.62	2.00	1.46	3.91	YEAR'S TOTAL
Days with 01 in. or more	27	19	17	19	8	11	17	20	14	7	13	18	34.48
Days with 04 in. or more	18	16	13	15	5	6	14	12	11	4	8	13	190

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Springfield Pitoh
in the County of Somerset
by (Miss) Ida H. Allen

Lat. _____ Long. _____
Time of Observation 9 o'clock
Nearest Railway Station Shepton Mallet
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 354 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	^{in.} -08	^{in.} -20	^{in.} -26	^{in.}	^{in.} -01	^{in.}	^{in.}	^{in.}	^{in.} -20	^{in.} -15	^{in.} -04	^{in.} -50	1
2	-18	-20	-06		-10			-05		-28		(halt) -01	2
3	-03		-02	-24		-04	-01	-01	-38	-50	-10	-20	3
4				-08	-03	-01			-03		-28	-25	4
5	-65		-02	-02	-38					-14	-11	-10	5
6	-46	-56	-12	-12					-02			-02	6
7	-08	-65	-10	-05					-03	-24		-33	7
8	-10	-12	-03			-01				-08	-26	-03	8
9	-15	-95				-02				-06	-02	-01	9
10	-03	-40		-22	-08	-05				-25		-10	10
11		-15		-40	(Sleet) -10					-40		-02	11
12		-34	-42	-04	(Sleet) -12	-02				-85	-03	-05	12
13	-03	-25	~~-12~~	-19	-15				-12	-42	-50	-04	13
14	-03	-02	-05	-04	-03		-01	-12	-48	-03	-09	-04	14
15	-02	-12	-03	-20	-26	-45	-12		-05	-03	-24		15
16		-15		-28	-24		(Thunder) -01	-01		-02	-21	-03	16
17		-86			-22	-01	-58	-50	-60	-08	-35	-03	17
18	-02	-50		-12	-05	-05		-10	-60	-05	-15		18
19	-12	-06					-15		-20	-25	-04		19
20		-18			-06			-01	-12	-18	-06		20
21	-02	-16			-02	-05		-03		-20		-06	21
22		-50			-01	-14		(Thunder) -35	-03	-10	-03	-03	22
23	-06	-24			-12		-30	(Thunder) -30	-24	-16		-15	23
24		-20	-30	-28	-10		-05	-08	-20	-02		-15	24
25		-54		-20			-22	-20	-12	-34		-50	25
26		-10		-04	-10			-03	-02	-44		-34	26
27		-26	-20		-20		-05	(Thunder) -64		-05		-30	27
28		-06	-20	-18	-02		-34	-15	-02	-08		-01	28
29	-04		-02	-20	-12		-05	(Sleet) -50	-01	-02	(Sleet) -02	-18	29
30	-04	X		-02	-03	-01	(Thunder) -08	-02	-01	-36		-14	30
31	-12	X	-02	X		X	-93	-16	X	-02	X	-20	31
TOTAL	2.29	4.80	1.85	2.98	2.55	.89	2.92	4.26	3.43	6.16	2.59	3.91	YEARS TOTAL 41.93
Days with 01 in. or more	19	25	15	19	23	12	13	18	20	29	17	27	237
Days with 04 in. or more	12	24	9	14	16	6	11	12	12	23	13	18	143

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.....

Kept at Shepton Mallet, Springfield Ha. Pilton
in the County of Somersetshire
by per H.A. Boys, Miss Allen

Lat..... Long.....
Time of Observation.....
Nearest Railway Station.....
Diameter of Funnel of Rain Gauge..... in.
Height of top of Gauge above Ground..... ft.
" " " " Sea Level..... ft.

37 MAR 1924

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.08	.20	.26		.01				.20	.15	.04	.50	1
2	.18	.20	.06		.10			.05		.28		.01	2
3	.03		.02	.24		.07	.01	.01	.33	.50	.10	.20	3
4				.08	.03	.01			.03		.28	.25	4
5	.65		.02	.02	.38					.14	.11	.10	5
6	.46	.56	.12	.12					.02			.02	6
7	.08	.65	.10	.05					.03	.27		.33	7
8	.10	.12	.03			.01				.08	.26	.03	8
9	.15	.95				.02				.06	.02	.01	9
10	.03	.40		.22	.08	.05				.25		.10	10
11		.15		.40	.10					.70		.02	11
12		.34	.42	.07	.12	.02				.85	.03	.05	12
13	.03	.25	.05	.19	.15				.12	.42	.50	.07	13
14	.03	.02	.03	.04	.03		.01	.12	.78	.03	.09	.04	14
15	.02	.12		.20	.26	.45	.12		.05	.03	.27		15
16		.15		.28	.24			.01		.02	.21	.03	16
17		.86			.22	.01	.58	.50	.60	.08	.35	.03	17
18	.02	.50		.12	.05	.05		.10	.60	.05	.15		18
19	.12	.06					.15		.20	.25	.07		19
20		.18			.06			.01	.12	.18	.06		20
21	.02	.16			.02	.05		.03		.20		.06	21
22		.50			.01	.14		.35	.03	.10	.03	.03	22
23	.06	.27	.30		.12		.30	1.30	.24	.16		.15	23
24		.20		.28	.10		.05	.08	.20	.02		.15	24
25		.54		.20			.22	.20	.12	.37		.50	25
26		.10		.07	.10			.03	.02	.44		.37	26
27		.26	.20		.20		.05	.64		.05		.30	27
28		.06	.20	.18	.02		.37	.15	.02	.08		.01	28
29	.07		.02	.20	.12		.05	.50	.01	.02	.02	.18	29
30	.04	~~X~~		.02	.03	.01	.08	.02	.01	.36		.17	30
31	.12	~~X~~	.02	~~X~~		~~X~~	.93	.16	~~X~~	.02	~~X~~	.20	31
TOTAL	2.29	7.80	1.85	2.98	2.55	.89	2.92	4.26	3.73	6.16	2.59	3.91	41.93
Days with ".01 in. or more	19	25	15	19	23	12	13	18	20	29	17	27	237
Days with ".04 in. or more	12	24	9	17	16	6	11	12	12	23	13	18	173

FORM 1090

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924.

Kept at Pilton
in the County of Somerset
by Miss E. M. Allen

Lat. _____ Long. _____

Time of Observation 9.0 am.

Nearest Railway Station Shepton Mallet

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 354 ft.

8-1795
JAN 1925

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.
Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02					.16	.05	.06			1.02	.53	R.W.R
2	~~.02~~		(Snow.) .20		.30		.22			.05		.02	~~0.4~~
3	.18		(Snow.) .12			.20	.17	.33		.04			3
4			(Sleet.) .03	.02		.40		.13				.37	4
5			.04		.04		.06	.01	.03	.38		.06	5
6					.08	.03		.10	.06	.46			6
7	.03				.28	.17	.02		.53	1.09			7
8	(Snow.) .20	.05		.07	.09				.12	.06			8
9	(Snow.) .12	.01		(Sleet.) .02	.04	.25				.04			9
10	(Snow.) .20	.14		(Snow.) .21	.88	.72			.07	.11	.08		10
11	Gauge broken (.18)			.38	.65	.37			.04	.06	.58		11
12	.24	.03		.05	.10	.20		.25	.09		.01		12
13	.17			.70			.03	.05	.64		.03	.23	13
14	.01			.02				.62			.04	.32	14
15		(Sleet.) .28						.24	.05			.63	15
16	.16							.42	.03				16
17	.23				.10	(Thunder) .26	.59	.64	.05			.02	17
18	.47	.01			(Thunder) .45		.55	1.04		.13	.02	.03	18
19	(Thunder + hail.) .19	.04			.17	(Thunder) .40	.04	.12	.15	.10			19
20	.11		(Snow.) .02		.40	.01	.37	.21	.44	.40			20
21	.90		.02		.25	.14	.07	.11	.04	.49	.02		21
22	.55		.55		.30		1.22	.66	.30			.08	22
23	.02		.18		.15		.04	.06	.15			.35	23
24	.55	(Ice.) .07	.17	.18	.16			.01	.17		.01	(Thunder) .29	24
25	.02		.20	.15			.42	.08	.28	.18	.37	.07	25
26	.01	(Snow.) .03		.17			.03	.08		.14	.68	.38	26
27		(Snow.) .07		.70			.70	.02		.80	.03	.16	27
28				.01			.75	.30		.14	.25	.19	28
29	.01	.03		.34			.07	.42	.03	.75	.30	.29	29
30		X		.10	.50			.09	.12	.55	.18	.26	30
31	.02	X		X	1.80	X	.07	.01	X	.18	X	.44	31
TOTAL	4.76	.76	1.53	3.12	6.74	2.91	5.47	6.06	3.39	6.15	3.62	4.72	49.05
Days with ".01 in. or more	24	11	10	15	19	12	19	25	20	20	15	19	209
Days with ".04 in. or more	15	6	7	10	19	10	16	21	17	20	9	16	167
YEAR'S TOTAL													168

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at Springfield House - Pillory
 in the County of Somerset

Observers are requested to read the instructions
 printed overleaf before filling in this form.

Every Observer should fill in section C
 overleaf.

Diameter of Funnel of Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 3 in.
 „ Ground „ Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the
 following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.56		.10		.04	.02		.02	.04		.44	.01	1
2	~~.08~~	.10		.02							.39		2
3	.08	.15			.44				.02		.05		3
4	.03			.14	.08			.01			.60		4
5	.06	.24		.48	.16			.24	.40		.02		5
6		.01		.02	.24		.48	.30	.03		.45		6
7		.41		(Thunder) .02	.64						.11	.28	7
8	.25	.01	(Snow)		.15		.10	.33	.13		.02	.16	8
9		.05	.02	.08	.14		.08	.24	.11			.05	9
10		.04	.04		.02			.03				.01	10
11		.34						.41					11
12	.02	.42		.02				.02					12
13	.02	.11	.16	.18	.01						.14	.05	13
14	.28	.24		.38									14
15	.03	.01		.10					.10			.02	15
16	.03	.22								.18			16
17		.03		.03	.01				.03	.01			17
18		.01		.28	(Heavy Thunder) .59				.10	.03			18
19		.01		.04				.44	1.26	.95		.65	19
20			.06					1.21	.40	.99		.05	20
21							.44	.35	.21	.32		.21	21
22	.03	.24		.15	.02		.13	.65	.64	.49		.34	22
23	.04		.04	.12	.04		.06	.05	.01	.18	.06	.05	23
24	.22	.30		.12	.03			.04		.05		.13	24
25	.35	.53	.06	(Heavy Thunder) .03	.01		.19		.44	.12		.15	25
26	.16	.33		.03	.45		1.44	.65	.02	.21		.15	26
27	.08	.06		0	.10		.60	.02	.02	.01	.01	.10	27
28	.20	.06		.02	.14		.04	.01	.13	.05	.01	.30	28
29	.16			.06	.13		.19		.05		.23	.25	29
30		X		.02	.02		.20			.14	.08	.43	30 946
31	.18	X	.11	X	.03	X	.14		X	.10	X	.02	31 24
TOTAL	2.94	4.01	.59	2.61	3.61	.02	4.04	5.35	4.50	3.16	2.64	3.41	34.24
Days with ".01 in. or more.	20	23	8	20	22	1	13	18	19	15	14	20	193
Days with ".04 in. or more.	14	14	4	12	14	—	13	12	13	12	10	16	140

(Signed)..... (P.T.O.)

REGISTER OF RAINFALL IN 1926.

Kept at *Springfield House (Pilton) Shepton Mallet.*
in the County of *Somerset*

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....1 ft.....6 in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Corr. for anem.
Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.69	.18	.01		.05	.44					.85		1
2	.91	.02				.20			.04		.02		2
3	.20	.14	.29									.01	3
4	.14	.16	.19	.12							.22	.08	4
5	.11	.11	.25		.31	.01	.32		.26	.06	.03	.24	5
6	.18	.05	.02	.09	.10		.61	.10	.11	.09	.42		6
7	.08	.04		.24	.12	.24			.28		.24	.10	7
8		.02	.03	.19	.03	.11	.03	.29	.01	.16	.14		8
9			.10		.01	.35	.09	.34		.14	.05		9
10					.36	.15	.03	.81		.06	.43		10
11					.69	.80		.36	.11	.13	.03		11
12					.24	.28		.09	.03	.34	.11	.02	12
13		.01				.09		.20	.10	.22	.30	.03	13
14	.05	.26		.33	.30	.02		.03	.05	.40	.02	.03	14
15	.13	.02		.09	.01			.02	.06	.21	.18		15
16	.32	.08		.59		.06		.04	.01	.02	.13	.02	16
17	.12	.65		.19		.50	.26	.11			.54	.13	17
18	.24	.19		.12			.46	.15			.33		18
19		.02		.01		.09	.31	.06			.44	.02	19
20				.25				.20			.26		20
21	.10			.10	.05		.21	.02		.28	.05		21
22	.53	.05		.04			.01			.32	.02		22
23	.03							.02	.01				23
24			.02		.01			.01		.43		.03	24
25	.16		.01	.35					.21	.44	.18	.04	25
26		.06	.03	.03	.14		.09		.35		.25		26
27	.09	.11	.01	.9	.04		.03		.10	.13			27
28	.24			.06	.02		.16			.45	.30		28
29	.18			.18	.25					.01	.08		29
30	.11	X		.11	.63			.05			.20		30 37.45
31	.24	X		X		X			X		X		31 37.45
TOTAL	4.39	2.20	.90	3.21	3.42	3.30	3.66	2.86	1.76	4.22	6.94	6.5	YEAR'S TOTAL 5 32.48
Days with "01 in. or more.	24	18	11	21	18	31	13	18	15	18	26	8	203
Days with "04 in. or more.	20	13	4	12	14	11	12	19	11	16	21	4	134

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1927.

Kept at Springfield C. 103
 in the County of Somerset
 by (Miss) E. B. Allen

Lat. _____ Long. 9 24 40
 Time of Observation _____
 Nearest Railway Station Shepton Mallet 4 1/2 miles
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground 1 ft. 3 in.
 " " " " Sea Level 354 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-.08	1.28	-.18				1.25		-.01	-.10	-.95		1
2			-.04	-.15	-.08					-.05	-.03		2
3	.14	-.02	.10		-.05	-.05	-.10				-.01		3
4	-.08		-.08	-.09	-.06		-.09				-.14		4
5	-.09	-.12	-.44	-.48		-.08	-.04				.34		5
6	-.13		-.46	-.45			-.01	-.11	-.63		-.05		6
7		-.10	-.03	-.08		-.46	-.21	-.12					7
8	-.06		-.01	-.21	-.04		-.04	-.12	-.16			-.01	8
9			-.03	-.02	-.91		-.05	-.19	-.55			-.13	9
10	-.02					-.03		-.39	-.04				10
11	-.03			-.01			2.08	-.06			-.04		11
12	-.09		-.01				-.36	-.31					12
13	-.45			-.09			-.04	-.28	-.40	-.03	-.04	-.29	13
14	-.13			-.36	-.04		-.03	-.21	1.09			-.02	14
15	-.02				-.36			-.68	-.38		-.12	-.03	15
16	-.03				-.41	-.41		-.03	-.21	-.01	-.02		16
17	-.04		-.09			-.13		-.36	-.12		-.01		17
18						-.28			-.03	-.03	-.52		18
19	-.36					-.01	-.02	-.41	-.01	-.09	-.54		19
20	-.28	-.12			-.03	-.08	-.36	-.30	-.04	-.02	-.26	-.30	20
21	-.10	-.16	-.01			-.28	-.04	-.04	-.49	-.49	-.01	-.59	21
22	-.11	-.35	-.59	-.04		-.09	-.03	-.16	-.36	-.59		1.13	22
23	-.02	-.43	1.19	-.03		-.40	-.01		-.63		-.32	-.24	23
24	-.05	-.04	-.65			-.05	-.19	-.24	-.13	-.13	-.02	-.42	24
25	-.05	-.35	-.25			-.21	-.01		-.02			-.22	25
26	-.15	-.49	-.09			-.03	-.15		-.42	-.16			26
27	-.05	-.12	-.02		-.14	-.25	-.52			-.01			27
28	1.45	-.15	-.15			-.06	-.09		-.11	-.49	-.33		28
29	-.03		-.11			-.04	-.01		-.80	-.01	-.02		29
30	-.01	X	-.09			-.09	-.03	-.01	-.11	-.02	-.02		30
31	-.13	X	-.35	X		X	-.09	-.04	X	-.23	X	-.20	31
TOTAL	3.47	4.09	3.94	2.01	2.15	3.34	5.83	4.12	6.44	2.46	3.95	3.58	YEAR'S TOTAL 46.01
Days with .01 in. or more	264	144	226	128	104	193	258	192	224	164	208	123	217 53
Days with .04 in. or more	19	13	16	9	9	16	14	14	18	9	12	9	164

Section **A** for the entry of Daily Observations.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Springfield House, Piltsz.

in the County of Somerset

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 3 in.

„ Ground „ Sea Level.....384 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46	.01	.01										1
2	.20	.16	.11	.19			.09	.01				.09	2
3	.01	.04		.24			.20	.42					3
4		.22				.03		.03		.41		.03	4
5	.16	.22	.10	.09	.04	.03	.09		.06	.62		.06	5
6	.11		.08			.50			.05			.16	6
7	.03	.03	.05	.03		.03		.14		.09		.05	7
8		.06		.04		.44	.10		.03	.29			8
9	.01	.02	.05	.11		.08		.03	.21	.03			9
10	.34	.31	.02	.06		.11		.06		.40	.39	.10	10
11	.01		.02	.03		.01		.06		.35	.10	.19	11
12	.24	.40						.13		.03	.03	.03	12
13		.09		.01		.34		.01			.02		13
14	.09	.40		.34	.09	.30		.38		.59	.36		14
15	.09	.01	.02	.05		.01		.02		.05	.25		15
16		.22	.11	.01		.06				.15	.42	.23	16
17	.03	.01		.01	.59	.09				.05	.08		17
18	.45		.02	.01	.03	.19				.10	.03	.03	18
19			.10	.01	.04	.23		.04		.40	.11	.04	19
20	.26		.26		.02	.01		.45			.11		20
21	.42		.12	.01	.35	.08		.04		.09	.63	.02	21
22			.12					.02		.44	.42	.14	22
23	.38		.14	.01			.10	.06		.10	.42	.02	23
24	.09		.11					.02	.10	.03	.11	.22	24
25	.08		.06			.03				.06	.08	.41	25
26	.20		.06			.09	.10	.45		1.10	.02	.15	26
27	.04		.16	.13		.10	.88	.22	.09	.33	.03	.90	27
28	1.06		.26		.05	.09	.04	.04	.51			.14	28
29	.12	.20	.46			.22	.02	.08		.08	.01	.04	29
30	.15	X	.08			.11	.28			.03		.15	30
31	.36	X	.16	X		X	.54		X		X	.02	31
TOTAL	6.05	3.00	2.68	1.34	1.25	3.18	2.42	2.80	1.05	5.45	3.92	3.52	31.34.11
Days with ".01 in. or more.	25	16	24	18	8	23	11	21	7	23	19	22	62.17
Days with ".04 in. or more.	20	11	19	8	5	16	10	14	6	18	13	15	165

Section



for the entry of Daily Observations.

1942
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Springfield House, Pilton

in the County of Somerset

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 7 ft. 6 in.

Ground Sea Level 354 ft.

Circ O.I. sent 3.2.30

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.36			.16	.08		.01		.36		.09	1
2		.25				.01	.11			.06	.02	.24	2
3				.01	.01	.21	.21	1.16		.01		.18	3
4				.10	.44		.01	.94		.23		.44	4
5					.60	.45	.32	.50		1.64	.48	.11	5
6		.08			.14	.03	.01	.10		.18	.08	.44	6
7					.02	.06		.01		.48	.54	.44	7
8		.03			.22	.05		.09		.15	.03	.21	8
9	.12	.32			.01			.01		.05	.14	.30	9
10	.08			.03	.02					.01	.04	.55	10
11		.04		.03	.20			.08		.05	.46	.09	11
12				.10	.02	.26					.18		12
13	.03			.04	.08	.04						.06	13
14					.22	.34						.22	14
15		.15				.14					.45	.02	15
16						.01		.06			.01		16
17	.04							.01		.09			17
18	.04							.44		.03	.68		18
19									.02	.01	.26	.04	19
20	.03							.08		.53		.39	20
21	.02		.14				.04	.06			.01	.04	21
22		.04						.21		.01	.63	.03	22
23					.06		.03	.01		.03	.26	.61	23
24			.03					.12		.49	.43	.35	24
25		.09	.03	.02							.09	.03	25
26		.04		.02	.06						.13	.20	26
27	.09			.13	.10		.02			.10	1.12	.18	27
28	.26			.13			.55	.06			.39	.50	28
29	.36			.16			.01		.06	.68	.34	.16	29
30	.03	X		.05			.10		.21		.04	.18	30
31	.61	X		X		X	.64	.20	X		X	.03	31
TOTAL	1.44	1.43	.23	.82	2.42	1.44	2.08	3.98	.29	5.22	4.44	5.20	YEARS TOTAL
Days with ".01 in. or more.	124	104	32	124	164	128	124	194	34	204	234	274	164
Days with ".04 in. or more.	8	9	14	4	11	9	4	14	2	14	19	23	124

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Springfield House, Pilton
in the County of Somerset

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground 1 ft. 3 in.
,, Ground ,, Sea Level 354 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.21	.34		.25				.09			.19		I
2	.02	.01		.05			.06	.31			.26		2
3	.18	.20		.45				.52		.20			3
4	.21	.04		.05	.01			.01		.21			4
5	.02		.05		.03			.16		.12			5
6	.01		.09					.49	.18	.14		.02	6
7	.12				.10			.20	.03	.23		.10	7
8	.02			.23	.05		.01	.02	.09	.03	.23	.13	8
9	.23	.01	.30					.05	.03	.01	.01		9
10	.39		.10							.05	.11	.83	10
II	(April) .13	.01	.02		.13		.06	.16		.04		.15	II
12	.23				.50		.08	.05				.14	12
13	.05		.19	.11	.04			.16	.22			.08	13
14	.46	.06	.32	.12	.19			.16	.02	.01		.04	14
15	.06		.35	.21	.10		.44		.01	.22		.38	15
16	.02		.01	.11	.05		.04		.21	.03		.12	16
17	.01		.04		.03		.04	.06		.05			17
18	.01		.02	.11			.30	.02	.40	.10	.13	.16	18
19				.12	.01	.16	.10	.05	.42	.25	.48	.03	19
20				.02	.08	.01	.32	.22	.42	.03	.41		20
21			.04	.01	.13		.02	.02	.03	.33	.83		21
22	.32			.06		.06		.28	.03	.42	.05		22
23	.10		.04			.14	.12		.06	.01	.22		23
24	.40			.04		.09	.03		.22	.25	.15	.10	24
25	.05	.03	.03	.03		.08	.04		.02	.15	.05	.29	25
26	.65	.06	.03	.29	.05		.08		.14	.01	.25	.08	26
27	.06		.01	.12	.52		.08		.03	.12		.03	27
28	.10		.05		.13		.20		.03	.05	.43	.29	28
29	.05		.01				.35		.18	.08	.18	.05	29
30	.03	X	.09			.04	.05			.02		.21	30
31	.30	X	.05	X	.02	X			X	.19	X	.22	31
TOTAL	4.49	.26	1.04	2.48	2.22	.58	2.42	3.58	2.92	3.46	4.28	3.50	32.63
*Days with or in. or more.	28	9	20	18	18	7	19	19	20	27	16	20	32
*Days with .04 in. or more.	20	5	14	15	13	6	16	15	11	18	15	12	163

Kept at Pondsmead
in the County of ...
by R. A. A.

POND SM EAD - SHEPHERD MALLETT

1928 - 1930.

IMPORTANT NOTE
previous day. If an Observer
to add the reading at 9 a.m.
this paragraph. Full instructions
particulars as to the British
on application to THE SUPERINTENDENT,
Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Gauge ... in.
Ground ... ft. in.
Sea Level 710 ft.
and the result entered to the
stly requested
at the end of
in gauges, and
sent post-free
Air Ministry,
Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	0.66	0.29	0.01	0.09			0.04	0.05	0.19			1
2	0.26	0.50	0.04					0.03	0.31	0.37		0.78	2
3	0.02		0.07			0.04			0.24		0.78		3
4												0.37	4
5	0.69		0.06	0.05	0.47					0.19	0.10	0.08	5
6	0.46	0.68	0.25							0.06			6
7	0.11	0.84	0.27	0.20						0.44			7
8	0.22	0.15	0.03			0.11				0.36	0.28	0.46	8
9	0.27	1.13								0.04		0.03	9
10	0.02	0.57		0.28	0.22	0.08				0.27		0.20	10
11		0.08		0.42	0.29					0.62			11
12		0.26	0.44	0.10	0.27					0.81	0.38		12
13	0.05	0.20		0.26	0.13				0.16	0.77	1.36	0.04	13
14	0.03		0.04	0.07				0.01	0.75	0.04	0.14	0.07	14
15		0.14	0.04	0.15	0.29	0.37	0.16		0.02	0.02	0.45		15
16	0.02	0.21		0.07	0.03						0.22		16
17		0.69					0.80	0.98	0.60	0.08	0.42	0.03	17
18	0.04	0.37		0.17		0.04		0.12	0.19	0.05		0.03	18
19	0.24	0.03			0.03		0.17	0.03	0.39	0.28	0.08	0.02	19
20	0.01	0.26			0.09				0.14	0.27			20
21		0.26			0.02	0.04		0.18	0.08	0.47			21
22	0.03	0.54			0.05			0.11	0.10	0.30		0.12	22
23	0.02	0.36	0.31		0.10		0.42	1.34	0.28	0.24			23
24	0.03	0.73		0.27	0.26		0.35	0.02	0.24	0.02			24
25		0.55		0.48	0.01	0.03	0.20	0.27	0.19	0.37		0.95	25
26		0.10			0.04	0.05	0.10			0.55			26
27		0.45	0.20		0.10			1.49		0.04		0.38	27
28	0.05	0.47	0.20	0.20	0.07		0.21	0.15		0.08			28
29	0.04	X		0.30	0.09		0.10	0.65		0.04		0.22	29
30	0.12	X		0.04			0.18	0.03	0.04	0.30		0.19	30
31	0.28	X	0.06	X		X	0.57	0.31	X		X	0.20	31
TOTAL	3.12	9.33	2.27	3.24	2.44	7.6	2.72	5.63	3.78	6.20	4.31	4.96	48.96
Days with 0.1 in. or more	22	24	14	17	19	8	12	18	16	28	11	20	206
Days with 0.4 in. or more	14	23	13	16	15	7	11	12	15	26	11	16	179

REGISTER OF RAINFALL IN 1923.

Kept at Poulsboom Oakville
 in the County of Somerset
 by R. A. McChesney

Lat. _____ Long. _____
 Time of Observation 9.45 am
 Nearest Railway Station Brigsteep
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 710 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.11	0.66	0.29	0.01	0.09	.	.	0.04	0.05	0.19	.	.	1
2	0.26	0.50	0.04	.	.	.	.	0.03	0.31	0.37	.	0.75	2
3	0.02	.	0.04	0.07	.	0.04	.	.	0.24	0.45	0.10	0.21	3
4	.	.	.	.	.	.	.	.	.	.	0.75	.	4
5	0.69	.	0.06	0.05	0.47	.	.	.	.	0.19	0.10	0.37	5
6	0.46	0.68	0.25	.	.	.	.	.	.	0.06	.	0.08	6
7	0.11	0.84	0.27	0.20	.	.	.	.	.	0.44	.	.	7
8	0.22	0.15	0.03	.	.	0.11	.	.	.	0.56	0.25	0.46	8
9	0.27	1.13	.	.	.	.	.	.	.	0.04	.	0.03	9
10	0.02	0.57	.	0.28	0.22	0.08	.	.	.	0.27	.	0.20	10
11	.	0.08	0.13	0.42	0.09	.	.	.	.	0.62	.	.	11
12	.	0.26	0.44	0.10	0.27	.	.	.	.	0.81	0.38	.	12
13	0.05	0.20	.	0.26	0.13	.	.	.	0.16	0.17	1.36	0.04	13
14	0.03	.	0.04	0.07	.	.	.	0.01	0.75	0.04	0.14	0.07	14
15	.	0.14	0.04	0.15	0.29	0.37	0.16	.	0.02	0.02	0.45	.	15
16	0.02	0.21	.	0.07	0.03	.	.	.	.	.	0.22	.	16
17	.	0.69	.	.	.	.	0.50	0.98	0.60	0.08	0.42	0.03	17
18	0.04	0.37	.	0.17	.	0.04	.	0.12	0.19	0.05	.	0.03	18
19	0.24	0.03	.	.	0.03	.	0.17	0.03	0.34	0.28	0.08	0.02	19
20	0.01	0.26	.	.	0.09	.	.	.	0.14	0.27	.	.	20
21	.	0.26	.	.	0.02	0.04	.	0.18	0.08	0.47	.	.	21
22	0.03	0.54	.	.	0.05	.	.	0.11	0.10	0.30	.	0.12	22
23	0.02	0.36	0.31	.	0.10	.	0.42	1.34	0.28	0.24	.	.	23
24	0.03	0.13	.	0.37	0.16	.	0.05	0.02	0.24	0.02	.	0.24	24
25	.	0.55	.	0.48	0.01	0.03	0.20	0.27	0.19	0.37	.	0.95	25
26	.	0.10	.	.	0.04	0.05	0.10	.	.	0.55	.	0.34	26
27	.	0.45	0.20	.	0.10	.	.	1.49	.	0.04	.	0.38	27
28	0.05	0.47	0.20	0.20	0.07	.	0.21	0.15	.	0.08	.	.	28
29	0.04	X	.	0.30	0.09	.	0.10	0.65	.	0.04	.	0.22	29
30	0.12	X	.	0.04	.	.	0.18	0.03	0.04	0.30	.	0.19	30
31	0.28	X	0.06	X	.	X	0.57	0.31	X	.	X	0.20	31
TOTAL	3.12	9.33	2.27	3.24	2.44	76	2.72	5.63	3.78	6.20	4.31	4.96	48.96
Days with 0.1 in. or more	22	24	14	17	19	8	12	14	16	28	11	20	48.96
Days with 0.4 in. or more	14	23	13	16	15	7	11	12	15	26	11	16	206
													179

Pondsmead, Oakhill

FORM 1090

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at

in the County of

by

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

Sea Level

1743

25

ft.

ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.01		0.05	0.14	0.08	0.13			1.48	0.38	1
2	0.15		0.45		0.44		0.29			0.06		0.04	2
3	0.15		0.15		0.02	0.32	0.29	0.39					3
4						0.48	0.03	0.22	0.03			0.55	4
5			0.12				0.23	0.04	0.03	0.40		0.06	5
6					0.09		0.32	0.12	0.04	0.64			6
7	0.03				0.37	0.12	0.02		0.44	1.62			7
8	0.18	0.07		0.04	0.03		0.01		0.16	0.04			8
9	0.06	0.02		0.07	0.03	0.23			0.09	0.06			9
10	0.34	0.15		0.10	1.10	0.95			0.27	0.14	0.66		10
11	0.26			0.57	0.75	0.38			0.09	0.10	0.51		11
12	0.26			0.15	0.12	0.42		0.20	0.16				12
13	0.22			0.94					0.69		0.03	0.27	13
14				0.03				0.50				0.14	14
15		0.13						0.07	0.08			0.64	15
16	0.19							0.37	0.14				16
17	0.31					0.11	0.96	0.45	0.11			0.01	17
18	1.19				0.74		0.18	1.23		0.14	0.02	0.08	18
19	0.33				0.08		0.08	0.12	0.15	0.38			19
20	0.11				0.54		0.41	0.09	0.52	0.53			20
21	0.90				0.31	0.19	0.02	0.13	0.05	0.53	0.01		21
22	0.52		1.00		0.02		0.13	0.86	0.42			0.04	22
23			0.30		0.43		0.66	0.21	0.17			0.47	23
24	0.69	0.17	0.29	0.22	0.14				0.05			0.25	24
25			0.04	0.20	0.09		0.35	0.06	0.40	0.19	0.43	0.09	25
26				0.23			0.02	0.01	0.23	0.16	0.84	0.57	26
27		0.03		0.91			1.14			1.34	0.02	0.35	27
28				0.03			0.73	0.32		0.29	0.31	0.23	28
29		0.03		0.64	0.07		0.11	0.81	0.03	1.10	0.34	0.36	29
30		X		0.28	0.44			0.24	0.15	0.54	0.23	0.50	30
31		X		X	1.72	X	0.02	0.11	X	0.19	X	0.67	31
TOTAL	5.89	1.60	2.39	4.41	7.58	3.34	5.58	6.71	11.50	8.45	4.21	5.73	150.92
Days with 0.1 in. or more	17	7	8	14	21	10	21	22	23	19	12	19	59.36
Days with 0.4 in. or more	16	4	7	12	7	10	15	21	20	14	9	11	193

Section



for the entry of Daily Observations.

✓ 17608

FOR OFFICIAL USE.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1785

Register of Rainfall in 1925.

Kept at Pondmear Oakhill

in the County of Somerset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

" Ground " Sea Level 710 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.72		.05		.14			.06	.04		.66		1
2	.39	.32		.04							.50		2
3	.12	.38			.53				.06		.14		3
4	.08			.23	.09		.08				.63		4
5	.12	.48		.97	.19		.02	.28			.10		5
6		.02			.34		.52	.16			.59		6
7		.70			.66						.13	.40	7
8	.34	.03	.04		.11		.27	.48			.01	.25	8
9		.10		.10	.21		.08					.14	9
10		.21	.05					.07					10
11		.39			.07			.07					11
12		.53						1.49		.02			12
13	.04	.15	.17	.18									13
14	.42	.34		.79							.12		14
15	.04			.15						.02		.06	15
16		.08								.24			16
17		.01		.04			.10			.10			17
18		.03		.34	.80		.01		1.25	.03			18
19		.01		.04			.05	.03	1.83	1.81		.85	19
20			.15				.06	.65	.76	.52		.05	20
21							.43	.42	.19	.38		.07	21
22	.09	.35		.22	.05		.17	.30	.90	.85		1.17	22
23	.07		.03	.27	.09		.09	.13	.02	.17			23
24	.31	.37		.03	.07					.15	.07	.30	24
25	.42	.86	.09		.15		.24		.57	.13		.25	25
26	.20	.48		.04	.58		1.41	.68		.41		.37	26
27	.08	.32			.16		1.33			.04	.05	.15	27
28	.26	.10			.03			.02	.14	.19	.02	.80	28
29	.51			.03	.29		.38		.02		.36	.34	29
30	.02	X		.06	.05		.28	.01		.18	.14	.11	30
31	.21	X	.12	X	.28	X	.14		X	.11	X	.17	31
TOTAL	4.44	6.26	.70	3.53	4.89	-	5.66	4.85	5.78	4.85	3.52	5.48	49.96
Days with 0.1 in. or more.	19	22	8	16	20	-	18	15	18	17	14	16	183
Days with 0.4 in. or more.	18	17	7	14	19	-	16	12	14	14	12	16	159

(Signed)..... [P.T.O.]

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1926.

Kept at Pondmead Oakhill

in the County of Somerset

Diameter of Funnel of Gauge 8 in.

Height of top of Gauge above Ground 1 ft. in.

„ Ground „ Sea Level 710 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	95	20	3		4	43			3		95		1
2	23	4				23			9		3		2
3	26	19	35									2	3
4	33	17	22	38			1		55		44	5	4
5	15	17	43		36		53	11		3	9	21	5
6	18	4	4	5	13		44			7	50		6
7	7	5		19	20	22			95		30	6	7
8		4	6	20	1	6	3	17		22	33		8
9			16		70	43	4	54		6	5		9
10						15	9	30		3	53		10
11					57	123		65	21	25	6		11
12					26	17			4	85	29	3	12
13		2				3		33	20	41	38		13
14	11	57		55	11	8		3	2	70	2	10	14
15	9	3		10	1			1	28	27	31		15
16	22	24		62		3		7	2		19		16
17	15	13		3		77	170	6			59	8	17
18	40	24		8			25	24			50		18
19	2	12		6		2	36	9			36	2	19
20	2			39		3		25	2		36		20
21	14			5	14		26	11		44	11		21
22	88	5		14				2		29	1		22
23	8	3						6					23
24	6		3				14	3	2	75		4	24
25	25			40						46	24	6	25
26		3			18		24		38		29		26
27	10	18	3	13	16		3		20	21			27
28	31			6	3		13			70	34		28
29	20			20	35						20		29
30	16	X		13	37			15	X		16		30
31	36	X		X		X					X		31
TOTAL	572	541	353	763	663	923	4253	2233	3813	7413	6313	6713	YEARS TOTAL
Days with 01 in. or more.	24	19	9	18	15	14	14	13	14	16	26	10	198
Days with 04 in. or more.	22	15	6	17	13	10	11	14	9	14	23	7	161

(Signed) W. A. Kellum

A

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

1764

Kept at Pondsmead, Oakhill
 in the County of Somerset
 Diameter of Funnel of Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. in.
 „ Ground „ Sea Level 710 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-12	1-41	-12				-27	-10		-31	1-69		1
2	-2		-10	-16	-10					-17	-4		2
3	17	9	16		7	34	19				4	4	3
4	15		14	23	6	18	15				7	1	4
5	26	26	62	48		22	5				83		5
6	18		47	42			3	14	40		10		6
7		15	2	17		38	20	20				1	7
8	7		2	21			2	19	30			1	8
9				3	28		10	15	61			22	9
10	2			3		2		10	3				10
11	7			3			96	14			4		11
12	26						63	36					12
13	60			18			3	26	42	15	7	32	13
14	10			30	11	4	5	38	52	1		8	14
15	4				23			48	43				15
16	2				34	88		2	33		7		16
17	20		22			28		55	23		2		17
18			1			40			6	3	44		18
19			1			2	7	50		14	65		19
20	10	40			6	10	29	42	20		35	25	20
21	10	10	2		5	17	20	11	52	49	5	66	21
22	43	24	65	10		19	5	35	24	40		1-25	22
23	2	90	18			45		2	91		60	24	23
24	13	18	1-24	5		7	8	42	38	34		52	24
25	12	40	33			40	3	4		22		24	25
26	21	43	21			11	31		26	2		10	26
27	4	14	2		11	33	37			43			27
28	1-54	18	18			19	11		13	3	39		28
29	11	X	22			8	6		59	5	6		29
30		X	3			15	3		24	25	4		30
31	22	X	42	X		X	3	3	X		X	31	31
TOTAL	5-34	5-21	5-42	2-39	1-44	4-90	5-01	4-96	8-43	3-64	5-88	4-26	YEARS TOTAL
Days with 01 in. or more.	26	13	22	13	10	21	24	21	19	15	18	15	217
Days with 04 in. or more.	22	13	15	10	10	19	18	18	18	11	14	12	183

Please read the Notes and Instructions Overleaf.

By a Hobhouse

FORM 1090. AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Parsonal Oakhill
in the County of Somerset
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
„ Ground „ Sea Level 710 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.10	.5	.3										1
2	.22	.27	.29	.20			.9	.2			.31		2
3	.2	.5		.60			.24	.45			.15		3
4	.15	.35		.11		.7				.50	.16	.4	4
5	.33	.24	.10	.9	.16	.2	.10		.9	.44		.13	5
6	.10		.8		.2	.44			.10	.1		.15	6
7	.19	.11	.4	.4		.4		.22		.11			7
8	.2	.18		.5		.54	.13		.9	.36			8
9	.7	.4	.5	.12		.13		.2	.18	.83		.6	9
10	.38	.34		.9		.12		.6	.2	.43	.54	.12	10
11	.3	.1	.4	.9		.7		.5		.63	.16	.34	11
12	.85	.75	.5					.26		.2	.5	.5	12
13		.19		.3	.8	.49		.1			.2		13
14	.33	1.09		.54		.12		.20		.53	.50		14
15	.15	.8	.2	.5		.4				.4	.38		15
16		.27	.12	.1						.23	.57	.35	16
17	.5		.1		.44	.3				.3	.8		17
18	.65		.2		.2	.16				.13	.9	.4	18
19	.1		.13		.13	.14		.24		.53	.15	.10	19
20	.69		.42		.12			.46			.23	.2	20
21	.83		.23		.13	.11		.27			.86	.16	21
22			.21					.2		.52	.88		22
23	.66		.27		.13		.2	.13		.18	.56	.2	23
24	.7		.15					.2	.13	.1	.19	.27	24
25	.14		.16			.8	.11	.4		.3	.3	1.04	25
26	.26		.14		.2	.26	.16	.40	.12	1.20	.1	.10	26
27	.4		.14	.16			.69	.5		.50	.3	1.02	27
28	.97		.34		.4	.4	.7	.33	.97			.21	28
29	.14	.27	.84			.24	.2	.3		.29	.2	.14	29
30	.12	X	.11			.4	.47			.2		.20	30
31	.52	X	.28	X		X	1.18		X		X	.2	31
TOTAL	9.09	4.29	4.27	2.18	1.29	3.18	3.12	3.28	1.70	7.57	6.08	4.48	YEAR'S TOTAL 50.53
Days with ".01 in. or more.	28	16	25	14	11	20	12	20	8	23	22	21	220
Days with ".04 in. or more.	24	15	21	12	8	18	9	14	7	17	17	17	179

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION,

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at "Pondemud" Oakhill.
in the County of Somerset

Diameter of Funnel of Gauge.....8 in.
Height of top of Gauge above Ground.....1 ft in.
,, Ground ,, Sea Level 710 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I		.48		..1	.12	..9			..4	.66		.10	I
2		.23				..4	.10			.33	.6	.45	2
3					.2	.11	.24	1.69		.3		.19	3
4				.11	.45		..1	.59		.4		.58	4
5					.49	.64	.51	.58		2.11	.92	.21	5
6		..4			.18	.11		.16		.34	.9	.55	6
7						..2		.3		.60	.80	.66	7
8		..3			..4			.7		.15		.33	8
9	.30	.19								.2	.19	.54	9
10	.8			.5	.5			..4		.3	.9	.80	10
11		.25		.6	.30	.30		.9		.13	.48	.9	11
12				.22		..4				.2	.19	.14	12
13	.4			.6	.14	.21		.1				.14	13
14					.29							.32	14
15		.22				.13					.62	.2	15
16								.4			.2		16
17	.14							.9		.14			17
18	.8							.1	.3	.4	.93		18
19										.2	.42	.3	19
20	.3							.22		.64		.52	20
21	.4		.26				.8	.10	.8		.1		21
22	.2	.4					.3	.26		.1	.72	.3	22
23					.5		.4			.5	.34	.68	23
24			.2					.8		.94	1.08	.41	24
25		.8	.12								.4	.4	25
26				.3	.5						.8	.34	26
27	.3			.13	.3					.12	1.38	.24	27
28	.28			.12			.90	.4		.89	.54	.49	28
29	.40			.24		.6			.4	.49	.45	.22	29
30	.4	X		.6		.16	.13		.43		.6	.10	30
31	.83	X		X		X	.44	.16	X		X	.2	31
TOTAL	2.31	1.56	.40	1.12	2.81	2.00	2.48	4.32	.65	4.80	9.84	8.60	44.22
Days with ".01 in. or more.	13	9	3	11	10	12	10	18	5	22	22	24	165
Days with ".04 in. or more.	10	8	2	9	11	11	8	15	4	16	20	23	134

Section

A

for the entry of Daily Observations.

1945
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Pardsmere Oakville
 in the County of Somerset
 Diameter of Funnel of Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. in.
 „ Ground „ Sea Level 710 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.62	.39		.20		.01		.16			.40		I
2	.03	.01		.11	.14		.12	.24			.45		2
3	.18	.24		.73	.19			.59		.28			3
4	.24	.03	.06	.07				.06		.30			4
5	.01			.02	.12			.20		.25			5
6	.02		.09		.07			1.08	.23	.25			6
7	.29	.01						.14	.02	.29	.55	.15	7
8				.28	.04			.07	.08	.10		.25	8
9	.31		.52	.30	.20	.02		.02	.06	.03			9
10	.59		.13		.83	.02		.29		.08	.12	.83	10
11	.23	.01		.20	.08		.21	.23		.07		.27	11
12	.20		.02	.04	.17			.10				.20	12
13	.05		.28	.17	.16		.16	.25	.32			.12	13
14	.59	.11	.57	.13	.04		.05		.02	.03		.05	14
15	.02	.02	.36		.01		.59			.33	.50	.46	15
16							.02		.24	.07		.16	16
17			.03	.14	.04		.37	.07	.58	.10		.05	17
18	.01		.02	.04	.11		.17	.02	.52	.13	.21	.21	18
19				.16	.09	.63	.02	.06	.78	.30	.54	.03	19
20			.04	.10	.01	.04	.56	1.10	1.14	.03	.43		20
21	.02		.04				.02	.19	.04	.35	1.25		21
22	.70			.03	.01	.05		.34	.09	.49	.9		22
23	.15		.18	.04	.01	.27	.20		.09	.02	.29	.12	23
24	.63			.29	.06	.07	.01		.30	.05	.03	.16	24
25	.04	.13	.03		.66		.06		.05	.12	.9	.19	25
26	.88	.05			.10		.07		.16	.02	.19	.40	26
27	.11		.04				.10		.07	.16	.01	.09	27
28	.14		.12				.20		.05	.08	1.06	.37	28
29	.07				.05		.55		.40	.50	.29	.08	29
30	.03	X	.09		.07		.03			.11	.01	.37	30
31	.45	X	.10	X	.15	X			X	.16	X	.32	31
TOTAL	6.61	1.00	2.72	3.05	3.40	1.09	3.51	5.24	5.24	4.70	6.88	4.88	48.29
*Days with .01 in. or more.	26	10	18	18	24	8	19	19	20	27	18	21	228
*Days with .04 in. or more.	19	5	14	16	20	4	14	17	18	22	16	20	185

40-9999

*See Instruction 2 (f) on other side.

(Signed)

Reg. A. Robinson

P.T.O.

SHEPTON MALLET
SEWAGE FARM
SOMERSET

Kept at Sewage Farm
in the County of Somerset
by C Marshall

IMPORTANT NOTE.—
If an Observer prefers not to
the reading at 9 a.m. on 1st
this paragraph. Full instructions
and particulars as to the
sent post-free on application
Square, London, N.W. 1.

Re

ANIZATION.

21 JAN 1922

Gauge 5 in.
Ground 8 ft. in.
Sea Level 3 10 ft.

tered to the previous day.

sted to add
the end of
rain gauges,
Observers,
62, Camden

Jan. 1, following.

(5)

1921-1930

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	16	00.5	00	00	00	0.14	00	00	00	00	00	0.10	1
2	0.40	00	0.16	00	00	00	00	0.23	0.16	00	0.11	0.23	2
3	0.22	00	00	00	00	00	00	00.8	00.2	00	0.37	00.7	3
4	00.3	00	0.10	00	00.3	00.4	00	00.2	00	00	0.57	00	4
5	0.18	00	00.2	00	0.10	00	00	0.13	00	00	0.40	00	5
6	00	00	00	00	0.11	00	00	0.22	00	00	0.52	00.8	6
7	0.15	00	00.9	00	00.4	00	00	00.4	00	00	00	00	7
8	0.28	00	00.2	00	0.37	00	00	00	00	00	00.7	00	8
9	00.8	00	0.15	00	0.12	00	00	00	00	00	00	00.1	9
10	00	00	00.1	0.11	0.14	00	00	00	00.7	00	00	00	10
11	0.17	00	0.15	00	00.2	00	00	0.58	00.9	00	00	00.4	11
12	0.22	00.1	0.18	00	0.27	00	00	00	1.16	00	00	00	12
13	0.25	00	0.77	00	00.7	00	00	0.45	0.10	00	00	0.18	13
14	00.9	00	0.24	0.20	00	00	00.8	00.9	0.24	0.13	00.4	00	14
15	00	00	00.4	00.5	0.23	00	00.4	00	00.9	00	00	0.20	15
16	00	00	00.5	0.32	0.11	00	00.7	00	00	00	00.9	00.2	16
17	0.17	00	00.6	00.2	00	00	00	0.10	00	00	0.23	00	17
18	0.23	00	0.26	00	00	00	00	00.3	0.36	00	00	00.8	18
19	00.3	00	00.4	00	00	00	00	00	00.1	0.25	00	00.4	19
20	00.2	00	0.26	00	00.3	00	00	00	00	00.4	00	0.21	20
21	00.2	00	00.3	00	00	00	00	00	00	00.3	00.3	00.4	21
22	00.1	00	00	00	00	00	00	00	00	00	00.4	00.3	22
23	00.9	00	00.2	0.29	00	00	00	00	00	0.19	00.3	0.33	23
24	00.2	00	00	00.3	00	00	00.7	00	00	0.41	00	00	24
25	00	00.5	00	00	00	00	00	00	00	00	00	0.27	25
26	00	0.21	00.6	00	00	0.68	0.18	00	00	00	00	0.11	26
27	0.55	00	00.7	00	00	00	00	00	00	00	00	0.34	27
28	00.2	00	00.3	00.2	00	00	00.4	00.9	00	00	00	0.15	28
29	00	0.32	0.31	00.1	00.1	00	00.5	00.1	00	00	0.18	00.9	29
30	0.17	X	0.11	00	0.42	00	00.5	00.6	00	00	00	00.5	30
31	0.78	X	00	X	00	X	00.9	00.2	X	00	X	X	31
TOTAL	4.34	6.4	2.63	1.05	2.07	8.6	6.7	2.15	2.30	1.05	2.68	2.67	22.41
Days with 0.1 in. or more	23	59	2.63	1.05	2.24	32	67	2.15	2.30	1.05	2.78	2.57	22.41
Days with 0.4 in. or more	22.7	4.3	1.8	5	10.12	8.2	9	11	8	5	11.2	18.7	17.9

REGISTER OF RAINFALL IN 1922

21 JAN 1922

Kept at Sellage Farm
in the County of Somerset
by E. Marshallman

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station 9 to R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft.
" " " " Sea Level 3 10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	16	00.5	00	00	00	0.14	00	00	00	00	00	0.10	1
2	0.40	00	0.16	00	00	00	00	0.23	0.16	00	0.11	0.23	2
3	0.22	00	00	00	00	00	00	00.8	00.2	00	0.37	0.07	3
4	00.3	00	0.10	00	00.3	00.1	00	00.2	00	00	0.57	00	4
5	0.18	00	00.2	00	0.10	00	00	0.13	00	00	0.40	00	5
6	00	00	00	00	0.11	00	00	0.22	00	00	0.52	00.8	6
7	0.15	00	00.9	00	00.4	00	00	00.4	00	00	00	00	7
8	0.28	00	00.2	00	0.37	00	00	00	00	00	00.7	00	8
9	00.8	00	0.15	00	0.12	00	00	00	00	00	00	00.1	9
10	00	00	00.1	00.11	0.14	00	00	00	00.7	00	00	00	10
11	0.17	00	0.15	00	00.2	00	00	0.58	00.9	00	00	00.4	11
12	0.22	00.1	0.18	00	0.27	00	00	00	1.16	00	00	00	12
13	0.25	00	0.77	00	00.7	00	00	0.45	0.10	00	00	0.18	13
14	00.9	00	0.24	0.20	00	00	00.8	00.9	0.24	0.13	00.4	00	14
15	00	00	00.4	00.5	0.23	00	00.4	00	00.9	00	00	0.20	15
16	00	00	00.5	0.32	0.11	00	00.7	00	00	00	00.9	00.2	16
17	0.17	00	00.6	00.2	00	00	00	0.10	00	00	0.23	00	17
18	0.23	00	0.26	00	00	00	00	00.3	0.36	00	00	00.8	18
19	00.3	00	00.4	00	00	00	00	00	00.1	0.25	00	00.4	19
20	00.2	00	0.26	00	00.3	00	00	00	00	00.4	00	0.21	20
21	00.2	00	00.3	00	00	00	00	00	00	00.3	00.3	00.4	21
22	00.1	00	00	00	00	00	00	00	00	00	00.4	00.3	22
23	00.9	00	00.2	0.29	00	00	00	00	00	0.19	00.3	0.33	23
24	00.2	00	00	00.3	00	00	00.7	00	00	0.41	00	00	24
25	00	00.5	00	00	00	00	00	00	00	00	00	0.27	25
26	00	0.21	00.6	00	00	0.68	0.18	00	00	00	00	0.11	26
27	0.55	00	00.7	00	00	00	00	00	00	00	00	0.34	27
28	00.2	00	00.3	00.2	00	00	00.4	00.9	00	00	00	0.15	28
29	00	0.32	0.31	00.1	00.1	00	00.5	00.1	00	00	0.18	00.9	29
30	0.17	X	0.11	00	0.42	00	00.5	00.6	00	00	00	00.5	30
31	0.78	X	00	X	00	X	00.9	00.2	X	00	X		31
TOTAL	4.34	6.4	2.63	1.05	2.07	8.6	6.7	2.15	2.30	1.05	2.68	2.67	YEAR'S TOTAL
Days with 0.1 in. or more	23	59	23	10	23	32	23	23	23	10	23	23	22.51
Days with 0.4 in. or more	22	43	18	5	10	22	9	11	8	5	12	18	179

AIR MINISTRY.

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station San G W R
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft. 8 in.
" " " " Sea Level 3-10 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

 .00

Jan. 1, following

00

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	00	005	042	054	003	00	002	001	002	033	034	011	1
2	007	024	014	009	001	001	071	003	006	004	018	00	2
3	002	070	033	022	003	00	021	003	00	00	009	001	3
4	001	005	042	036	030	00	007	045	00	001	005	00	4
5	00	007	014	00	008	00	012	00	00	056	00	00	5
6	00	00	020	013	00	00	1.30	006	00	044	050	001	6
7	0.17	00	014	003	00	00	002	01.09	001	00	038	00	7
8	0.28	00	038	018	00	004	020	012	00	00	010	002	8
9	0.20	00	013	010	00	00	043	020	00	002	005	003	9
10	0.15	00	004	00	00	00	025	014	00	00	003	00	10
11	005	00	001	00	00	00	00	004	00	00	010	00	11
12	003	00	00	003	002	00	00	00	00	00	00	00	12
13	00	00	00	046	00	004	005	062	073	00	00	002	13
14	0.19	00	00	034	00	044	028	00	020	00	00	00	14
15	00	003	001	004	00	00	00	00	015	00	00	00	15
16	0.73	033	00	00	00	00	00	00	00	00	00	002	16
17	00	032	00	00	025	00	00	032	00	00	00	040	17
18	00	010	00	00	020	00	008	00	00	00	00	017	18
19	0.15	013	00	00	005	00	00	009	007	00	00	006	19
20	002	025	010	00	00	00	00	00	1.07	00	00	097	20
21	024	030	002	00	00	00	00	00	00	001	00	004	21
22	044	005	002	002	00	00	007	00	00	00	00	070	22
23	00	008	00	00	002	010	011	017	004	001	00	020	23
24	00	025	00	008	00	00	003	00	003	00	00	003	24
25	010	00	018	011	004	073	00	034	00	00	00	002	25
26	022	007	00	021	00	012	00	00	024	00	00	015	26
27	015	016	00	00	00	008	025	006	010	00	004	00	27
28	027	055	008	008	00	001	00	039	(0.08)	00	002	043	28
29	035		002	011	00	032	00	010	00	00	00	021	29
30	005	X	003	011	00	008	017	00	00	044	00	048	30
31	083	X	003	X	00	X	00	070	X	00	X	045	31
TOTAL	.05	.42	.54	.03	-	.02	.01	.02	.33	.34	.11	-	YEAR'S TOTAL
Days with 01 in. or more	472	373	284	324	103	167	437	466	280	186	188	453	3738
Days with 04 in. or more	472	4180	296	2193	1100	1615	420	4167	3112	187	166	2442	19
	1523	H	#	12	100	5	11	12	6	119	6	#	033
	1819	17	13	15	16	9	15	16	109	5	10	13	47

~~Sewage Farm, Somerset~~

9 - APR 1923

The Rainfall at
measured on the morning of
January 1st, 19 23.
was 0 0

Signed C Marshman

This form should be enclosed in
the envelope herewith and
returned to the Superintendent,

British Rainfall Organization,
Meteorological Office,
Air Ministry,
Kingsway,
London, W.C.2.

Mr. C. Marshman,
Sewage Farm,
Shepton Mallet,
SOMERSET.

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924

Kept at Sewage Farm, Shepton Mallet
 in the County of Somerset
 by C. Marshman

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station G.W.R.
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 8 ft. 8 in.
 " " " " Sea Level 310 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

0.18

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	00	0.18	0.15	008	002	00	00	0.74	0.20	005	00	00	1
2	003	0.30	0.24	00	00	00	00	00	00	0.15	003	0.38	2
3	0.16	0.44	00	00	00	00	00	002	00	0.30	00	00	3
4	002	00	003	001	00	003	003	00	0.33	0.46	008	0.11	4
5	00	00	00	009	00	00	00	00	008	003	0.48	0.16	5
6	0.60	00	005	003	0.40	00	00	00	00	0.14	0.13	004	6
7	0.45	0.60	0.15	0.11	00	00	00	00	003	003	00	00	7
8	004	0.77	009	003	00	00	00	00	003	0.34	00	004	8
9	0.10	0.10	002	00	00	003	00	00	00	0.14	0.32	00	9
10	0.15	1.10	00	00	00	002	00	00	00	003	00	00	10
11	00	0.43	00	0.24	007	00	00	00	00	0.38	00	004	11
12	00	0.10	00	0.41	00	00	00	00	00	0.63	00	00	12
13	00	0.30	0.43	009	0.21	00	00	00	00	0.71	0.11	00	13
14	005	0.21	00	0.34	007	00	00	00	009	0.26	0.80	00	14
15	003	00	003	005	002	00	00	0.10	0.71	001	008	00	15
16	00	0.11	004	0.15	0.20	0.35	0.12	00	00	002	0.31	00	16
17	00	0.15	00	0.13	0.11	00	00	00	005	00	0.77	00	17
18	00	0.59	00	00	006	00	002	0.66	0.60	008	0.43	00	18
19	003	0.41	00	0.12	002	00	00	0.20	0.35	004	007	00	19
20	0.15	003	00	00	00	00	00	00	0.27	0.28	004	00	20
21	00	0.20	00	00	004	00	0.16	00	0.10	0.22	005	00	21
22	001	0.24	00	00	001	002	00	006	007	0.33	00	00	22
23	00	0.60	00	00	002	00	00	0.27	006	0.13	00	00	23
24	003	0.31	0.34	00	0.26	00	0.45	1.14	0.12	0.16	00	004	24
25	004	0.15	00	0.15	009	00	0.10	00	0.21	00	00	007	25
26	00	0.54	00	0.27	00	004	0.17	0.23	008	0.38	00	00	26
27	00	008	00	002	0.10	00	00	002	00	0.58	00	0.27	27
28	00	0.30	0.18	00	003	00	006	0.92	00	006	00	0.29	28
29	005		0.20	00	004	00	0.25	0.12	004	005	00	00	29
30	004	X	00	00	009	00	004	0.60	00	001	00	0.16	30
31	005	X	001	X	003	X	009	008	X	0.34	X	0.12	31
TOTAL	1.08	8.24	1.96	2.32	1.89	0.49	1.49	5.16	3.42	6.34	3.10	1.72	YEAR'S TOTAL
Days with	2.28	8.21	1.89	2.26	1.87	6	2.23	4.62	3.27	6.29	2.19	1.90	38.34
Days with	19	24	14	17	20	6	11	14	18	29	14	12	197
Days with	13	23	10	12	13	2	7	12	16	23	13	12	158

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.

River Dist.

Station No.

REGISTER OF RAINFALL IN 1924

Kept at Sewage Farm
in the County of Somerset
by Mr G Marshman

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station G. W. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 310 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

47

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.18	00	00	00	00	1.83	00	007	004	0.12	0.19	0.26	1 V U
2	00	00	00	00	00	0.15	006	0.14	001	00	0.20	0.37	2
3	0.13	00	009	00	0.76	00	0.23	002	00	002	003	003	3 C
4	0.15	00	005	00	00	0.30	0.21	0.36	00	002	00	00	4 000.
5	00	00	00	00	00	0.43	00	0.18	001	00	00	0.45	5
6	00	00	003	00	00	00	0.10	003	00	0.44	00	0.10	6
7	002	00	00	00	005	00	003	0.10	006	0.49	00	00	7
8	00	00	00	00	0.38	0.11	00	00	0.45	1.39	00	00	8
9	0.25	003	00	007	002	00	002	00	0.15	004	00	00	9
10	008	00	00	001	005	0.23	00	00	007	005	009	00	10
11	0.11	008	00	009	0.90	0.83	00	00	0.12	0.12	00	00	11
12	0.15	00	00	0.23	0.60	0.44	00	00	007	006	0.53	00	12
13	0.20	00	00	005	008	0.37	002	0.37	008	00	00	00	13
14	0.17	00	00	0.33	00	00	00	001	0.67	00	004	0.23	14
15	00	00	00	003	00	00	00	0.47	00	00	00	0.28	15
16	0.17	0.14	00	00	00	00	00	0.14	005	00	00	0.62	16
17	0.14	00	00	00	00	00	00	0.43	007	00	00	00	17
18	0.25	00	00	00	0.12	0.23	0.79	0.58	0.10	00	00	00	18
19	0.70	00	00	00	0.97	00	0.48	0.82	00	0.12	00	002	19
20	0.10	00	00	00	0.13	00	005	0.15	0.15	0.20	00	00	20
21	006	00	002	00	0.36	00	0.35	0.25	0.48	0.40	001	00	21
22	0.64	00	003	00	0.13	0.13	005	008	004	0.56	00	00	22
23	0.50	00	0.50	00	00	00	004	0.45	0.40	00	00	0.10	23
24	00	00	0.21	00	0.37	00	00	006	0.16	00	00	0.40	24
25	0.60	002	0.10	0.17	0.15	00	0.19	00	0.15	00	002	0.21	25
26	00	00	006	0.12	0.13	00	006	008	0.30	0.17	0.47	006	26
27	00	00	00	0.17	00	00	0.90	004	0.16	0.11	0.71	0.47	27
28	00	002	00	0.52	00	00	0.75	002	00	1.16	00	0.28	28
29	00	00	00	0.54	00	00	009	0.26	00	0.26	0.30	0.16	29
30	00	X	00	00	00	00	00	0.12	002	0.87	0.25	0.35	30
31	00	X	00	X	0.48	X	00	008	X	0.58	X	0.37	31 1233 m
48.24	4.60	0.29	1.09	2.33	5.62	5.05	4.42	5.31	3.81	7.12	3.81	4.16	48.53
TOTAL	4.42				7.45	3.22	4.49	5.28	3.89	7.19	3.91	4.97	YEARS TOTAL
Days with 0.1 in. or more.	18	5	9	12	17	17	18	25	23	20	12	18	48.24
Days with 0.1 in. or more.	17	2	6	10	17	10	16	21	20	18	9	16	189
													162

IMPORTANT.

All communications must be addressed to **THE DIRECTOR.**

In reply to this letter quote

CIRC.C./MO7

Telegrams:—"WEATHER, LONDON."

Telephones:—

Kingsway Offices: REGENT 8000.

South Kensington Offices } KENSINGTON
(Exhibition Road): } 5810.

METEOROLOGICAL OFFICE,

AIR MINISTRY,

ADASTRAL HOUSE, KINGSWAY,

LONDON, W.C.2.

29-4-25

*Please when
sending again
address C Marshman not
Reader*

Dear Sir,

As you are no doubt aware, the rainfall year is generally regarded as referring to the period between the morning observation on one January 1st and the morning observation on the following January 1st. In your return, observations are entered to the day of reading, instead of being "thrown back", and therefore to arrive at the total for last year we require the reading on the morning of January 1st of the present year.

I shall be much obliged if you will kindly enter this amount on the form hereunder and return it to this Office.

Yours faithfully,

W. Reader, Esq.,
Council Offices,
Market Place,
SHEPTON MALLET.

F. J. W. Whipple
F. J. W. WHIPPLE,

Superintendent.

BRITISH RAINFALL ORGANIZATION

Letter No. _____
File No. _____
AIR MINISTRY
Received **3 MAY 1925**
MO7
enclosure ✓

The Rainfall at *Shepton Mallet* Sewage Farm, *L* measured on the morning of January 1st, 1925. **Somerset**

was *0.47*

Signed *Mr C Marshman*

This form should be enclosed in the envelope herewith and returned to the ~~Superintendent, Director,~~
~~British Rainfall Organization,~~
Meteorological Office,
Air Ministry,
Kingsway,
London, W.C.2.

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at: Sewage Farmin the County of SomersetDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 8 ft.Ground 310 ft. Sea Level

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1. following.

1839
102

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	047	21	009	010	001	030	—	008	001	—	007	10	1
2	066	—	006	—	004	—	—	003	008	—	063	—	2
3	019	18	—	003	—	—	001	—	—	—	046	—	3
4	010	16	—	—	052	—	001	002	—	—	005	—	4
5	007	—	—	037	008	—	—	003	—	—	051	—	5
6	004	26	—	062	007	—	—	027	063	—	004	—	6
7	—	—	—	—	030	—	047	022	005	—	062	—	7
8	—	49	—	010	054	—	—	—	—	—	012	028	8
9	24	004	005	—	015	—	011	038	020	—	—	015	9
10	—	007	—	008	022	—	013	—	011	—	—	005	10
11	—	12	004	—	002	—	—	020	003	—	—	—	11
12	—	37	—	—	005	—	—	007	—	—	—	—	12
13	—	48	—	003	—	—	—	113	—	—	—	—	13
14	003	12	014	010	—	—	—	002	—	—	—	—	14
15	35	28	—	049	—	—	—	—	—	—	014	—	15
16	—	002	—	011	—	—	—	—	010	—	—	—	16
17	005	13	—	—	—	—	—	—	—	021	—	—	17
18	—	001	—	003	—	—	007	—	004	004	—	—	18
19	—	001	—	032	078	—	—	—	009	003	—	—	19
20	—	003	—	003	—	—	—	006	137	105	—	062	20
21	—	—	008	—	—	—	001	072	072	031	—	002	21
22	—	—	—	—	—	—	046	031	019	034	—	025	22
23	004	—	—	014	004	—	020	050	081	060	—	070	23
24	004	—	002	022	008	—	008	015	002	022	—	015	24
25	25	35	—	003	005	—	—	009	—	004	008	013	25
26	46	75	008	007	003	—	022	—	043	010	—	018	26
27	20	044	—	003	046	—	121	076	001	028	—	015	27
28	008	014	—	002	010	—	092	—	002	004	—	008	28
29	17	—	—	004	006	—	—	002	015	010	—	042	29
30	27	X	—	005	010	—	003	—	004	—	035	027	30
31	21	X	—	X	004	X	026	002	X	018	X	014	31
TOTAL	371	466	156	301	374	030	419	508	510	354	313	369	1016
Days with 01 in. or more.	18	23	8	21	21	0	16	20	19	15	11	16	188
Days with 04 in. or more.	17	18	7	13	18	0	12	13	15	14	11	14	152

(Signed)

Mr. L. Marshman

P.T.O.

A**REGISTER OF RAINFALL IN 1926.**Kept at Sewage Farm, Shepton Mallet.in the County of SomersetDiameter of Funnel of Gauge.....5.....in.Height of top of Gauge above Ground.....ft.....8.....in.,, Ground ,, Sea Level 31.0.....ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

00

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.2	0.32	0.0	0.0	0.9	0.0	0.0	0.0	0.1	0.0	0.0	0.26	1
2	0.82	0.21	0.2	0.0	0.4	0.45	0.0	0.0	0.3	0.0	1.4	0.0	2
3	0.18	0.0	0.0	0.0	0.0	0.22	0.0	0.0	0.4	0.0	0.0	0.0	3
4	0.22	0.14	0.25	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.02	4
5	0.23	0.17	0.17	0.12	0.0	0.0	0.0	0.0	0.0	0.0	0.30	0.7	5
6	0.11	0.13	0.21	0.0	0.40	0.0	0.51	0.0	0.43	0.4	0.5	0.25	6
7	0.15	0.11	0.4	0.5	0.14	0.0	0.74	0.14	0.23	0.9	0.44	0.0	7
8	0.4	0.7	0.0	0.20	0.12	0.26	0.0	0.3	0.29	0.0	0.31	0.10	8
9	0.0	0.4	0.5	0.19	0.3	0.8	0.3	0.19	0.0	0.22	1.46	0.0	9
10	0.0	0.0	0.9	0.0	0.1	0.40	0.0	0.0	0.0	0.11	0.6	0.0	10
11	0.0	0.0	0.0	0.0	0.42	0.12	0.11	0.35	0.0	0.4	0.52	0.0	11
12	0.0	0.0	0.1	0.0	0.60	1.11	0.0	0.66	0.22	0.16	0.8	0.0	12
13	0.0	0.0	0.0	0.0	0.19	0.18	0.0	0.0	0.5	0.53	0.15	0.0	13
14	0.0	0.1	0.0	0.0	0.0	0.8	0.0	0.29	0.11	0.27	0.32	0.2	14
15	0.8	0.41	0.0	0.39	0.0	0.0	0.0	0.3	0.6	0.67	0.6	0.6	15
16	0.9	0.3	0.0	0.9	0.14	0.2	0.0	0.5	0.9	0.22	0.22	0.0	16
17	0.25	0.19	0.0	0.74	0.0	0.5	0.0	0.11	0.2	0.4	0.15	0.1	17
18	0.15	0.90	0.0	0.20	0.0	0.66	1.50	0.15	0.0	0.0	0.41	0.6	18
19	0.36	0.20	0.0	0.10	0.0	0.0	0.24	0.21	0.0	0.0	0.36	0.2	19
20	0.2	0.3	0.0	0.1	0.1	0.3	0.25	0.6	0.0	0.0	0.41	0.1	20
21	0.0	0.0	0.0	0.32	0.0	0.8	0.0	0.20	0.4	0.0	0.29	0.0	21
22	0.13	0.3	0.0	0.10	0.4	0.0	0.13	0.5	0.0	0.30	0.7	0.0	22
23	0.64	0.1	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.34	0.6	0.0	23
24	0.7	0.6	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	24
25	0.4	0.0	0.4	0.0	0.0	0.3	0.0	0.2	0.0	0.47	0.0	0.3	25
26	0.20	0.0	0.0	0.45	0.0	0.0	0.0	0.10	0.35	0.28	0.6	0.0	26
27	0.0	0.3	0.3	0.3	0.11	0.0	0.20	0.0	0.34	0.0	0.26	0.0	27
28	0.9	0.12	0.4	0.10	0.9	0.0	0.5	0.0	0.21	0.20	0.0	0.0	28
29	0.30	0.0	0.0	0.4	0.0	0.0	0.17	0.0	0.0	0.58	0.27	0.0	29
30	0.17	X	0.0	0.20	0.22	0.0	0.0	0.0	0.0	0.0	0.18	0.0	30
31	0.13	X	0.0	X	0.53	X	0.0	0.3	X	0.0	X	0.0	31
TOTAL	4.49	3.21	0.9	7.3	4.2	3.18	3.72	3.96	2.58	2.27	4.63	7.93	9.7
Days with "01 in. or more.	4.79	2.29	12	3.51	3.09	15	12	18	16	17	25	12	16
Days with "04 in. or more.	23	9	8	20	16	11	10	12	13	17	25	12	16

Please read the Notes and Instructions Overleaf.

Section



for the entry of Daily Observations.

1818
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Sewage Farm Shepton Mallet

in the County of Somerset

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft.....in.

„ Ground „ Sea Level.....330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

25

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	00	0.14	0.13	0.36	00	00	0.8	0.14	0.3	0.15	00	0.32	1
2	0.9	1.23	0.9	00	00	00	1.43	0.4	00	0.12	1.40	00	2
3	00	00	0.3	0.16	0.11	00	00	00	00	0.9	0.3	00	3
4	0.10	0.5	0.10	00	0.5	0.14	0.11	00	00	00	0.2	0.4	4
5	0.6	00	0.11	0.13	0.3	00	0.10	00	00	00	0.9	00	5
6	0.17	0.14	0.25	0.48	00	0.9	0.5	00	00	00	0.54	00	6
7	0.8	00	0.48	0.45	00	0.15	0.1	0.12	0.56	00	0.10	0.1	7
8	0.9	0.15	0.1	0.10	00	0.37	0.24	0.8	00	00	00	00	8
9	00	00	00	0.20	00	00	0.1	0.19	0.15	00	00	00	9
10	00	00	00	00	0.50	00	0.7	0.10	0.57	00	00	0.16	10
11	00	00	00	0.4	00	00	00	0.12	0.5	00	00	00	11
12	0.2	00	00	0.3	00	0.4	1.36	0.7	00	00	0.6	00	12
13	0.20	00	0.1	00	00	00	0.35	0.32	00	00	00	00	13
14	0.46	00	00	0.14	00	0.10	00	0.29	0.40	0.4	0.5	0.29	14
15	0.10	00	00	0.40	0.9	00	0.4	0.23	1.20	0.2	00	0.4	15
16	0.2	00	00	00	0.17	0.80	00	0.57	0.33	00	0.4	00	16
17	0.4	00	00	00	0.31	00	00	0.2	0.23	00	0.2	00	17
18	0.15	00	0.16	00	00	0.9	00	0.48	0.18	00	0.4	00	18
19	00	00	00	00	00	0.33	00	0.3	0.3	0.5	0.40	00	19
20	00	0.18	00	00	00	00	0.3	0.45	0.1	0.15	0.84	00	20
21	0.18	0.14	00	00	0.4	0.9	0.32	0.37	0.7	00	0.45	0.26	21
22	0.5	0.9	0.2	00	0.3	0.18	0.14	0.8	0.51	0.50	0.2	0.60	22
23	0.12	0.17	0.70	0.8	00	0.9	0.3	0.15	0.37	0.60	00	1.10	23
24	0.2	0.30	0.24	00	00	0.28	0.1	0.1	0.65	00	0.58	0.20	24
25	0.10	0.5	0.88	00	00	0.8	0.16	0.45	0.30	0.28	00	0.60	25
26	0.6	0.27	0.32	00	00	0.30	0.2	00	0.1	0.20	00	0.20	26
27	0.16	0.57	0.25	00	00	0.3	0.21	00	0.32	0.2	00	0.29	27
28	0.2	0.13	0.1	00	0.17	0.33	0.42	00	00	0.53	00	00	28
29	1.35		0.15	00	00	0.10	0.9	00	0.13	0.2	0.20	00	29
30	0.5	X	0.19	00	00	00	0.5	00	0.75	0.4	00	00	30
31	0.4	X	0.5	X	00	X	00	00	X	0.23	X	00	31
	1.4	1.3	0.5	0.8	0.8	0.8	1.4	0.3	1.5	0.3	0.5	0.5	47.84
TOTAL	3.83	3.58	4.46	2.21	1.50	3.67	5.39	4.20	6.97	2.89	5.20	3.94	YEARS TOTAL
	3.69	3.59	4.23	2.57	1.50	3.59	5.33	4.31	6.85	3.04	4.88	4.01	47.59
Days with "01 in. or more.	24	14	20	11	10	19	23	21	21	15	18	13	209
Days with "04 in. or more.	20	14	16	10	8	18	17	18	18	12	14	12	177

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Sewage Farm, Shepton Mallet
in the County of Somerset
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

0.01

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.25	0.35	0.20	0.18	—	—	0.07	0.95	—	—	—	—	1
2	—	0.04	0.01	—	—	—	—	—	—	—	—	—	2
3	0.18	0.19	0.15	0.21	—	—	0.04	0.01	—	—	0.04	—	3
4	—	0.03	—	0.35	—	—	0.20	0.47	—	—	0.07	—	4
5	0.03	0.30	—	0.01	—	0.03	—	—	—	0.48	0.22	0.05	5
6	0.23	0.19	0.10	0.12	0.21	0.01	0.08	—	0.08	0.61	—	0.04	6
7	0.10	—	0.06	0.01	—	0.54	—	—	0.05	—	—	0.14	7
8	0.05	0.04	0.04	0.02	—	0.03	—	0.19	—	0.10	—	—	8
9	0.06	0.09	—	0.04	—	0.47	0.15	—	0.06	0.38	—	—	9
10	0.40	0.03	0.04	0.09	—	0.06	—	—	0.19	0.61	—	—	10
11	—	0.34	0.03	0.07	—	0.07	—	0.07	0.01	0.39	0.40	0.14	11
12	0.02	0.03	0.07	0.10	—	—	—	0.05	—	0.38	0.13	0.17	12
13	0.32	0.75	0.03	—	—	—	—	0.30	—	0.02	0.02	0.04	13
14	—	0.09	—	0.02	0.05	0.45	—	—	—	—	0.01	—	14
15	0.17	0.91	—	0.42	—	0.08	—	0.24	—	0.69	0.44	—	15
16	0.14	0.02	—	0.09	—	0.05	—	—	—	0.04	0.28	—	16
17	—	0.21	—	0.01	0.03	0.03	—	—	—	0.19	0.42	0.24	17
18	0.06	—	—	0.04	0.46	0.06	—	—	—	0.02	0.10	—	18
19	0.46	—	0.01	0.02	0.01	0.25	—	—	—	0.06	0.04	0.02	19
20	—	—	0.11	0.03	0.09	0.10	—	0.07	—	0.40	0.09	0.06	20
21	0.57	—	0.32	—	0.03	0.02	—	0.74	—	—	0.16	—	21
22	0.74	—	0.20	—	0.16	0.06	—	0.17	—	—	0.77	0.02	22
23	—	—	0.13	—	—	—	—	0.01	—	0.43	0.63	0.20	23
24	0.67	—	0.17	0.02	0.10	—	0.07	0.05	—	0.12	0.32	—	24
25	0.07	—	0.09	—	—	—	—	0.01	0.10	—	0.14	0.24	25
26	0.09	—	0.07	—	—	0.05	—	0.03	—	0.04	0.04	0.45	26
27	0.20	—	0.14	—	0.03	0.09	0.10	0.64	—	1.24	0.01	0.14	27
28	0.02	—	0.14	0.12	—	—	0.72	0.08	0.12	0.52	0.05	1.02	28
29	0.86	—	0.28	—	0.04	0.08	0.05	0.18	0.62	—	—	0.12	29
30	0.13	X	0.54	—	—	0.23	0.03	—	—	0.14	0.02	0.09	30
31	0.45	X	0.13	X	—	X	0.35	—	X	0.03	X	0.20	31
TOTAL	6.35	3.20	3.18	1.97	1.21	2.76	1.86	4.26	1.23	6.89	4.40	3.68	YEAR'S TOTAL
Days with 0.1 in. or more.	6.37	3.46	3.04	1.79	11	2.83	2.74	3.31	8	2.1	2.2	1.9	40.96
Days with 0.4 in. or more.	24	15	23	19	7	21	11	17	7	18	18	15	211
	21	12	18	11	7	16	10	13	7	18	18	15	166

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at *Sewage Farm Shepton Mallet*
in the County of *Somerset*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
Ground Sea Level *330* ft.

days *add for 10 D.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.
0.02

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	<i>0.01</i>	<i>0.68</i>	—	—	<i>0.03</i>	—	<i>0.15</i>	<i>0.61</i>	<i>0.22</i>	<i>0.25</i>	—	<i>0.06</i>	I
2	—	<i>0.43</i>	—	—	<i>0.21</i>	<i>0.07</i>	—	—	<i>0.02</i>	<i>0.45</i>	—	<i>0.06</i>	2
3	—	<i>0.26</i>	—	—	<i>0.01</i>	<i>0.02</i>	<i>0.11</i>	—	—	<i>0.15</i>	<i>0.06</i>	<i>0.29</i>	3
4	—	—	—	<i>0.01</i>	—	<i>0.05</i>	<i>0.27</i>	<i>1.40</i>	—	<i>0.02</i>	—	<i>0.20</i>	4
5	—	—	—	<i>0.09</i>	<i>0.60</i>	—	—	<i>0.40</i>	—	<i>0.05</i>	—	<i>0.51</i>	5
6	—	—	—	—	<i>0.63</i>	<i>0.56</i>	<i>0.36</i>	<i>0.49</i>	—	<i>1.95</i>	<i>0.81</i>	<i>0.14</i>	6
7	—	<i>0.05</i>	—	—	<i>0.14</i>	<i>0.02</i>	—	<i>0.16</i>	—	<i>0.28</i>	<i>0.08</i>	<i>0.44</i>	7
8	—	—	—	—	<i>0.04</i>	<i>0.04</i>	—	<i>0.03</i>	—	<i>0.47</i>	<i>0.56</i>	<i>0.49</i>	8
9	—	<i>0.02</i>	—	—	<i>0.06</i>	<i>0.02</i>	—	<i>0.06</i>	—	<i>0.14</i>	—	<i>0.22</i>	9
10	<i>0.16</i>	<i>0.29</i>	—	—	—	—	—	<i>0.05</i>	—	<i>0.03</i>	<i>0.15</i>	<i>0.40</i>	10
11	<i>0.09</i>	—	—	<i>0.06</i>	—	—	—	—	—	<i>0.10</i>	<i>0.09</i>	<i>0.42</i>	11
12	—	<i>0.10</i>	—	<i>0.05</i>	<i>0.24</i>	—	—	<i>0.08</i>	—	<i>0.02</i>	<i>0.57</i>	<i>0.08</i>	12
13	—	—	—	<i>0.14</i>	<i>0.02</i>	<i>0.24</i>	—	—	—	—	—	—	13
14	—	—	—	<i>0.03</i>	<i>0.06</i>	<i>0.09</i>	—	<i>0.01</i>	—	—	<i>0.24</i>	<i>0.06</i>	14
15	—	—	—	—	<i>0.27</i>	<i>0.22</i>	—	—	—	—	—	<i>0.24</i>	15
16	—	<i>0.16</i>	—	—	—	<i>0.13</i>	—	—	—	—	<i>0.50</i>	<i>0.01</i>	16
17	—	—	—	—	—	—	—	<i>0.05</i>	—	—	<i>0.04</i>	—	17
18	<i>0.09</i>	—	—	—	—	—	—	<i>0.07</i>	—	<i>0.10</i>	—	—	18
19	<i>0.12</i>	—	—	—	—	—	—	<i>0.33</i>	—	<i>0.05</i>	<i>0.75</i>	—	19
20	—	—	—	—	—	—	—	—	<i>0.01</i>	<i>0.03</i>	<i>0.27</i>	<i>0.03</i>	20
21	—	—	—	—	—	—	—	<i>0.14</i>	—	<i>0.53</i>	—	<i>0.45</i>	21
22	<i>0.04</i>	—	<i>0.15</i>	—	—	—	<i>0.06</i>	<i>0.04</i>	—	—	<i>0.02</i>	<i>0.02</i>	22
23	—	<i>0.03</i>	—	—	—	—	<i>0.02</i>	<i>0.24</i>	—	—	<i>0.64</i>	<i>0.03</i>	23
24	—	<i>0.02</i>	—	—	<i>0.04</i>	—	<i>0.18</i>	—	—	<i>0.04</i>	<i>0.33</i>	<i>0.65</i>	24
25	—	—	<i>0.03</i>	—	—	—	—	<i>0.12</i>	—	<i>0.93</i>	<i>0.86</i>	<i>0.39</i>	25
26	—	—	<i>0.04</i>	<i>0.03</i>	—	—	—	—	—	—	<i>0.06</i>	<i>0.06</i>	26
27	—	—	—	—	<i>0.04</i>	—	—	—	—	—	<i>0.10</i>	<i>0.18</i>	27
28	<i>0.04</i>	—	—	<i>0.15</i>	<i>0.07</i>	—	<i>0.01</i>	—	—	<i>0.06</i>	<i>1.30</i>	<i>0.18</i>	28
29	<i>0.25</i>	—	—	<i>0.10</i>	—	—	<i>0.84</i>	<i>0.02</i>	—	<i>0.52</i>	<i>0.41</i>	<i>0.58</i>	29
30	<i>0.48</i>	×	—	<i>0.24</i>	—	<i>0.03</i>	—	—	<i>0.07</i>	<i>0.84</i>	<i>0.37</i>	<i>0.14</i>	30
31	<i>0.03</i>	×	—	×	—	×	<i>0.08</i>	—	×	—	×	<i>0.14</i>	31
TOTAL	<i>1.31</i>	<i>2.04</i>	<i>0.22</i>	<i>0.90</i>	<i>2.49</i>	<i>1.52</i>	<i>2.08</i>	<i>4.63</i>	<i>0.32</i>	<i>6.21</i>	<i>7.21</i>	<i>6.80</i>	YEAR'S TOTAL
Days with or in. or more.	<i>1.98</i>	<i>1.36</i>	<i>0.93</i>	<i>2.46</i>	<i>1.67</i>	<i>2.54</i>	<i>4.24</i>	<i>3.35</i>	<i>5.96</i>	<i>7.27</i>	<i>6.76</i>	<i>16.1</i>	
Days with or more.	<i>10</i>	<i>9</i>	<i>3</i>	<i>14</i>	<i>14</i>	<i>13</i>	<i>10</i>	<i>18</i>	<i>4</i>	<i>20</i>	<i>22</i>	<i>27</i>	
Days with or more.	<i>9</i>	<i>6</i>	<i>2</i>	<i>7</i>	<i>12</i>	<i>9</i>	<i>8</i>	<i>15</i>	<i>2</i>	<i>16</i>	<i>21</i>	<i>22</i>	

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Sewage Farm Shepton Mallet
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Ground Sea Level 330 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

0-34

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.40	—	0.10	—	0.11	0.08	—	—	—	0.15	—	1
2	0.28	0.43	—	0.24	—	0.01	—	0.04	—	—	0.34	—	2
3	0.02	0.01	—	0.08	0.05	—	0.05	0.14	—	—	0.44	—	3
4	0.13	0.23	—	0.55	0.02	—	—	0.60	—	0.22	—	—	4
5	0.18	0.03	0.06	0.04	—	—	—	0.14	—	0.18	—	—	5
6	—	—	—	0.02	0.09	—	—	0.16	—	0.29	0.02	—	6
7	0.01	—	0.06	—	0.04	—	—	0.54	0.30	0.19	—	0.03	7
8	0.20	0.03	—	—	—	—	0.01	0.14	0.05	0.24	—	0.09	8
9	—	—	—	0.25	0.01	—	0.02	0.06	0.09	0.08	0.33	0.22	9
10	0.26	—	0.34	0.24	0.14	0.01	—	0.03	0.06	0.03	0.16	—	10
11	0.43	—	0.10	—	0.50	—	—	0.10	—	0.04	—	0.90	11
12	0.27	0.02	0.07	0.11	0.04	—	0.09	—	—	0.06	—	0.15	12
13	0.14	—	—	0.04	0.20	—	—	0.01	—	—	—	0.15	13
14	0.02	—	0.26	0.14	0.12	—	0.15	0.26	0.28	—	—	0.23	14
15	0.53	0.08	0.40	0.12	0.05	—	0.04	—	0.03	0.02	—	0.04	15
16	0.01	—	0.39	—	0.02	—	0.42	—	0.01	0.29	0.30	0.38	16
17	—	—	0.02	—	—	—	0.03	—	—	—	—	0.16	17
18	—	—	0.03	0.20	0.02	—	0.45	0.08	0.42	0.06	—	0.03	18
19	—	—	0.03	—	0.09	—	0.26	0.02	0.34	0.09	0.15	0.20	19
20	—	—	—	0.17	0.15	0.52	0.14	0.05	0.44	0.28	0.51	0.04	20
21	—	—	—	0.10	—	0.01	0.30	0.86	0.40	0.02	0.35	—	21
22	—	—	0.04	—	—	—	0.03	0.24	0.05	0.32	1.15	—	22
23	0.40	—	—	0.03	0.01	0.05	—	0.32	0.04	—	0.28	—	23
24	0.11	—	0.14	0.04	0.01	0.36	0.15	—	0.08	0.49	0.25	0.08	24
25	0.42	—	—	0.24	0.10	0.04	0.03	—	0.42	0.19	0.26	0.10	25
26	0.03	0.05	0.03	0.16	0.83	0.03	0.04	—	0.04	0.12	0.08	0.14	26
27	0.90	0.04	—	—	0.03	—	0.04	—	0.15	—	0.22	0.05	27
28	0.08	—	0.06	—	—	—	0.11	—	0.10	0.23	0.01	0.34	28
29	0.10	—	0.08	—	—	—	0.14	—	0.04	0.03	1.03	0.05	29
30	0.05	×	—	—	0.02	—	0.23	—	0.34	0.20	0.34	0.08	30
31	0.04	×	0.11	×	0.04	×	0.04	—	×	0.06	×	0.24	31
TOTAL	4.63	1.32	2.22	3.02	2.58	1.14	2.94	3.94	4.34	3.43	6.40	3.43	37.99
* Days with or in. or more.	5.01	.92	2.32	2.92	2.69	1.11	2.86	3.94	4.34	3.88	6.25	4.07	34
* Days with or in. or more.	23	9	18	18	23	9	21	18	20	24	18	22	22.3
	18	5	14	14	15	5	16	15	18	20	15	20	17.5

Kept at Simons Bath

in the County of SOMERSET

by A. J. M.

IMPORTANT NOTE

If an Observer prefers not to read the reading at 9 a.m. on this paragraph. Full instructions and particulars as to the sent post-free on application to the Meteorological Office, London, N.W. 1, or

SIMONSBATH

SOMERSET

1923—1928

ORGANIZATION.

in Gauge in.
above Ground ft. in.
Sea Level ft.
entered to the previous day.

tested to add
at the end of
of rain gauges,
all Observers,"
62, Camden
Road, Edinburgh.

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27	1.11									.07	.06	1
2	.80	.88									.42	1.29	2
3	.19	.02	.04				.20		.43	.49	1.04	.39	3
4	.07		.24								.21	.33	4
5	1.52		.09	.02	.16	.01		.03		.14	.58		5
6	.17	1.08	.16	.04			.10	.01	.07	.11			6
7	.46	.07					.02		.03	.81		1.02	7
8	.44	.83		.01		.11				.62	.39		8
9	.20	1.21		.04	.12	.39		.08		.03	.04	.07	9
10	.19	.59		.52	.02			.06		.99		.30	10
11	.24	.30		.08	.72					.65		.03	11
12		.46			.31	.22			.01	.45	.79		12
13	.11	.27	.14	.44	.12		.43		.06	.05	1.56		13
14	.12	.24			.09	.06	.01	.02	.43		.48		14
15			.25	.49	.10	.58	.11		.18	.01	.16		15
16	.10	.31			.07		.19		.98	.07	.30		16
17	.02	.52		.05			.18	.70	.98	.16	.71		17
18		.62		.19	.04	.06		.06	.65	.74	.15		18
19	.26	.05			.03		.12	.11	.84	.26	.38		19
20	.14	.41			.46		.03	.18	.15	.15	.14		20
21	.03	.44			.01		.02	.34		.61		.14	21
22		.60	.05		.16			.09	.68	.34		.20	22
23	.08	.26			.23		.59	1.11	.38	.62		.18	23
24		.46		.60			.10	.01	.74	.75		1.33	24
25	.03	.72		.94	.02		.25	.63	.59	.48		.98	25
26		.48			.24			.97		.84		.56	26
27	.01	1.55	.02		.06		.03		.05	.29		.95	27
28	.18	.67	.33	.71	.20		.11	.24		.15		.02	28
29	.71			.27	.04	.05	.19	1.05	.03	.24		.45	29
30	.30	X	.04	.32			.46	.36		.02		.10	30
31	.67	X	.12	X		X	.75	.13	X	.09	X	.04	31
TOTAL	7.11	14.08	1.94	4.73	2.21	1.48	2.97	6.37	7.10	10.92	7.62	8.44	77.318
Days with ".01 in. or more	26	25	13	17	22	8	19	21	18	29	16	19	233✓
Days with ".04 in. or more	22	24	13	14	19	7	14	16	15	27	16	17	204✓

REGISTER OF RAINFALL IN 1923.

Kept at Simonskatt
in the County of Somerset
by A. J. Holland

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.27	1.11	.23	.02	.06	—	—	.02	.80	.20	.07	.06	1
2	.80	.88	.13	.09	.09	—	—	.18	—	.46	.42	1.29	2
3	.19	.02	.04	—	—	—	.28	—	.43	.49	1.04	.39	3
4	.07	—	.24	—	—	—	—	—	—	—	.21	.33	4
5	1.52	—	.09	.02	.16	.01	—	.03	—	.14	.58	—	5
6	.17	1.08	.16	.04	—	—	.10	.01	.07	.11	—	—	6
7	.46	.07	—	—	—	—	.02	—	.03	.81	—	1.02	7
8	.44	.83	—	.01	—	.11	—	—	—	.62	.39	—	8
9	.20	1.21	—	.04	.12	.39	—	.08	—	.03	.04	.07	9
10	.19	.59	—	.52	.02	—	—	.06	—	.99	—	.30	10
11	.24	.30	—	.08	.72	—	—	—	—	.65	—	.03	11
12	—	.46	—	—	.31	.22	—	—	.01	.45	.79	—	12
13	.11	.27	.14	.44	.12	—	.43	—	.06	.05	1.56	—	13
14	.12	.24	—	—	.09	.06	.01	.02	.43	—	.48	—	14
15	—	—	.25	.89	.10	.58	.11	—	.18	.01	.16	—	15
16	.10	.31	—	—	.07	—	.19	—	.98	.07	.30	—	16
17	.02	.52	—	.05	—	—	.18	.70	.98	.16	.71	—	17
18	—	.62	—	.19	.04	.06	—	.06	.65	.74	.15	—	18
19	.26	.05	—	—	.83	—	.12	.11	.84	.26	.38	—	19
20	.14	.41	—	—	.46	—	.03	.18	.15	.15	.14	—	20
21	.03	.44	—	—	.01	—	.02	.34	—	.61	—	.14	21
22	—	.60	.05	—	.16	—	—	.09	.68	.34	—	.20	22
23	.08	.26	—	—	.23	—	.59	1.11	.38	.62	—	.18	23
24	—	.46	—	.60	—	—	.10	.01	.74	.75	—	1.33	24
25	.03	.72	—	.94	.02	—	.25	.63	.59	.48	—	.98	25
26	—	.48	—	—	.24	—	—	.97	—	.84	—	.56	26
27	.01	1.58	.02	—	.06	—	.03	—	.05	.29	—	.95	27
28	.18	.67	.33	.71	.20	—	.11	.24	—	.15	—	.02	28
29	.71	—	—	.27	.04	.05	.19	1.05	.03	.24	—	.45	29
30	.30	X	.04	.32	—	—	.46	.36	—	.02	—	.10	30
31	.67	X	.12	X	—	X	.75	.13	X	.09	X	.04	31
TOTAL	7.31	14.00	1.94	4.73	2.22	1.48	3.97	6.37	7.10	10.42	7.62	8.44	77.318
Days with ".01 in. or more	26	25	13	17	22	8	19	21	18	29	16	19	233✓
Days with ".01 in. or more	22	24	13	14	19	7	14	16	15	27	16	17	204✓
YEAR'S TOTAL													77.318

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1926

Register of Rainfall in 1926.

Kept at Simonsbath
in the County of Somerset

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
„ „ Ground „ Sea Level _____ ft. _____ in.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	1.22	—	—	.05	.01	—	—	.18	.31	—	.58	.05	1
2	1.04	.19	—	.18	.04	—	.02	.02	—	—	.89	—	2
3	.68	.43	.20	.12	.31	—	.03	.02	—	—	.33	—	3
4	.33	—	—	.47	.53	—	—	.08	—	—	.27	—	4
5	.20	.88	—	.63	.39	—	—	.32	.63	—	—	—	5
6	—	.16	.15	.02	.62	—	.62	.15	—	—	.72	—	6
7	—	.99	—	—	.30	—	—	.51	.06	.01	.36	.02	7
8	.36	.39	.08	—	.29	—	.02	—	.15	—	.03	.26	8
9	—	.20	.61	.19	.10	—	.16	.36	.19	—	.20	.53	9
10	.81	.52	.12	—	.02	—	—	.60	.14	—	—	.09	10
11	—	.92	—	—	.16	—	—	.23	—	—	—	—	11
12	.05	.62	—	.39	—	—	—	1.37	—	.02	—	.03	12
13	.19	.08	.97	—	—	—	—	—	—	.10	—	.09	13
14	.42	.20	.01	1.18	—	—	—	—	—	—	—	—	14
15	.10	.01	—	.24	—	—	—	—	.61	.28	—	—	15
16	.13	.23	—	—	.12	—	—	—	.16	.74	—	.07	16
17	.01	.15	—	.03	.17	—	.21	—	—	.04	—	.17	17
18	—	—	—	.54	.39	—	.04	.11	.29	.11	—	.08	18
19	—	—	—	—	.10	—	.23	.03	1.20	1.78	—	.49	19
20	—	.02	.36	—	.09	—	—	.66	.68	1.28	—	.06	20
21	—	.17	.09	—	.03	—	.33	.42	.60	.41	—	.04	21
22	.04	.08	—	.44	—	—	.14	.26	.78	1.99	—	.70	22
23	.03	.14	.14	.13	.04	.14	—	.13	.16	.80	.03	.03	23
24	.23	.34	.17	.02	.29	—	.02	—	—	.13	—	.06	24
25	.41	1.59	.03	—	.03	—	.31	.04	.56	.54	.15	—	25
26	.07	.63	—	—	.97	—	1.34	.78	—	.24	.02	.53	26
27	.14	.36	—	.21	.37	—	1.11	.08	—	.17	—	.44	27
28	.66	.29	.01	—	.19	—	.13	.04	.12	.17	—	1.81	28
29	.65	—	.03	—	.08	—	.65	—	.07	.04	.13	1.16	29
30	.40	X	.01	.26	.04	—	.48	.06	—	.11	.79	.50	30
31	.01	X	.02	X	.07	X	.05	.07	X	.01	X	.23	31
TOTAL	7.38	9.59	2.40	5.10	5.75	.14	5.89	5.91	6.71	8.97	4.49	7.43	69.76
Days with ".01 in. or more.	23	24	16	17	26	1	18	23	17	20	13	22	220
Days with ".04 in. or more.	19	22	9	14	22	1	14	20	17	17	10	19	184

(Signed)..... [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at Smoweth
in the County of Somerset
Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Corr. for arch. Obs notified

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	2.92	.04	.12	—	—	.49	—	—	—	—	.65	.11	1
2	.86	.15	.10	—	—	.44	—	—	—	—	—	.09	2
3	.17	x	.22	—	—	—	.05	—	—	—	.02	.08	3
4	.32	.47	.19	.03	—	—	.03	—	.09	—	.15	.09	4
5	.35	.36	.39	—	.12	—	—	—	1.07	.18	.29	—	5
6	.32	.03	.05	.02	.09	—	.18	.15	.77	.30	.92	—	6
7	.02	—	.04	.24	.11	.19	.03	.09	.43	—	.24	.14	7
8	.07	—	.75	.13	.06	—	.08	.33	.03	.67	1.36	—	8
9	.01	—	.09	—	.04	.56	.04	1.40	—	.17	.62	—	9
10	.01	.04	—	—	.90	.41	.09	.40	—	.11	.41	—	10
11	—	—	.04	—	.35	.24	—	.11	.23	.12	—	—	11
12	—	—	—	—	.32	—	—	.55	.09	1.49	.38	—	12
13	—	.16	—	—	.02	.15	—	.19	.38	.35	.65	.08	13
14	—	.54	.02	.49	.14	—	—	.03	.34	.63	.06	—	14
15	.01	.11	—	.63	.01	—	—	.72	.22	.75	.67	—	15
16	.18	.31	—	.24	—	.06	—	.02	.10	.05	.44	—	16
17	—	1.59	—	.04	—	.72	.03	.20	—	—	.49	.02	17
18	.55	.33	—	.20	—	.08	.17	.09	—	—	.17	.16	18
19	—	.11	—	.18	—	—	.58	.44	.42	—	.33	—	19
20	.09	.07	.01	.41	—	—	—	.97	.02	—	.38	—	20
21	.79	—	—	.10	—	—	.31	.20	—	—	.17	—	21
22	1.25	.15	—	.11	—	—	.24	.10	—	—	.34	—	22
23	.40	.11	—	.02	—	—	.17	.19	—	—	—	—	23
24	.50	—	—	.01	.07	.04	.29	—	.10	.81	—	—	24
25	.35	—	—	—	—	—	.41	.10	.34	.36	.33	—	25
26	.22	.15	—	.08	.12	—	—	.07	.29	.21	.12	—	26
27	.47	.18	—	—	—	—	.06	—	.01	.32	—	—	27
28	.27	—	—	.02	—	—	.10	—	—	.45	.69	—	28
29	.37	—	—	.13	.14	.03	—	—	—	.01	.35	—	29
30	.08	X	—	—	.05	—	—	.04	—	—	—	—	30
31	.23	X	—	X	.89	X	—	.26	X	—	X	—	31
TOTAL	10.81	4.90	2.02	3.08	3.43	3.41	2.86	6.65	4.93	6.98	10.23	0.77	YEAR'S TOTAL
Days with .01 in. or more.	25	19	12	18	20	12	17	22	17	17	24	8	206
Days with .04 in. or more.	21	18	10	13	14	11	14	20	14	16	23	7	180

Please read the Notes and Instructions Overleaf.

BMonthly
Summary.**C**

Particulars of Station.

1906

** The following register of monthly totals, &c., is required if daily or weekly values cannot be given on the other side.

Every observer is requested to fill in this section and also the space for notes as far as possible:—

Name and Address to which any inquiry relating to this register should be sent:—

RAINFALL IN 1927

At SimonsbathIn the County of Somerset

Rain Gauge. { Diameter of Funnel.....in.

Height of Top above Ground.....ft.

Height of Ground above Sea Level.....ft.

Hour of observation by the clock—in Winter.....in Summer.....

Nearest Railway Station..... Distance..... Direction from gauge.....

Nearest Parish Church at..... Distance..... Direction from gauge.....

Month.	Total Depth.	Greatest Fall in 24 hours.	Number of Days with .01 in. or more.	Number of Days with .04 in. or more.
Inches.	Inches.	Date.		
JAN.	9.25			
FEB.	5.59			
MAR.	6.72			
APR.	3.74			
MAY	2.03			
JUNE	4.35			
JULY	7.62			
AUG.	10.04			
SEPT.	7.76			
OCT.	7.64			
NOV.	5.66			
DEC.	4.71			
Total	75.11			

Signature H. Mollard

Register of Rainfall
at Simonsbath 1927

Jan 9.25
Feb 5.59
Mar 6.72
Apr 3.74
May 2.03
June 4.35
July 7.62
Aug 10.04 (8.54)
Sept 7.76 (9.26)
Oct 7.64
Nov 5.66
Dec 4.71
Total 75.11

Sep 2' in.
adjust Aug & Sep
M.O.
-9 JAN 1928
Aug + Sep
Cor by maps
H. Mollard

D

INSTRUCTIONS.

1. Rules for measuring the rainfall and for correctly recording the measurements are given in "Rules for Rainfall Observers," to be obtained gratis from The Director, Meteorological Office, Air Ministry, London, W.C.2, or from The Superintendent, Meteorological Office, 6, Drumsheugh Gardens, Edinburgh.

2. In filling up the register on the reverse side the following rules should be observed. Those rules which apply also to the summary form above are printed in *italic type* :—

(a) Rain should be measured each morning, preferably at 9 a.m., Greenwich Mean Time. The measurement is to be credited to the previous day and should be entered in the register at the time of observation. Thus the entry for January 1st is the rainfall for the 24 hours following 9 a.m. on January 1st; it is therefore the amount measured on January 2nd.

9 a.m. Greenwich Mean Time is 10 a.m. by the clock during Summer Time Period.

(b) The rain gauge should be visited every morning without exception. When there has been no precipitation the entry in the register should be a dash — (not .00). The entry "trace" or "tr" is to be made in the two following cases, (A) and (B).

(A) When there is less than .005 in. of water in the gauge and the observer knows that this is not the result of a drop or two draining from the sides of the can after emptying the rainwater out of it at a previous time of observation, i.e., the observer must be reasonably certain that there has actually been precipitation since the preceding measurement. If the observer knows that the precipitation has been in the form of dew or wet fog this may be noted.

(B) The observer knows definitely from his own observation that some rain (or other form of precipitation such as snow, hail, sleet or drizzle) has fallen since the preceding observation, and yet finds no water in the gauge. This happens sometimes especially in dry, warm weather, without the gauge being even damp, the small amount of rain having evaporated before it got into the receiving can.

(c) On some measures there is graduation marked .005; this graduation is to show the limit between the amounts which count as .01 and those which are mere "traces." An entry .005 is not to be made in the register.

(d) If the morning observation has to be omitted for one day or more, the days covered by the next reading should be indicated by a bracket. Thus 17 } .14 would show that the reading on 18 }

the morning of the 18th day of the month was missed and that the reading on the morning of the 19th was .14 in.

(e) The total rainfall for the month is found by addition. The addition should always be done a second time as a check. The check is of special importance when the total has already been found in another copy of the register.

(f) The "number of days with .01 in. or more" includes all the days with any rain except those for which the entry is "trace." The "number of days with .04 in. or more" includes all the days with any rain except those for which the entries are trace, .01, .02, or .03.

(g) If observations are not available for every day during the month the spaces for the number of days with rain should be left blank.

(h) The heaviest daily fall for each month should be underlined.

London: Published by His Majesty's Stationery Office. To be purchased directly from H.M. Stationery Office at the following addresses: Adastral House, Kingsway, London, W.C.2; 120, George Street, Edinburgh; York Street, Manchester; 1, St. Andrew's Crescent, Cardiff; 15, Donegall Square West, Belfast; or through any Bookseller. 1927. Price 1d. net.

Printed under the authority of His Majesty's Stationery Office by WATERLOW & SONS LIMITED, Birch Lane, London, E.C.3.

(140w) (268366) Wt. 9951/599/660 Gp. 127 13000 9.27 W & S Ltd.

40-9999.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

1983

Kept at SIMONSBATH
in the Co SOMERSET.

Nov & Dec adjusted by sun shine

Diameter
Height of

1928


T
An obser
following

Register of Rainfall taken at Simonsbath

following.

Date	Jr		Date
1		Jan 14.18	1
2		Feb 9.82	2
3		Mar 5.93	3
4		April 3.39	4
5		May 1.01	5
6		June 4.72	6
7		July 5.28	7
8		August 4.45	8
9		Sept 1.94	9
10		Oct 9.42	10
11		Nov 10.65	11
12		Dec 7.48	12
13		Total 75.27	13
14			14
15			15
16			16
17			17
18			18
19			19
20			20
21			21
22			22
23			23
24			24
25			25
26			26
27			27
28			28
29			29
30			30
31			31
TOTAL			YEAR'S TOTAL
Days with 01 in. or more.			
Days with 04 in. or more.			

A. Mollard



Section **A**
FORM 1090.

for the entry of
AIR MINIS

2029

REG

SHIPHAM, STUDLEIGH LEND

1829A
FOR OFFICIAL USE.

ORGANIZATION.

927.

Kept at Shiphham
in the County of Some

Diameter of Funnel of Gauge...

Height of top of Gauge above G

Ground

1927-30

registered in Sept and Nov.

using Sept 22 288 128
probably correct.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.1	.82	.14	.07	—	—	.64	—	—	—	(.85)	—	1
2	.22	.55	.08	—	—	—	—	—	—	—	.04	.02	2
3	—	—	.58	.54	—	.06	.115	—	—	—	.02	.03	3
4	.22	—	—	—	—	.15	.155	—	—	—	.10	—	4
5	.16	.15	.41	—	—	.115	.11	—	.49	—	.55	—	5
6	.11	—	—	—	—	—	.005	.12	—	—	.16	—	6
7	—	.11	—	.52	—	.175	.18	.055	.14	—	—	—	7
8	.02	—	.03	.13	.41	—	—	.06	—	.27	—	—	8
9	—	—	—	.01	—	—	.04	.20	.39	—	—	.115	9
10	—	—	—	.08	—	—	.14	.015	.03	—	—	—	10
11	—	—	—	.17	—	—	—	—	—	—	—	—	11
12	.43	—	—	—	—	—	.14	.51	—	—	—	—	12
13	.18	—	—	—	—	—	.02	.55	1.68	—	—	—	13
14	.03	—	—	—	.18	—	.01	.718	—	—	.08	—	14
15	—	—	—	—	.16	—	—	.48	—	—	.05	—	15
16	.05	—	—	—	.375	.92	—	.06	.54	—	.03	—	16
17	.17	—	—	—	—	.24	—	.29	.34	—	—	.33	17
18	—	—	—	—	—	.325	—	.11	.08	—	—	—	18
19	—	.31	.26	—	—	—	.05	.665	.005	—	.78	—	19
20	—	.06	—	—	.03	.06	.34	.26	.06	—	.18	—	20
21	.47	.35	.40	.10	—	.19	—	.65	.11	—	—	.45	21
22	.05	—	—	—	—	.41	—	.40	.405	—	.31	.68	22
23	—	.55	.37	.03	—	—	.16	.035	.66	—	—	—	23
24	.15	.23	.13	—	—	.16	—	—	.01	—	—	—	24
25	.16	—	—	—	—	.01	.04	.73	—	(.38)	—	.52	25
26	.065	.40	—	—	.14	.03	.37	.005	—	—	.24	—	26
27	1.13	—	.31	—	—	.055	—	—	(.87)	—	—	—	27
28	—	X	.22	—	—	.21	.16	.07	(.30)	—	.01	—	28
29	.10	X	.45	—	—	.085	.43	—	.06	—	—	.17	29
30	.21	X	—	X	—	X	—	—	X	—	X	.70	30
31	—	—	—	—	—	—	—	—	—	—	—	—	31
TOTAL	3.895	3.53	3.32	1.65	1.305	3.495	4.065	4.79	5.82	2.99	2.63	3.125	42.175
Days with '01 in. or more.					7	17							—
Days with '04 in. or more.					5	16							—
YEAR'S TOTAL													

Section **A**

for the entry of

1829A
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Shiphham (Studleigh End)

in the County of Somerset

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....in.

„ Ground „ Sea Level.....54.0.....ft.

annulst below
Certain values suggested in Sept and Nov.
from 906 21/6/29.
Obs. absent from home during Sept 16, 22, 28, 1/28
gauge probably overflows.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.1	.82	.14	.07	—	—	.64	—	—	—	(.85)	—	1
2	.22	.55	.08	—	—	—	—	—	—	—	.04	.02	2
3	—	—	.58	.54	—	.06	.115	—	—	—	.02	.03	3
4	.22	—	—	—	—	.15	.155	—	—	—	.10	—	4
5	.16	.15	.41	—	—	.115	.11	—	.49	—	.55	—	5
6	.12	—	—	—	—	—	.005	.12	—	—	.16	—	6
7	—	.11	—	.52	—	.175	.18	.055	.14	—	—	—	7
8	.02	—	.03	.13	.41	—	—	.06	—	.27	—	—	8
9	—	—	—	.01	—	—	.04	.20	.39	—	—	.115	9
10	—	—	—	.08	—	—	.14	.015	.03	—	—	—	10
11	—	—	—	.17	—	—	—	—	—	—	—	—	11
12	.43	—	—	—	—	—	.14	.53	—	—	—	—	12
13	.18	—	—	—	—	—	.02	.55	1.68	—	—	—	13
14	.02	—	—	—	.18	—	.01	.718	—	—	.08	—	14
15	—	—	—	—	.16	—	—	—	.48	—	.05	—	15
16	.05	—	—	—	.375	.92	—	.06	.54	—	.03	—	16
17	.17	—	—	—	—	.44	—	.29	.34	—	—	.33	17
18	—	—	—	—	—	.325	—	.11	.08	—	—	—	18
19	—	.31	.26	—	—	—	.05	.665	.005	—	.78	—	19
20	—	.06	—	—	.03	.06	.34	.26	.06	—	.18	—	20
21	.47	.35	—	—	—	.07	.27	.01	.40	—	.08	.71	21
22	.05	—	.40	.10	—	.19	—	.65	.11	—	—	.45	22
23	—	—	—	—	—	.41	—	.40	.405	—	.31	.68	23
24	.15	.55	.37	.03	—	—	.16	.035	.66	—	—	—	24
25	.16	.23	.13	—	—	.16	—	—	.01	—	—	—	25
26	.065	.40	—	—	.01	.04	.73	—	(.38)	—	—	.52	26
27	1.13	—	—	—	.14	.03	.37	.005	(.07)	—	.24	—	27
28	—	—	.31	—	—	.055	—	—	(.30)	—	—	—	28
29	—	X	.22	—	—	.21	.16	.07	—	—	.01	—	29
30	.10	X	.45	—	—	.085	.43	—	.06	—	—	.17	30
31	.21	X	—	X	—	X	—	—	X	—	X	.70	31
TOTAL	3.895	3.53	3.32	1.65	1.305	3.495	4.065	4.79	5.82	2.99	2.63	3.125	42.175
Days with .01 in. or more.					7	17							—
Days with .04 in. or more.					5	16							—
YEAR'S TOTAL													40.515

Section **A**

for the entry of Daily Observations.

1902
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Studleigh End, Shipham
in the County of Somerset
Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft.....in.
„ „ Ground „ „ Sea Level ca. 540.....ft.

*Est days June fairly heavy
May June allocated by sun etc*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1	—	—	·04	—	—	—	—	tr.	—	—	·01	—	1
2	·02	·19	·11	·27	—	—	·025	tr.	—	—	·01	—	2
3	—	·25	tr.	·25	—	—	·15	·04	—	—	·06	·01	3
4	·09	—	—	·015	—	×	—	tr.	—	·31	·13	tr.	4
5	·21	·06	·04	·06	·075	×	·12	tr.	·06	·47	tr.	·015	5
6	—	tr.	·045	·03	—	×	—	·01	—	·01	—	·01	6
7	·10	·13	·025	·035	—	×	·01	·16	·01	·115	—	·105	7
8	—	·11	—	—	—	×	—	·01	—	·48	—	—	8
9	·14	·01	—	·10	—	×	·15	tr.	·12	·60	—	·015	9
10	·17	·205	·08	·125	—	×	—	·08	tr.	·36	·19	·055	10
11	—	—	·11	—	—	(1·73)	—	·075	—	·625	·4	·155	11
12	·76	·66	·03	—	—	·01	—	·055	—	·01	·02	·01	12
13	—	·01	—	—	—	·40	—	·24	—	—	—	—	13
14	·30	·44	—	·34	—	·84	—	·15	—	·60	·08	—	14
15	·10	·115	—	·02	tr.	tr.	—	tr.	—	·055	·355	—	15
16	—	·23	·17	tr.	·07	tr.	—	—	—	·27	·32	—	16
17	—	tr.	·01	·02	·23	·095	—	—	—	·01	·06	—	17
18	·43	·01	·01	tr.	·01	·05	—	—	—	·31	·03	—	18
19	—	—	·055	tr.	·065	·12	—	·47	—	·37	·11	—	19
20	·44	—	·19	—	·375	·02	—	·29	—	·015	·15	—	20
21	·90	tr.	·28	—	—	·045	—	·365	—	·01	·24	—	21
22	—	tr.	·095	—	—	—	—	·03	—	·60	·42	×	22
23	·42	tr.	·15	—	—	—	—	tr.	tr.	·135	—	—	23
24	·15	—	tr.	—	—	—	—	·04	·25	·03	·25	×	24
25	·09	—	·025	—	—	—	tr.	tr.	—	·10	—	×	25
26	·12	—	·07	—	—	·16	·80	·535	tr.	·63	·02	×	26
27	—	—	·03	·22	—	—	·40	·48	·265	·17	tr.	×	27
28	·91	—	·385	—	—	·23	·04	·08	·40	—	tr.	2·40	28
29	·04	·24	·66	—	—	—	·01	·09	·015	·19	·02	·025	29
30	·045	×	·055	—	—	·015	·48	·01	—	·02	tr.	·09	30
31	·415	×	·29	×	—	×	1·33	—	×	—	×	tr.	31
TOTAL	5·85	2·66	2·955	1·485	22·2452	3·74	3·515	3·21	1·12	6·435	2·595	2·89	36·445
Days with ·01 in. or more.	20	13	23	12	(10)	(18)	11	19	7	25	19	(20)	(197)
Days with ·04 in. or more.	19	10	17	7	(7)	(14)	7	15	5	18	13	(10)	(142)
YEARS TOTAL													

FORM 1090.

REGISTER OF RAINFALL IN 1929 .

Kept at Studleigh End Shipham
in the County of Somerset

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
,, Ground ,, Sea Level cu 540 ft.

Feb $\frac{1}{2}$ "low
April 1 "high. of 1959-1962.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	<u>.34</u>	-	<u>.015</u>	<u>.09</u>	<u>.21</u>	-	-	tr	-	-	tr	1
2	-	<u>.26</u>	-	-	tr	-	tr	-	-	<u>.94</u>	<u>.055</u>	<u>.34</u>	2
3	-	-	-	-	tr	<u>.02</u>	<u>.14</u>	<u>3.15</u>	-	<u>.095</u>	-	<u>.24</u>	3
4	-	-	-	<u>.12</u>	<u>.61</u>	tr	tr	<u>.42</u>	-	<u>.015</u>	-	<u>.78</u>	4
5	-	-	-	-	<u>.91</u>	<u>.48</u>	<u>.365</u>	<u>.70</u>	<u>.03</u>	<u>2.45</u>	<u>.91</u>	<u>.15</u>	5
6	-	<u>.05</u>	-	-	<u>.08</u>	<u>.13</u>	-	<u>.24</u>	dew.	<u>.7</u>	-	<u>.585</u>	6
7	<u>.02</u> Snow	-	-	-	<u>.06</u>	tr	-	<u>.03</u>	-	tr	<u>.60</u>	<u>.37</u>	7
8	-	<u>.08</u>	-	-	tr	-	-	<u>.06</u>	-	<u>.26</u>	tr	<u>.46</u>	8
9	<u>.13</u>	<u>.12</u>	-	-	-	-	-	<u>.01</u>	-	<u>.015</u>	<u>.15</u>	<u>.37</u>	9
10	<u>.01</u>	-	-	<u>.025</u>	<u>.05</u>	-	-	tr	-	-	<u>.23</u>	<u>.28</u>	10
11	-	<u>.01</u> Snow	-	<u>.01</u>	<u>.285</u>	-	-	<u>.03</u>	<u>.02</u>	tr	<u>.75</u>	<u>.03</u>	11
12	-	-	-	<u>.13</u>	<u>.01</u>	<u>.95</u>	-	-	-	<u>.04</u>	<u>.13</u>	<u>.115</u>	12
13	-	-	-	<u>.02</u>	<u>.06</u>	<u>.265</u>	-	<u>.065</u>	-	tr	-	-	13
14	-	-	-	-	<u>.10</u>	<u>.26</u>	-	-	-	-	-	<u>.19</u>	14
15	<u>.03</u>	<u>.04</u> Snow	-	-	<u>.01</u>	<u>.22</u>	-	<u>.025</u>	-	-	-	<u>.02</u>	15
16	-	-	-	-	-	<u>.01</u>	-	<u>.02</u>	-	tr	<u>.35</u>	-	16
17	<u>.075</u>	-	-	-	-	<u>.01</u>	-	<u>.26</u>	-	<u>.28</u>	-	-	17
18	tr	-	-	-	-	-	-	<u>.04</u>	-	<u>.11</u>	<u>.83</u>	-	18
19	<u>.01</u>	-	-	-	-	-	-	-	<u>.113</u>	<u>.04</u>	<u>.25</u>	<u>.13</u>	19
20	tr	-	<u>.07</u>	-	-	-	-	<u>.19</u>	-	<u>.48</u>	<u>.02</u>	<u>.49</u>	20
21	<u>.01</u>	-	<u>.095</u>	-	-	-	<u>.11</u>	<u>.15</u>	-	tr	tr	<u>.03</u>	21
22	<u>.01</u>	-	<u>.01</u>	<u>.02</u>	-	-	<u>.08</u>	<u>.23</u>	-	<u>.02</u>	<u>1.19</u>	<u>.04</u>	22
23	tr	<u>.015</u>	tr	<u>.015</u>	<u>.075</u>	-	<u>.02</u>	-	-	<u>.07</u>	<u>.10</u>	<u>.56</u>	23
24	-	-	<u>.01</u>	-	-	-	-	<u>.025</u>	-	<u>.77</u>	<u>.97</u>	<u>.29</u>	24
25	-	tr	tr	<u>.01</u>	-	-	-	tr	-	tr	<u>.05</u>	<u>.07</u>	25
26	-	<u>.05</u> Snow	-	tr	<u>.06</u>	-	-	tr	-	-	<u>.22</u>	<u>.30</u>	26
27	tr	-	-	<u>.11</u>	<u>.01</u>	-	-	-	-	<u>.25</u>	<u>1.25</u>	<u>.35</u>	27
28	<u>.27</u>	-	-	<u>.19</u>	-	-	<u>.65</u>	-	-	<u>.615</u>	<u>.83</u>	<u>.59</u>	28
29	<u>.15</u>	X	-	<u>.15</u>	-	<u>.015</u>	tr	-	<u>.21</u>	<u>.245</u>	<u>.58</u>	<u>.14</u>	29
30	<u>.015</u>	X	-	<u>.03</u>	-	<u>.045</u>	<u>.14</u>	<u>.01</u>	<u>.37</u>	<u>.015</u>	<u>.015</u>	<u>.03</u>	30
31	<u>.68</u>	X	-	X	-	X	<u>.34</u>	<u>.41</u>	X	-	X	<u>.05</u>	31
TOTAL	<u>1.41</u>	<u>.965</u>	<u>.185</u>	<u>.845</u>	<u>2.41</u>	<u>2.615</u>	<u>1.845</u>	<u>5.845</u>	<u>.725</u>	<u>7.41</u>	<u>9.48</u>	<u>7.00</u>	<u>40.735</u>
Days with "or in. or more.	<u>12</u>	<u>9</u>	<u>4</u>	<u>13</u>	<u>14</u>	<u>12</u>	<u>8</u>	<u>19</u>	<u>4</u>	<u>19</u>	<u>21</u>	<u>26</u>	<u>161</u>
Days with ".04 in. or more.	<u>5</u>	<u>7</u>	<u>2</u>	<u>5</u>	<u>11</u>	<u>8</u>	<u>7</u>	<u>12</u>	<u>3</u>	<u>15</u>	<u>19</u>	<u>22</u>	<u>116</u>

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at STUDLEIGH END, SHIPHAM
in the County of SOMERSETDiameter of Funnel of Gauge 4 in.
Height of top of Gauge above Ground 9 ft. 9 in.
,, Ground ,, Sea Level c. 550 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>✓</i>	<u>.50</u>	-	<u>.63</u>	-	<u>.075</u>	-	<i>✓</i>	-	-	<u>.45</u>	-	1
2	<i>✓</i>	<u>.11</u>	-	<u>.20</u>	-	-	<u>.02</u>	<i>✓</i>	-	<u>.01</u>	<u>.41</u>	-	2
3	<i>✓</i>	<u>.255</u>	-	<u>.38</u>	-	-	<u>.21</u>	<i>✓</i>	-	<u>.20</u>	<u>.01</u>	-	3
4	<i>✓</i>	<u>.05</u>	<u>.07</u>	<u>.11</u>	-	-	<u>.02</u>	<i>✓</i>	<u>.095</u>	<u>.35</u>	<u>.6</u>	-	4
5	<i>✓</i>	-	-	<u>.5</u>	<u>.13</u>	-	<u>.015</u>	<i>✓</i>	-	<u>.315</u>	-	<u>.5</u>	5
6	<i>✓</i>	-	<u>.25</u>	-	-	-	-	<i>✓</i>	<u>.27</u>	<u>.015</u>	-	<u>.06</u>	6
7	<i>✓</i>	-	-	-	<u>.08</u>	-	-	<i>✓</i>	<u>.02</u>	<u>.27</u>	<u>.23</u>	<u>.12</u>	7
8	<i>✓</i>	-	-	<u>.38</u>	<u>.14</u>	-	-	<i>✓</i>	<u>.12</u>	<u>.42</u>	<u>.5</u>	<u>.29</u>	8
9	<i>✓</i>	-	<u>.41</u>	<u>.31</u>	<u>.15</u>	<u>.01</u>	-	<i>✓</i>	<u>.095</u>	<u>.055</u>	<u>.10</u>	-	9
10	<i>✓</i>	-	<u>.08</u>	-	<u>.20</u>	<u>.03</u>	-	<i>✓</i>	<u>.03</u>	<u>.5</u>	-	<u>1.32</u>	10
11	<u>1.40</u>	-	<u>.06</u>	<u>.15</u>	<u>.01</u>	<u>.015</u>	<u>.63</u>	<i>✓</i>	-	<u>.08</u>	-	<u>.02</u>	11
12	<i>✓</i>	-	<u>.5</u>	<u>.015</u>	<u>.21</u>	<u>.02</u>	-	<i>✓</i>	<u>.12</u>	<u>.03</u>	<u>.01</u>	<u>.12</u>	12
13	<u>.41</u>	-	<u>.08</u>	<u>.20</u>	<u>.16</u>	-	<u>.20</u>	<i>✓</i>	<u>.49</u>	<u>.01</u>	-	<u>.17</u>	13
14	<u>.57</u>	<u>.06</u>	<u>.275</u>	<u>.12</u>	<u>.045</u>	-	<u>.01</u>	<i>✓</i>	<u>.03</u>	<u>.025</u>	-	<u>.04</u>	14
15	<u>.5</u>	-	<u>.50</u>	-	<u>.02</u>	-	<u>.63</u>	<i>✓</i>	<u>.115</u>	<u>.49</u>	<u>.255</u>	<u>.43</u>	15
16	<u>.5</u>	-	-	<u>.5</u>	-	-	<u>.13</u>	<i>✓</i>	<u>.11</u>	<u>.12</u>	-	<u>.15</u>	16
17	-	-	-	<u>.06</u>	<u>.10</u>	-	<u>.04</u>	<i>✓</i>	<u>.55</u>	<u>.095</u>	-	<u>.015</u>	17
18	-	-	<u>.06</u>	-	<u>.06</u>	-	<u>.175</u>	<i>✓</i>	<u>.44</u>	<u>.055</u>	<u>.17</u>	<u>.07</u>	18
19	-	-	<u>.01</u>	<u>.10</u>	<u>.01</u>	<u>.12</u>	<u>.11</u>	<i>✓</i>	<u>.18</u>	<u>.40</u>	<u>.41</u>	<u>.04</u>	19
20	-	-	<u>.065</u>	<u>.02</u>	-	-	<u>.29</u>	<i>✓</i>	<u>.45</u>	<u>.025</u>	<u>.365</u>	-	20
21	-	-	-	-	-	<u>.06</u>	<u>.015</u>	<i>✓</i>	<u>.03</u>	<u>.31</u>	<u>.25</u>	-	21
22	<u>.26</u>	-	<u>.5</u>	<u>.5</u>	-	<u>.01</u>	<u>.02</u>	<i>✓</i>	<u>.22</u>	<u>.29</u>	<u>.24</u>	-	22
23	<u>.05</u>	-	<u>.19</u>	<u>.06</u>	<u>.5</u>	<u>.46</u>	<u>.12</u>	<i>✓</i>	<u>.04</u>	<u>.5</u>	<u>.485</u>	<u>.035</u>	23
24	<u>.33</u>	-	-	<u>.55</u>	-	<u>.12</u>	<u>.025</u>	<i>✓</i>	<u>.58</u>	<u>.03</u>	<u>.255</u>	<u>.12</u>	24
25	-	<u>.03</u>	<u>.025</u>	<u>.06</u>	<u>.07</u>	-	<u>.05</u>	<i>✓</i>	<u>.02</u>	<u>.05</u>	<u>.07</u>	<u>.21</u>	25
26	<u>.77</u>	<u>.5</u>	<u>.5</u>	-	<u>.125</u>	-	<u>.25</u>	<i>✓</i>	<u>.03</u>	<u>.02</u>	<u>.06</u>	<u>.15</u>	26
27	<u>.07</u>	-	<u>.03</u>	-	-	<u>.02</u>	<u>.09</u>	<i>✓</i>	<u>.075</u>	<u>.06</u>	-	<u>.075</u>	27
28	<u>.12</u>	-	<u>.09</u>	-	<u>.02</u>	-	<u>.50</u>	<i>✓</i>	<u>.03</u>	<u>.08</u>	<u>.495</u>	<u>.18</u>	28
29	<u>.015</u>	-	-	-	<u>.03</u>	-	-	<i>✓</i>	<u>.20</u>	<u>.37</u>	<u>.11</u>	<u>.05</u>	29
30	<u>.01</u>	<i>×</i>	<u>.17</u>	-	-	<u>.01</u>	-	<i>✓</i>	<u>.01</u>	<u>.06</u>	<u>.01</u>	<u>.66</u>	30
31	<u>.38</u>	<i>×</i>	<u>.04</u>	<i>×</i>	<u>.175</u>	<i>×</i>	<u>.119</u>	<i>✓</i>	<i>×</i>	<u>.22</u>	<i>×</i>	<u>.20</u>	31
TOTAL	<u>4.89</u>	<u>1.01</u>	<u>2.41</u>	<u>3.30</u>	<u>1.85</u>	<u>.95</u>	<u>3.06</u>	<u>9.05</u>	<u>4.35</u>	<u>4.45</u>	<u>4.39</u>	<u>4.52</u>	YEAR'S TOTAL
*Days with "or in. or more.	<u>(21)</u>	<u>6</u>	<u>17</u>	<u>16</u>	<u>20</u>	<u>12</u>	<u>22</u>	<u>(15)</u>	<u>25</u>	<u>28</u>	<u>19</u>	<u>22</u>	<u>(22 3)</u>
*Days with ".04 in. or more.	<u>(18)</u>	<u>5</u>	<u>13</u>	<u>15</u>	<u>13</u>	<u>5</u>	<u>14</u>	<u>(12)</u>	<u>17</u>	<u>20</u>	<u>16</u>	<u>19</u>	<u>(16 7)</u>

40-9999

*See Instruction 2 (f) on other side.

(Signed) Emily M. Garaway

[P.T.O.]